
## 17.23 SAR peak separation for SPLSR


Figure (X1)



Mode		Peak SAR	X	Υ	Z	d: Calc	ulated
		mW/g	m	m	m	distance (mm)	
WCDMA Band2	1	1.13	-0.0045	0.104	-0.183	1)+2	164.4
WLAN 2.4GHz Main Ant	2	1.27	-0.0084	-0.0604	-0.182	U+2	


The Peak Location Separation Distance is computed by using the formula below: SQRT((X1-X2)^2+(Y1-Y2)^2+(Z1-Z2)^2)

Figure (X2)




Mode		Peak SAR	Χ	Υ	Z	d: Calc	ulated
IVIOUE		mW/g	m	m	m	distance (mm)	
WCDMA Band2	1	1.13	-0.0045	0.104	-0.183	1)+2	171.1
WLAN 5.3GHz Main Ant	2	1.58	8.74E-11	-0.067	-0.179	1	171.1

Figure (X3)




Mode		Peak SAR	Х	Υ	Z	d: Calc	ulated
Wiode		mW/g	m	m	m	distance (mm)	
WCDMA Band2	1	0.898	0.003	0.105	-0.182	1)+2	173.0
WLAN 5.3GHz Main Ant	2	1.88	0.002	-0.068	-0.182	1	173.0

Figure (X4)



Mode		Peak SAR	X	Υ	Z	d: Calc	ulated	
IVIOGE		mW/g	m	m	m	distance (mm)		
WCDMA Band2	1	1.13	-0.0045	0.104	-0.183	1)+2	169.1	
WLAN 5.5GHz Main Ant	2	1.41	-0.007	-0.065	-0.179	U+W	109.1	


Figure (X5)



Mode		Peak SAR	X	Υ	Z	d: Calc	ulated
		mW/g	m	m	m	distance	e (mm)
WCDMA Band2	1	1.13	-0.0045	0.104	-0.183	1)+2	160.1
WLAN 5.8GHz Main Ant	2	1.38	-0.003	-0.056	-0.179	1) + 2	


 $* SPLSR \ for \ WLAN \ second \ peak \ and \ WWAN \ was \ excluded \ since \ simultaneous \ transmission \ result \ is < 1.6W/kg.$ 

Figure (X6)




Mode		Peak SAR	X	Υ	Z	d: Calc	ulated
IVIOGE	mW/g m		m	m	m	distance (mm)	
LTE Band25	1	1.01	-0.0075	0.099	-0.183	1)+2	159.4
WLAN 2.4GHz Main Ant	2	1.27	-0.0084	-0.0604	-0.182	U+W	

Figure (X7)




Mode		Peak SAR	X	Υ	Z	d: Calc	ulated
		mW/g	m	m	m	distance	e (mm)
LTE Band25	1	1.05	0.003	0.104	-0.182	1)+2	169.0
WLAN 2.4GHz Main Ant	2	1.29	0.0036	-0.065	-0.178	1) + 2	

Figure (X8)




Mode		Peak SAR	X	Υ	Z	d: Calc	ulated
Mode		mW/g	m	m	m	distance (mm)	
LTE Band25	1	1.01	-0.0075	0.099	-0.183	1)+2	166.2
WLAN 5.3GHz Main Ant	2	1.58	8.74E-11	-0.067	-0.179	U+W	

Figure (X9)




Mode		Peak SAR	X	Υ	Z	d: Calc	ulated
Mode		mW/g	m	m	m	distance (mm)	
LTE Band25	1	1.05	0.003	0.104	-0.182	1)+2	172.0
WLAN 5.3GHz Main Ant	2	1.88	0.002	-0.068	-0.182	U+2	

Figure (X10)



Mode		Peak SAR	Χ	Υ	Z	d: Calo	ulated
Wode	Mode		m	m	m	distance	e (mm)
LTE Band25	1	1.05	0.003	0.104	-0.182	1)+2	170.0
WLAN 5.5GHz Main Ant	2	1.76	0.002	-0.066	-0.182	U+2	170.0

Figure (X11)



Mode		Peak SAR	Х	Υ	Z	d: Calc	ulated
Mode	Mode		m	m	m	distance (mm	
LTE Band25	1	1.05	0.003	0.104	-0.182	1)+2	158.1
WLAN 5.8GHz Main Ant	2	1.62	-0.001	-0.054	-0.182	U+2	