

acknowledgement

Only radiated measurements are used to show compliance with FCC limits for fundamental and spurious emissions.

ZH- FM-Q023 A/0

product descript i on	Manufacturer : Dongguan DefLi Hardware Electronic Materials Co., LTD		Item name : All coil + magnetic chip	
	Supplier product name : launch coil		Reference model of Zhonghui Innovative Product :	
	Supplier Material Code :		Zhonghui innovation material code : 050500120080	
appendix	A, specification	B, engineering drawing	C, sample	D, and RoHS reports
	E, CPK report	F, FAI full-size report	G, reliability test	H, RoHS and HL
	I, process	J. Material certificate	report	L, Safety Report
	control	N Halogen-Free Test		(optional)
	diagram	Report (optional)	K, packaging	
			method	
	M, Statement of halogen-free guarantee (optional)			
	remarks :			
	1. All the above options should be provided for PCB materials, RoHS report and halogen-free test report, additional electronic files can be kept by device department and SQE. The confirmation must be accompanied with paper RoHS Restricted Material Composition Survey, and other materials only provide items A, B, C, E, F, G, H, I, J, K;			
	2. Options can be provided for different customer requirements, except for packaging materials, other customers must provide ;			
3. The packaging material sealing sample book can be signed by the packaging engineer, the project manager and the Quality Department SQE.				
Supplie r signed	Production :, Tan Tianlong review : Qiu Zhihui approved : Zheng Quao			
Technica l confirmat i on bar	Structure / stacking :		hardware :	
	Device Division of		software :	
	Product Division :		engineering department :	
	Hard test :		project manager :	
	ID (optional) :			
quality ver ificat ion	DQE Engineer : SQE Engineer:			

condition of recognition	<input type="checkbox"/> Admitted <input type="checkbox"/> and refuses to admit <input type="checkbox"/> Conditional recognition of meeting the conditions: _____ <input type="checkbox"/> Temporary recognition of limited _____ Pcs procurement
Distribution department	<input type="checkbox"/> Purchase <input type="checkbox"/> hardware <input type="checkbox"/> software <input type="checkbox"/> strategic partner: _____ <input type="checkbox"/> Pilot-scale <input type="checkbox"/> customer <input type="checkbox"/> processing plant <input type="checkbox"/> supplier <input type="checkbox"/> other _____

Storage period: until one year after the material is stopped


试用水印

Dongguan DefLi Hardware Electronic Materials Co., LTD

SPECIFICATION

Product model number : DESC	ZH-Y20.5*43-30-FR	edit ion Rev: A	Customer :	
			Description :	All coil + hard magnetic
			Date :	20211231

1. Dimension



A	50.0±1.0
B	20.5±1.0
C	42.5±1.5
D	30.0±2.0
E	1.0±0.2
F	3.5±1.5
G	
H	
I	
J	
K	
L	

1. The coil is paste hard magnetic, magnetic plate with holes with double groove
2. White double-sided tape with ears on the back of the magnetic piece
3. 8 mm high temperature tape around the coil
4. The coil should not be loosened

2. Schematic diagram (schematic diagram:)

3. Winding parameters (WindingSpecification:)

order	Terminal,	Line dia	number	direction of winding
-------	-----------	----------	--------	----------------------

num ber NO.	TERMIN AL		met er, WIR E	of turn s Turn s	Winding Direction
1			0.08X105P wire wrap wire	10TS	anticlockwise

4. Electrical characteristics ELECTRICAL CHARACTERISTICS :

Temperature TEMPERATURE: $25 \pm 10^{\circ} \text{C}$, humidity RELATIVE HUMIDITY: $65 \pm 20\%$

orde r num ber NO.	proj ect ITE M	Termi nal, TERMIN AL	standard SPECIFICATION	Test condition, TEST FREQUENCY	measuring and test instruments TEST EQUIPMENTS
1	IND.		6.3 UH \pm 10% magnetic chip	100KHZ/1.0V	SHDA1062
2	IND.				
3	Q price				
4	DCR				

File / date PREPARED BY / DATE	Review / Date CHECKED BY / DATE	Customer / Date CUSTOMEU / DATE