



Band41 10MHz 256QAM LCH 2501MHz RB 1 0 NTNV




Band41 10MHz 256QAM LCH 2501MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.481	-37.03	-25	Pass
2490.5	2495	1	CHP	2	2494.261	-31.83	-13	Pass
2495	2496	0.13	CHP	3	2495.941	-38.80	-13	Pass
2496	2506	0.13	CHP	/	/	/	/	/


Band41 10MHz 256QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 256QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 256QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 256QAM HCH 2685MHz RB 1 0 NTNV




Band41 10MHz 256QAM HCH 2685MHz RB 1 0 NTNV



Band41 10MHz 256QAM HCH 2685MHz RB 1 0 NTNV




Band41 10MHz 256QAM HCH 2685MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.065	-35.34	-10	Pass
2691	2695	1	CHP	2	2691.550	-33.08	-10	Pass
2695	2701.17	1	CHP	3	2695.205	-44.23	-13	Pass
2701.17	2705	1	CHP	4	2701.175	-52.47	-25	Pass

Band41 10MHz 256QAM HCH 2685MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.223	CHP	/	/	/	/	/
2690	2691	0.223	CHP	1	2690.025	-32.55	-10	Pass
2691	2695	1	CHP	2	2691.500	-33.27	-10	Pass
2695	2701.17	1	CHP	3	2695.025	-37.44	-13	Pass
2701.17	2705	1	CHP	4	2701.175	-44.14	-25	Pass


5.2.3 B41_15MHz




Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz QPSK LCH 2503.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.330	-30.31	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-27.88	-13	Pass
2495	2496	0.153	CHP	3	2495.842	-34.36	-13	Pass
2496	2511	0.153	CHP	/	/	/	/	/


Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTN




Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV



Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.015	-34.24	-10	Pass
2691	2695	1	CHP	2	2691.500	-33.87	-10	Pass
2695	2707.585	1	CHP	3	2695.500	-40.69	-13	Pass
2707.585	2710	1	CHP	4	2708.225	-52.47	-25	Pass

Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.352	CHP	/	/	/	/	/
2690	2691	0.352	CHP	1	2690.015	-36.77	-10	Pass
2691	2695	1	CHP	2	2691.870	-33.92	-10	Pass
2695	2707.585	1	CHP	3	2695.020	-38.59	-13	Pass
2707.585	2710	1	CHP	4	2707.620	-43.30	-25	Pass

Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.405	-40.74	-25	Pass
2490.5	2495	1	CHP	2	2494.455	-32.36	-13	Pass
2495	2496	0.01	/	3	2495.900	-35.98	-13	Pass
2496	2511	0.01	/	/	/	/	/	/


Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz 16QAM LCH 2503.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.382	-31.97	-25	Pass
2490.5	2495	1	CHP	2	2494.360	-27.76	-13	Pass
2495	2496	0.149	CHP	3	2495.426	-35.08	-13	Pass
2496	2511	0.149	CHP	/	/	/	/	/


Band41 15MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 16QAM HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz 16QAM HCH 2682.5MHz RB 1 0 NTNV



Band41 15MHz 16QAM HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz 16QAM HCH 2682.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-35.64	-10	Pass
2691	2695	1	CHP	2	2691.500	-34.14	-10	Pass
2695	2704.973	1	CHP	3	2695.465	-40.21	-13	Pass
2704.973	2710	1	CHP	4	2704.975	-51.78	-25	Pass

Band41 15MHz 16QAM HCH 2682.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.299	CHP	/	/	/	/	/
2690	2691	0.299	CHP	1	2690.015	-39.52	-10	Pass
2691	2695	1	CHP	2	2693.340	-35.53	-10	Pass
2695	2704.973	1	CHP	3	2697.050	-35.96	-13	Pass
2704.973	2710	1	CHP	4	2704.995	-41.73	-25	Pass

Band41 15MHz 64QAM LCH 2503.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.495	-44.51	-25	Pass
2490.5	2495	1	CHP	2	2494.495	-41.74	-13	Pass
2495	2496	0.01	/	3	2495.995	-38.96	-13	Pass
2496	2511	0.01	/	/	/	/	/	/


Band41 15MHz 64QAM LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz 64QAM LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz 64QAM LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz 64QAM LCH 2503.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.200	-31.67	-25	Pass
2490.5	2495	1	CHP	2	2494.360	-29.07	-13	Pass
2495	2496	0.215	CHP	3	2495.998	-33.45	-13	Pass
2496	2511	0.215	CHP	/	/	/	/	/


Band41 15MHz 64QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 64QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 64QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 64QAM HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz 64QAM HCH 2682.5MHz RB 1 0 NTNV



Band41 15MHz 64QAM HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz 64QAM HCH 2682.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-36.50	-10	Pass
2691	2695	1	CHP	2	2691.500	-39.67	-10	Pass
2695	2710	1	CHP	3	2695.485	-44.33	-13	Pass

Band41 15MHz 64QAM HCH 2682.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.419	CHP	/	/	/	/	/
2690	2691	0.419	CHP	1	2690.365	-36.55	-10	Pass
2691	2695	1	CHP	2	2691.870	-35.14	-10	Pass
2695	2710	1	CHP	3	2696.000	-35.09	-13	Pass

Band41 15MHz 256QAM LCH 2503.5MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-43.44	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-34.43	-13	Pass
2495	2496	0.01	/	3	2495.855	-39.20	-13	Pass
2496	2511	0.01	/	/	/	/	/	/


Band41 15MHz 256QAM LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz 256QAM LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz 256QAM LCH 2503.5MHz RB 1 0 NTV




Band41 15MHz 256QAM LCH 2503.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.460	-36.10	-25	Pass
2490.5	2495	1	CHP	2	2493.918	-33.05	-13	Pass
2495	2496	0.156	CHP	3	2495.998	-39.38	-13	Pass
2496	2511	0.156	CHP	/	/	/	/	/


Band41 15MHz 256QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 256QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 256QAM MCH 2593MHz RB 1 0 NTNV




Band41 15MHz 256QAM HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz 256QAM HCH 2682.5MHz RB 1 0 NTNV



Band41 15MHz 256QAM HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz 256QAM HCH 2682.5MHz RB 1 74 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-38.53	-10	Pass
2691	2695	1	CHP	2	2691.500	-36.46	-10	Pass
2695	2706.754	1	CHP	3	2695.440	-42.81	-13	Pass
2706.754	2710	1	CHP	4	2707.645	-52.66	-25	Pass

Band41 15MHz 256QAM HCH 2682.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.335	CHP	/	/	/	/	/
2690	2691	0.335	CHP	1	2690.225	-40.20	-10	Pass
2691	2695	1	CHP	2	2692.010	-36.61	-10	Pass
2695	2706.754	1	CHP	3	2695.020	-38.48	-13	Pass
2706.754	2710	1	CHP	4	2706.780	-45.80	-25	Pass


5.2.4 B41_20MHz




Band41 20MHz QPSK LCH 2506MHz RB 1 0 NTN



Band41 20MHz QPSK LCH 2506MHz RB 1 0 NTN




Band41 20MHz QPSK LCH 2506MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.487	-32.55	-25	Pass
2490.5	2495	1	CHP	2	2494.021	-27.47	-13	Pass
2495	2496	0.222	CHP	3	2495.974	-33.26	-13	Pass
2496	2516	0.222	CHP	/	/	/	/	/


Band41 20MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 20MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 20MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 20MHz QPSK HCH 2680MHz RB 1 0 NTNV




Band41 20MHz QPSK HCH 2680MHz RB 1 0 NTNV



Band41 20MHz QPSK HCH 2680MHz RB 1 0 NTNV




Band41 20MHz QPSK HCH 2680MHz RB 1 99 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.135	-37.31	-10	Pass
2691	2695	1	CHP	2	2691.530	-34.04	-10	Pass
2695	2712.935	1	CHP	3	2695.010	-41.56	-13	Pass
2712.935	2715	1	CHP	4	2713.105	-52.82	-25	Pass

Band41 20MHz QPSK HCH 2680MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.459	CHP	/	/	/	/	/
2690	2691	0.459	CHP	1	2690.025	-37.87	-10	Pass
2691	2695	1	CHP	2	2694.885	-35.48	-10	Pass
2695	2712.935	1	CHP	3	2695.245	-35.05	-13	Pass
2712.935	2715	1	CHP	4	2712.975	-43.47	-25	Pass

Band41 20MHz 16QAM LCH 2506MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.470	-42.45	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-32.92	-13	Pass
2495	2496	0.01	/	3	2495.965	-36.89	-13	Pass
2496	2516	0.01	/	/	/	/	/	/


Band41 20MHz 16QAM LCH 2506MHz RB 1 0 NTNV




Band41 20MHz 16QAM LCH 2506MHz RB 1 0 NTNV



Band41 20MHz 16QAM LCH 2506MHz RB 1 0 NTNV




Band41 20MHz 16QAM LCH 2506MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.495	-30.91	-25	Pass
2490.5	2495	1	CHP	2	2494.145	-29.25	-13	Pass
2495	2496	0.216	CHP	3	2495.385	-34.88	-13	Pass
2496	2516	0.216	CHP	/	/	/	/	/


Band41 20MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 20MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 20MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 20MHz 16QAM HCH 2680MHz RB 1 0 NTNV




Band41 20MHz 16QAM HCH 2680MHz RB 1 0 NTNV



Band41 20MHz 16QAM HCH 2680MHz RB 1 0 NTNV




Band41 20MHz 16QAM HCH 2680MHz RB 1 99 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.030	-37.53	-10	Pass
2691	2695	1	CHP	2	2691.500	-33.96	-10	Pass
2695	2713.114	1	CHP	3	2695.135	-41.32	-13	Pass
2713.114	2715	1	CHP	4	2714.230	-52.82	-25	Pass

Band41 20MHz 16QAM HCH 2680MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.462	CHP	/	/	/	/	/
2690	2691	0.462	CHP	1	2690.025	-35.87	-10	Pass
2691	2695	1	CHP	2	2691.510	-35.94	-10	Pass
2695	2713.114	1	CHP	3	2695.020	-37.22	-13	Pass
2713.114	2715	1	CHP	4	2713.245	-45.05	-25	Pass

Band41 20MHz 64QAM LCH 2506MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.370	-44.44	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-41.45	-13	Pass
2495	2496	0.01	/	3	2495.995	-42.69	-13	Pass
2496	2516	0.01	/	/	/	/	/	/


Band41 20MHz 64QAM LCH 2506MHz RB 1 0 NTNV




Band41 20MHz 64QAM LCH 2506MHz RB 1 0 NTNV



Band41 20MHz 64QAM LCH 2506MHz RB 1 0 NTNV




Band41 20MHz 64QAM LCH 2506MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.487	-32.17	-25	Pass
2490.5	2495	1	CHP	2	2494.455	-30.26	-13	Pass
2495	2496	0.237	CHP	3	2495.385	-34.13	-13	Pass
2496	2516	0.237	CHP	/	/	/	/	/


Band41 20MHz 64QAM MCH 2593MHz RB 1 0 NTNV




Band41 20MHz 64QAM MCH 2593MHz RB 1 0 NTNV




Band41 20MHz 64QAM MCH 2593MHz RB 1 0 NTNV




Band41 20MHz 64QAM HCH 2680MHz RB 1 0 NTNV




Band41 20MHz 64QAM HCH 2680MHz RB 1 0 NTNV



Band41 20MHz 64QAM HCH 2680MHz RB 1 0 NTNV




Band41 20MHz 64QAM HCH 2680MHz RB 1 99 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.010	-40.75	-10	Pass
2691	2695	1	CHP	2	2691.500	-40.25	-10	Pass
2695	2713.669	1	CHP	3	2697.490	-45.38	-13	Pass
2713.669	2715	1	CHP	4	2713.670	-52.94	-25	Pass

Band41 20MHz 64QAM HCH 2680MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.473	CHP	/	/	/	/	/
2690	2691	0.473	CHP	1	2690.025	-36.75	-10	Pass
2691	2695	1	CHP	2	2691.510	-35.45	-10	Pass
2695	2713.669	1	CHP	3	2695.020	-37.10	-13	Pass
2713.669	2715	1	CHP	4	2714.325	-46.06	-25	Pass

Band41 20MHz 256QAM LCH 2506MHz RB 1 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.460	-44.52	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-34.78	-13	Pass
2495	2496	0.01	/	3	2495.680	-40.16	-13	Pass
2496	2516	0.01	/	/	/	/	/	/

Band41 20MHz 256QAM LCH 2506MHz RB 1 0 NTNV



Band41 20MHz 256QAM LCH 2506MHz RB 1 0 NTNV

