


H21 Antenna Specification



H21 Antenna picture


Amphenol Antenna S11 & Efficiency




S11

Freq	Efficiency_dB	Gain	Efficiency_Pcent
2400	-3.80	0.88	41.69
2425	-3.53	1.40	44.34
2450	-3.41	1.50	45.60
2475	-3.33	1.39	46.40
2500	-3.10	1.52	48.97
5100	-1.93	4.37	64.16
5150	-1.87	4.47	65.06
5200	-1.59	4.78	69.40
5250	-1.61	4.62	68.96
5300	-1.60	4.30	69.20
5350	-1.45	4.48	71.55
5400	-1.39	4.44	72.67
5450	-1.31	4.56	74.04
5500	-1.46	4.38	71.45
5550	-1.26	4.43	74.74
5600	-1.20	4.48	75.90
5650	-1.20	4.18	75.84
5700	-1.00	4.43	79.51
5750	-0.74	4.28	84.28
5800	-0.77	3.99	83.82
5850	-0.79	4.14	83.29
5900	-1.23	3.87	75.37


天线效率




Amphenol 3D pattern of nose orientation




2412




2442




2472



5155




5745




5825


Amphenol 3D pattern of the tail direction




2412




2442




2472



5155



5745



5825

Amphenol Antenna Structure

