





Test Mode : 802.11n HT20

Test Channel : 01


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11n HT20


Test Channel : 06

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11n HT20


Test Channel : 11

100kHz PSD reference Level




Date: 13.NOV.2024 03:23:31

High Channel Plot




Date: 13.NOV.2024 03:24:20

Spurious Emission 30MHz~1GHz



Date: 13.NOV.2024 03:23:49

Spurious Emission 1GHz~26.5GHz




Date: 13.NOV.2024 03:24:04




Test Mode : 802.11n HT40

Test Channel : 03


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11n HT40


Test Channel : 06

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11n HT40


Test Channel : 09

100kHz PSD reference Level




Date: 13.NOV.2024 04:12:32

High Channel Plot




Date: 13.NOV.2024 04:13:51

Spurious Emission 30MHz~1GHz



Date: 13.NOV.2024 04:12:52

Spurious Emission 1GHz~26.5GHz




Date: 13.NOV.2024 04:13:12




Test Mode : 802.11ax HE20_FullIRU

Test Channel : 01


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ax HE20_FullIRU


Test Channel : 06

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ax HE20_FullIRU


Test Channel : 11

100kHz PSD reference Level




Date: 21.OCT.2024 14:03:49

High Channel Plot




Date: 21.OCT.2024 14:04:03

Spurious Emission 30MHz~1GHz



Date: 21.OCT.2024 14:04:21

Spurious Emission 1GHz~26.5GHz




Date: 21.OCT.2024 14:04:38




Test Mode : 802.11ax HE40_FullIRU

Test Channel : 03


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ax HE40_FullIRU


Test Channel : 06

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ax HE40_FullIRU


Test Channel : 09

100kHz PSD reference Level




Date: 21.OCT.2024 14:53:04

High Channel Plot




Date: 21.OCT.2024 14:53:17

Spurious Emission 30MHz~1GHz



Date: 21.OCT.2024 14:53:35

Spurious Emission 1GHz~26.5GHz



Date: 21.OCT.2024 14:53:53



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

490210
Mode 2
120Vac/60Hz
Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	38.94	55.63	16.69	L1	OFF	19.8
0.156750	50.87	---	65.63	14.76	L1	OFF	19.8
0.186000	---	21.74	54.21	32.47	L1	OFF	19.8
0.186000	41.85	---	64.21	22.36	L1	OFF	19.8
0.402000	---	33.40	47.81	14.41	L1	OFF	19.8
0.402000	40.59	---	57.81	17.22	L1	OFF	19.8
0.456000	---	29.25	46.77	17.52	L1	OFF	19.8
0.456000	40.07	---	56.77	16.70	L1	OFF	19.8
1.299750	---	20.10	46.00	25.90	L1	OFF	19.8
1.299750	28.01	---	56.00	27.99	L1	OFF	19.8
25.939500	---	28.32	50.00	21.68	L1	OFF	20.0
25.939500	33.84	---	60.00	26.16	L1	OFF	20.0

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

490210
Mode 2
120Vac/60Hz
Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154500	---	35.75	55.75	20.00	N	OFF	19.8
0.154500	50.12	---	65.75	15.63	N	OFF	19.8
0.195000	---	30.51	53.82	23.31	N	OFF	19.8
0.195000	44.14	---	63.82	19.68	N	OFF	19.8
0.408750	---	32.51	47.67	15.16	N	OFF	19.8
0.408750	39.91	---	57.67	17.76	N	OFF	19.8
0.449250	---	31.70	46.89	15.19	N	OFF	19.8
0.449250	39.59	---	56.89	17.30	N	OFF	19.8
3.162750	---	18.71	46.00	27.29	N	OFF	19.8
3.162750	24.24	---	56.00	31.76	N	OFF	19.8
26.007000	---	27.97	50.00	22.03	N	OFF	20.2
26.007000	33.24	---	60.00	26.76	N	OFF	20.2



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	John Chuang, David Dai and Sam Chou	Temperature :	19.8~23.6°C
		Relative Humidity :	64.8~70.5%

Note symbol

-L	Low channel location
-R	High channel location

**C1. Radiated Spurious Emission Test Modes**

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 9	2400-2483.5	1+2	802.11b	01	2412	1Mbps	-	-
Mode 10	2400-2483.5	1+2	802.11b	06	2437	1Mbps	-	-
Mode 11	2400-2483.5	1+2	802.11b	11	2462	1Mbps	-	-
Mode 12	2400-2483.5	1+2	802.11g	01	2412	6Mbps	-	-
Mode 13	2400-2483.5	1+2	802.11g	06	2437	6Mbps	-	-
Mode 14	2400-2483.5	1+2	802.11g	11	2462	6Mbps	-	-
Mode 15	2400-2483.5	1+2	802.11n HT20	01	2412	MCS0	-	-
Mode 16	2400-2483.5	1+2	802.11n HT20	06	2437	MCS0	-	-
Mode 17	2400-2483.5	1+2	802.11n HT20	11	2462	MCS0	-	-
Mode 18	2400-2483.5	1+2	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 19	2400-2483.5	1+2	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 20	2400-2483.5	1+2	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 21	2400-2483.5	1+2	802.11n HT40	03	2422	MCS0	-	-
Mode 22	2400-2483.5	1+2	802.11n HT40	06	2437	MCS0	-	-
Mode 23	2400-2483.5	1+2	802.11n HT40	09	2452	MCS0	-	-
Mode 24	2400-2483.5	1+2	802.11ax HE40	03	2422	MCS0	Full RU	-
Mode 25	2400-2483.5	1+2	802.11ax HE40	06	2437	MCS0	Full RU	-
Mode 26	2400-2483.5	1+2	802.11ax HE40	09	2452	MCS0	Full RU	-
Mode 27	2400-2483.5	1+2	802.11n HT40	06	2437	MCS0	-	LF
Mode 28	2400-2483.5	1+2	802.11n HT40	06	2437	MCS0	-	SHF
Mode 29	2400-2483.5	1+2	802.11b	10	2457	1Mbps	-	-
Mode 30	2400-2483.5	1+2	802.11g	02	2417	6Mbps	-	-
Mode 31	2400-2483.5	1+2	802.11g	10	2457	6Mbps	-	-
Mode 32	2400-2483.5	1+2	802.11n HT20	02	2417	MCS0	-	-
Mode 33	2400-2483.5	1+2	802.11n HT20	10	2457	MCS0	-	-
Mode 34	2400-2483.5	1+2	802.11n HT40	04	2427	MCS0	-	-
Mode 35	2400-2483.5	1+2	802.11n HT40	08	2447	MCS0	-	-
Mode 36	2400-2483.5	1+2	802.11ax HE20	02	2417	MCS0	Full RU	-
Mode 37	2400-2483.5	1+2	802.11ax HE20	10	2457	MCS0	Full RU	-
Mode 38	2400-2483.5	1+2	802.11ax HE40	08	2447	MCS0	Full RU	-







C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
9	802.11b	01	2385.66	52.53	54.00	-1.47	V	Avg.	Pass	-	Band Edge
	802.11b	01	4824.00	48.91	54.00	-5.09	V	Avg.	Pass	-	Harmonic
10	802.11b	06	2385.57	51.65	54.00	-2.35	V	Avg.	Pass	-	Band Edge
	802.11b	06	4874.00	52.28	54.00	-1.72	V	Avg.	Pass	-	Harmonic
11	802.11b	11	2487.76	50.79	54.00	-3.21	V	Avg.	Pass	-	Band Edge
	802.11b	11	4924.00	52.61	54.00	-1.39	V	Avg.	Pass	-	Harmonic
12	802.11g	01	2389.95	52.58	54.00	-1.42	V	Avg.	Pass	-	Band Edge
	802.11g	01	4824.00	44.19	74.00	-29.81	V	Peak	Pass	-	Harmonic
13	802.11g	06	2485.95	52.24	54.00	-1.76	V	Avg.	Pass	-	Band Edge
	802.11g	06	4874.00	41.13	54.00	-12.87	V	Avg.	Pass	-	Harmonic
14	802.11g	11	2483.51	52.42	54.00	-1.58	V	Avg.	Pass	-	Band Edge
	802.11g	11	4924.00	39.07	54.00	-14.93	V	Avg.	Pass	-	Harmonic
15	802.11n HT20	01	2389.56	52.01	54.00	-1.99	V	Avg.	Pass	-	Band Edge
	802.11n HT20	01	-	-	-	-	-	-	-	-	Harmonic
16	802.11n HT20	06	-	-	-	-	-	-	-	-	Band Edge
	802.11n HT20	06	4874.00	40.28	54.00	-13.72	V	Avg.	Pass	-	Harmonic
17	802.11n HT20	11	2483.58	52.42	54.00	-1.58	V	Avg.	Pass	-	Band Edge
	802.11n HT20	11	-	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	01	2389.17	52.62	54.00	-1.38	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	01	4824.00	44.57	74.00	-29.43	V	Peak	Pass	Full RU	Harmonic
19	802.11ax HE20	06	2489.86	52.80	54.00	-1.20	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	06	4874.00	41.03	54.00	-12.97	V	Avg.	Pass	Full RU	Harmonic
20	802.11ax HE20	11	2484.50	52.73	54.00	-1.27	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	11	7386.00	37.91	54.00	-16.09	V	Avg.	Pass	Full RU	Harmonic
21	802.11n HT40	03	2388.40	52.01	54.00	-1.99	V	Avg.	Pass	-	Band Edge
	802.11n HT40	03	-	-	-	-	-	-	-	-	Harmonic
22	802.11n HT40	06	2490.05	52.81	54.00	-1.19	V	Avg.	Pass	-	Band Edge
	802.11n HT40	06	4874.00	39.31	54.00	-14.69	V	Avg.	Pass	-	Harmonic
23	802.11n HT40	09	2485.17	52.74	54.00	-1.26	V	Avg.	Pass	-	Band Edge
	802.11n HT40	09	-	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE40	03	2389.74	52.14	54.00	-1.86	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	03	7266.00	38.46	54.00	-15.54	H	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
25	802.11ax HE40	06	2389.25	52.67	54.00	-1.33	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	06	7311.00	38.33	54.00	-15.67	V	Avg.	Pass	Full RU	Harmonic
26	802.11ax HE40	09	2485.94	51.65	54.00	-2.35	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	09	7356.00	38.02	54.00	-15.98	V	Avg.	Pass	Full RU	Harmonic
27	LF	06	718.70	37.45	46.00	-8.55	V	Peak	Pass	-	LF
28	SHF	06	25640.00	43.87	74.00	-30.13	V	Peak	Pass	-	SHF
29	802.11b	10	2483.83	52.43	54.00	-1.86	V	Avg.	Pass	-	Band Edge
	802.11b	10	4914.00	52.54	54.00	-1.46	V	Avg.	Pass	-	Harmonic
30	802.11g	02	2389.95	52.37	54.00	-1.63	V	Avg.	Pass	-	Band Edge
	802.11g	02	-	-	-	-	-	-	-	-	Harmonic
31	802.11g	10	2486.03	52.32	54.00	-1.68	V	Avg.	Pass	-	Band Edge
	802.11g	10	-	-	-	-	-	-	-	-	Harmonic
32	802.11n HT20	02	2389.95	51.71	54.00	-2.29	V	Avg.	Pass	-	Band Edge
	802.11n HT20	02	-	-	-	-	-	-	-	-	Harmonic
33	802.11n HT20	10	2484.13	52.69	54.00	-1.31	V	Avg.	Pass	-	Band Edge
	802.11n HT20	10	-	-	-	-	-	-	-	-	Harmonic
34	802.11n HT40	04	2389.52	52.76	54.00	-1.24	V	Avg.	Pass	-	Band Edge
	802.11n HT40	04	-	-	-	-	-	-	-	-	Harmonic
35	802.11n HT40	08	2485.43	52.98	54.00	-1.02	V	Avg.	Pass	-	Band Edge
	802.11n HT40	08	-	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE20	02	2389.82	52.13	54.00	-1.87	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	02	-	-	-	-	-	-	-	Full RU	Harmonic
37	802.11ax HE20	10	2483.53	51.59	54.00	-2.41	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	10	-	-	-	-	-	-	-	Full RU	Harmonic
38	802.11ax HE40	08	2485.53	52.16	54.00	-1.84	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	08	-	-	-	-	-	-	-	Full RU	Harmonic





Mode	9	
	Band Edge	
	2400-2483.5_802.11b_CH01_2412MHZ	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2383.71 52.94 74.00 -21.06 43.11 27.36 8.68 36.24 10.03 150 319 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 113.04 ----- 103.03 27.50 8.73 36.25 10.03 150 319 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2385.66 44.78 54.00 -9.22 34.97 27.34 8.68 36.24 10.03 150 319 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 110.17 ----- 100.15 27.50 8.74 36.25 10.03 150 319 AVERAGE







Mode	9	
	Band Edge	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 2386.05 61.36 74.00 -12.64 51.55 27.34 8.68 36.24 10.03 157 121 PEAK	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 2412.00 121.03 ----- 111.02 27.50 8.73 36.25 10.03 157 121 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 2385.66 52.53 54.00 -1.47 42.72 27.34 8.68 36.24 10.03 157 121 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB dB cm deg 1 2412.00 117.00 ----- 106.99 27.50 8.73 36.25 10.03 157 121 AVERAGE







Mode	9																																																																															
	Harmonic																																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>48.01</td><td>74.00</td><td>-25.99</td><td>40.09</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>250</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>35.17</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>250</td><td>194</td><td>Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	48.01	74.00	-25.99	40.09	32.19	12.46	37.52	0.79	250	194	PEAK	2	4824.00	43.09	54.00	-10.91	35.17	32.19	12.46	37.52	0.79	250	194	Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>44.48</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>40.99</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>100</td><td>148</td><td>Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	52.40	74.00	-21.60	44.48	32.19	12.46	37.52	0.79	100	148	PEAK	2	4824.00	48.91	54.00	-5.09	40.99	32.19	12.46	37.52	0.79	100	148	Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4824.00	48.01	74.00	-25.99	40.09	32.19	12.46	37.52	0.79	250	194	PEAK																																																																				
2	4824.00	43.09	54.00	-10.91	35.17	32.19	12.46	37.52	0.79	250	194	Average																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	4824.00	52.40	74.00	-21.60	44.48	32.19	12.46	37.52	0.79	100	148	PEAK																																																																				
2	4824.00	48.91	54.00	-5.09	40.99	32.19	12.46	37.52	0.79	100	148	Average																																																																				



Mode	9	
	Harmonic	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







Mode	10	
	Band Edge - L	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2384.68 52.36 74.00 -21.64 42.54 27.35 8.68 36.24 10.03 100 316 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 114.01 ----- 103.96 27.50 8.78 36.26 10.03 100 316 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2375.41 43.93 54.00 -10.07 34.13 27.35 8.66 36.24 10.03 100 316 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 110.80 ----- 100.75 27.50 8.78 36.26 10.03 100 316 AVERAGE





Mode	10	
	Band Edge - R	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2498.55 52.34 74.00 -21.66 42.00 27.70 8.89 36.28 10.03 100 316 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2498.43 42.00 54.00 -12.00 31.66 27.70 8.89 36.28 10.03 100 316 AVERAGE	Blank





Mode	10	
	Band Edge - L	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.25 59.26 74.00 -14.74 49.47 27.31 8.69 36.24 10.03 150 129 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 121.31 ----- 111.26 27.50 8.78 36.26 10.03 150 129 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2385.57 51.65 54.00 -2.35 41.84 27.34 8.68 36.24 10.03 150 129 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 117.03 ----- 106.98 27.50 8.78 36.26 10.03 150 129 AVERAGE







Mode	10	
	Band Edge - R	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2484.63 59.11 74.00 -14.89 48.83 27.65 8.87 36.27 10.03 150 129 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2484.82 49.98 54.00 -4.02 39.70 27.65 8.87 36.27 10.03 150 129 AVERAGE	Blank



Mode	10																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11b_CH06_2437MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>41.38</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>358 35 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>39.83</td><td>54.00</td><td>-14.17</td><td>31.62</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>358 35 Average</td></tr><tr><td>3</td><td>7311.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>35.00</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>-- -- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	49.59	74.00	-24.41	41.38	32.54	12.55	37.56	0.68	358 35 PEAK	2	4874.00	39.83	54.00	-14.17	31.62	32.54	12.55	37.56	0.68	358 35 Average	3	7311.00	49.07	74.00	-24.93	35.00	36.88	15.44	38.61	0.36	-- -- PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>46.23</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100 148 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>52.28</td><td>54.00</td><td>-1.72</td><td>44.07</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100 148 Average</td></tr><tr><td>3</td><td>7311.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>33.85</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>-- -- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	54.44	74.00	-19.56	46.23	32.54	12.55	37.56	0.68	100 148 PEAK	2	4874.00	52.28	54.00	-1.72	44.07	32.54	12.55	37.56	0.68	100 148 Average	3	7311.00	47.92	74.00	-26.08	33.85	36.88	15.44	38.61	0.36	-- -- PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4874.00	49.59	74.00	-24.41	41.38	32.54	12.55	37.56	0.68	358 35 PEAK																																																																																
2	4874.00	39.83	54.00	-14.17	31.62	32.54	12.55	37.56	0.68	358 35 Average																																																																																
3	7311.00	49.07	74.00	-24.93	35.00	36.88	15.44	38.61	0.36	-- -- PEAK																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4874.00	54.44	74.00	-19.56	46.23	32.54	12.55	37.56	0.68	100 148 PEAK																																																																																
2	4874.00	52.28	54.00	-1.72	44.07	32.54	12.55	37.56	0.68	100 148 Average																																																																																
3	7311.00	47.92	74.00	-26.08	33.85	36.88	15.44	38.61	0.36	-- -- PEAK																																																																																







Mode	10	
	Harmonic	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





Mode	11	
	Band Edge	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.38 52.76 74.00 -21.24 42.49 27.64 8.87 36.27 10.03 350 134 PEAK	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 107.73 ----- 97.65 27.50 8.82 36.27 10.03 350 134 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2487.69 42.46 54.00 -11.54 32.16 27.68 8.87 36.28 10.03 350 134 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 105.61 ----- 95.52 27.50 8.83 36.27 10.03 350 134 AVERAGE







Mode	11	
	Band Edge	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.34 59.60 74.00 -14.40 49.33 27.64 8.87 36.27 10.03 400 231 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 119.57 ----- 109.49 27.50 8.82 36.27 10.03 400 231 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2487.76 50.79 54.00 -3.21 40.49 27.68 8.87 36.28 10.03 400 231 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 115.84 ----- 105.75 27.50 8.83 36.27 10.03 400 231 AVERAGE



Mode	11																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>42.57</td><td>32.80</td><td>12.64</td><td>37.60</td><td>0.58</td><td>100</td><td>120 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>47.70</td><td>54.00</td><td>-6.30</td><td>39.28</td><td>32.80</td><td>12.64</td><td>37.60</td><td>0.58</td><td>100</td><td>120 Average</td></tr><tr><td>3</td><td>7386.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>33.98</td><td>36.66</td><td>15.52</td><td>38.67</td><td>0.33</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	50.99	74.00	-23.01	42.57	32.80	12.64	37.60	0.58	100	120 PEAK	2	4924.00	47.70	54.00	-6.30	39.28	32.80	12.64	37.60	0.58	100	120 Average	3	7386.00	47.82	74.00	-26.18	33.98	36.66	15.52	38.67	0.33	--	-- PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>46.37</td><td>32.80</td><td>12.64</td><td>37.60</td><td>0.58</td><td>100</td><td>148 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>52.61</td><td>54.00</td><td>-1.39</td><td>44.19</td><td>32.80</td><td>12.64</td><td>37.60</td><td>0.58</td><td>100</td><td>148 Average</td></tr><tr><td>3</td><td>7386.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>33.85</td><td>36.66</td><td>15.52</td><td>38.67</td><td>0.33</td><td>--</td><td>-- PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	54.79	74.00	-19.21	46.37	32.80	12.64	37.60	0.58	100	148 PEAK	2	4924.00	52.61	54.00	-1.39	44.19	32.80	12.64	37.60	0.58	100	148 Average	3	7386.00	47.69	74.00	-26.31	33.85	36.66	15.52	38.67	0.33	--	-- PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4924.00	50.99	74.00	-23.01	42.57	32.80	12.64	37.60	0.58	100	120 PEAK																																																																																								
2	4924.00	47.70	54.00	-6.30	39.28	32.80	12.64	37.60	0.58	100	120 Average																																																																																								
3	7386.00	47.82	74.00	-26.18	33.98	36.66	15.52	38.67	0.33	--	-- PEAK																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	4924.00	54.79	74.00	-19.21	46.37	32.80	12.64	37.60	0.58	100	148 PEAK																																																																																								
2	4924.00	52.61	54.00	-1.39	44.19	32.80	12.64	37.60	0.58	100	148 Average																																																																																								
3	7386.00	47.69	74.00	-26.31	33.85	36.66	15.52	38.67	0.33	--	-- PEAK																																																																																								



Mode	11	
	Harmonic	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





Mode	12	
	Band Edge	
	2400-2483.5_802.11g_CH01_2412MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.30 51.13 74.00 -22.87 41.34 27.31 8.69 36.24 10.03 195 300 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 105.68 ----- 95.70 27.48 8.72 36.25 10.03 195 300 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.82 41.28 54.00 -12.72 31.50 27.30 8.69 36.24 10.03 195 300 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 98.21 ----- 88.23 27.48 8.72 36.25 10.03 195 300 AVERAGE







Mode	12	
	Band Edge	
	2400-2483.5_802.11g_CH01_2412MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 64.87 74.00 -9.13 55.09 27.30 8.69 36.24 10.03 190 227 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 118.39 ----- 108.37 27.50 8.74 36.25 10.03 190 227 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 52.58 54.00 -1.42 42.00 27.30 8.69 36.24 10.03 190 227 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 110.75 ----- 100.74 27.50 8.73 36.25 10.03 190 227 AVERAGE



Mode	12																																																										
	Harmonic																																																										
	2400-2483.5_802.11g_CH01_2412MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL																																																				
	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>36.10</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>--</td><td>-- PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	44.02	74.00	-29.98	36.10	32.19	12.46	37.52	0.79	--	-- PEAK	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.19</td><td>74.00</td><td>-29.81</td><td>36.27</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>--</td><td>-- PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	44.19	74.00	-29.81	36.27	32.19	12.46	37.52	0.79	--
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	4824.00	44.02	74.00	-29.98	36.10	32.19	12.46	37.52	0.79	--	-- PEAK																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	4824.00	44.19	74.00	-29.81	36.27	32.19	12.46	37.52	0.79	--	-- PEAK																																																





Mode	12	
	Harmonic	
	2400-2483.5_802.11g_CH01_2412MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







Mode	13	
	Band Edge - L	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2386.96 50.75 74.00 -23.25 40.94 27.33 8.69 36.24 10.03 329 133 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 114.22 ----- 104.18 27.50 8.77 36.26 10.03 329 133 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2386.33 40.60 54.00 -13.40 30.79 27.34 8.68 36.24 10.03 329 133 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 105.48 ----- 95.44 27.50 8.77 36.26 10.03 329 133 AVERAGE





Mode	13	
	Band Edge - R	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/dB dB dB dB cm deg 1 2487.40 53.38 74.00 -20.62 43.09 27.67 8.87 36.28 10.03 329 133 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/dB dB dB dB cm deg 1 2483.62 43.07 54.00 -10.93 32.81 27.64 8.86 36.27 10.03 329 133 AVERAGE	Blank





Mode	13	
	Band Edge - L	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2384.42 59.71 74.00 -14.29 49.88 27.36 8.68 36.24 10.03 240 15 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 123.15 ----- 113.10 27.50 8.78 36.26 10.03 240 15 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.76 49.42 54.00 -4.58 39.64 27.30 8.69 36.24 10.03 240 15 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 116.24 ----- 106.19 27.50 8.78 36.26 10.03 240 15 AVERAGE







Mode	13	
	Band Edge - R	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2486.14 64.80 74.00 -9.20 54.52 27.66 8.87 36.28 10.03 240 15 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2485.95 52.24 54.00 -1.76 41.96 27.66 8.87 36.28 10.03 240 15 AVERAGE	Blank







Mode	13																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>39.08</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>305 196 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>36.53</td><td>54.00</td><td>-17.47</td><td>28.32</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>305 196 Average</td></tr><tr><td>3</td><td>7311.00</td><td>49.21</td><td>74.00</td><td>-24.79</td><td>35.14</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>300 210 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>38.46</td><td>54.00</td><td>-15.54</td><td>24.39</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>300 210 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	47.29	74.00	-26.71	39.08	32.54	12.55	37.56	0.68	305 196 PEAK	2	4874.00	36.53	54.00	-17.47	28.32	32.54	12.55	37.56	0.68	305 196 Average	3	7311.00	49.21	74.00	-24.79	35.14	36.88	15.44	38.61	0.36	300 210 PEAK	4	7311.00	38.46	54.00	-15.54	24.39	36.88	15.44	38.61	0.36	300 210 Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>42.60</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100 149 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>41.13</td><td>54.00</td><td>-12.87</td><td>32.92</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100 149 Average</td></tr><tr><td>3</td><td>7311.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>34.36</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>300 339 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>38.49</td><td>54.00</td><td>-15.51</td><td>24.42</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>300 339 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	50.81	74.00	-23.19	42.60	32.54	12.55	37.56	0.68	100 149 PEAK	2	4874.00	41.13	54.00	-12.87	32.92	32.54	12.55	37.56	0.68	100 149 Average	3	7311.00	48.43	74.00	-25.57	34.36	36.88	15.44	38.61	0.36	300 339 PEAK	4	7311.00	38.49	54.00	-15.51	24.42	36.88	15.44	38.61	0.36	300 339 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4874.00	47.29	74.00	-26.71	39.08	32.54	12.55	37.56	0.68	305 196 PEAK																																																																																																						
2	4874.00	36.53	54.00	-17.47	28.32	32.54	12.55	37.56	0.68	305 196 Average																																																																																																						
3	7311.00	49.21	74.00	-24.79	35.14	36.88	15.44	38.61	0.36	300 210 PEAK																																																																																																						
4	7311.00	38.46	54.00	-15.54	24.39	36.88	15.44	38.61	0.36	300 210 Average																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4874.00	50.81	74.00	-23.19	42.60	32.54	12.55	37.56	0.68	100 149 PEAK																																																																																																						
2	4874.00	41.13	54.00	-12.87	32.92	32.54	12.55	37.56	0.68	100 149 Average																																																																																																						
3	7311.00	48.43	74.00	-25.57	34.36	36.88	15.44	38.61	0.36	300 339 PEAK																																																																																																						
4	7311.00	38.49	54.00	-15.51	24.42	36.88	15.44	38.61	0.36	300 339 Average																																																																																																						







Mode	13	
	Harmonic	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL





Mode	14	
	Band Edge	
	2400-2483.5_802.11g_CH11_2462MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.89 53.61 74.00 -20.39 43.34 27.64 8.87 36.27 10.03 101 44 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 105.01 ----- 94.92 27.50 8.83 36.27 10.03 101 44 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.51 43.25 54.00 -10.75 32.99 27.64 8.86 36.27 10.03 101 44 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 97.24 ----- 87.15 27.50 8.83 36.27 10.03 101 44 AVERAGE







Mode	14	
	Band Edge	
	2400-2483.5_802.11g_CH11_2462MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.55 62.65 74.00 -11.35 52.39 27.64 8.86 36.27 10.03 298 201 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 117.11 ----- 107.02 27.50 8.83 36.27 10.03 298 201 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.51 52.42 54.00 -1.58 42.16 27.64 8.86 36.27 10.03 298 201 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 108.89 ----- 98.79 27.50 8.84 36.27 10.03 298 201 AVERAGE







Mode	14										
	Harmonic										
	2400-2483.5_802.11g_CH11_2462MHz										
ANT	1+2										
Pol.	Horizontal						Vertical				
Peak Avg											
	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	4924.00	45.26	74.00	-28.74	36.84	32.80	12.64	37.60	0.58	--	-- PEAK
2	7386.00	47.92	74.00	-26.08	34.08	36.66	15.52	38.67	0.33	--	-- PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	4924.00	45.66	74.00	-28.34	37.24	32.80	12.64	37.60	0.58	100	145 PEAK
2	4924.00	39.07	54.00	-14.93	30.65	32.80	12.64	37.60	0.58	100	145 Average
3	7386.00	47.94	74.00	-26.06	34.10	36.66	15.52	38.67	0.33	--	-- PEAK



Mode	14	
	Harmonic	
	2400-2483.5_802.11g_CH11_2462MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL





Mode	15	
	Band Edge	
	2400-2483.5_802.11n HT20_CH01_2412MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.82 53.49 74.00 -20.51 43.71 27.30 8.69 36.24 10.03 147 326 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 107.32 ----- 97.31 27.50 8.73 36.25 10.03 147 326 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.82 42.61 54.00 -11.39 32.83 27.30 8.69 36.24 10.03 147 326 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 99.07 ----- 89.06 27.50 8.73 36.25 10.03 147 326 AVERAGE







Mode	15	
	Band Edge	
	2400-2483.5_802.11n HT20_CH01_2412MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.43 63.66 74.00 -10.34 53.87 27.31 8.69 36.24 10.03 178 229 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 119.39 ----- 109.38 27.50 8.73 36.25 10.03 178 229 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.56 52.01 54.00 -1.99 42.23 27.30 8.69 36.24 10.03 178 229 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 110.93 ----- 100.92 27.50 8.73 36.25 10.03 178 229 AVERAGE



Mode	16																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>36.48</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>--</td></tr><tr><td>2</td><td>7311.00</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>34.44</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>151</td></tr><tr><td>3</td><td>7311.00</td><td>40.20</td><td>54.00</td><td>-13.80</td><td>26.13</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>151</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.69	74.00	-29.31	36.48	32.54	12.55	37.56	0.68	--	2	7311.00	48.51	74.00	-25.49	34.44	36.88	15.44	38.61	0.36	151	3	7311.00	40.20	54.00	-13.80	26.13	36.88	15.44	38.61	0.36	151	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>42.14</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100</td></tr><tr><td>2</td><td>4874.00</td><td>40.28</td><td>54.00</td><td>-13.72</td><td>32.07</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100</td></tr><tr><td>3</td><td>7311.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>33.79</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>--</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	50.35	74.00	-23.65	42.14	32.54	12.55	37.56	0.68	100	2	4874.00	40.28	54.00	-13.72	32.07	32.54	12.55	37.56	0.68	100	3	7311.00	47.86	74.00	-26.14	33.79	36.88	15.44	38.61	0.36	--
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4874.00	44.69	74.00	-29.31	36.48	32.54	12.55	37.56	0.68	--																																																																																
2	7311.00	48.51	74.00	-25.49	34.44	36.88	15.44	38.61	0.36	151																																																																																
3	7311.00	40.20	54.00	-13.80	26.13	36.88	15.44	38.61	0.36	151																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4874.00	50.35	74.00	-23.65	42.14	32.54	12.55	37.56	0.68	100																																																																																
2	4874.00	40.28	54.00	-13.72	32.07	32.54	12.55	37.56	0.68	100																																																																																
3	7311.00	47.86	74.00	-26.14	33.79	36.88	15.44	38.61	0.36	--																																																																																







Mode	16	
	Harmonic	
	2400-2483.5_802.11n HT20_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL



Mode	17	
	Band Edge	
	2400-2483.5_802.11n HT20_CH11_2462MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Frequency (MHz) PEAK_BE_74 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.70 52.47 74.00 -21.53 42.21 27.64 8.86 36.27 10.03 244 133 PEAK	Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 183.05 ----- 92.97 27.50 8.82 36.27 10.03 244 133 PEAK
Avg	Level (dBuV/m) Frequency (MHz) AVG_BE_54 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.55 42.25 54.00 -11.75 31.99 27.64 8.86 36.27 10.03 244 133 AVERAGE	Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 94.14 ----- 84.06 27.50 8.82 36.27 10.03 244 133 AVERAGE







Mode	17	
	Band Edge	
	2400-2483.5_802.11n HT20_CH11_2462MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.89 64.30 74.00 -9.70 54.03 27.64 8.87 36.27 10.03 304 203 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 116.92 ----- 106.83 27.50 8.83 36.27 10.03 304 203 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.58 52.42 54.00 -1.58 42.16 27.64 8.86 36.27 10.03 304 203 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 108.70 ----- 98.61 27.50 8.83 36.27 10.03 304 203 AVERAGE





Mode	18	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.04 55.62 74.00 -18.38 45.83 27.31 8.69 36.24 10.03 150 149 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 188.75 ----- 98.74 27.50 8.73 36.25 10.03 150 149 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 45.59 54.00 -8.41 35.81 27.30 8.69 36.24 10.03 150 149 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 98.46 ----- 88.45 27.50 8.73 36.25 10.03 150 149 AVERAGE







Mode	18	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.52 63.25 74.00 -10.75 53.46 27.31 8.69 36.24 10.03 160 132 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 117.66 ----- 107.64 27.50 8.74 36.25 10.03 160 132 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.17 52.62 54.00 -1.38 42.83 27.31 8.69 36.24 10.03 160 132 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2412.00 109.63 ----- 99.65 27.48 8.72 36.25 10.03 160 132 AVERAGE







Mode	18																																																										
	Harmonic																																																										
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																										
ANT	1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL																																																				
	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>36.40</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>--</td><td>-- PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	44.32	74.00	-29.68	36.40	32.19	12.46	37.52	0.79	--	-- PEAK	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>36.65</td><td>32.19</td><td>12.46</td><td>37.52</td><td>0.79</td><td>--</td><td>-- PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	44.57	74.00	-29.43	36.65	32.19	12.46	37.52	0.79	--
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	4824.00	44.32	74.00	-29.68	36.40	32.19	12.46	37.52	0.79	--	-- PEAK																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	4824.00	44.57	74.00	-29.43	36.65	32.19	12.46	37.52	0.79	--	-- PEAK																																																





Mode	18	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	19	
	Band Edge - L	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2386.33 51.38 74.00 -22.62 41.57 27.34 8.68 36.24 10.03 400 133 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 109.18 ----- 99.13 27.50 8.78 36.26 10.03 400 133 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2385.95 39.99 54.00 -14.01 30.18 27.34 8.68 36.24 10.03 400 133 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 101.02 ----- 90.97 27.50 8.78 36.26 10.03 400 133 AVERAGE





Mode	19	
	Band Edge - R	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2488.79 54.01 74.00 -19.99 43.70 27.69 8.87 36.28 10.03 400 133 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2489.04 43.13 54.00 -10.87 32.82 27.69 8.87 36.28 10.03 400 133 AVERAGE	Blank





Mode	19	
	Band Edge - L	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.38 60.74 74.00 -13.26 50.95 27.31 8.69 36.24 10.03 228 3 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 123.65 ----- 113.59 27.50 8.79 36.26 10.03 228 3 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.50 50.27 54.00 -3.73 40.49 27.30 8.69 36.24 10.03 228 3 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 115.43 ----- 105.38 27.50 8.78 36.26 10.03 228 3 AVERAGE







Mode	19	
	Band Edge - R	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2489.79 64.33 74.00 -9.67 54.00 27.70 8.88 36.28 10.03 228 3 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2489.86 52.80 54.00 -1.20 42.47 27.70 8.88 36.28 10.03 228 3 AVERAGE	Blank







Mode	19																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>39.18</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>294 193 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>36.91</td><td>54.00</td><td>-17.09</td><td>28.70</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>294 193 Average</td></tr><tr><td>3</td><td>7311.00</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>34.82</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>100 311 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>38.36</td><td>54.00</td><td>-15.64</td><td>24.29</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>100 311 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	47.39	74.00	-26.61	39.18	32.54	12.55	37.56	0.68	294 193 PEAK	2	4874.00	36.91	54.00	-17.09	28.70	32.54	12.55	37.56	0.68	294 193 Average	3	7311.00	48.89	74.00	-25.11	34.82	36.88	15.44	38.61	0.36	100 311 PEAK	4	7311.00	38.36	54.00	-15.64	24.29	36.88	15.44	38.61	0.36	100 311 Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>43.12</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100 148 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>41.03</td><td>54.00</td><td>-12.97</td><td>32.82</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100 148 Average</td></tr><tr><td>3</td><td>7311.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>34.01</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>200 151 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>38.29</td><td>54.00</td><td>-15.71</td><td>24.22</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>200 151 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	51.33	74.00	-22.67	43.12	32.54	12.55	37.56	0.68	100 148 PEAK	2	4874.00	41.03	54.00	-12.97	32.82	32.54	12.55	37.56	0.68	100 148 Average	3	7311.00	48.08	74.00	-25.92	34.01	36.88	15.44	38.61	0.36	200 151 PEAK	4	7311.00	38.29	54.00	-15.71	24.22	36.88	15.44	38.61	0.36	200 151 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4874.00	47.39	74.00	-26.61	39.18	32.54	12.55	37.56	0.68	294 193 PEAK																																																																																																						
2	4874.00	36.91	54.00	-17.09	28.70	32.54	12.55	37.56	0.68	294 193 Average																																																																																																						
3	7311.00	48.89	74.00	-25.11	34.82	36.88	15.44	38.61	0.36	100 311 PEAK																																																																																																						
4	7311.00	38.36	54.00	-15.64	24.29	36.88	15.44	38.61	0.36	100 311 Average																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4874.00	51.33	74.00	-22.67	43.12	32.54	12.55	37.56	0.68	100 148 PEAK																																																																																																						
2	4874.00	41.03	54.00	-12.97	32.82	32.54	12.55	37.56	0.68	100 148 Average																																																																																																						
3	7311.00	48.08	74.00	-25.92	34.01	36.88	15.44	38.61	0.36	200 151 PEAK																																																																																																						
4	7311.00	38.29	54.00	-15.71	24.22	36.88	15.44	38.61	0.36	200 151 Average																																																																																																						







Mode	19	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL





Mode	20	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.96 54.81 74.00 -19.19 44.54 27.64 8.87 36.27 10.03 337 136 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 104.40 ----- 94.32 27.50 8.82 36.27 10.03 337 136 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.62 43.80 54.00 -10.20 33.54 27.64 8.86 36.27 10.03 337 136 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 95.86 ----- 85.77 27.50 8.83 36.27 10.03 337 136 AVERAGE







Mode	20	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.69 65.42 74.00 -8.58 55.14 27.65 8.87 36.27 10.03 297 3 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 118.06 ----- 107.97 27.50 8.83 36.27 10.03 297 3 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.50 52.73 54.00 -1.27 42.46 27.64 8.87 36.27 10.03 297 3 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2462.00 108.16 ----- 98.07 27.50 8.83 36.27 10.03 297 3 AVERAGE







Mode	20																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>36.48</td><td>32.00</td><td>12.64</td><td>37.60</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>48.22</td><td>74.00</td><td>-25.78</td><td>34.38</td><td>36.66</td><td>15.52</td><td>38.67</td><td>0.33</td><td>300 259 PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>37.88</td><td>54.00</td><td>-16.12</td><td>24.04</td><td>36.66</td><td>15.52</td><td>38.67</td><td>0.33</td><td>300 259 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.90	74.00	-29.10	36.48	32.00	12.64	37.60	0.58	-- -- PEAK	2	7386.00	48.22	74.00	-25.78	34.38	36.66	15.52	38.67	0.33	300 259 PEAK	3	7386.00	37.88	54.00	-16.12	24.04	36.66	15.52	38.67	0.33	300 259 Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>36.54</td><td>32.00</td><td>12.64</td><td>37.60</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>34.70</td><td>36.66</td><td>15.52</td><td>38.67</td><td>0.33</td><td>300 109 PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>37.91</td><td>54.00</td><td>-16.09</td><td>24.07</td><td>36.66</td><td>15.52</td><td>38.67</td><td>0.33</td><td>300 109 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.96	74.00	-29.04	36.54	32.00	12.64	37.60	0.58	-- -- PEAK	2	7386.00	48.54	74.00	-25.46	34.70	36.66	15.52	38.67	0.33	300 109 PEAK	3	7386.00	37.91	54.00	-16.09	24.07	36.66	15.52	38.67	0.33	300 109 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4924.00	44.90	74.00	-29.10	36.48	32.00	12.64	37.60	0.58	-- -- PEAK																																																																																
2	7386.00	48.22	74.00	-25.78	34.38	36.66	15.52	38.67	0.33	300 259 PEAK																																																																																
3	7386.00	37.88	54.00	-16.12	24.04	36.66	15.52	38.67	0.33	300 259 Average																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4924.00	44.96	74.00	-29.04	36.54	32.00	12.64	37.60	0.58	-- -- PEAK																																																																																
2	7386.00	48.54	74.00	-25.46	34.70	36.66	15.52	38.67	0.33	300 109 PEAK																																																																																
3	7386.00	37.91	54.00	-16.09	24.07	36.66	15.52	38.67	0.33	300 109 Average																																																																																





Mode	20	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL



Mode	21	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH03_2422MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.30 54.36 74.00 -19.64 44.57 27.31 8.69 36.24 10.03 200 323 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2422.00 102.22 ----- 92.21 27.50 8.73 36.25 10.03 200 323 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.41 43.54 54.00 -10.46 33.75 27.31 8.69 36.24 10.03 200 323 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2422.00 93.34 ----- 83.31 27.50 8.75 36.25 10.03 200 323 AVERAGE





Mode	21	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH03_2422MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2492.82 50.47 74.00 -23.53 40.14 27.70 8.88 36.28 10.03 200 323 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2491.65 39.63 54.00 -14.37 29.30 27.70 8.88 36.28 10.03 200 323 AVERAGE	Blank







Mode	21	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH03_2422MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.18 62.86 74.00 -11.14 53.07 27.31 8.69 36.24 10.03 150 230 PEAK	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2422.00 113.63 ----- 103.60 27.50 8.75 36.25 10.03 150 230 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.40 52.01 54.00 -1.99 42.21 27.32 8.69 36.24 10.03 150 230 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2422.00 105.36 ----- 95.33 27.50 8.75 36.25 10.03 150 230 AVERAGE



Mode	21	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH03_2422MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2489.00 56.45 74.00 -17.55 46.14 27.69 8.87 36.28 10.03 150 230 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2490.25 45.45 54.00 -8.55 35.12 27.70 8.88 36.28 10.03 150 230 AVERAGE	Blank







Mode	22	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.38 54.40 74.00 -19.60 44.88 27.39 8.69 36.24 9.68 150 44 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 106.14 ----- 96.45 27.50 8.77 36.26 9.68 150 44 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.88 43.77 54.00 -10.23 34.24 27.40 8.69 36.24 9.68 150 44 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 98.36 ----- 88.65 27.52 8.77 36.26 9.68 150 44 AVERAGE





Mode	22	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2484.12 53.30 74.00 -20.70 43.08 27.94 8.87 36.27 9.68 150 44 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2483.56 43.70 54.00 -10.30 33.49 27.94 8.86 36.27 9.68 150 44 AVERAGE	Blank





Mode	22	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH06_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.50 63.53 74.00 -10.47 54.01 27.39 8.69 36.24 9.68 150 233 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 117.10 ----- 107.30 27.60 8.78 36.26 9.68 150 233 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.88 52.23 54.00 -1.77 42.70 27.40 8.69 36.24 9.68 150 233 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 109.13 ----- 99.33 27.60 8.78 36.26 9.68 150 233 AVERAGE







Mode	22	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH06_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2490.00 63.96 74.00 -10.04 53.68 28.00 8.88 36.28 9.68 150 233 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2490.05 52.81 54.00 -1.19 42.53 28.00 8.88 36.28 9.68 150 233 AVERAGE	Blank



Mode	22																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																																															
ANT	1+2																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>37.24</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>110</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>35.64</td><td>54.00</td><td>-18.36</td><td>27.43</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>110</td><td>120</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>34.32</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>200</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>38.38</td><td>54.00</td><td>-15.62</td><td>24.31</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>200</td><td>178</td><td>Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	45.45	74.00	-28.55	37.24	32.54	12.55	37.56	0.68	110	120	PEAK	2	4874.00	35.64	54.00	-18.36	27.43	32.54	12.55	37.56	0.68	110	120	Average	3	7311.00	48.39	74.00	-25.61	34.32	36.88	15.44	38.61	0.36	200	178	PEAK	4	7311.00	38.38	54.00	-15.62	24.31	36.88	15.44	38.61	0.36	200	178	Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>41.90</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>39.31</td><td>54.00</td><td>-14.69</td><td>31.10</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>100</td><td>148</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>34.19</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>200</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>38.36</td><td>54.00</td><td>-15.64</td><td>24.29</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>200</td><td>359</td><td>Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	50.11	74.00	-23.89	41.90	32.54	12.55	37.56	0.68	100	148	PEAK	2	4874.00	39.31	54.00	-14.69	31.10	32.54	12.55	37.56	0.68	100	148	Average	3	7311.00	48.26	74.00	-25.74	34.19	36.88	15.44	38.61	0.36	200	359	PEAK	4	7311.00	38.36	54.00	-15.64	24.29	36.88	15.44	38.61	0.36	200	359	Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4874.00	45.45	74.00	-28.55	37.24	32.54	12.55	37.56	0.68	110	120	PEAK																																																																																																																				
2	4874.00	35.64	54.00	-18.36	27.43	32.54	12.55	37.56	0.68	110	120	Average																																																																																																																				
3	7311.00	48.39	74.00	-25.61	34.32	36.88	15.44	38.61	0.36	200	178	PEAK																																																																																																																				
4	7311.00	38.38	54.00	-15.62	24.31	36.88	15.44	38.61	0.36	200	178	Average																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	4874.00	50.11	74.00	-23.89	41.90	32.54	12.55	37.56	0.68	100	148	PEAK																																																																																																																				
2	4874.00	39.31	54.00	-14.69	31.10	32.54	12.55	37.56	0.68	100	148	Average																																																																																																																				
3	7311.00	48.26	74.00	-25.74	34.19	36.88	15.44	38.61	0.36	200	359	PEAK																																																																																																																				
4	7311.00	38.36	54.00	-15.64	24.29	36.88	15.44	38.61	0.36	200	359	Average																																																																																																																				





Mode	22	
	Harmonic	
	2400-2483.5_802.11n HT40_CH06_2437MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	23	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH09_2452MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2316.25 50.93 74.00 -23.07 41.47 27.10 8.55 36.22 10.03 100 47 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 99.93 ----- 89.85 27.50 8.81 36.26 10.03 100 47 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2383.56 39.89 54.00 -14.11 30.06 27.36 8.68 36.24 10.03 100 47 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 91.32 ----- 81.25 27.50 8.81 36.27 10.03 100 47 AVERAGE





Mode	23	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH09_2452MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2493.18 52.96 74.00 -21.04 42.63 27.70 8.88 36.28 10.03 100 47 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2484.02 42.73 54.00 -11.27 32.46 27.64 8.87 36.27 10.03 100 47 AVERAGE	Blank



Mode	23	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH09_2452MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2385.26 54.68 74.00 -19.32 44.86 27.35 8.68 36.24 10.03 164 119 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 111.85 ----- 101.78 27.50 8.80 36.26 10.03 164 119 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2385.69 43.67 54.00 -10.33 33.86 27.34 8.68 36.24 10.03 164 119 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 103.61 ----- 93.54 27.50 8.80 36.26 10.03 164 119 AVERAGE



Mode	23	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH09_2452MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2484.59 63.52 74.00 -10.48 53.24 27.65 8.87 36.27 10.03 164 119 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2485.17 52.74 54.00 -1.26 42.46 27.65 8.87 36.27 10.03 164 119 AVERAGE	Blank