

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 1 of 109

# DFS TEST REPORT

**Application No.**: FYCR2212000498AT **Applicant:** Ruijie Networks Co., Ltd.

Address of Applicant: Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshan

District, Fuzhou, Fujian 350002 China

Manufacturer: Ruijie Networks Co., Ltd.

Address of Manufacturer: Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshan

District, Fuzhou, Fujian 350002 China

**Equipment Under Test (EUT):** 

EUT Name: Wireless Router

Model No.: RG-EG105GW(T)

Trade Mark:

Ruijie Reyee Reyee Reyee

**Ruijie** | Reyee

FCC ID: 2AX5J-EG105GWT

Standard(s): 47 CFR Part 15, Subpart E 15.407

KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02 KDB 905462 D04 Operational Modes for DFS Testing New Rules v01

**Date of Receipt:** 2022-12-08

**Date of Test:** 2022-12-09 to 2023-01-03

**Date of Issue:** 2023-01-04

Test Result: Pass\*

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend to the law Lunless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 83071443, \*\*Attention:\*\*To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 83071443, \*\*Tother the inspection report & certificate, please contact us at telephone: (86-755) 83071443, \*\*Tother the inspection report & certificate, please contact us at telephone: (86-755) 83071443, \*\*Tother the inspection report & certificate, please contact us at telephone: (86-755) 83071443, \*\*Tother the inspection report & certificate, please contact us at telephone: (86-755) 83071

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 2 of 109

	Revision Record				
Version	Chapter	Date	Modifier	Remark	
01		2023-01-04		Original	

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	-
	WinkeyWarg	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 3 of 109

# 2 Test Summary

	Tested Bandwi	dth and Channel			
Item	Bandwidth (MHz) / mode	Frequency (MHz) / Channel No.	Limit	Result	
Channel Availability	80 / 802.11ac	5290 / 58	≥ 60sec	Pass	
Check Time	80 / 802.11ac	5530 / 106	2 00360	1 033	
	20 / 802.11n	5320 / 64			
U-NII Detection	40 / 802.11n	5310 / 62	> 100% of the U-NII 99%	Pass	
Bandwidth	80 / 802.11ac	5290 / 58	transmission power bandwidth		
	20 / 802.11n	5320 / 64	Type 1 ~ 4 ≥ 60%	Pass	
Statistical Performance Check	40 / 802.11n	5310 / 62	Type 1 ~ 4 and 5 ≥ 80%		
Crieck	80 / 802.11ac	5290 / 58	Type 6 ≥ 70%		
Channel Move Time	80 / 802.11ac 80 / 802.11ac	5290 / 58 5530 / 106	≤ 10sec		
Channel Closing Transmission Time	80 / 802.11ac 80 / 802.11ac	5290 / 58 5530 / 106	≤ 200ms + aggregate of 60ms over remaining 10sec period	Pass	
Non-Occupancy Period Test	80 / 802.11ac 80 / 802.11ac	5290 / 58 5530 / 106	≥ 30 minutes	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 4 of 109

### 3 Contents

		Page
1	COVER PAGE	1
2	Past Summary	3
3	Contents	4
4	General Information	6
-		
	4.1 Details of E.U.T.  4.2 Description of Support Units	_
	4.3 Measurement Uncertainty	
	4.4 Test Location	
	4.5 Test Facility	
	4.6 Deviation from Standards	
	4.7 Abnormalities from Standard Conditions	
5		
6	·	
	6.1 Applicability of DFS requirements	10
	6.2 DFS Detection Thresholds	11
	6.3 DFS Response Requirements	
	6.4 RADAR TEST WAVEFORMS	
	6.4.1 Short Pulse Radar Test Waveforms	
	6.4.2 Long Pulse Radar Test Waveforms	
	6.4.3 Frequency Hopping Radar Test Waveforms	15
7	Calibration of Radar Waveform	16
	7.1 Radar Waveform Calibration Procedure	16
	7.2 Conducted Calibration Setup	16
	7.3 Radar Waveform Calibration Result	17
8	B DFS Test Results	21
	8.1 Conducted Test Setup Configuration	21
	8.2 U-NII Detection Bandwidth (7.8.1)	
	8.2.1 Limit of U-NII Detection Bandwidth	
	8.2.2 Test Procedure	22
	8.2.3 Measurement Data	22
	8.3 Channel Availability Check (7.8.2)	27
	8.3.1 Limit of Channel Availability Check	
	8.3.2 Test Procedure	
	Measurement Data	
	8.4 In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and Non	
	Occupancy Period (7.8.3)	
	8.4.1 Limit of In-Service Monitoring	
	8.4.2 Test Procedure	4ک4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only and the remails of the sample of



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 5 of 109

8.4.3 Mea	asurement Data	35
8.5 Statist	ical Performance Check (7.8.4)	39
	it of Statistical Performance Check	
8.5.2 Tes	t Procedure	39
8.5.3 Mea	asurement Data	40
9 Photograpi	hs	43
9.1 Test S	etup	43
Appendix Radar	Test Waveforms	44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 6 of 109

### 4 General Information

#### 4.1 Details of E.U.T.

Power supply:	Switching Mode	Power Adapter			
,	Model: F18L16-120150SPAU				
	Input: AC 100-240V, 50/60Hz, 0.6A				
	Output: DC 12.0V, 1.5A, 18.0W				
Cable(s):	DC cable:120cm	unshielded			
Operation Frequency:	Band	Mode	Frequency Range(MHz)	Number of channels	
	UNII Band I	802.11a/n(HT20)/ac(HT20)	5180-5240	4	
		802.11n(HT40)/ac(HT40)	5190-5230	2	
		802.11ac(HT80)	5210	1	
	UNII Band II-A	802.11a/n(HT20)/ac(HT20):	5260-5320	4	
		802.11n(HT40)/ac(HT40)	5270-5310	2	
		802.11ac(HT80)	5290	1	
	UNII Band II-C	802.11a/n(HT20)/ac(HT20)	5500-5700	11	
		802.11n(HT40)/ac(HT40)	5510-5670	5	
		802.11ac(HT80)	5530,5610	2	
	UNII Band III	802.11a/n(HT20)/ac(HT20)	5745-5825	5	
		802.11n(HT40)/ac(HT40)	5755-5795	2	
		802.11ac(HT80)	5775	1	
Modulation	802.11a: OFDM(	(16QAM, 64QAM, QPSK, BPSK)			
Type:	802.11n: OFDM(	(16QAM, 64QAM, QPSK, BPSK)			
	802.11ac: OFDM	M(16QAM, 64QAM, 256QAM, QPSK, BPSK)			
DFS Function:	Master				
TPC Function:	Support				
Sample Type:	Mobile device				
Antenna Type:	PIFA Antenna				
Antenna Gain:	U-NII Band 1: A	ntenna1:3.86dBi, Antenna2: 4.02dBi			
	U-NII Band 2A:	U-NII Band 2A: Antenna1:3.86dBi, Antenna2: 4.02dBi			
	U-NII Band 2C:	Antenna1:4.08dBi, Antenna2: 4.88dBi			
	U-NII Band 3: A	ntenna1:4.12dBi, Antenna2: 4.73dBi			

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lettered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CAR Descheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 7 of 109

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
			REF. No.SEA1100
Network Cable	Supplied by lab	N/A	FCC ID:N/A
			REF. No.SEA1800
Laptop	Lenovo	T430u	FCC ID:N/A
iDhono			C34NHTMFG5MN
iPhone	Apple	MG472ZP/A	FCC ID:BCG-E2816A

4.3 Measurement Uncertainty

<b>-</b>	
Test Item	Measurement Uncertainty
Channel Availability Check Time	± 5.4 x 10-8
Detection threshold	± 5.4 x 10-8
Non-occupancy period	± 5.4 x 10-8
Channel Move Time	± 5.4 x 10-8
Detection bandwidth	± 5.4 x 10-8
Channel Closing Transmission Time	± 5.4 x 10-8

#### Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are readic for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 8 of 109

#### 4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

#### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC –Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

#### 4.6 Deviation from Standards

None

#### 4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 9 of 109

# 5 Equipment List

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2022/7/12	2023/7/11
EXA Signal Analyzer	KEYSIGHT	N9010A	SEM004-09	2022-04-07	2023-04-06
Signal Generator	Agilent	N5173B	SEM006-05	2022/7/12	2023/7/11
ESG Vector Signal Generator	Agilent	E4438C	SEM006-15	2022/7/12	2023/7/11
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2022/7/12	2023/7/11
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2022/7/12	2023/7/11
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2022/7/12	2023/7/11
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2022/7/12	2023/7/11
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 10 of 109

## 6 Requirements and Parameters for DFS test

#### 6.1 Applicability of DFS requirements

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

		Operational Mode			
Requirement	⊠Master	☐Client Without Radar Detection	☐Client with Radar Detection		
Non-Occupancy Period	Yes	Not required	Yes		
DFS Detection Threshold	Yes	Not required	Yes		
Channel Availability Check Time	Yes	Not required	Not required		
U-NII Detection Bandwidth	Yes	Not required	Yes		

Table 2: Applicability of DFS requirements during normal operation

	Operational Mode		
Requirement	⊠Master Device or Client with Radar Detection	☐Client Without Radar Detection	
DFS Detection Threshold	Yes	Not required	
Channel Closing Transmission Time	Yes	Yes	
Channel Move Time	Yes	Yes	
U-NII Detection Bandwidth	Yes	Not required	

Additional requirements for devices with multiple bandwidth modes	Master Device or Client with Radar Detection	☐Client Without Radar Detection
U-NII Detection Bandwidth and Statistical Performance Check	All BW modes must be tested	Not required
Channel Move Time and Channel Closing Transmission Time	Test using widest BW mode available	Test using the widest BW mode available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices, it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.cand.for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.ags.com/en/Terms-and-Conditions/Terms-e-Document.ags.x. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend the law lunless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*Octock the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 11 of 109

#### 6.2 DFS Detection Thresholds

Table 3 below provides the DFS Detection Thresholds for Master Devices as well as Client Devices incorporating In-Service Monitoring.

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value (See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm
EIRP < 200 milliwatt that do not meet the power spectral density requirement	-64 dBm

- Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.
- Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.
- Note 3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

### 6.3 DFS Response Requirements

**Table 4: DFS Response Requirement Values** 

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds
	See Note 1.
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period.
	See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.

- Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.
- Note 2: The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required facilitating a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.
- Note 3: During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step, the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention-70 check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 12 of 109

#### 6.4 RADAR TEST WAVEFORMS

This section provides the parameters for required test waveforms, minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

#### 6.4.1 Short Pulse Radar Test Waveforms

**Table 5 Short Pulse Radar Test Waveforms** 

Radar Type	Pulse Width (µsec)	PRI (µsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials						
0	1	1428	18	See Note 1	See Note 1						
1	1	Test A	$ \operatorname{Roundup} \left\{ \left( \frac{1}{360} \right) \cdot \left( \frac{19 \cdot 10^6}{\operatorname{PRI}_{\mu \text{sec}}} \right) \right\} $	60%	30						
		Test B									
2	1-5	150-230	23-29	60%	30						
3	6-10	200-500	16-18	60%	30						
4	11-20	200-500	12-16	60%	30						
Aggregat	e (Radar Type	s 1-4)		80%	120						
Note 1:	Short Pulse F and channel			e detection bandwidth tes	t, channel move time,						
Test A:	15 unique PR	II values rar	ndomly selected from the	ne list of 23 PRI values in	Table 5a						
Test B:	15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A										

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a fluth: <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 13 of 109

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition Frequency	Pulse Repetition Frequency	Pulse Repetition Interval
Number	(Pulses Per Second)	(Microseconds)
1	1930.5	518
2	1858.7	538
3	1792.1	558
4	1730.1	578
5	1672.2	598
6	1618.1	618
7	1567.4	638
8	1519.8	658
9	1474.9	678
10	1432.7	698
11	1392.8	718
12	1355	738
13	1319.3	758
14	1285.3	778
15	1253.1	798
16	1222.5	818
17	1193.3	838
18	1165.6	858
19	1139	878
20	1113.6	898
21	1089.3	918
22	1066.1	938
23	326.2	3066



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 14 of 109

#### 6.4.2 Long Pulse Radar Test Waveforms

#### Table 6 – Long Pulse Radar Test Waveform

Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per <i>Burst</i>	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
5	50-100	5-20	1000-2000	1-3	8-20	80%	30

The parameters for this waveform are randomly chosen. Thirty unique waveforms are required for the Long Pulse Radar Type waveforms. If more than 30 waveforms are used for the Long Pulse Radar Type waveforms, then each additional waveform must also be unique and not repeated from the previous waveforms.

Each waveform is defined as follows:

- 1) The transmission period for the Long Pulse Radar test signal is 12 seconds.
- 2) There are a total of 8 to 20 *Bursts* in the 12 second period, with the number of *Bursts* being randomly chosen. This number is *Burst Count*.
- 3) Each *Burst* consists of 1 to 3 pulses, with the number of pulses being randomly chosen. Each *Burst* within the 12 second sequence may have a different number of pulses.
- 4) The pulse width is between 50 and 100 microseconds, with the pulse width being randomly chosen. Each pulse within a *Burst* will have the same pulse width. Pulses in different *Bursts* may have different pulse widths
- 5) Each pulse has a linear frequency modulated chirp between 5 and 20 MHz, with the chirp width being randomly chosen. Each pulse within a *transmission period* will have the same chirp width. The chirp is centered on the pulse. For example, with a radar frequency of 5300 MHz and a 20 MHz chirped signal, the chirp starts at 5290 MHz and ends at 5310 MHz.
- 6) If more than one pulse is present in a *Burst*, the time between the pulses will be between 1000 and 2000 microseconds, with the time being randomly chosen. If three pulses are present in a *Burst*, the random time interval between the first and second pulses is chosen independently of the random time interval between the second and third pulses.
- 7) The 12 second transmission period is divided into even intervals. The number of intervals is equal to *Burst Count*. Each interval is of length (12,000,000 / *Burst Count*) microseconds. Each interval contains one *Burst*. The start time for the *Burst*, relative to the beginning of the interval, is between 1 and [(12,000,000 / *Burst Count*) (Total *Burst* Length) + (One Random PRI Interval)] microseconds, with the start time being randomly chosen. The step interval for the start time is 1 microsecond. The start time for each *Burst* is chosen randomly.

#### A representative example of a Long Pulse Radar Type waveform:

- 1) The total test waveform length is 12 seconds.
- 2) Eight (8) Bursts are randomly generated for the Burst Count.
- 3) Burst 1 has 2 randomly generated pulses.
- 4) The pulse width (for both pulses) is randomly selected to be 75 microseconds.
- 5) The PRI is randomly selected to be at 1213 microseconds.
- 6) Bursts 2 through 8 are generated using steps 3 5.
- 7) Each *Burst* is contained in even intervals of 1,500,000 microseconds. The starting location for Pulse 1, *Burst* 1 is randomly generated (1 to 1,500,000 minus the total *Burst* 1 length + 1 random PRI interval) at the 325,001 microsecond step. *Bursts* 2 through 8 randomly fall in successive 1,500,000 microsecond intervals (i.e. *Burst* 2 falls in the 1,500,001 3,000,000 microsecond range).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents a subject to Terms and Conditions for Electronic Documents af http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 15 of 109

#### 6.4.3 Frequency Hopping Radar Test Waveforms

Table 7 - Frequency Hopping Radar Test Waveform

Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per <i>Burst</i>	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
6	1	333	9	0.333	300	70%	30

For the Frequency Hopping Radar Type, the same Burst parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm:

The first frequency in a hopping sequence is selected randomly from the group of 475 integer frequencies from 5250 – 5724 MHz. Next, the frequency that was just chosen is removed from the group and a frequency is randomly selected from the remaining 474 frequencies in the group. This process continues until all 475 frequencies are chosen for the set. For selection of a random frequency, the frequencies remaining within the group are always treated as equally likely.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805


Page: 16 of 109

### 7 Calibration of Radar Waveform

#### 7.1 Radar Waveform Calibration Procedure

- 1) A 50 ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected to place of the master
- 2) The interference Radar Detection Threshold Level is -64dBm + 3.86dBi +1dB = -59.14dBm that had been taken into account the output power range and antenna gain.
- 3) The following equipment setup was used to calibrate the conducted radar waveform. A vector signal generator was utilized to establish the test signal level for radar type 0. During this process, there were no transmissions by either the master or client device. The spectrum analyzer was switched to the zero spans (time domain) at the frequency of the radar waveform generator. Peak detection was used. The spectrum analyzer resolution bandwidth (RBW) and video bandwidth (VBW) were set to 3 MHz. The spectrum analyzer had offset -1.0dB to compensate RF cable loss 1.0dB.
- 4) The vector signal generator amplitude was set so that the power level measured at the spectrum analyzer was -64dBm + 3.86dBi +1dB = -59.14dBm. Capture the spectrum analyzer plots on short pulse radar waveform.

#### 7.2 Conducted Calibration Setup





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thite: <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805


Page: 17 of 109

### 7.3 Radar Waveform Calibration Result

#### Radar Type 0



#### Radar Type 1





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a fitting-time and the fi




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221200049805

Page: 18 of 109

#### Radar Type 2



#### Radar Type 3





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lettered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Descheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221200049805

Page: 19 of 109

#### Radar Type 4



#### Radar Type 5





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lettered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Descheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 20 of 109

#### Radar Type 6





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest tent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. On check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 21 of 109

### 8 DFS Test Results

### 8.1 Conducted Test Setup Configuration



#### **Channel Loading**

System testing will be performed with channel-loading using means appropriate to the data types that are used by the unlicensed device. The following requirements apply:

	a) The data file must be of a type that is typical for the device (i.e., MPEG-2, MPEG-4, WAV, MP3, MP4, AVI, etc.) and must generally be transmitting in a streaming mode.
$\boxtimes$	b) Software to ping the client is permitted to simulate data transfer but must have random ping intervals.
	c) Timing plots are required with calculations demonstrating a minimum channel loading of approximately 17% or greater. For example, channel loading can be estimated by setting the spectrum analyzer for zero span and approximate the Time On/ (Time On + Off Time). This can be done with any appropriate channel BW and modulation type.
	d) Unicast or Multicast protocols are preferable but other protocols may be used. The appropriate protocol used must be described in the test procedures.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.px.ad.">http://www.ags.com/en/Terms-and-Conditions.ags.px.ad.</a> for electronic Documents a thitp://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.ags.x. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting finspection report & certificate, lesses contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing finspection report & certificate, lesses contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 22 of 109

#### 8.2 U-NII Detection Bandwidth (7.8.1)

#### 8.2.1 Limit of U-NII Detection Bandwidth

The U-NII Detection Bandwidth shall contain minimum 100% of the 99% power bandwidth.

#### 8.2.2 Test Procedure

- Adjust the equipment to produce a single *Burst* of any one of the Short Pulse Radar Types 0 4 in **Table 5** at the center frequency of the UUT *Operating Channel* at the specified *DFS Detection Threshold* level found in **Table 3**.
- 2. Set the UUT up as a standalone device (no associated Client or Master, as appropriate) and no traffic. Frame based systems will be set to a talk/listen ratio reflecting the worst case (maximum) that is user configurable during this test.
- 3. Generate a single radar *Burst*, and note the response of the UUT. Repeat for a minimum of 10 trials. The UUT must detect the *Radar Waveform* within the DFS band using the specified *U-NII Detection Bandwidth* criterion shown in **Table 4**. In cases where the channel bandwidth may exceed past the DFS band edge on specific channels (i.e., 802.11ac or wideband frame based systems) select a channel that has the entire emission bandwidth within the DFS band. If this is not possible, test the detection BW to the DFS band edge.
- 4. Starting at the center frequency of the UUT operating *Channel*, increase the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz below where the detection rate begins to fall. Record the highest frequency (denote as F<sub>H</sub>) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies above F<sub>H</sub> is not required to demonstrate compliance.
- 5. Starting at the center frequency of the UUT operating *Channel*, decrease the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz above where the detection rate begins to fall. Record the lowest frequency (denote as F<sub>L</sub>) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies below F<sub>L</sub> is not required to demonstrate compliance.

The *U-NII Detection Bandwidth* is calculated as follows:

U-NII Detection Bandwidth = F<sub>H</sub> − F<sub>L</sub>

#### 8.2.3 Measurement Data

During the test, radar type 0 is used and for each frequency step the minimum percentage of detection is 90%.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221200049805

Page: 23 of 109

Test Cha	Test Channel: 5320MHz C			Chann	el Band	dwidth:	20N	lHz		<b>5</b> :			
Freq.		Tria	l Numb	er and	Detecti	on resu	lt (Y: D	etected	; N: No	n-detec	ted)	Detection Rate (%)	F∟/Fн
(MHz)	Fc	0	1	2	3	4	5	6	7	8	9	Tiale (70)	
5309	-11	N	N	N	N	N	N	N	N	Ν	Ν	0	
5310	-10	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	F∟
5315	-5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5320	0	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5325	+5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5330	+10	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	F <sub>H</sub>
5331	+11	Ν	N	N	N	N	N	N	N	Ν	Ν	0	

Detection Bandwidth =  $F_H - F_L = 5330MHz - 5310MHz = 20MHz$ 

EUT 99% Bandwidth = 17.719MHz





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221200049805

Page: 24 of 109

Test Cha	nnel:	5310N	lHz	Chann	el Band	dwidth:	40N	lHz				<b>5</b> :	
Freq.		Tria	l Numb	er and	Detecti	on resu	lt (Y: D	etected	; N: No	n-detec	ted)	Detection Rate (%)	F∟/F <sub>H</sub>
(MHz)	Fc	0	1	2	3	4	5	6	7	8	9	1 tate (70)	
5289	-21	N	N	N	N	N	N	N	N	N	N	0	
5290	-20	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	FL
5295	-15	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5300	-10	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5305	-5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5310	0	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5315	+5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5320	+10	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5325	+15	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5330	+20	Υ	Υ	Υ	Υ	N	Υ	Υ	Υ	Υ	Υ	90	F <sub>H</sub>

Detection Bandwidth =  $F_H$  -  $F_L$  = 5330MHz - 5290MHz = 40MHz

EUT 99% Bandwidth = 36.429MHz





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 25 of 109

Test Ch	annel:	5290N	1Hz	Chann	el Band	dwidth:	80N	lHz				D:	
Freq.		Tria	l Numb	per and Detection result (Y: Detected; N: Non-detected)							ted)	Detection Rate (%)	F <sub>L</sub> /F <sub>H</sub>
(MHz)	Fc	0	1	2	3	4	5	6	7	8	9	11010 (70)	
5250	-40	Υ	Υ	Υ	Υ	Υ	Υ	N	Υ	Υ	Υ	90	FL
5255	-35	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5260	-30	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5265	-25	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5270	-20	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5275	-15	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5280	-10	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5285	-5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5290	0	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5295	+5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5300	+10	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5305	+15	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5310	+20	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5315	+25	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5320	+30	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5325	+35	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100	
5330	+40	Υ	N	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	90	F <sub>H</sub>

Detection Bandwidth =  $F_H - F_L = 5330MHz - 5250MHz = 80MHz$ 

EUT 99% Bandwidth = 74.744MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 26 of 109





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 27 of 109

#### 8.3 Channel Availability Check (7.8.2)

#### 8.3.1 Limit of Channel Availability Check

The Initial *Channel Availability Check Time* tests that the UUT does not emit beacon, control, or data signals on the test *Channel* until the power-up sequence has been completed and the U-NII device checks for *Radar Waveforms* for one minute on the test *Channel*.

#### 8.3.2 Test Procedure

This test does not use any Radar Waveforms and only needs to be performed one time.

- 1. The U-NII devices will be powered on and be instructed to operate on the appropriate U-NII Channel that must incorporate DFS functions. At the same time the UUT is powered on, the spectrum analyzer will be set to zero span mode with a 3 MHz RBW and 3 MHz VBW on the Channel occupied by the radar (Chr) with a 2.5 minute sweep time. The spectrum analyzer's sweep will be started at the same time power is applied to the U-NII device.
- 2. The UUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.
- 3. Confirm that the UUT initiates transmission on the channel

#### A) Radar Burst at the Beginning of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test *Channel* during a period equal to the *Channel Availability Check Time* and avoidance of operation on that *Channel* when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1 dB occurs at the beginning of the *Channel Availability Check Time*. This is illustrated in **Figure 15**.

- 1. The *Radar Waveform* generator and UUT are connected using the applicable test setup described in the sections on configuration for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- 2. The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence (Tpower\_up). The *Channel Availability Check Time* commences on Chr at instant T1 and will end no sooner than T1 + Tch avail check.
- 3. A single *Burst* of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T1. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- 4. Visual indication or measured results on the UUT of successful detection of the radar *Burst* will be recorded and reported. Observation of Chr for UUT emissions will continue for 2.5 minutes after the radar *Burst* has been generated.
- 5. Verify that during the 2.5 minute measurement window no UUT transmissions occurred on Chr. The *Channel Availability Check* results will be recorded.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a fluth: <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 28 of 109




Figure 15: Example of timing for radar testing at the beginning of the Channel Availability Check Time

#### B) Radar Burst at the End of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1dB occurs at the end of the *Channel Availability Check Time*. This is illustrated in **Figure 16**.

- 1. The *Radar Waveform* generator and UUT are connected using the applicable test setup described in the sections for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- 2. The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence (Tpower\_up). The *Channel Availability Check Time* commences on Chr at instant T1 and will end no sooner than T1 + Tch\_avail\_check.
- 3. A single *Burst* of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T1 + 54 seconds. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- 4. Visual indication or measured results on the UUT of successful detection of the radar *Burst* will be recorded and reported. Observation of Chr for UUT emissions will continue for 2.5 minutes after the radar *Burst* has been generated.
- 5. Verify that during the 2.5 minute measurement window no UUT transmissions occurred on Chr. The *Channel Availability Check* results will be recorded.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 29 of 109




Figure 16: Example of timing for radar testing towards the end of the Channel Availability Check Time



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.px.am.">http://www.ags.com/en/Terms-and-Conditions.ags.px.am.</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.ags.px.">http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.ags.px.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 30 of 109

#### **Measurement Data**








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a fitting-time and the fi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 31 of 109






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a fitting-time and the fi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 32 of 109





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are readic for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 33 of 109

# 8.4 In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period (7.8.3)

#### 8.4.1 Limit of In-Service Monitoring

The EUT has In-Service Monitoring function to continuously monitor the radar signals. If radar is detected, it must leave the channel (Shutdown). The Channel Move Time to cease all transmissions on the current Channel upon detection of a Radar Waveform above the DFS Detection Threshold within 10 sec.

The total duration of Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required facilitating Channel changes (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Non-Occupancy Period time is 30 minutes during which a Channel will not be utilized after a Radar Waveform is detected on that Channel.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.ags.px.am.">http://www.ags.com/en/Terms-and-Conditions.ags.px.am.</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions-and-Conditions-and-Cond



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 34 of 109

#### 8.4.2 Test Procedure

The steps below define the procedure to determine the above-mentioned parameters when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1dB is generated on the *Operating Channel* of the U-NII device (*In- Service Monitoring*).

- 1. One frequency will be chosen from the *Operating Channels* of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands. For 802.11 devices, the test frequency must contain control signals. This can be verified by disabling channel loading and monitoring the spectrum analyzer. If no control signals are detected, another frequency must be selected within the emission bandwidth where control signals are detected.
- 2. In case the UUT is a U-NII device operating as a Client Device (with or without DFS), a U-NII device operating as a Master Device will be used to allow the UUT (Client device) to Associate with the Master Device. In case the UUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the UUT (Master). In both cases for conducted tests, the Radar Waveform generator will be connected to the Master Device. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.
- 3. Stream the channel loading test file from the *Master Device* to the *Client Device* on the test *Channel* for the entire period of the test.
- 4. At time T0 the *Radar Waveform* generator sends a *Burst* of pulses for one of the Radar Type 0 in **Table 5** at levels defined in **Table 3**, on the *Operating Channel*. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- 5. Observe the transmissions of the UUT at the end of the radar *Burst* on the *Operating Channel* for duration greater than 10 seconds. Measure and record the transmissions from the UUT during the observation time (*Channel Move Time*). Measure and record the *Channel Move Time* and *Channel Closing Transmission Time* if radar detection occurs. **Figure 17** illustrates *Channel Closing Transmission Time*.
- 6. When operating as a *Master Device*, monitor the UUT for more than 30 minutes following instant T2 to verify that the UUT does not resume any transmissions on this *Channel*. Perform this test once and record the measurement result.
- 7. In case the UUT is a U-NII device operating as a *Client Device* with *In-Service Monitoring*, perform steps 1 to 6.




Figure 17: Example of Channel Closing Transmission Time & Channel Closing Time



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a thite:

New Service of the first o




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221200049805

Page: 35 of 109

#### 8.4.3 Measurement Data

# Channel Move Time, Channel Closing Transmission Time 5290MHz:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 36 of 109

#### 5530MHz:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CAP. Descheck/Pages cam.




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221200049805

Page: 37 of 109

# Non occupation period 5290MHz:



#### 5530MHz:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CAP Descheek/Bases cam.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 38 of 109

### **Throughput:**



Duty cycle:88.5%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any folder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, vernally Placeshock Places come.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 39 of 109

### 8.5 Statistical Performance Check (7.8.4)

#### 8.5.1 Limit of Statistical Performance Check

Refer to Table 5, 5a, 6, 7

#### 8.5.2 Test Procedure

The steps below define the procedure to determine the minimum percentage of successful detection requirements found in **Tables 5-7** when a radar burst with a level equal to the *DFS Detection Threshold* + 1dB is generated on the *Operating Channel* of the U-NII device (*In- Service Monitoring*).

- 1. One frequency will be chosen from the *Operating Channels* of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands.
- 2. In case the UUT is a U-NII device operating as a Client Device (with or without Radar Detection), a U-NII device operating as a Master Device will be used to allow the UUT (Client device) to Associate with the Master Device. In case the UUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the UUT (Master). In both cases for conducted tests, the Radar Waveform generator will be connected to the Master Device. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.
- 3. Stream the channel loading test file from the *Master Device* to the Client Device on the test *Channel* for the entire period of the test.
- 4. At time T0 the Radar Waveform generator sends the individual waveform for each of the Radar Types 1- 6 in Tables 5-7, at levels defined in Table 3, on the Operating Channel. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.
- 5. Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 10 seconds for Radar Type 0 to ensure detection occurs.
- 6. Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 22 seconds for Long Pulse Radar Type 5 to ensure detection occurs.
- 7. In case the UUT is a U-NII device operating as a *Client Device* with *In-Service Monitoring*, perform steps 1 to 6.




Figure 17: Example of Channel Closing Transmission Time & Channel Closing Time



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 40 of 109

# 8.5.3 Measurement Data Statistical Performance Check:

#### 20MHz

ZOWITIZ			Radar Si	gnal Type		
Trial No.	1	2	3	4	5	6
0	Υ	Υ	Υ	Υ	Υ	Υ
1	Υ	Υ	Υ	Υ	Υ	Υ
2	Υ	Υ	Y	Υ	Υ	Υ
3	Υ	Y	Y	Υ	Υ	Υ
4	Υ	Υ	Y	Υ	Υ	Υ
5	Υ	Υ	Υ	Υ	Υ	Υ
6	Υ	Υ	Y	Υ	Υ	Υ
7	N	Υ	Υ	Υ	Υ	Υ
8	Υ	Υ	Y	Υ	Υ	Υ
9	Υ	Υ	Y	Υ	Υ	Υ
10	Υ	Y	Y	Υ	Υ	Υ
11	Υ	Υ	Y	Υ	Υ	Υ
12	Υ	N	Y	Υ	Υ	Υ
13	Υ	Y	Υ	Υ	Υ	Υ
14	Υ	Υ	Υ	Υ	Υ	Υ
15	Υ	Υ	Y	Υ	Υ	Υ
16	Υ	Y	Y	Υ	N	Υ
17	Υ	Υ	Y	Υ	Υ	Υ
18	Υ	Υ	Y	Υ	Υ	Υ
19	Υ	Y	Y	Υ	Υ	Υ
20	Υ	Y	Y	Υ	Υ	Υ
21	Υ	Υ	Y	Υ	Υ	Υ
22	Υ	Υ	Υ	Υ	Υ	Υ
23	Υ	Y	Y	Υ	Υ	Υ
24	Υ	Υ	Y	Υ	Υ	Υ
25	Υ	Y	Y	Υ	Υ	Υ
26	Υ	Y	Y	Υ	Υ	Υ
27	Υ	Υ	Y	Υ	Υ	Υ
28	Υ	Y	Y	Υ	Υ	Υ
29	Υ	Υ	Υ	Υ	Υ	Υ
Detection Probability (%)	96.67	96.67	100.00	100.00	96.67	100.00
Aggregate Detection Probability of Type 1 ~ Type 4 (%)		98	3.33			
Result	Pass	Pass	Pass	Pass	Pass	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 41 of 109

#### 40MHz

			Radar Si	gnal Type		
Trial No.	1	2	3	4	5	6
0	Υ	Υ	Υ	Υ	Υ	Υ
1	Υ	Υ	Υ	Υ	Υ	Υ
2	Υ	Υ	Υ	Υ	Υ	Υ
3	Υ	Υ	Υ	Υ	Υ	Υ
4	Υ	Υ	Υ	Υ	Υ	Υ
5	Υ	Υ	Υ	Y	Υ	Υ
6	Υ	Y	Υ	Y	Υ	Υ
7	Υ	Υ	Υ	Υ	Υ	Y
8	Υ	Υ	Υ	Υ	Υ	Υ
9	Υ	Υ	Υ	Υ	Υ	Υ
10	Υ	Υ	Υ	Υ	Υ	Y
11	Υ	Υ	Υ	Υ	Υ	Υ
12	Υ	Υ	Υ	Υ	Υ	Υ
13	Υ	Υ	Υ	Υ	Υ	Υ
14	Υ	Υ	Υ	Υ	Υ	Υ
15	Υ	Υ	Υ	Υ	Υ	Υ
16	Υ	Υ	Υ	Υ	Υ	Y
17	Υ	Υ	Υ	Υ	N	N
18	Υ	Υ	Υ	Υ	Υ	Y
19	Υ	Υ	Υ	Υ	Υ	Υ
20	Υ	N	Υ	Υ	Υ	Y
21	Υ	Υ	Υ	N	Υ	Y
22	Υ	Υ	Υ	Υ	Υ	Υ
23	Υ	Υ	Υ	Υ	Υ	Υ
24	Υ	Υ	Υ	Υ	Υ	Υ
25	Υ	Υ	Υ	Υ	Υ	Y
26	Υ	Υ	Υ	Υ	Υ	Υ
27	Υ	Y	Υ	Y	Υ	Y
28	Y	Υ	Υ	Υ	Υ	Y
29	Y	Υ	Υ	Υ	Υ	Y
Detection Probability (%)	100.00	96.67	100.00	96.67	96.67	96.67
Aggregate Detection Probability of Type 1 ~ Type 4 (%)			.33			
Result	Pass	Pass	Pass	Pass	Pass	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 42 of 109

### 80MHz

			Radar Sig	nal Type		
Trial No.	1	2	3	4	5	6
0	Υ	Υ	Υ	Υ	Υ	Υ
1	Υ	Υ	Υ	Υ	Υ	Υ
2	Υ	Υ	Υ	Υ	Υ	Υ
3	Υ	Υ	Υ	Υ	Υ	Υ
4	Υ	Y	Υ	Υ	Υ	Υ
5	Υ	Υ	Υ	Υ	Υ	Υ
6	Υ	Υ	Υ	Υ	Υ	Υ
7	Υ	Υ	Υ	Υ	Υ	Υ
8	Υ	Υ	Υ	Υ	Υ	Υ
9	Υ	Υ	Υ	Υ	Υ	Υ
10	Υ	Υ	Υ	Υ	Υ	Υ
11	Υ	Υ	N	Υ	Υ	Υ
12	Υ	Υ	Υ	Υ	Y	Υ
13	Υ	Υ	Υ	Υ	Υ	Υ
14	Υ	Υ	Υ	Υ	Y	Υ
15	Υ	Υ	Υ	Υ	Υ	Υ
16	Υ	N	Υ	Υ	Υ	Υ
17	Υ	Υ	Υ	Υ	Υ	N
18	Υ	Υ	Υ	Υ	Υ	Υ
19	Υ	Υ	Υ	Υ	Y	Υ
20	Y	Y	Υ	Y	Y	Υ
21	Υ	Υ	Υ	Y	Y	Υ
22	Υ	Υ	Υ	Υ	Υ	Υ
23	Υ	Υ	Υ	N	Υ	Υ
24	Υ	Υ	Υ	Υ	Υ	Υ
25	Y	Υ	Y	Υ	N	Υ
26	Υ	Y	Y	Y	Y	Y
27	Y	Y	Y	Y	Y	Y
28	Υ	Υ	Y	Υ	Y	Y
29	Υ	Υ	Υ	Υ	Y	Y
Detection Probability (%)	100.00	96.67	96.67	96.67	96.67	96.67
Aggregate Detection Probability of Type 1 ~ Type 4 (%)			.50			
Result	Pass	Pass	Pass	Pass	Pass	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 43 of 109

# 9 Photographs

9.1 Test Setup





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx.and.nor/terms-and-Conditions.aspx.and.nor/terms-and-Conditions.aspx.and.nor/terms-and-Conditions.aspx.and.conditi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 44 of 109

# **Appendix Radar Test Waveforms**

### Radar Type 0

Т	rial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download 0		Туре О	1.0	1428.0	18	25704.0
Download 1		Type O	1.0	1428.0	18	25704.0
Download 2		Type O	1.0	1428.0	18	25704.0
Download 3		Type O	1.0	1428.0	18	25704.0
Download 4		Type O	1.0	1428.0	18	25704.0
Download 5		Type O	1.0	1428.0	18	25704.0
Download 6		Type O	1.0	1428.0	18	25704.0
Download 7		Type O	1.0	1428.0	18	25704.0
Download 8		Туре О	1.0	1428.0	18	25704.0
Download 9		Туре О	1.0	1428.0	18	25704.0
Download 10	)	Type O	1.0	1428.0	18	25704.0
Download 1	1	Type O	1.0	1428.0	18	25704.0
Download 12	2	Туре О	1.0	1428.0	18	25704.0
Download 13	3	Type O	1.0	1428.0	18	25704.0
Download 14	4	Туре О	1.0	1428.0	18	25704.0
Download 18	5	Type O	1.0	1428.0	18	25704.0
Download 16	ŝ	Type O	1.0	1428.0	18	25704.0
Download 1	7	Type O	1.0	1428.0	18	25704.0
Download 18	3	Type O	1.0	1428.0	18	25704.0
Download 19	3	Type O	1.0	1428.0	18	25704.0
Download 20	)	Type O	1.0	1428.0	18	25704.0
Download 21	1	Type O	1.0	1428.0	18	25704.0
Download 22	2	Type O	1.0	1428.0	18	25704.0
Download 23	3	Type O	1.0	1428.0	18	25704.0
Download 24	4	Type O	1.0	1428.0	18	25704.0
Download 25	5	Type O	1.0	1428.0	18	25704.0
Download 26	ŝ	Type O	1.0	1428.0	18	25704.0
Download 2	7	Type O	1.0	1428.0	18	25704.0
Download 28	3	Type O	1.0	1428.0	18	25704.0
Download 29	3	Type O	1.0	1428.0	18	25704.0





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 45 of 109

### Radar Type 1

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 1	1.0	938.0	57	53466.0
Download	1	Type 1	1.0	698.0	76	53048.0
Download	2	Type 1	1.0	618.0	86	53148.0
Download	3	Type 1	1.0	538.0	99	53262.0
Download	4	Type 1	1.0	878.0	61	53558.0
Download	5	Type 1	1.0	3066.0	18	55188.0
Download	6	Type 1	1.0	638.0	83	52954.0
Download	7	Type 1	1.0	918.0	58	53244.0
Download	8	Type 1	1.0	838.0	63	52794.0
Download	9	Type 1	1.0	858.0	62	53196.0
Download	10	Type 1	1.0	798.0	67	53466.0
Download	11	Type 1	1.0	718.0	74	53132.0
Download	12	Type 1	1.0	578.0	92	53176.0
Download	13	Type 1	1.0	598.0	89	53222.0
Download	14	Type 1	1.0	558.0	95	53010.0
Download	15	Type 1	1.0	2536.0	21	53256.0
Download	16	Type 1	1.0	966.0	55	53130.0
Download	17	Type 1	1.0	827.0	64	52928.0
Download	18	Type 1	1.0	2501.0	22	55022.0
Download	19	Type 1	1.0	2595.0	21	54495.0
Download	20	Type 1	1.0	1114.0	48	53472.0
Download	21	Type 1	1.0	1302.0	41	53382.0
Download	22	Type 1	1.0	3045.0	18	54810.0
Download	23	Type 1	1.0	1624.0	33	53592.0
Download	24	Type 1	1.0	2878.0	19	54682.0
Download	25	Type 1	1.0	1027.0	52	53404.0
Download	26	Type 1	1.0	2485.0	22	54670.0
Download	27	Type 1	1.0	1600.0	33	52800.0
Download	28	Type 1	1.0	1172.0	46	53912.0
Download	29	Type 1	1.0	1177.0	45	52965.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and.">http://www.ags.com/en/Terms-and-Conditions.agpx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-C



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 46 of 109

### Radar Type 2

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 2	3.2	179.0	26	4654.0
Download	1	Type 2	1.1	207.0	23	4761.0
Download	2	Type 2	2.1	230.0	24	5520.0
Download	3	Type 2	4.8	200.0	29	5800.0
Download	4	Type 2	3.9	214.0	28	5992.0
Download	5	Type 2	2.9	222.0	26	5772.0
Download	6	Type 2	3.2	204.0	26	5304.0
Download	7	Type 2	2.5	192.0	25	4800.0
Download	8	Type 2	3. 1	164.0	26	4264.0
Download	9	Type 2	1.2	156.0	23	3588.0
Download	10	Type 2	3.9	210.0	27	5670.0
Download	11	Туре 2	4.6	201.0	29	5829.0
Download	12	Туре 2	3.2	162.0	26	4212.0
Download	13	Туре 2	2.2	197.0	25	4925.0
Download	14	Type 2	4.5	163.0	29	4727.0
Download	15	Type 2	3.0	203.0	26	5278.0
Download	16	Type 2	5.0	168.0	29	4872.0
Download	17	Type 2	2.4	217.0	25	5425.0
Download	18	Type 2	2.9	191.0	26	4966.0
Download	19	Type 2	2.3	166.0	25	4150.0
Download	20	Type 2	3. 7	150.0	27	4050.0
Download	21	Type 2	2.2	176.0	25	4400.0
Download	22	Type 2	4.9	195.0	29	5655.0
Download	23	Type 2	2.9	202.0	26	5252.0
Download	24	Type 2	2.5	178.0	25	4450.0
Download	25	Type 2	1.1	206.0	23	4738.0
Download	26	Type 2	3.8	155.0	27	4185.0
Download	27	Туре 2	4. 7	157.0	29	4553.0
Download	28	Type 2	2.4	224.0	25	5600.0
Download	29	Type 2	4.2	159.0	28	4452.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmit. CARD Rescherk/Bass com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 47 of 109

### Radar Type 3

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform   Length   (us)
Download	0	Туре З	8.2	355.0	17	6035.0
Download	1	Туре З	6.1	487.0	16	7792.0
Download	2	Туре З	7. 1	344.0	16	5504.0
Download	3	Туре З	9.8	288.0	18	5184.0
Download	4	Туре З	8.9	230.0	18	4140.0
Download	5	Туре З	7.9	432.0	17	7344.0
Download	6	Туре З	8.2	207.0	17	3519.0
Download	7	Туре З	7.5	443.0	17	7531.0
Download	8	Туре З	8. 1	439.0	17	7463.0
Download	9	Туре З	6.2	223.0	16	3568.0
Download	10	Туре З	8.9	208.0	18	3744.0
Download	11	Туре З	9.6	463.0	18	8334.0
Download	12	Туре З	8.2	441.0	17	7497.0
Download	13	Туре З	7.2	323.0	16	5168.0
Download	14	Туре З	9.5	297.0	18	5346.0
Download	15	Туре З	8.0	412.0	17	7004.0
Download	16	Туре З	10.0	324.0	18	5832.0
Download	17	Type 3	7.4	271.0	17	4607.0
Download	18	Type 3	7.9	349.0	17	5933.0
Download	19	Type 3	7.3	409.0	16	6544.0
Download	20	Type 3	8. 7	373.0	18	6714.0
Download	21	Туре З	7.2	254.0	16	4064.0
Download	22	Туре З	9.9	274.0	18	4932.0
Download	23	Туре З	7.9	278.0	17	4726.0
Download	24	Туре З	7.5	317.0	17	5389.0
Download	25	Туре З	6.1	260.0	16	4160.0
Download	26	Туре З	8.8	211.0	18	3798.0
Download	27	Туре З	9. 7	272.0	18	4896.0
Download	28	Туре З	7. 4	264.0	17	4488.0
Download	29	Type 3	9.2	284.0	18	5112.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmit. CARD Rescherk/Bass com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 48 of 109

### Radar Type 4

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 4	16.0	355.0	14	4970.0
Download	1	Type 4	11.3	487.0	12	5844.0
Download	2	Type 4	13.5	344.0	13	4472.0
Download	3	Type 4	19.4	288.0	16	4608.0
Download	4	Type 4	17.5	230.0	15	3450.0
Download	5	Type 4	15.3	432.0	14	6048.0
Download	6	Type 4	15.9	207.0	14	2898.0
Download	7	Type 4	14.3	443.0	13	5759.0
Download	8	Type 4	15.8	439.0	14	6146.0
Download	9	Type 4	11.5	223.0	12	2676.0
Download	10	Type 4	17.4	208.0	15	3120.0
Download	11	Type 4	19.0	463.0	16	7408.0
Download	12	Type 4	16.0	441.0	14	6174.0
Download	13	Type 4	13.8	323.0	13	4199.0
Download	14	Type 4	18.9	297.0	16	4752.0
Download	15	Type 4	15.5	412.0	14	5768.0
Download	16	Type 4	19.9	324.0	16	5184.0
Download	17	Type 4	14. 1	271.0	13	3523.0
Download	18	Type 4	15.2	349.0	14	4886.0
Download	19	Type 4	13.8	409.0	13	5317.0
Download	20	Type 4	17.1	373.0	15	5595.0
Download	21	Туре 4	13.8	254.0	13	3302.0
Download	22	Туре 4	19.8	274.0	16	4384.0
Download	23	Туре 4	15.3	278.0	14	3892.0
Download	24	Туре 4	14.5	317.0	13	4121.0
Download	25	Type 4	11.3	260.0	12	3120.0
Download	26	Type 4	17.3	211.0	15	3165.0
Download	27	Type 4	19.2	272.0	16	4352.0
Download	28	Type 4	14.2	264.0	13	3432.0
Download	29	Type 4	18.2	284.0	15	4260.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resmit. CARD Rescherk/Bass com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 49 of 109

### Radar Type 5 - All

Tr	al List —						
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)
<b>±</b>	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000
#	Download	1	Type 5	8	1.5000000	12.0000000	5. 500000000
+	Download	2	Type 5	11	1.0909091	12.0000000	5. 500000000
+	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000
#	Download	4	Type 5	17	0.7058824	12.0000000	5.500000000
<b>±</b>	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000
+	Download	6	Туре 5	15	0.8000000	12.0000000	5.500000000
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000
#	Download	9	Type 5	8	1.5000000	12.0000000	5. 500000000
#	Download	10	Type 5	17	0. 7058824	12.0000000	5. 503900000
#	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000
+	Download	14	Type 5	19	0. 6315789	12.0000000	5.504700000
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000
#	Download	16	Type 5	20	0.6000000	12.0000000	5.505500000
#	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000
+	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000
#	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000
#	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000
#	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000
<b>±</b>	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000
<b></b>	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000
#	Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000
#	Download	25	Type 5	8	1.5000000	12.0000000	5. 500500000
#	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000
+	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000
+	Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000
#	Download	29	Туре 5	18	0.6666667	12.0000000	5. 495700000





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 50 of 109

### Radar Type 5 - Trial 0

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Θ	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	636185.0	77.8	13	2	1665.0	1477.0	-
			1	32674.0	51.9	13	1	1074.0	-	_
			2	226294.0	63.8	13	1	1584.0	-	-
			3	417976.0	96.6	13	3	1682.0	1786.0	1843.0
			4	611152.0	85.9	13	3	1795.0	1215.0	1729.0
			5	8789.0	73. 7	13	2	1198.0	1549.0	-
			6	201917.0	77.2	13	2	1837. 0	1819.0	-
			7	395530.0	68.4	13	2	1587. 0	1114.0	-
			8	588564.0	76. 7	13	2	2000.0	1155.0	-
_			9	783794.0	53.2	13	1	1147.0	-	-
_			10	177933.0	85. 7	13	3	1433.0	1695.0	1394.0
			11	370624.0	94.3	13	3	1670.0	1426.0	1935.0
_			12	564893.0	77.6	13	2	1294.0	1671.0	-
_			13	759583.0	65. 7	13	1	1512.0	-	-
_			14	154262.0	93.5	13	3	1444.0	1130.0	1468.0
<b></b>	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000			
<b></b>	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000			
<b></b>	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000			
<b></b>	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000			
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000			
+	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000			
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000			
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000			
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000			
+	Download	10	Type 5	17	0. 7058824	12.0000000	5. 503900000			
+	Download	11	Type 5	19	0. 6315789	12.0000000	5.505100000			
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000			
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000			
+	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000			
_			+	+	+	<del> </del>	+	+	<del>                                     </del>	<del>                                     </del>





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 51 of 109

### Radar Type 5 - Trial 1

Tr	ial List —				`						
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Ŧ	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				
	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	653020.0	75.0	5	2	1880.0	1527. 0	-	
			1	1015643.0	99.4	5	3	1401.0	1262.0	1257.0	
_			2	1379398.0	67.4	5	2	1531.0	1403.0	_	
_			3	245489.0	73.6	5	2	1449.0	1041.0	-	
			4	609113.0	65.9	5	1	1432.0	-	_	
			5	970852.0	83.8	5	3	1356.0	1292.0	1419.0	
_			6	1335913.0	65.5	5	1	1543.0	_	-	
_	p 1 1		7	200406.0	98.6	5	3	1548.0	1796.0	1728.0	
<b>±</b>	Download Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
<u>⊞</u>	Download	3	Type 5	20 17	0.6000000	12.0000000	5.500000000				
⊞	Download	5	Type 5	14	0. 7058824 0. 8571429	12.0000000	5.500000000 5.500000000				
<u>∃</u>	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
<b>±</b>	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
⊞	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
#	Download	9	Туре 5	8	1.5000000	12.0000000	5.500000000				
#	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
⊞	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
⊞	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
∄	Download	13	Туре 5	12	1.0000000	12.0000000	5.501500000				
<b>±</b>	Download	14	Туре 5	19	0.6315789	12.0000000	5.504700000				
<b>±</b>	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
⊞	Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
⊞	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
<b>±</b>	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
<b>±</b>	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
<b>±</b>	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
Ш	n 1 1	lo.	l	-lea	L	<u> </u>	le 40000000	1	l .	1	l





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 52 of 109

### Radar Type 5 - Trial 2

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
ŧ	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				
Ŧ	Download	1	Туре 5	8	1.5000000	12.0000000	5.500000000				
Ξ	Download	2	Туре 5	11	1.0909091	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	409565.0	73.8	9	2	1806.0	1538.0	_	
			1	673692.0	69.5	9	2	1117.0	1649.0	-	
			2	938562.0	51.9	9	1	1651.0	-	-	
			3	113209.0	84.6	9	3	1976.0	1032.0	1271.0	
			4	376726.0	95.4	9	3	1060.0	1903.0	1388.0	
			5	641212.0	68.0	9	2	1368.0	1351.0	-	
			6	903714.0	89.6	9	3	1338.0	1514.0	1573.0	
			7	80863.0	81.9	9	2	1022.0	1689.0	_	
			8	344067.0	88.3	9	3	1810.0	1330.0	1838.0	
			9	609331.0	53. 7	9	1	1597.0	-	-	
_		_	10	871542.0	91.3	9	3	1961.0	1106.0	1001.0	
+	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
#	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
<del>+</del>	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0. 6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Type 5	19	0. 6315789	12.0000000	5.504700000				
+	Download	15	Type 5	14	0.8571429	12.0000000	5. 502300000				
+	Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000	<u> </u>		<u> </u>	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 53 of 109

### Radar Type 5 - Trial 3

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
E	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				
ŧ	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
Ξ	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	26541.0	68. 1	19	2	1339.0	1355.0	_	
			1	171821.0	58. 7	19	1	1251.0	-	_	
			2	316229.0	75.3	19	2	1136.0	1640.0	-	
			3	461864.0	56.4	19	1	1753.0	-	-	
			4	8677.0	99. 7	19	3	1196.0	1708.0	1159.0	
			5	153995.0	57. 7	19	1	1013.0	-	-	
			6	299238.0	59.5	19	1	1072.0	-	_	
			7	443177.0	80.0	19	2	1482.0	1369.0	_	
			8	587671.0	82.0	19	2	1993.0	1197.0	_	
			9	135674.0	82.8	19	2	1883.0	1005.0	_	
			10	279928.0	88.0	19	3	1061.0	1928.0	1101.0	
			11	424279.0	93.2	19	3	1207.0	1907.0	1223.0	
			12	570132.0	70.4	19	2	1526.0	1360.0	_	
			13	117439.0	95.3	19	3	1171.0	1955.0	1775.0	
			14	262502.0	81.9	19	2	1690.0	1545.0	_	
			15	406573.0	98.5	19	3	1975.0	1169.0	1062.0	
			16	553328.0	65.0	19	1	1767.0	_	_	
			17	99799.0	85.4	19	3	1011.0	1637.0	1425.0	
			18	244095.0	91.6	19	3	1878.0	1445.0	1325.0	
			19	390012.0	67.3	19	2	1091.0	1218.0	-	
+	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5. 500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Туре 5	17	0. 7058824	12.0000000	5.503900000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 54 of 109

### Radar Type 5 - Trial 4

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Туре 5	15	0.8000000	12.0000000	5. 500000000				
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
#	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
	Download	4	Туре 5	17	0. 7058824	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	629614.0	67.9	16	2	1320.0	1133.0	-	
			1	96856.0	62.3	16	1	1957.0	-	-	
			2	267719.0	53.3	16	1	1592.0	-	-	
			3	436784.0	90.0	16	3	1900.0	1153.0	1346.0	
			4	608289.0	77. 1	16	2	1166.0	1646.0	-	
			5	75610.0	83.9	16	3	1278.0	1232.0	1459.0	
			6	245638.0	89. 1	16	3	1240.0	1384.0	1939.0	
			7	416355.0	81.8	16	2	1833.0	1676.0	-	
			8	588736.0	50.3	16	1	1075.0	-	-	
			9	54571.0	87.1	16	3	1116.0	1996.0	1756.0	
			10	225175.0	71.3	16	2	1225.0	1815.0	-	
			11	394825.0	97.5	16	3	1884.0	1465.0	1132.0	
			12	565361.0	90.6	16	3	1561.0	1040.0	1354.0	
_			13	33643.0	86.3	16	3	1596.0	1183.0	1792.0	
_			14	203957.0	97.6	16	3	1365.0	1073.0	1361.0	
			15	373812.0	84. 7	16	3	1021.0	1718.0	1854.0	
		_	16	544060.0	99. 7	16	3	1150.0	1244.0	1988.0	
<b>±</b>	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
#	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
#	Download	7	Туре 5	12	1.0000000	12.0000000	5.500000000				
<b>±</b>	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
<b>±</b>	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0. 6315789	12.0000000	5.505100000				
#	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Time 5	12	1 0000000	12 0000000	5 501500000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 55 of 109

### Radar Type 5 - Trial 5

Tri	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				1
⊞	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000	Ì	İ		Ш
⊞	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				Ш
<b>±</b>	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
⊞	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
∄	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
⊟	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	15438.0	92.9	12	3	1085.0	1564.0	1407.0	
			1	222486.0	67. 7	12	2	1744.0	1747.0	-	
			2	430731.0	65.8	12	1	1092.0	-	-	
			3	637784.0	56.3	12	1	1851.0	-	_	
			4	845342.0	53. 7	12	1	1727.0	-	_	
			5	196720.0	83.5	12	3	1679.0	1930.0	1025.0	
			6	404955.0	65.8	12	1	1519.0	-	_	
			7	610711.0	85.9	12	3	1134.0	1034.0	1808.0	
_			8	818057.0	76.3	12	2	1606.0	1926.0	_	
_			9	171459.0	81.5	12	2	1891.0	1714.0	_	-
_			10	377969.0	89.4	12	3	1310.0	1594.0	1827.0	
_			11	586875.0	63.4	12	1	1568.0	-	_	1
_			12	792834.0	69.6	12	2	1307. 0	1925.0	_	1
⊞	- 1 1	l.		146044.0	74.5	12	2	1264.0	1846.0	_	H
_	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
<b>⊞</b>	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
<b></b>	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
⊞	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
⊞	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
<b>±</b>	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
<b>±</b>	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
<b>±</b>	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
<b>±</b>	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
<b>±</b>	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 56 of 109

### Radar Type 5 - Trial 6

Tr	ial List —				<u> </u>			<u> </u>			
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
÷	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000	Ì			
ŧ	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
÷	Download	2	Туре 5	11	1.0909091	12.0000000	5.500000000				
+	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
÷	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
3	Download	6	Туре 5	15	0.8000000	12.0000000	5,500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	329022.0	96.6	13	3	1182.0	1609.0	1581.0	
			1	521718.0	96. 7	13	3	1829.0	1799.0	1154.0	
			2	714222.0	86.5	13	3	1923.0	1396.0	1865.0	
			3	112450.0	73.3	13	2	1908.0	1318.0	-	
			4	306283.0	55.8	13	1	1688.0	-	-	
			5	500239.0	55.4	13	1	1145.0	-	_	
			6	690932.0	85.3	13	3	1336.0	1504.0	1820.0	
			7	88645.0	79.4	13	2	1344.0	1893.0	-	
			8	282508.0	65. 7	13	1	1476.0	-	-	
			9	475842.0	68.6	13	2	1008.0	1028.0	_	
			10	667887.0	77. 7	13	2	1972.0	1835.0	-	
			11	64845.0	79.6	13	2	1882.0	1331.0	_	
			12	257755.0	94.9	13	3	1830.0	1070.0	1349.0	
			13	452335.0	61.4	13	1	1451.0	-	-	
Ŧ			14	643395.0	90.6	13	3	1233.0	1562.0	1887. 0	
	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
±]	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
Ŧ	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
Ŧ	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Туре 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Туре 5	19	0. 6315789	12.0000000	5.504700000				
.,			74			1	+	+			





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 57 of 109

### Radar Type 5 - Trial 7

Tr	ial List ——										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				ŀ
+	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000	Ì	İ	Ì	1
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				1
#	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				1
<b>±</b>	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				]
Ŧ	Download	4	Туре 5	17	0. 7058824	12.0000000	5.500000000				]
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				ı
#	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				1
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	51446.0	52.6	10	1	1210.0	-	-	
			1	292696.0	84.1	10	3	1314.0	1725.0	1529.0	
			2	533989.0	97. 7	10	3	1139.0	1868.0	1805.0	
			3	775564.0	97.3	10	3	1341.0	1446.0	1755.0	1
			4	21542.0	98.8	10	3	1544.0	1386.0	1302.0	1
			5	263385.0	72.2	10	2	1771.0	1184.0	-	4
_			6	505581.0	67.6	10	2	1175.0	1027.0	-	4
_			7	747058.0	75. 7	10	2	1026.0	1871.0	-	1
_			9	989976.0	60.9	10	1	1798.0	_	_	1
_			10	234024.0	64.2	10	1	1138.0	1001.0	_	$\mathbb{I}$
			11	475207.0 715825.0	78. 8 87. 5	10	2	1784. 0 1511. 0	1604. 0 1712. 0	1683.0	1
<b>±</b>	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000	1511.0	1112.0	1500.0	-
#	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				1
#	Download	10	Туре 5	17	0. 7058824	12.0000000	5.503900000				1
#	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
#	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
#	Download	13	Туре 5	12	1.0000000	12.0000000	5.501500000				
<b></b>	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
<b></b>	Download	15	Туре 5	14	0.8571429	12.0000000	5.502300000				
#	Download	16	Туре 5	20	0.6000000	12.0000000	5.505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 58 of 109

### Radar Type 5 - Trial 8

		Trial Id	Radar Type	Number of Bursts	Burst Period	Waveform Length	Center Frequency				
+	Download	In	1	15	(s) 0,8000000	12.0000000	(GHz) 5.500000000				
<u>-</u> ∃	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
<u>-</u>	Download	2	Type 5 Type 5	11	1.0909091	12.0000000	5.500000000				
<u></u> ∄	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
<u>-</u> ±	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
 ±	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Туре 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Туре 5	12	1.0000000	12.0000000	5.500000000				
Ξ	Download	8	Туре 5	14	0.8571429	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	823112.0	54.1	13	1	1415.0	-	-	
			1	174965.0	50. 7	13	1	1221.0	-	_	
			2	382216.0	52.3	13	1	1974.0	-	_	
			3	587395.0	99.8	13	3	1558.0	1696.0	1949.0	
			4	796897.0	68.4	13	2	1014.0	1099.0	-	
			5	149042.0	80.8	13	2	1736.0	1505.0	_	
			6	356750.0	62.5	13	1	1778.0	-	_	
			7	563824.0	74.8	13	2	1149.0	1204.0	-	
			8	772314.0	50.8	13	1	1049.0	-	-	
			9	123796.0	54.0	13	1	1417.0	-	-	
			10	331215.0	63.0	13	1	1730.0	-	-	
			11	537402.0	91.8	13	3	1143.0	1270.0	1347.0	
			12	744805.0	79.3	13	2	1274.0	1992.0	-	
			13	98172.0	64.3	13	1	1937.0	-	-	
+	Download	9	Туре 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Туре 5	19	0. 6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
<b></b>	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
<b></b>	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 59 of 109

### Radar Type 5 - Trial 9

Tri	ial List ——							·			
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Туре 5	15	0.8000000	12.0000000	5.500000000				
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
#	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
#	Download	3	Туре 5	20	0.6000000	12.0000000	5.500000000				
±	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
<b>±</b>	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
#	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
⊟	Download	9	Туре 5	8	1.5000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	535615.0	63.4	6	1	1043.0	-	-	
			1	898668.0	52.0	6	1	1863.0	-	-	
			2	1259235.0	97.2	6	3	1973.0	1605.0	1583.0	
			3	127106.0	78. 7	6	2	1466.0	1743.0	-	
			4	490358.0	74.2	6	2	1280.0	1219.0	-	
_			5	852409.0	88. 7	6	3	1293.0	1934.0	1273.0	
_			6	1217152.0	54.3	6	1	1991.0	-		
<b>±</b>			-	82296.0	95.4	6	3	1580.0	1555.0	1791.0	
_	Download	10	Туре 5	17	0. 7058824	12.0000000	5.503900000				
<b>±</b>	Download	11	Type 5	19	0. 6315789	12.0000000	5.505100000				
#	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
<b>±</b>	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
#	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
#	Download	15	Туре 5	14	0.8571429	12.0000000	5. 502300000				
#	Download	16	Туре 5	20	0.6000000	12.0000000	5.505500000				
#	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
#	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
ш		l <sub>o</sub> ,		1.0	4 0000000	40.0000000	F 40000000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 60 of 109

### Radar Type 5 - Trial 10

		Trial Id	Radar Type	Number of Bursts	Burst Period	Waveform Length	Center Frequency				
	- 1 1	1-	1		(s)	(s)	(GHz)	1	1		
<b>±</b>		0	Type 5	15	0.8000000	12.0000000	5.500000000				
<b></b>	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
<b>=</b>	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
<b>=</b>	Download	3	Туре 5	20	0.6000000	12.0000000	5.500000000				
<b>=</b>	Download	4	Туре 5	17	0. 7058824	12.0000000	5.500000000				
<b>±</b>	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
⊟	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	209249.0	73. 7	16	2	1208.0	1497.0	-	
			1	378386.0	97.4	16	3	1942.0	1754.0	1613.0	
			2	548411.0	91.7	16	3	1999.0	1702.0	1462.0	
			3	17733.0	66.2	16	1	1393.0	_	_	
			4	187952.0	70.8	16	2	1968.0	1821.0	-	
			5	359277.0	52.3	16	1	1740.0	-	-	
			6	528886.0	78.9	16	2	1308.0	1984.0	-	
			7	700166.0	70.9	16	2	1050.0	1358.0	_	
			8	167197.0	75.6	16	2	1437.0	1430.0	-	
			9	338262.0	59.1	16	1	1697.0	-	-	
			10	508324.0	77. 0	16	2	1397.0	1304.0	-	
			11	678689.0	67.9	16	2	1803.0	1083.0	-	
			12	146031.0	81.2	16	2	1720.0	1932.0	-	
			13	316923.0	78. 7	16	2	1247.0	1121.0	-	
			14	488056.0	63.3	16	1	1634.0	-	-	
			15	657326.0	68.9	16	2	1849.0	1423.0	-	
			16	125509.0	59.3	16	1	1093.0	-	-	
+	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
#	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
#	Download	13	Time 5	12	1 0000000	12 0000000	5 501500000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 61 of 109

### Radar Type 5 - Trial 11

List —										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
nload	11	Туре 5	19	0.6315789	12.0000000	5.505100000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	263736.0	98.9	19	3	1381.0	1680.0	1488.0	
		1	416459.0	82.3	19	2	1716.0	1855.0	_	
		2	567902.0	86. 7	19	3	1211.0	1400.0	1919.0	
		3	92979.0	89. 7	19	3	1861.0	1068.0	1282.0	
		4	245155.0	98.6	19	3	1507.0	1194.0	1461.0	
		5	397609.0	71.1	19	2	1921.0	1789.0	_	
		6	551431.0	55.9	19	1	1947.0	-	-	
		7	74413.0	67.9	19	2	1350.0	1372.0	-	
		8	226559.0	84.4	19	3	1203.0	1107.0	1443.0	
		9	380056.0	58.8	19	1	1715.0	-	_	
		10	533408.0	65.6	19	1	1017.0	-	_	
		11	55547.0	78.5	19	2	1911.0	1704.0	_	
		12	207876.0	82.3	19	2	1845.0	1686.0	-	
		13	359771.0	90.1	19	3	1938.0	1071.0	1266.0	
		14	511297.0	90.2	19	3	1989.0	1089.0	1950.0	
		15	36803.0	83. 1	19	2	1943.0	1406.0	-	
		16	189652.0	58.8	19	1	1742.0	-	-	
			341809.0	77. 0	19	2	1187.0	1657.0	-	
		18	495737.0	55.0	19	1	1012.0	_	-	
nload	12	Type 5	15	0.8000000	12.0000000	5.502700000				
nload	13	Type 5	12	1.0000000	12.0000000	5.501500000				
nload	14	Туре 5	19	0.6315789	12.0000000	5.504700000				
nload	15	Type 5	14	0.8571429	12.0000000	5.502300000				
nload	16	Туре 5	20	0.6000000	12.0000000	5.505500000				
nload	17	Type 5	12	1.0000000	12.0000000	5.501500000				
nload	18	Type 5	14	0.8571429	12.0000000	5.502300000				
nload	19	Type 5	12	1.0000000	12.0000000	5.501500000				
nload	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
nload	21	Type 5	12	1.0000000	12.0000000	5.498900000				
	nload nload nload nload nload nload nload nload nload	nload 12 nload 13 nload 14 nload 15 nload 16 nload 17 nload 18 nload 19 nload 20	Trial Id	Trial Id	Trial Id	Trial Id   Radar Type   Surst Period (s)   Chirp (s)	Trial Id	Trial Id   Radar Type   Burst of Burst   Period   Center Frequency (cHz)	Trial Id	Trial Id   Radar Type   Burst   Color   Colo





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 62 of 109

### Radar Type 5 - Trial 12

Tr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
	Download	12	Туре 5	15	0.8000000	12.0000000	5.502700000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	22911.0	58. 1	13	1	1929.0	-	-	
_			1	216473.0	52.1	13	1	1910.0	-	-	
_			2	410004.0	59.9	13	1	1971.0	-	-	
_			3	603671.0	60.2	13	1	1812.0	-	-	
_			4	794160.0	95.9	13	3	1399.0	1906.0	1608.0	
_			5	192251.0	79.9	13	2	1626.0	1859.0	_	
_			6	385590.0	78.5	13	2	1238.0	1917.0	-	
			7	579862.0	53.8	13	1	1763.0	-	-	
			8	773423.0	64. 7	13	1	1800.0	-	_	
_			9	168898.0	61.4	13	1	1390.0	-	_	
_			10	361606.0	83.2	13	2	1692.0	1858.0	1000.0	
_			12	553866.0	84. 7	13	3	1533.0	1677.0	1638.0	
_			13	747241.0 144710.0	88. 7 78. 3	13	3	1703. 0 1258. 0	1528. 0 1951. 0	1058.0	
_			14	337856.0	69.3	13	2	1731.0	1717.0		
<u> </u>	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000	1131.0	1111.0		
— ⊞	Download	14	+	19	0.6315789	12.0000000	5.504700000				
			Туре 5								
<b>=</b>	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
<b></b>	Download	16	Туре 5	20	0.6000000	12.0000000	5.505500000				
<b>±</b>	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
#	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
#	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000				
#	Download	20	Туре 5	16	0. 7500000	12.0000000	5.496500000				
#	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
<b>±</b>	Download	22	Туре 5	20	0.6000000	12.0000000	5. 494500000				
<b>±</b>	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000				
<u> </u>	Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000				
— ⊞	Download	25	Type 5	8	1.5000000	12.0000000	5. 500500000				
_ ⊞		26	Type 5	17	0. 7058824	12.0000000	5. 496100000		-		





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 63 of 109

### Radar Type 5 - Trial 13

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Θ	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	664275.0	75.3	10	2	1994.0	1612.0	-	
			1	907886.0	56.3	10	1	1456.0	-	_	
_			2	151316.0	67. 7	10	2	1617.0	1185.0	-	
			3	393746.0	55.6	10	1	1337. 0	-	-	
_			4	635093.0	75.2	10	2	1421.0	1267.0	-	
			5	876993.0	76.3	10	2	1359.0	1305.0	_	
			6	121278.0	85. 7	10	3	1547.0	1362.0	1924.0	
			7	362696.0	98.4	10	3	1873.0	1550.0	1249.0	
			8	604342.0	86.4	10	3	1779.0	1439.0	1046.0	
_			9	846453.0	93.6	10	3	1059.0	1031.0	1452.0	
_		+	11	91871.0	63.3 92.4	10	1	1328.0	1070 0	1322.0	
<u> </u>	D 1 1	1		333050.0			5 504700000	1412.0	1673.0	1322.0	
<u></u>	Download Download	14	Type 5	19	0. 6315789 0. 8571429	12.0000000 12.0000000	5. 504700000 5. 502300000				
<u></u>	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000				
<u></u>		_	Type 5							-	
_	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
#	Download	18	Туре 5	14	0.8571429	12.0000000	5.502300000				
#	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
#	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
+	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
#	Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
#	Download	24	Type 5	13	0. 9230769	12.0000000	5. 498100000				
+	Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
+	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000				
#	Download	27	Type 5	19	0. 6315789	12.0000000	5. 494900000				
#	Download	28	Туре 5	12	1.0000000	12.0000000	5. 498500000				
+	Download	29	Type 5	18	0.6666667	12.0000000	5. 495700000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 64 of 109

### Radar Type 5 - Trial 14

Tr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Θ	Download	14	Туре 5	19	0.6315789	12.0000000	5.504700000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	361323.0	93.3	18	3	1983.0	1912.0	1535.0	
			1	515261.0	69.1	18	2	1102.0	1794.0	_	
			2	39025.0	86.9	18	3	1044.0	1152.0	1148.0	
_			3	190900.0	84.9	18	3	1894.0	1948.0	1118.0	
			4	343941.0	72.3	18	2	1094.0	1916.0	-	
			5	497624.0	51.7	18	1	1447.0	-	-	
			6	20319.0	58.3	18	1	1429.0	-	-	
			7	172999.0	60.8	18	1	1979.0	-	-	
_			8	325872.0	57.1	18	1	1641.0	-	-	
			9	475841.0	88.9	18	3	1886.0	1964.0	1489.0	
_			10	1489.0	72.0	18	2	1909.0	1297.0	-	
_			11	153647.0	90.9	18	3	1261.0	1566.0	1370.0	
_			12	307096.0	59.8	18	1	1552.0	-	-	
			13	458804.0	70.0	18	2	1759.0	1291.0	-	
			14	610798.0	67.2	18	2	1625.0	1881.0	-	
			15	134759.0	91.2	18	3	1382.0	1832.0	1661.0	
			16	288306.0	56.5	18	1	1483.0	-	_	
			17	441296.0	51.2	18	1	1237. 0	-	-	
			18	592780.0	74. 1	18	2	1471.0	1245.0	-	
+	Download	15	Туре 5	14	0.8571429	12.0000000	5.502300000				
#	Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
#	Download	17	Туре 5	12	1.0000000	12.0000000	5.501500000				
#	Download	18	Туре 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000				
#	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
<b>±</b>	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
<b>±</b>	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
<b>±</b>	Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
<b>±</b>	Download	24	Туре 5	13	0. 9230769	12.0000000	5. 498100000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 65 of 109

### Radar Type 5 - Trial 15

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	158286.0	76.9	12	2	1110.0	1140.0	-
			1	366024.0	50.2	12	1	1316.0	-	-
			2	573452.0	62.9	12	1	1520.0	-	-
			3	780619.0	64. 7	12	1	1902.0	-	-
_			4	132455.0	83.8	12	3	1410.0	1097.0	1621.0
			5	340207.0	65.4	12	1	1944.0	-	-
			6	548208.0	53.2	12	1	1024.0	-	-
_			7	755333.0	51.7	12	1	1603.0	_	-
_			8	107117.0	78. 7	12	2	1804.0	1168.0	-
_			9	314500.0	72.4	12	2	1030.0	1343.0	-
_			11	522447. 0 728517. 0	53. 8 73. 6	12	2	1327. 0 1524. 0	1553.0	
_		+	12	81611.0	66. 7	12	2	1722.0	1122.0	
_			13	288948.0	82.5	12	2	1404.0	1019.0	
+	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000	1404.0	1010.0	
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000			
+	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000			
+	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000			
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000			
#	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000			
+	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000			
+	Download	23	Type 5	14	0.8571429	12.0000000	5.497700000			
+	Download	24	Type 5	13	0. 9230769	12.0000000	5. 498100000			
+	Download	25	Type 5	8	1.5000000	12.0000000	5.500500000			
#	Download	26	Туре 5	17	0. 7058824	12.0000000	5. 496100000			
#	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000			
+	Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000			
+	Download	29	Туре 5	18	0.6666667	12.0000000	5. 495700000			





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 66 of 109

### Radar Type 5 - Trial 16

	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Ξ	Download	16	Туре 5	20	0.6000000	12.0000000	5.505500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	345766.0	87.6	20	3	1565.0	1055.0	1840.0	
			1	490019.0	85.2	20	3	1735.0	1541.0	1408.0	
			2	39073.0	84.8	20	3	1534.0	1889.0	1463.0	
			3	183923.0	77.9	20	2	1749.0	1460.0	-	
			4	328777.0	76.5	20	2	1518.0	1485.0	-	
			5	474728.0	60.9	20	1	1540.0	-	-	
			6	21394.0	83.0	20	2	1080.0	1010.0	-	
			7	165992.0	80.4	20	2	1824.0	1752.0	-	
			8	310973.0	67.5	20	2	1764.0	1181.0	-	
			9	456884.0	62.1	20	1	1495.0	-	_	
			10	3515.0	86.4	20	3	1773.0	1966.0	1263.0	
			11	147928.0	84.3	20	3	1593.0	1188.0	1788.0	
			12	293225.0	76.9	20	2	1226.0	1537.0	-	
			13	436922.0	95.8	20	3	1192.0	1298.0	1844.0	
			14	584015.0	55.2	20	1	1644.0	-	-	
			15	130832.0	59.0	20	1	1402.0	-	-	
			16	274684.0	94.5	20	3	1296.0	1700.0	1283.0	
			17	418579.0	91.9	20	3	1970.0	1978.0	1165.0	
			18	563464.0	85.2	20	3	1732.0	1551.0	1189.0	
			19	112787.0	69.5	20	2	1038.0	1224.0	-	
+	Download	17	Туре 5	12	1.0000000	12.0000000	5.501500000				
+	Download	18	Туре 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Туре 5	16	0. 7500000	12.0000000	5. 496500000				
+	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
+	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 67 of 109

### Radar Type 5 - Trial 17

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Ξ	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	429224.0	86.4	10	3	1259.0	1918.0	1455.0	
			1	670241.0	92.2	10	3	1598.0	1719.0	1895.0	
			2	912880.0	80.4	10	2	1816.0	1899.0	-	
			3	158603.0	54.3	10	1	1335.0	-	-	
			4	400824.0	53.1	10	1	1303.0	-	-	
			5	641915.0	69.4	10	2	1503.0	1546.0	-	
			6	883823.0	69.1	10	2	1279.0	1639.0	-	
			7	128373.0	100.0	10	3	1375.0	1438.0	1595.0	
			8	370379.0	79.6	10	2	1239.0	1705.0	-	
			9	611194.0	88.4	10	3	1374.0	1579.0	1623.0	
			10	855665.0	53.3	10	1	1016.0	-	-	
			11	98897.0	65.3	10	1	1709.0	_	-	
#	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Туре 5	16	0. 7500000	12.0000000	5. 496500000				
+	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
+	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
#	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000				
+	Download	24	Type 5	13	0. 9230769	12.0000000	5. 498100000				
#	Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
+	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000				
<b>±</b>	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000				
#	Download	28	Туре 5	12	1.0000000	12.0000000	5. 498500000				
+	Download	29	Туре 5	18	0.6666667	12.0000000	5. 495700000				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 68 of 109

### Radar Type 5 - Trial 18

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
⊟	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	292143.0	55.3	12	1	1920.0	-	-
			1	499633.0	58.3	12	1	1797.0	-	-
			2	706377.0	72.3	12	2	1610.0	1039.0	-
			3	58989.0	84.8	12	3	1131.0	1761.0	1721.0
			4	266161.0	82.5	12	2	1875.0	1431.0	-
			5	474469.0	63.3	12	1	1095.0	-	-
			6	680544.0	80.0	12	2	1119.0	1913.0	-
			7	33519.0	90.3	12	3	1660.0	1853.0	1123.0
_			8	240319.0	91.1	12	3	1539.0	1783.0	1172.0
_			9	447400.0	96.6	12	3	1525.0	1036.0	1385.0
_			10	654516.0	82. 7	12	2	1710.0	1990.0	-
_			11	8083.0	50. 7	12	1	1234.0	_	-
_			12	215435.0	78.4	12	2	1047.0	1109.0	-
			13	421325.0	99.5	12	3	1299.0	1965.0	1869.0
+	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000			
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000			
+	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000			
+	Download	22	Туре 5	20	0.6000000	12.0000000	5. 494500000			
+	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000			
+	Download	24	Type 5	13	0. 9230769	12.0000000	5. 498100000			
+	Download	25	Type 5	8	1.5000000	12.0000000	5. 500500000			
+	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000			
+	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000			
#	Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000			
+	Download	29	Type 5	18	0.6666667	12.0000000	5. 495700000			





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 69 of 109

### Radar Type 5 - Trial 19

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
⊟	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	733725.0	88.6	10	3	1501.0	1067.0	1927. 0
			1	977882.0	57.4	10	1	1723.0	-	-
			2	221197.0	96.6	10	3	1086.0	1658.0	1324.0
			3	462915.0	69. 7	10	2	1751.0	1945.0	-
			4	705071.0	77.9	10	2	1642.0	1317.0	-
			5	947923.0	62.0	10	1	1866.0	-	-
			6	191373.0	88.4	10	3	1997.0	1077.0	1366.0
			7	432561.0	97.3	10	3	1790.0	1896.0	1367.0
			8	674004.0	96.2	10	3	1391.0	1787.0	1672.0
			9	915842.0	95.4	10	3	1020.0	1892.0	1414.0
			10	162176.0	54.8	10	1	1084.0	-	_
			11	403553.0	80.4	10	2	1850.0	1436.0	-
Ξ	Download	20	Туре 5	16	0. 7500000	12.0000000	5. 496500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	483470.0	74. 7	15	2	1619.0	1611.0	-
			1	666072.0	57.1	15	1	1560.0	-	-
			2	98810.0	91.9	15	3	1392.0	1475.0	1276.0
			3	279914.0	83.1	15	2	1809.0	1772.0	-
			4	462536.0	50. 7	15	1	1003.0	-	_
			5	642324.0	79.2	15	2	1574.0	1600.0	-
			6	76831.0	58. 7	15	1	1186.0	-	-
			7	257785.0	71.0	15	2	1521.0	1567. 0	-
			8	438554.0	79.0	15	2	1777.0	1960.0	-
			9	620397.0	68.5	15	2	1284.0	1428.0	-
			10	54310.0	73.5	15	2	1904.0	1352.0	-





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 70 of 109

### Radar Type 5 - Trial 20

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Ξ	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
_			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	483470.0	74. 7	15	2	1619.0	1611.0	-	
			1	666072.0	57.1	15	1	1560.0	-	-	
			2	98810.0	91.9	15	3	1392.0	1475.0	1276.0	
_			3	279914.0	83.1	15	2	1809.0	1772.0	-	
			4	462536.0	50. 7	15	1	1003.0	-	-	
			5	642324.0	79.2	15	2	1574.0	1600.0	-	
			6	76831.0	58. 7	15	1	1186.0	-	-	
			7	257785.0	71.0	15	2	1521.0	1567.0	-	
_			8	438554.0	79.0	15	2	1777.0	1960.0	-	
			9	620397.0	68.5	15	2	1284.0	1428.0	-	
			10	54310.0	73.5	15	2	1904.0	1352.0	-	
			11	235506.0	70.5	15	2	1864.0	1115.0	-	
_			12	417036.0	76.6	15	2	1045.0	1300.0	-	
_			13	597974.0	81.2	15	2	1160.0	1675.0	-	
_			14	32086.0	61.8	15	1	1277.0	-	-	
_			15	212751.0	94.9	15	3	1450.0	1206.0	1860.0	
⊟	Download	21	Туре 5	12	1.0000000	12.0000000	5. 498900000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	526149.0	78.5	9	2	1653.0	1698.0	-	
			1	767135.0	89.8	9	3	1174.0	1962.0	1167.0	
			2	12955.0	59.4	9	1	1982.0	-	-	
			3	254612.0	79.6	9	2	1633.0	1890.0	-	
			4	496588.0	76.0	9	2	1112.0	1811.0	-	
			5	739728.0	53.6	9	1	1144.0	-	-	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 71 of 109

### Radar Type 5 - Trial 21

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
⊟	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	526149.0	78.5	9	2	1653.0	1698.0	_
			1	767135.0	89.8	9	3	1174.0	1962.0	1167.0
			2	12955.0	59.4	9	1	1982.0	-	-
			3	254612.0	79.6	9	2	1633.0	1890.0	-
			4	496588.0	76.0	9	2	1112.0	1811.0	-
			5	739728.0	53.6	9	1	1144.0	-	-
			6	980872.0	80.9	9	2	1220.0	1053.0	-
			7	225249.0	61.6	9	1	1724.0	-	-
			8	467279.0	53.4	9	1	1901.0	-	-
			9	709720.0	59.9	9	1	1379.0	-	_
			10	951847.0	60.4	9	1	1453.0	-	-
			11	194839.0	91.4	9	3	1768.0	1726.0	1227.0
⊟	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	261858.0	77.0	20	2	1191.0	1363.0	-
			1	407646.0	58.1	20	1	1248.0	-	-
			2	552319.0	62.1	20	1	1836.0	-	-
			3	99107.0	76.9	20	2	1334.0	1236.0	-
			4	243514.0	80.0	20	2	1914.0	1852.0	-
			5	389464.0	52.0	20	1	1701.0	-	-
			6	531093.0	88.6	20	3	1693.0	1995.0	1905.0
			7	81159.0	72.9	20	2	1922.0	1387. 0	-
			8	225245.0	98.5	20	3	1839.0	1746.0	1389.0
			9	371906.0	57.9	20	1	1193.0	_	_





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 72 of 109

### Radar Type 5 - Trial 22

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
⊟	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	261858.0	77. 0	20	2	1191.0	1363.0	-
			1	407646.0	58. 1	20	1	1248.0	_	-
			2	552319.0	62.1	20	1	1836.0	-	-
			3	99107.0	76.9	20	2	1334.0	1236.0	-
			4	243514.0	80.0	20	2	1914.0	1852.0	-
			5	389464.0	52.0	20	1	1701.0	-	-
			6	531093.0	88.6	20	3	1693.0	1995.0	1905.0
			7	81159.0	72.9	20	2	1922.0	1387.0	_
			8	225245.0	98.5	20	3	1839.0	1746.0	1389.0
			9	371906.0	57.9	20	1	1193.0	-	-
			10	514197.0	95.9	20	3	1659.0	1870.0	1066.0
			11	63561.0	53.5	20	1	1162.0	-	-
			12	207510.0	92.0	20	3	1745.0	1654.0	1458.0
			13	353638.0	57.3	20	1	1834.0	-	-
			14	497515.0	70.5	20	2	1684.0	1586.0	-
			15	45553.0	70.0	20	2	1042.0	1664.0	-
			16	189821.0	84.0	20	3	1765.0	1630.0	1176.0
			17	335330.0	76. 1	20	2	1557.0	1057.0	-
			18	478825.0	93.2	20	3	1985.0	1018.0	1340.0
			19	27594.0	96.8	20	3	1760.0	1614.0	1817.0
Ξ	Download	23	Туре 5	14	0.8571429	12.0000000	5. 497700000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	247117.0	50.1	12	1	1841.0	-	-
			1	453362.0	93.5	12	3	1590.0	1081.0	1413.0





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 73 of 109

#### Radar Type 5 - Trial 23

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
⊟	Download	23	Туре 5	14	0.8571429	12.0000000	5. 497700000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	247117.0	50.1	12	1	1841.0	-	-
			1	453362.0	93.5	12	3	1590.0	1081.0	1413.0
			2	660875.0	68.8	12	2	1707.0	1577.0	-
			3	14140.0	56.3	12	1	1056.0	-	-
			4	220734.0	86.0	12	3	1953.0	1108.0	1987.0
			5	428367.0	75.2	12	2	1572.0	1536.0	-
			6	636681.0	54. 4	12	1	1517.0	-	-
			7	843157.0	71.1	12	2	1329.0	1243.0	-
			8	195585.0	76.2	12	2	1940.0	1770.0	-
			9	403231.0	80.2	12	2	1098.0	1209.0	-
			10	610202.0	79. 7	12	2	1588.0	1214.0	-
			11	815229.0	90.9	12	3	1615.0	1862.0	1601.0
			12	170267.0	68. 7	12	2	1377.0	1441.0	-
			13	377306.0	67.4	12	2	1872.0	1313.0	-
⊟	Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	628071.0	94.0	11	3	1643.0	1748.0	1941.0
			1	853391.0	70.8	11	2	1177.0	1201.0	-
			2	156223.0	56.3	11	1	1006.0	-	-
			3	378734.0	96. 7	11	3	1230.0	1163.0	1332.0
			4	601331.0	90.6	11	3	1217.0	1582.0	1498.0
			5	825462.0	74.5	11	2	1569.0	1281.0	-
			6	128265.0	92.6	11	3	1065.0	1669.0	1222.0
			7	351161.0	89.0	11	3	1493.0	1135.0	1380.0
			8	573425.0	96.5	11	3	1607.0	1822.0	1602.0





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 74 of 109

#### Radar Type 5 - Trial 24

Tr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
=	Download	24	Туре 5	13	0. 9230769	12.0000000	5. 498100000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	628071.0	94.0	11	3	1643.0	1748.0	1941.0	
			1	853391.0	70.8	11	2	1177.0	1201.0	-	
			2	156223.0	56.3	11	1	1006.0	-	-	
			3	378734.0	96. 7	11	3	1230.0	1163.0	1332.0	
			4	601331.0	90.6	11	3	1217.0	1582.0	1498.0	
			5	825462.0	74.5	11	2	1569.0	1281.0	-	
			6	128265.0	92.6	11	3	1065.0	1669.0	1222.0	
			7	351161.0	89.0	11	3	1493.0	1135.0	1380.0	
			8	573425.0	96.5	11	3	1607.0	1822.0	1602.0	
			9	798431.0	70.5	11	2	1141.0	1178.0	-	
			10	100737.0	94.0	11	3	1009.0	1629.0	1956.0	
			11	324661.0	55.8	11	1	1290.0	-	-	
			12	546278.0	87. 7	11	3	1435.0	1963.0	1164.0	
3	Download	25	Туре 5	8	1.5000000	12.0000000	5.500500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	1253842.0	68.6	5	2	1306.0	1161.0	-	
			1	119486.0	83.1	5	2	1420.0	1315.0	-	
			2	482958.0	60.9	5	1	1687.0	-	-	
			3	845641.0	77. 7	5	2	1776.0	1158.0	-	
			4	1208428.0	77. 4	5	2	1793.0	1510.0	-	
			5	74748.0	66.8	5	2	1576.0	1323.0	-	
			6	438300.0	63. 7	5	1	1333.0	-	-	
			7	800152.0	91.2	5	3	1409.0	1681.0	1275.0	
Ξ	Download	26	Туре 5	17	0. 7058824	12.0000000	5. 496100000				
			_	Burst	Pulse	Chirp	Number of	,			





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 75 of 109

#### Radar Type 5 - Trial 25

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
⊟	Download	25	Туре 5	8	1.5000000	12.0000000	5.500500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	1253842.0	68.6	5	2	1306.0	1161.0	-
			1	119486.0	83.1	5	2	1420.0	1315.0	_
			2	482958.0	60.9	5	1	1687.0	-	-
			3	845641.0	77. 7	5	2	1776.0	1158.0	-
			4	1208428.0	77. 4	5	2	1793.0	1510.0	-
			5	74748.0	66.8	5	2	1576.0	1323.0	-
			6	438300.0	63. 7	5	1	1333.0	-	-
			7	800152.0	91.2	5	3	1409.0	1681.0	1275.0
⊟	Download	26	Туре 5	17	0. 7058824	12.0000000	5. 496100000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	545865.0	83.6	16	3	1632.0	1195.0	1000.0
			1	14067.0	89.4	16	3	1173.0	1627.0	1656.0
			2	184953.0	55.8	16	1	1532.0	-	-
			3	353759.0	90.9	16	3	1981.0	1554.0	1998.0
			4	526388.0	54. 7	16	1	1825.0	-	-
			5	694806.0	97. 7	16	3	1734.0	1202.0	1250.0
			6	163568.0	67.5	16	2	1571.0	1434.0	-
			7	333410.0	96. 7	16	3	1589.0	1469.0	1268.0
			8	504006.0	68.3	16	2	1750.0	1954.0	-
			9	675297.0	78.3	16	2	1591.0	1082.0	-
			10	142890.0	55.0	16	1	1427.0	-	-
			11	312479.0	84.9	16	3	1129.0	1936.0	1199.0
			12	482953.0	74.6	16	2	1959.0	1856.0	-
			13	655022.0	63.3	16	1	1885.0	-	_





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 76 of 109

#### Radar Type 5 - Trial 26

Tr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	545865.0	83.6	16	3	1632.0	1195.0	1000.0	
			1	14067.0	89.4	16	3	1173.0	1627.0	1656.0	
			2	184953.0	55.8	16	1	1532.0	-	_	
			3	353759.0	90.9	16	3	1981.0	1554.0	1998.0	
			4	526388.0	54. 7	16	1	1825.0	-	-	
			5	694806.0	97. 7	16	3	1734.0	1202.0	1250.0	
			6	163568.0	67.5	16	2	1571.0	1434.0	-	
			7	333410.0	96. 7	16	3	1589.0	1469.0	1268.0	
			8	504006.0	68.3	16	2	1750.0	1954.0	-	
			9	675297.0	78.3	16	2	1591.0	1082.0	-	
			10	142890.0	55.0	16	1	1427.0	-	-	
			11	312479.0	84.9	16	3	1129.0	1936.0	1199.0	
			12	482953.0	74. 6	16	2	1959.0	1856.0	-	
			13	655022.0	63.3	16	1	1885.0	-	-	
			14	121457.0	99.8	16	3	1035.0	1515.0	1120.0	
			15	292606.0	63.6	16	1	1647.0	-	-	
_			16	461322.0	87.3	16	3	1931.0	1051.0	1831.0	
Ξ	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	565136.0	85.6	19	3	1946.0	1078.0	1015.0	
			1	89970.0	68.6	19	2	1029.0	1780.0	-	
			2	243121.0	54.2	19	1	1111.0	-	-	
Т			3	396034.0	61.2	19	1	1104.0	-	-	
			4	546225.0	97.1	19	3	1157.0	1969.0	1100.0	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 77 of 109

#### Radar Type 5 - Trial 27

Tr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Ξ	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	565136.0	85.6	19	3	1946.0	1078.0	1015.0	
			1	89970.0	68.6	19	2	1029.0	1780.0	_	
			2	243121.0	54.2	19	1	1111.0	-	-	
			3	396034.0	61.2	19	1	1104.0	-	-	
			4	546225.0	97.1	19	3	1157.0	1969.0	1100.0	
			5	70998.0	98.3	19	3	1142.0	1699.0	1622.0	
			6	224093.0	62.4	19	1	1655.0	-	-	
			7	376127.0	80.2	19	2	1126.0	1769.0	-	
			8	527806.0	87.5	19	3	1216.0	1448.0	1179.0	
			9	52247.0	85.8	19	3	1847.0	1348.0	1472.0	
			10	204582.0	88.1	19	3	1023.0	1124.0	1631.0	
			11	357941.0	65.3	19	1	1848.0	-	-	
			12	510977.0	52.5	19	1	1470.0	-	-	
			13	33698.0	52.3	19	1	1312.0	-	-	
			14	186023.0	74. 1	19	2	1915.0	1200.0	-	
			15	339327.0	54.9	19	1	1479.0	-	-	
			16	491053.0	76.2	19	2	1376.0	1502.0	_	
			17	14858.0	60.4	19	1	1758.0	-	-	
			18	167387.0	81.5	19	2	1491.0	1103.0	-	
Ξ	Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	507709.0	50.5	10	1	1857.0	-	-	
			1	750249.0	55. 7	10	1	1246.0	-	-	
			2	989003.0	85.8	10	3	1774.0	1002.0	1967.0	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 78 of 109

#### Radar Type 5 - Trial 28

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
⊟	Download	28	Туре 5	12	1.0000000	12.0000000	5. 498500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	507709.0	50.5	10	1	1857.0	-	-
			1	750249.0	55. 7	10	1	1246.0	-	-
			2	989003.0	85.8	10	3	1774.0	1002.0	1967.0
			3	235634.0	76.9	10	2	1125.0	1474.0	_
			4	477675.0	75. 1	10	2	1254.0	1052.0	-
			5	718312.0	92.3	10	3	1180.0	1486.0	1492.0
			6	960895.0	78. 1	10	2	1301.0	1757.0	_
			7	205370.0	92.2	10	3	1898.0	1252.0	1713.0
			8	446940.0	89.0	10	3	1260.0	1706.0	1411.0
			9	689225.0	70.9	10	2	1578.0	1620.0	_
			10	932305.0	63.1	10	1	1782.0	-	_
			11	176231.0	55.3	10	1	1522.0	-	_
⊟	Download	29	Туре 5	18	0.6666667	12.0000000	5. 495700000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	277485.0	83.4	17	3	1454.0	1205.0	1801.0
			1	437880.0	97.3	17	3	1319.0	1826.0	1635.0
			2	598445.0	90.4	17	3	1079.0	1986.0	1674.0
			3	97088.0	91.8	17	3	1563.0	1151.0	1802.0
			4	257251.0	98.2	17	3	1876.0	1977. 0	1766.0
			5	419893.0	59.5	17	1	1952.0	-	-
			6	580724.0	80.0	17	2	1253.0	1137.0	-
			7	77366.0	86.5	17	3	1054.0	1128.0	1828.0
			8	238032.0	91.1	17	3	1105.0	1599.0	1442.0
			a	30860E 0	03 E	17	3	1867.0	1373 0	1087 0





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 79 of 109

#### Radar Type 5 - Trial 29

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
			6	960895.0	78. 1	10	2	1301.0	1757.0	-
			7	205370.0	92.2	10	3	1898.0	1252.0	1713.0
			8	446940.0	89.0	10	3	1260.0	1706.0	1411.0
			9	689225.0	70.9	10	2	1578.0	1620.0	-
			10	932305.0	63.1	10	1	1782.0	-	-
			11	176231.0	55.3	10	1	1522.0	_	-
	Download	29	Туре 5	18	0.6666667	12.0000000	5. 495700000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	277485.0	83.4	17	3	1454.0	1205.0	1801.0
			1	437880.0	97.3	17	3	1319.0	1826.0	1635.0
			2	598445.0	90.4	17	3	1079.0	1986.0	1674.0
			3	97088.0	91.8	17	3	1563.0	1151.0	1802.0
			4	257251.0	98.2	17	3	1876.0	1977.0	1766.0
			5	419893.0	59.5	17	1	1952.0	-	-
_			6	580724.0	80.0	17	2	1253.0	1137.0	_
			7	77366.0	86.5	17	3	1054.0	1128.0	1828.0
			8	238032.0	91.1	17	3	1105.0	1599.0	1442.0
			9	398605.0	93.5	17	3	1867.0	1373.0	1087.0
			10	562025.0	60. 7	17	1	1033.0	-	_
			11	57684.0	67.2	17	2	1288.0	1405.0	-
			12	219083.0	61.8	17	1	1585.0	-	-
			13	379234.0	79.4	17	2	1933.0	1667.0	-
			14	540896.0	81.4	17	2	1096.0	1464.0	-
			15	37916.0	65. 7	17	1	1496.0	-	-
			16	198794.0	76.0	17	2	1733.0	1255.0	-
			17	359754.0	81.0	17	2	1326.0	1668.0	-





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 80 of 109

#### Radar Type 6 - Trial 0

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Download	0	Type 6	1.0	333.3	9	0.3333	300.0000000	21
		Frequency List (MHz)	0	1	2	3	4	
		0	5364	5717	5334	5705	5549	
		5	5312	5260	5635	5503	5570	
		10	5347	5508	5292	5447	5588	
		15	5621	5638	5296	5482	5455	
		20	5636	5593	5434	5306	5411	
		25	5556	5378	5478	5432	5341	
		30	5438	5294	5496	5285	5327	
		35	5293	5502	5277	5403	5330	
		40	5612	5720	5544	5615	5561	
		45	5676	5704	5366	5290	5387	
		50	5278	5723	5383	5368	5263	
		55	5630	5375	5718	5281	5604	
		60	5453	5509	5479	5400	5262	
		65	5354	5467	5545	5466	5611	
		70	5715	5402	5568	5641	5396	
		75	5567	5557	5674	5359	5392	
		80	5313	5537	5258	5475	5272	
		85	5388	5474	5555	5410	5355	
		90	5517	5382	5386	5664	5697	
		95	5721	5268	5489	5706	5525	
Download	1	Type 6	1.0	333.3	9	0.3333	300.0000000	16
		Frequency List (MHz)	0	1	2	3	4	
		0	5619	5578	5270	5294	5354	
		5	5660	5710	5666	5399	5656	
		10	5297	5333	5642	5609	5709	
		15	5668	5527	5647	5547	5284	
		20	5375	5395	5384	5444	5705	
		25	5584	5536	5480	5658	5453	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 81 of 109

#### Radar Type 6 - Trial 1

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Download	1	Type 6	1.0	333.3	9	0.3333	300.0000000	16
		Frequency List (MHz)	0	1	2	3	4	
		0	5619	5578	5270	5294	5354	
		5	5660	5710	5666	5399	5656	
		10	5297	5333	5642	5609	5709	
		15	5668	5527	5647	5547	5284	
		20	5375	5395	5384	5444	5705	
		25	5584	5536	5480	5658	5453	
		30	5403	5576	5588	5641	5465	
		35	5674	5580	5623	5559	5627	
		40	5553	5704	5673	5633	5724	
		45	5373	5348	5331	5513	5637	
		50	5544	5314	5585	5697	5257	
		55	5672	5471	5423	5424	5638	
		60	5644	5345	5569	5655	5413	
		65	5271	5415	5550	5371	5335	
		70	5382	5416	5533	5706	5558	
		75	5535	5692	5256	5436	5716	
		80	5385	5669	5458	5349	5456	
		85	5336	5634	5703	5352	5280	
		90	5506	5313	5690	5326	5631	
		95	5628	5546	5289	5490	5590	
Download	2	Туре 6	1.0	333.3	9	0.3333	300.0000000	18
		Frequency List (MHz)	0	1	2	3	4	
		0	5302	5342	5681	5455	5611	
		5	5493	5682	5310	5257	5606	
		10	5587	5561	5374	5362	5630	
		15	5322	5320	5502	5475	5364	
		20	5555	5353	5316	5387	5357	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 82 of 109

#### Radar Type 6 - Trial 2

Tr	ial List —								
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
	Download	2	Туре 6	1.0	333.3	9	0. 3333	300.0000000	18
			Frequency List (MHz)	0	1	2	3	4	
			0	5302	5342	5681	5455	5611	
			5	5493	5682	5310	5257	5606	
			10	5587	5561	5374	5362	5630	
			15	5322	5320	5502	5475	5364	
			20	5555	5353	5316	5387	5357	
			25	5332	5654	5312	5262	5409	
_			30	5522	5547	5410	5618	5253	
_			35	5311	5683	5556	5470	5258	
			40	5537	5398	5710	5491	5469	
_			45	5670	5465	5704	5456	5406	
			50	5384	5400	5513	5720	5365	
			55	5296	5276	5641	5445	5626	
			60	5564	5620	5395	5334	5290	
			65	5401	5578	5359	5569	5586	
			70	5282	5649	5407	5368	5647	
			75	5643	5509	5592	5675	5678	
			80	5581	5275	5381	5512	5600	
			85	5304	5382	5389	5458	5666	
			90	5419	5642	5350	5526	5519	
			95	5709	5692	5418	5653	5354	
⊞	Download	3	Type 6	1.0	333.3	9	0. 3333	300.0000000	22
⊞	Download	4	Туре 6	1.0	333.3	9	0.3333	300.0000000	21
⊞	Download	5	Туре 6	1.0	333.3	9	0.3333	300.0000000	19
⊞	Download	6	Туре 6	1.0	333.3	9	0.3333	300.0000000	17
⊞	Download	7	Туре 6	1.0	333.3	9	0.3333	300.0000000	17
Ħ	Download	8	Timo 6	1.0	333 3	a	U 3333	300_0000000	27





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 83 of 109

#### Radar Type 6 - Trial 3

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
	Download	3	Туре 6	1.0	333.3	9	0.3333	300.0000000	22
			Frequency List (MHz)	0	1	2	3	4	
			0	5557	5581	5617	5616	5356	
			5	5535	5704	5385	5420	5338	
			10	5518	5350	5415	5651	5313	
			15	5447	5605	5520	5653	5563	
			20	5519	5257	5476	5330	5598	
			25	5506	5515	5366	5443	5661	
			30	5533	5367	5358	5502	5606	
			35	5347	5647	5266	5411	5451	
			40	5334	5332	5709	5667	5394	
			45	5684	5539	5464	5437	5665	
			50	5389	5421	5416	5574	5488	
			55	5536	5580	5279	5439	5324	
			60	5499	5710	5708	5404	5305	
			65	5295	5525	5589	5359	5452	
			70	5576	5272	5492	5388	5551	
			75	5547	5323	5724	5256	5721	
			80	5293	5379	5584	5361	5508	
			85	5479	5693	5341	5655	5715	
			90	5629	5494	5401	5637	5423	
			95	5280	5316	5662	5281	5649	
⊟	Download	4	Туре 6	1.0	333.3	9	0.3333	300.0000000	21
			Frequency List (MHz)	0	1	2	3	4	
			0	5337	5345	5553	5302	5673	
			5	5577	5629	5460	5583	5642	
			10	5352	5614	5456	5655	5672	
			15	5401	5574	5611	5565	5370	
			20	5571	5588	5295	5468	5303	
			26	E400	EDE0	E710	E 470	Esou	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 84 of 109

### Radar Type 6 - Trial 4

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
3	Download	4	Type 6	1.0	333.3	9	0. 3333	300.0000000	21
			Frequency List (MHz)	0	1	2	3	4	
			0	5337	5345	5553	5302	5673	
			5	5577	5629	5460	5583	5642	
			10	5352	5614	5456	5655	5672	
			15	5401	5574	5611	5565	5370	
			20	5571	5588	5295	5468	5303	
			25	5486	5358	5718	5470	5380	
			30	5703	5422	5324	5573	5654	
			35	5426	5263	5634	5661	5462	
			40	5648	5498	5270	5474	5664	
			45	5701	5622	5425	5490	5552	
			50	5265	5597	5467	5300	5432	
			55	5724	5437	5469	5258	5715	
			60	5453	5277	5637	5705	5348	
			65	5593	5262	5561	5251	5255	
			70	5275	5341	5364	5510	5516	
			75	5346	5712	5504	5549	5356	
			80	5527	5376	5264	5447	5442	
			85	5454	5658	5428	5544	5374	
			90	5343	5663	5478	5689	5384	
			95	5372	5707	5274	5292	5466	
Ξ	Download	5	Type 6	1.0	333.3	9	0. 3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5592	5584	5489	5463	5418	
			5	5619	5651	5535	5271	5374	
			10	5283	5500	5594	5375	5693	
			15	5604	5714	5610	5562	5482	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 85 of 109

#### Radar Type 6 - Trial 5

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download	5	Type 6	1.0	333.3	9	0. 3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5592	5584	5489	5463	5418	
			5	5619	5651	5535	5271	5374	
			10	5283	5500	5594	5375	5693	
			15	5604	5714	5610	5562	5482	
			20	5279	5711	5557	5276	5277	
			25	5307	5446	5574	5414	5270	
			30	5408	5281	5691	5428	5624	
			35	5625	5354	5430	5339	5376	
			40	5487	5581	5683	5617	5630	
			45	5644	5705	5483	5342	5519	
			50	5298	5518	5563	5598	5437	
			55	5391	5659	5455	5686	5582	
			60	5697	5469	5628	5294	5319	
			65	5597	5631	5521	5436	5423	
			70	5278	5665	5340	5485	5466	
			75	5438	5315	5275	5614	5330	
			80	5520	5590	5596	5264	5289	
			85	5405	5646	5526	5346	5676	
			90	5267	5539	5349	5600	5258	
			95	5671	5533	5345	5587	5523	
⊟	Download	6	Type 6	1.0	333.3	9	0. 3333	300.0000000	17
			Frequency List (MHz)	0	1	2	3	4	
			0	5372	5348	5425	5624	5260	
_			5	5283	5576	5610	5434	5581	
		<u> </u>	10	15689	5289	5635	l5570	5714	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 86 of 109

#### Radar Type 6 - Trial 6

Download	6	Type 6 Frequency List (MHz) 0 5 10 15 20 25 30 35	1. 0 0 5372 5283 5689 5577 5490 5634 5297	333.3 1 5348 5576 5289 5256 5652 5652	9 2 5425 5610 5635 5342 5549	0. 3333 3 5624 5434 5570 5558 5724	300,0000000 4 5260 5581 5714 5279 5640	17
		List (MHz) 0 5 10 15 20 25 30	5372 5283 5689 5577 5490 5634 5297	5348 5576 5289 5256 5652 5552	5425 5610 5635 5342 5549	5624 5434 5570 5558	5260 5581 5714 5279	
		5 10 15 20 25 30 35	5283 5689 5577 5490 5634 5297	5576 5289 5256 5652 5652	5610 5635 5342 5549	5434 5570 5558	5581 5714 5279	
		10 15 20 25 30 35	5689 5577 5490 5634 5297	5289 5256 5652 5652	5635 5342 5549	5570 5558	5714 5279	
		15 20 25 30 35	5577 5490 5634 5297	5256 5652 5552	5342 5549	5558	5279	
		20 25 30 35	5490 5634 5297	5652 5552	5549			
		25 30 35	5634 5297	5552		5724	5640	
		30 35	5297					
		35	_		5300	5448	5409	
				5713	5431	5580	5444	
			5667	5445	5701	5492	5290	
		40	5326	5286	5621	5382	5280	
		45	5559	5313	5541	5499	5704	
		50	5395	5474	5569	5274	5421	
		55	5698	5625	5345	5374	5657	
		60	5711	5519	5642	5301	5454	
		65	5715	5520	5536	5366	5413	
		70	5414	5378	5417	5316	5428	
		75	5357	5586	5484	5296	5430	
		80	5627	5684	5653	5273	5606	
		85	5465	5363	5491	5352	5355	
		90	5518	5631	5688	5588	5329	
		95	5485	5502	5590	5390	5531	
Download	7	Туре 6	1.0	333.3	9	0.3333	300.0000000	17
		Frequency List (MHz)	0	1	2	3	4	
		0	5530	5587	5361	5310	5480	
		5	5325	5598	5685	5500	5410	
D	ownload	ownload 7	95 ownload 7 Type 6 Frequency List (MHz) 0 5	95 5485  ownload 7 Type 6 1.0  Frequency List (MHz)  0 5530  5 5325	95 5485 5502  ownload 7 Type 6 1.0 333.3  Frequency List (MHz) 0 1  0 5530 5587	95 5485 5502 5590 ownload 7 Type 6 1.0 333.3 9 Frequency List (MHz) 0 1 2 0 5530 5587 5361 5 5325 5598 5685	95 5485 5502 5590 5390 ownload 7 Type 6 1.0 333.3 9 0.3333  Frequency List (MHz) 0 1 2 3  0 5530 5587 5361 5310 5 5325 5598 5685 5500	95 5485 5502 5590 5390 5531  ownload 7 Type 6 1.0 333.3 9 0.3333 300.0000000  Frequency List (MHz) 0 1 2 3 4  0 5530 5587 5361 5310 5480  5 5325 5598 5685 5500 5410





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 87 of 109

### Radar Type 6 - Trial 7

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
3	Download	7	Туре 6	1.0	333.3	9	0. 3333	300.0000000	17
			Frequency List (MHz)	0	1	2	3	4	
			0	5530	5587	5361	5310	5480	
			5	5325	5598	5685	5500	5410	
			10	5523	5553	5676	5290	5260	
			15	5568	5383	5445	5603	5471	
			20	5498	5514	5690	5638	5697	
			25	5431	5583	5280	5404	5482	
			30	5451	5661	5670	5646	5354	
			35	5642	5331	5633	5594	5267	
			40	5301	5640	5369	5559	5622	
			45	5277	5391	5507	5396	5502	
			50	5552	5494	5271	5650	5620	
			55	5363	5719	5545	5338	5299	
			60	5564	5628	5268	5684	5608	
			65	5283	5343	5584	5572	5673	
			70	5683	5517	5492	5381	5266	
			75	5292	5387	5326	5706	5627	
			80	5682	5262	5367	5276	5716	
			85	5270	5511	5428	5458	5359	
			90	5351	5600	5285	5394	5571	
			95	5400	5265	5327	5643	5313	
Ξ	Download	8	Type 6	1.0	333.3	9	0. 3333	300.0000000	27
			Frequency List (MHz)	0	1	2	3	4	
			0	5310	5351	5297	5374	5322	
			5	5367	5523	5285	5663	5617	
			10	5454	5342	5717	5485	5281	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 88 of 109

#### Radar Type 6 - Trial 8

Tr	ial List —								
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
	Download	8	Type 6	1.0	333.3	9	0. 3333	300.0000000	27
			Frequency List (MHz)	0	1	2	3	4	
			0	5310	5351	5297	5374	5322	
			5	5367	5523	5285	5663	5617	
			10	5454	5342	5717	5485	5281	
			15	5656	5510	5548	5648	5409	
			20	5680	5631	5630	5670	5319	
			25	5435	5483	5508	5516	5493	
			30	5647	5627	5386	5506	5462	
			35	5470	5724	5390	5420	5690	
			40	5576	5452	5497	5387	5274	
			45	5320	5487	5479	5560	5605	
			50	5381	5622	5671	5445	5489	
			55	5526	5253	5279	5502	5397	
			60	5629	5440	5678	5704	5544	
			65	5533	5608	5408	5478	5655	
			70	5481	5590	5268	5346	5673	
			75	5254	5295	5258	5459	5372	
			80	5623	5401	5267	5706	5545	
			85	5488	5650	5324	5305	5373	
			90	5559	5464	5660	5344	5698	
			95	5394	5378	5363	5321	5311	
⊟	Download	9	Type 6	1.0	333.3	9	0.3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5565	5590	5708	5535	5542	
			5	5409	5545	5360	5351	5349	
			10	5288	5606	5283	5583	5302	
			15	5269	5637	5554	5693	5380	
			20	5417	5274	5572	5719	5643	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 89 of 109

#### Radar Type 6 - Trial 9

	T	rial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
	Download 9		Type 6	1.0	333.3	9	0. 3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5565	5590	5708	5535	5542	
			5	5409	5545	5360	5351	5349	
			10	5288	5606	5283	5583	5302	
			15	5269	5637	5554	5693	5380	
			20	5417	5274	5572	5719	5643	
			25	5682	5287	5686	5612	5550	
			30	5632	5536	5584	5504	5280	
			35	5660	5512	5340	5661	5573	
			40	5604	5415	5435	5530	5271	
			45	5627	5467	5562	5618	5658	
			50	5646	5401	5527	5722	5541	
			55	5268	5336	5714	5372	5473	
			60	5526	5539	5574	5369	5650	
			65	5367	5482	5547	5715	5370	
			70	5598	5252	5464	5484	5439	
			75	5622	5305	5642	5374	5341	
			80	5711	5385	5404	5264	5523	
			85	5448	5326	5451	5270	5667	
			90	5356	5621	5303	5724	5470	
			95	5639	5386	5361	5278	5378	
⊟	Download 10	)	Type 6	1.0	333.3	9	0.3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5345	5354	5644	5696	5384	
			5	5548	5470	5435	5514	5653	
			10	5694	5492	5324	5303	5323	
			15	5357	5667	5657	5641	5572	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 90 of 109

#### Radar Type 6 - Trial 10

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download	10	Type 6	1.0	333.3	9	0. 3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5345	5354	5644	5696	5384	
			5	5548	5470	5435	5514	5653	
			10	5694	5492	5324	5303	5323	
			15	5357	5667	5657	5641	5572	
			20	5425	5440	5610	5711	5616	
			25	5473	5414	5338	5584	5674	
			30	5541	5719	5432	5480	5651	
			35	5431	5457	5348	5615	5254	
			40	5715	5373	5295	5365	5556	
			45	5447	5645	5579	5533	5277	
			50	5703	5298	5252	5566	5280	
_			55	5330	5636	5562	5403	5444	
			60	5655	5704	5519	5676	5427	
			65	5596	5568	5583	5450	5640	
			70	5304	5421	5547	5288	5598	
			75	5264	5494	5484	5695	5488	
			80	5495	5660	5293	5527	5639	
			85	5718	5351	5643	5511	5462	
			90	5632	5310	5394	5501	5476	
			95	5576	5327	5378	5333	5362	
⊟	Download	11	Type 6	1.0	333.3	9	0.3333	300.0000000	26
			Frequency List (MHz)	0	1	2	3	4	
			0	5503	5593	5580	5382	5604	
			5	5590	5492	5510	5385	5625	
			10	5281	5365	5498	5344	5348	
			15	5319	5285	5686	5386	5336	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 91 of 109

#### Radar Type 6 - Trial 11

	Trial	Id Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 11	Type 6	1.0	333.3	9	0. 3333	300.0000000	26
		Frequency List (MHz)	0	1	2	3	4	
		0	5503	5593	5580	5382	5604	
		5	5590	5492	5510	5385	5625	
		10	5281	5365	5498	5344	5348	
		15	5319	5285	5686	5386	5336	
		20	5509	5551	5325	5589	5361	
		25	5563	5520	5442	5618	5716	
		30	5411	5459	5681	5300	5315	
		35	5522	5350	5501	5529	5568	
		40	5323	5689	5535	5362	5485	
		45	5427	5253	5637	5667	5628	
		50	5404	5349	5341	5389	5602	
		55	5518	5277	5697	5415	5309	
		60	5394	5464	5508	5639	5391	
		65	5380	5282	5532	5582	5493	
		70	5533	5587	5515	5574	5698	
		75	5483	5614	5530	5676	5265	
		80	5605	5441	5360	5636	5438	
		85	5351	5474	5654	5500	5642	
		90	5321	5579	5482	5610	5684	
		95	5388	5443	5547	5581	5527	
	Download 12	Type 6	1.0	333.3	9	0.3333	300.0000000	21
		Frequency List (MHz)	0	1	2	3	4	
		0	5283	5357	5516	5543	5446	
		5	5632	5417	5585	5268	5592	
		10	5459	5545	5406	5693	5365	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and">http://www.ags.com/en/Terms-and-Conditions.agpx.and</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Co

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 92 of 109

#### Radar Type 6 - Trial 12

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Download	12	Туре 6	1.0	333.3	9	0. 3333	300.0000000	21
		Frequency List (MHz)	0	1	2	3	4	
		0	5283	5357	5516	5543	5446	
		5	5632	5417	5585	5268	5592	
		10	5459	5545	5406	5693	5365	
		15	5436	5388	5256	5578	5344	
		20	5675	5492	5317	5562	5627	
		25	5512	5723	5546	5652	5380	
		30	5300	5455	5674	5358	5498	
		35	5454	5710	5621	5654	5443	
		40	5504	5678	5359	5407	5336	
		45	5695	5720	5685	5580	5400	
		50	5430	5687	5706	5544	5467	
		55	5419	5289	5438	5559	5506	
		60	5340	5554	5329	5558	5327	
		65	5385	5662	5519	5590	5364	
		70	5550	5657	5355	5259	5673	
		75	5420	5618	5697	5524	5275	
		80	5633	5254	5424	5534	5274	
		85	5465	5315	5415	5269	5488	
		90	5547	5566	5616	5509	5427	
		95	5445	5560	5636	5347	5432	
Download	13	Type 6	1.0	333.3	9	0. 3333	300.0000000	25
		Frequency List (MHz)	0	1	2	3	4	
		0	5538	5596	5452	5704	5666	
		5	5674	5439	5660	5431	5324	
		10	5390	5334	5544	5413	5386	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 93 of 109

#### Radar Type 6 - Trial 13

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Download	13	Type 6	1.0	333.3	9	0. 3333	300.0000000	25
		Frequency List (MHz)	0	1	2	3	4	
		0	5538	5596	5452	5704	5666	
		5	5674	5439	5660	5431	5324	
		10	5390	5334	5544	5413	5386	
		15	5524	5573	5491	5301	5295	
		20	5352	5269	5530	5406	5535	
		25	5515	5364	5451	5650	5686	
		30	5422	5664	5412	5317	5607	
		35	5318	5496	5326	5417	5429	
		40	5454	5343	5489	5565	5443	
		45	5356	5721	5387	5419	5656	
		50	5298	5475	5283	5281	5519	
		55	5393	5498	5657	5713	5260	
		60	5470	5724	5647	5477	5531	
		65	5278	5594	5597	5663	5259	
		70	5505	5690	5688	5526	5282	
		75	5719	5638	5672	5253	5478	
		80	5338	5630	5450	5632	5266	
		85	5497	5466	5333	5366	5339	
		90	5434	5591	5581	5351	5250	
		95	5411	5442	5264	5545	5527	
Download	14	Туре 6	1.0	333.3	9	0.3333	300.0000000	20
		Frequency List (MHz)	0	1	2	3	4	
		0	5318	5360	5388	5390	5508	
		5	5338	5364	5260	5594	5628	
		10	5321	5598	5585	5511	5407	
		15	5612	5700	5497	5724	5487	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 94 of 109

#### Radar Type 6 - Trial 14

Trial	Id Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Download 14	Туре 6	1.0	333.3	9	0.3333	300.0000000	20
	Frequency List (MHz)	0	1	2	3	4	
	0	5318	5360	5388	5390	5508	
	5	5338	5364	5260	5594	5628	
	10	5321	5598	5585	5511	5407	
	15	5612	5700	5497	5724	5487	
	20	5263	5435	5471	5398	5306	
	25	5691	5654	5279	5720	5464	
	30	5650	5369	5532	5284	5516	
	35	5635	5417	5310	5582	5368	
	40	5657	5669	5503	5683	5353	
	45	5553	5270	5502	5714	5351	
	50	5362	5634	5457	5608	5711	
	55	5337	5607	5452	5372	5706	
	60	5599	5414	5396	5576	5303	
	65	5574	5616	5702	5533	5534	
	70	5489	5466	5428	5588	5693	
	75	5537	5478	5293	5402	5387	
	80	5716	5449	5266	5259	5377	
	85	5401	5627	5645	5632	5583	
	90	5557	5561	5298	5320	5339	
	95	5597	5518	5708	5262	5543	
Download 15	Туре 6	1.0	333.3	9	0.3333	300.0000000	20
	Frequency List (MHz)	0	1	2	3	4	
	0	5573	5599	5324	5551	5253	
	5	5380	5386	5335	5660	5360	
	10	5630	5484	5626	5706	5428	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 95 of 109

#### Radar Type 6 - Trial 15

	Tr	rial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 15		Туре 6	1.0	333.3	9	0. 3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5573	5599	5324	5551	5253	
			5	5380	5386	5335	5660	5360	
			10	5630	5484	5626	5706	5428	
			15	5603	5255	5600	5294	5679	
			20	5271	5504	5412	5487	5481	
			25	5669	5640	5382	5480	5279	
			30	5506	5539	5326	5272	5533	
			35	5336	5299	5508	5581	5260	
			40	5282	5496	5277	5441	5448	
			45	5447	5482	5250	5585	5297	
			50	5404	5627	5510	5633	5553	
			55	5319	5534	5659	5320	5406	
			60	5562	5351	5677	5579	5438	
			65	5408	5604	5520	5342	5651	
			70	5569	5366	5284	5647	5500	
			75	5574	5318	5289	5381	5437	
			80	5522	5530	5697	5701	5376	
			85	5515	5444	5561	5624	5365	
			90	5535	5278	5641	5371	5587	
			95	5357	5552	5493	5560	5608	
Θ	Download 16		Туре 6	1.0	333.3	9	0.3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5256	5460	5260	5615	5570	
			5	5422	5311	5410	5348	5567	
			10	5561	5273	5667	5426	5449	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 96 of 109

#### Radar Type 6 - Trial 16

	Tr	ial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 16		Type 6	1.0	333.3	9	0. 3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5256	5460	5260	5615	5570	
			5	5422	5311	5410	5348	5567	
			10	5561	5273	5667	5426	5449	
			15	5691	5382	5703	5339	5396	
_			20	5279	5670	5353	5479	5454	
			25	5557	5492	5488	5584	5313	
			30	5645	5525	5283	5487	5685	
_			35	5534	5341	5599	5377	5413	
			40	5671	5335	5360	5379	5591	
			45	5444	5411	5705	5668	5258	
			50	5457	5514	5289	5334	5604	
			55	5408	5357	5603	5263	5655	
			60	5548	5551	5269	5383	5715	
			65	5527	5466	5640	5600	5508	
			70	5576	5651	5450	5669	5560	
			75	5321	5613	5609	5642	5678	
			80	5478	5486	5296	5608	5624	
			85	5524	5438	5364	5580	5470	
			90	5606	5325	5555	5489	5375	
			95	5480	5674	5663	5282	5573	
⊟	Download 17		Type 6	1.0	333.3	9	0.3333	300.0000000	26
			Frequency List (MHz)	0	1	2	3	4	
			0	5511	5699	5671	5301	5315	
			5	5464	5333	5485	5396	5492	
			10	5537	5708	5621	5470	5304	
			15	EENG	E331	E287	EE88	EGGE	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 97 of 109

#### Radar Type 6 - Trial 17

	ial List		1	1	1	1		w:		
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
⊟	Download	17	Туре 6	1.0	333.3	9	0. 3333	300.0000000	26	
			Frequency List (MHz)	0	1	2	3	4		
			0	5511	5699	5671	5301	5315		
			5	5464	5333	5485	5396	5492		
			10	5537	5708	5621	5470	5304		
			15	5509	5331	5287	5588	5665		
			20	5264	5391	5568	5427	5348		
			25	5441	5691	5688	5347	5687		
			30	5414	5715	5605	5459	5354		
			35	5480	5312	5648	5663	5682		
			40	5271	5540	5317	5356	5718		
			45	5685	5276	5316	5413	5640		
			50	5510	5655	5497	5558	5450		
			55	5599	5692	5370	5367	5522		
			60	5434	5328	5547	5353	5412		
			65	5366	5549	5544	5408	5446		
			70	5253	5266	5546	5421	5462		
			75	5355	5481	5719	5659	5633		
			80	5499	5552	5297	5521	5280		
			85	5438	5681	5543	5565	5474		
			90	5279	5608	5375	5619	5712		
			95	5523	5257	5541	5507	5261		
⊟	Download	18	Type 6	1.0	333.3	9	0.3333	300.0000000	17	
			Frequency List (MHz)	0	1	2	3	4		
			0	5291	5463	5607	5462	5632		
			5	5603	5258	5560	5674	5326		
			10	5274	5341	5491	5392	5636		
			15	5434	5332	5305	5673	5430		
			20	E400	F711	F000	E440	E017		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx.and">http://www.ags.com/en/Terms-and-Conditions.agpx.and</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Co

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 28710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 28710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 98 of 109

#### Radar Type 6 - Trial 18

	Tr	ial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 18		Type 6	1.0	333.3	9	0. 3333	300.0000000	17
			Frequency List (MHz)	0	1	2	3	4	
			0	5291	5463	5607	5462	5632	
			5	5603	5258	5560	5674	5326	
			10	5274	5341	5491	5392	5636	
			15	5434	5332	5305	5673	5430	
			20	5400	5711	5293	5419	5317	
			25	5381	5254	5303	5672	5345	
			30	5611	5649	5619	5403	5541	
			35	5596	5585	5623	5633	5438	
			40	5647	5665	5359	5374	5466	
			45	5666	5516	5589	5706	5586	
			50	5394	5312	5646	5661	5493	
			55	5543	5599	5273	5476	5276	
			60	5455	5664	5498	5580	5618	
			65	5338	5531	5435	5629	5424	
			70	5311	5309	5314	5450	5310	
			75	5290	5640	5410	5609	5333	
			80	5461	5275	5518	5572	5620	
			85	5506	5282	5342	5330	5573	
			90	5718	5557	5517	5601	5708	
			95	5298	5525	5405	5304	5682	
⊟	Download 19		Type 6	1.0	333.3	9	0. 3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5546	5702	5543	5623	5377	
			5	5645	5280	5635	5265	5335	
			10	5257	5590	5315	5439	5512	
			15	5383	5288	5440	5594	5681	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 99 of 109

#### Radar Type 6 - Trial 19

	Tr	rial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 19		Туре 6	1.0	333.3	9	0. 3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5546	5702	5543	5623	5377	
			5	5645	5280	5635	5265	5335	
			10	5257	5590	5315	5439	5512	
			15	5383	5288	5440	5594	5681	
_			20	5596	5273	5649	5373	5502	
			25	5620	5622	5518	5415	5393	
			30	5289	5629	5560	5385	5372	
			35	5283	5494	5337	5510	5424	
			40	5706	5571	5361	5435	5479	
			45	5442	5519	5456	5392	5290	
			50	5282	5297	5679	5716	5500	
			55	5600	5275	5464	5672	5308	
			60	5577	5401	5390	5447	5450	
			65	5608	5334	5507	5615	5524	
			70	5285	5322	5430	5433	5621	
			75	5662	5719	5589	5528	5515	
			80	5292	5462	5566	5307	5284	
			85	5296	5474	5724	5399	5710	
			90	5250	5353	5509	5303	5597	
			95	5407	5428	5562	5678	5300	
⊟	Download 20		Type 6	1.0	333.3	9	0.3333	300.0000000	22
			Frequency List (MHz)	0	1	2	3	4	
			0	5704	5466	5479	5309	5597	
			5	5687	5680	5710	5428	5639	
			10	5566	5379	5356	5634	5533	
			15	E471	E318	EE43	E422	E311	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 100 of 109

#### Radar Type 6 - Trial 20

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 2	20	Туре 6	1.0	333.3	9	0. 3333	300.0000000	22
			Frequency List (MHz)	0	1	2	3	4	
			0	5704	5466	5479	5309	5597	
			5	5687	5680	5710	5428	5639	
			10	5566	5379	5356	5634	5533	
			15	5471	5318	5543	5422	5311	
			20	5592	5665	5641	5443	5390	
			25	5569	5350	5622	5449	5435	
			30	5653	5586	5300	5537	5667	
			35	5325	5585	5608	5269	5521	
			40	5263	5314	5509	5504	5529	
			45	5408	5528	5525	5393	5572	
			50	5343	5646	5333	5386	5502	
			55	5660	5688	5554	5465	5677	
			60	5338	5326	5454	5260	5615	
			65	5403	5347	5591	5396	5555	
			70	5515	5579	5601	5527	5387	
			75	5261	5707	5291	5550	5602	
			80	5439	5257	5370	5692	5498	
			85	5512	5487	5719	5401	5650	
			90	5335	5402	5255	5659	5722	
			95	5364	5493	5676	5510	5700	
Θ	Download 2	21	Type 6	1.0	333.3	9	0.3333	300.0000000	26
			Frequency List (MHz)	0	1	2	3	4	
			0	5484	5705	5415	5470	5439	
			5	5351	5702	5310	5591	5371	
			10	5497	5265	5494	5354	5554	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 101 of 109

#### Radar Type 6 - Trial 21

	Tria	al Id Rad		Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 21	Тур	e 6	1.0	333.3	9	0. 3333	300.0000000	26
		Fre Lis	quency t (MHz)	0	1	2	3	4	
		0		5484	5705	5415	5470	5439	
		5		5351	5702	5310	5591	5371	
		10		5497	5265	5494	5354	5554	
		15		5559	5445	5646	5370	5503	
		20		5600	5356	5252	5255	5416	
		25		5656	5421	5456	5251	5483	
		30		5477	5542	5543	5418	5311	
		35		5390	5464	5676	5501	5422	
		40		5435	5674	5447	5269	5526	
		45		5337	5508	5608	5451	5625	
		50		5522	5642	5384	5475	5703	
		55		5507	5401	5655	5496	5309	
		60		5455	5619	5680	5326	5414	
		65		5345	5492	5295	5318	5273	
		70		5587	5530	5711	5615	5666	
		75		5638	5670	5622	5583	5691	
		80		5367	5626	5381	5561	5412	
		85		5682	5718	5589	5286	5289	
		90		5553	5314	5329	5261	5465	
		95		5541	5463	5574	5671	5458	
⊟	Download 22	Тур	e 6	1.0	333.3	9	0. 3333	300.0000000	27
		Fre Lis	quency t (MHz)	0	1	2	3	4	
		0		5264	5469	5351	5631	5659	
		5		5393	5627	5385	5279	5578	
		10		5428	5529	5535	5549	5575	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 102 of 109

#### Radar Type 6 - Trial 22

	Trial	. Id Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 22	Type 6	1.0	333.3	9	0. 3333	300.0000000	27
		Frequency List (MHz	( <sub>)</sub> 0	1	2	3	4	
		0	5264	5469	5351	5631	5659	
		5	5393	5627	5385	5279	5578	
		10	5428	5529	5535	5549	5575	
		15	5647	5572	5274	5415	5695	
		20	5608	5425	5668	5722	5389	
		25	5544	5370	5355	5517	5616	
		30	5528	5500	5633	5463	5685	
		35	5603	5292	5297	5349	5513	
		40	5577	5509	5523	5644	5488	
		45	5691	5412	5678	5495	5398	
		50	5343	5435	5564	5526	5451	
		55	5589	5462	5315	5280	5584	
		60	5309	5625	5336	5615	5294	
		65	5530	5702	5565	5596	5345	
		70	5670	5630	5560	5591	5607	
		75	5693	5468	5477	5407	5545	
		80	5721	5409	5402	5525	5552	
		85	5381	5483	5340	5326	5609	
		90	5494	5364	5499	5423	5465	
		95	5518	5558	5569	5716	5718	
⊟	Download 23	Type 6	1.0	333.3	9	0. 3333	300.0000000	23
		Frequency List (MHz	( <sub>)</sub> 0	1	2	3	4	
		0	5519	5708	5287	5695	5501	
		5	5435	5649	5460	5442	5407	
		10	5262	5318	5576	5269	5596	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 103 of 109

#### Radar Type 6 - Trial 23

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Download	<b>1</b> 23	Туре 6	1.0	333.3	9	0. 3333	300.0000000	23
		Frequency List (MHz)	0	1	2	3	4	
		0	5519	5708	5287	5695	5501	
		5	5435	5649	5460	5442	5407	
		10	5262	5318	5576	5269	5596	
		15	5638	5699	5377	5412	5591	
		20	5706	5336	5362	5432	5697	
		25	5387	5556	5454	5658	5417	
		30	5457	5373	5712	5408	5645	
		35	5480	5568	5350	5360	5352	
		40	5660	5323	5652	5520	5573	
		45	5468	5299	5470	5634	5285	
		50	5274	5486	5275	5349	5298	
		55	5680	5416	5463	5512	5251	
		60	5713	5474	5667	5683	5453	
		65	5282	5438	5718	5566	5534	
		70	5399	5514	5656	5633	5409	
		75	5567	5584	5338	5545	5623	
		80	5490	5663	5612	5309	5406	
		85	5694	5525	5499	5448	5294	
		90	5574	5332	5659	5370	5436	
		95	5477	5415	5542	5467	5319	
Download	d 24	Type 6	1.0	333.3	9	0.3333	300.0000000	19
		Frequency List (MHz)	0	1	2	3	4	
		0	5299	5472	5698	5381	5721	
		5	5477	5574	5535	5508	5614	
		_						





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 104 of 109

#### Radar Type 6 - Trial 24

	Т	rial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 24	:	Type 6	1.0	333.3	9	0.3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5299	5472	5698	5381	5721	
			5	5477	5574	5535	5508	5614	
			10	5668	5582	5617	5367	5251	
			15	5351	5383	5505	5604	5527	
			20	5660	5647	5328	5335	5549	
			25	5590	5488	5700	5403	5414	
			30	5588	5389	5703	5309	5571	
			35	5364	5503	5274	5666	5365	
			40	5261	5417	5517	5405	5448	
			45	5382	5528	5687	5695	5537	
			50	5717	5393	5370	5653	5331	
			55	5600	5270	5639	5612	5515	
			60	5376	5667	5269	5252	5677	
			65	5586	5642	5258	5636	5543	
			70	5458	5479	5623	5400	5444	
			75	5301	5372	5428	5341	5575	
			80	5290	5316	5345	5347	5627	
			85	5349	5470	5565	5432	5628	
			90	5676	5447	5672	5552	5468	
			95	5469	5359	5321	5325	5678	
⊟	Download 25	i	Type 6	1.0	333.3	9	0. 3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5457	5711	5634	5542	5563	
			5	5616	5596	5610	5671	5346	
			10	5599	5371	5658	5562	5638	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 105 of 109

#### Radar Type 6 - Trial 25

	Tr	rial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 25		Type 6	1.0	333.3	9	0. 3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5457	5711	5634	5542	5563	
			5	5616	5596	5610	5671	5346	
			10	5599	5371	5658	5562	5638	
			15	5339	5381	5486	5453	5321	
			20	5535	5351	5588	5417	5308	
			25	5586	5498	5318	5289	5522	
			30	5364	5292	5706	5426	5448	
			35	5662	5257	5656	5663	5505	
			40	5674	5657	5514	5334	5428	
			45	5465	5489	5265	5437	5404	
			50	5396	5373	5564	5581	5324	
			55	5368	5625	5571	5399	5329	
			60	5557	5347	5677	5271	5462	
			65	5541	5576	5383	5280	5250	
			70	5261	5485	5519	5502	5578	
			75	5525	5604	5652	5613	5700	
			80	5435	5400	5609	5331	5635	
			85	5385	5281	5299	5595	5350	
			90	5382	5407	5695	5546	5683	
			95	5607	5263	5655	5550	5459	
⊟	Download 26		Type 6	1.0	333.3	9	0. 3333	300.0000000	16
			Frequency List (MHz)	0	1	2	3	4	
			0	5712	5475	5570	5703	5308	
			5	5658	5521	5685	5359	5650	
			10	5433	5257	5699	5282	5659	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 106 of 109

#### Radar Type 6 - Trial 26

	Tr	rial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 26		Туре 6	1.0	333.3	9	0. 3333	300.0000000	16
			Frequency List (MHz)	0	1	2	3	4	
			0	5712	5475	5570	5703	5308	
			5	5658	5521	5685	5359	5650	
			10	5433	5257	5699	5282	5659	
			15	5427	5508	5589	5498	5610	
			20	5446	5420	5626	5409	5281	
			25	5377	5350	5424	5393	5556	
			30	5406	5656	5328	5315	5721	
			35	5587	5278	5528	5431	5674	
			40	5441	5531	5515	5422	5608	
			45	5263	5408	5548	5547	5318	
			50	5324	5280	5572	5639	5542	
			55	5671	5294	5558	5347	5494	
			60	5502	5654	5600	5692	5663	
			65	5662	5577	5311	5414	5661	
			70	5352	5711	5361	5334	5398	
			75	5461	5289	5698	5668	5585	
			80	5429	5723	5481	5629	5595	
			85	5300	5329	5331	5597	5598	
			90	5624	5368	5645	5679	5485	
			95	5707	5563	5591	5636	5537	
⊟	Download 27		Type 6	1.0	333.3	9	0. 3333	300.0000000	23
			Frequency List (MHz)	0	1	2	3	4	
			0	5492	5714	5506	5389	5625	
			5	5700	5543	5285	5522	5382	
			10	5364	5521	5265	5477	5680	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 107 of 109

#### Radar Type 6 - Trial 27

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download	27	Type 6	1.0	333.3	9	0. 3333	300.0000000	23
			Frequency List (MHz)	0	1	2	3	4	
			0	5492	5714	5506	5389	5625	
			5	5700	5543	5285	5522	5382	
			10	5364	5521	5265	5477	5680	
			15	5418	5635	5692	5327	5454	
			20	5586	5567	5498	5254	5299	
			25	5627	5594	5590	5448	5642	
			30	5661	5564	5541	5629	5369	
			35	5324	5584	5588	5280	5614	
			40	5453	5565	5605	5570	5291	
			45	5631	5371	5589	5534	5273	
			50	5690	5494	5355	5482	5707	
			55	5641	5513	5657	5659	5544	
			60	5486	5426	5638	5611	5516	
			65	5618	5684	5464	5697	5658	
			70	5374	5420	5258	5721	5566	
			75	5681	5358	5262	5696	5297	
			80	5621	5709	5439	5672	5304	
			85	5616	5368	5491	5475	5341	
			90	5580	5318	5281	5380	5519	
			95	5537	5362	5645	5524	5325	
⊟	Download	28	Туре 6	1.0	333.3	9	0.3333	300.0000000	22
			Frequency List (MHz)	0	1	2	3	4	
			0	5272	5478	5539	5550	5370	
			5	5267	5565	5360	5588	5589	
		l .	10	leooe	F010	F200	F070	E704	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 108 of 109

#### Radar Type 6 - Trial 28

	Т	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
⊟	Download 28	8	Туре 6	1.0	333.3	9	0. 3333	300.0000000	22
			Frequency List (MHz)	0	1	2	3	4	
			0	5272	5478	5539	5550	5370	
			5	5267	5565	5360	5588	5589	
			10	5295	5310	5306	5672	5701	
			15	5506	5287	5320	5491	5519	
			20	5462	5655	5508	5490	5702	
			25	5531	5626	5355	5698	5624	
			30	5717	5401	5716	5264	5293	
			35	5557	5692	5262	5502	5594	
			40	5319	5391	5330	5602	5499	
			45	5271	5336	5663	5424	5476	
			50	5410	5449	5266	5342	5317	
			55	5299	5670	5564	5463	5460	
			60	5387	5311	5349	5489	5415	
			65	5252	5681	5687	5560	5552	
			70	5353	5576	5593	5683	5464	
			75	5507	5350	5379	5605	5366	
			80	5382	5547	5361	5371	5518	
			85	5385	5721	5294	5341	5612	
			90	5378	5621	5389	5457	5292	
			95	5534	5497	5412	5374	5597	
	Download 29	9	Type 6	1.0	333.3	9	0. 3333	300.0000000	24
			Frequency List (MHz)	0	1	2	3	4	
			0	5430	5717	5475	5711	5687	
			5	5406	5490	5435	5276	5321	





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221200049805

Page: 109 of 109

#### Radar Type 6 - Trial 29

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
			80	5382	5547	5361	5371	5518	
			85	5385	5721	5294	5341	5612	
			90	5378	5621	5389	5457	5292	
			95	5534	5497	5412	5374	5597	
Θ	Download	29	Type 6	1.0	333.3	9	0. 3333	300.0000000	24
			Frequency List (MHz)	0	1	2	3	4	
			0	5430	5717	5475	5711	5687	
			5	5406	5490	5435	5276	5321	
			10	5604	5574	5444	5295	5722	
			15	5594	5414	5326	5536	5373	
			20	5346	5546	5579	5675	5419	
			25	5478	5558	5327	5658	5629	
			30	5420	5674	5519	5559	5432	
			35	5648	5488	5512	5513	5433	
			40	5402	5329	5570	5599	5331	
			45	5251	5624	5477	5266	5286	
			50	5625	5317	5431	5518	5621	
			55	5653	5279	5358	5343	5514	
			60	5434	5650	5627	5413	5509	
			65	5491	5660	5371	5545	5665	
			70	5291	5467	5259	5338	5486	
			75	5428	5528	5613	5481	5299	
			80	5549	5309	5612	5695	5681	
			85	5581	5422	5540	5386	5699	
			90	5503	5446	5256	5462	5640	
			95	5427	5377	5487	5398	5307	

- End of the Report -

