


Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency dBi	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	- 1.21	-0.76	-0.58	-5.29	-2.38	- 1.79
MAX. Gain	-0.58dBi					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					


Antenna Photo & Length (mm)



Manufacturer: Shenzhen duomaite technology co., ltd
Address: 10th Floor, Building A1, Innovation World Zhongtai Information Technology Industrial Park, No.2 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen City, Guangdong Province


Horizontal: 2400 MHz 2450 MHz 2500 MHz

Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	- 1.20947	-30.4298	-7. 14781
2450	-0.760347	-36.9574	-7.65983
2500	-0.593245	-22.3489	-6.26987

Vertical: 2400 MHz 2450 MHz 2500 MHz
Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	-5.2934	-21.6547	- 11.6957
2450	-2.3841	-23.47896	- 11.0657
2500	- 1.7926	-28.3547	-9.11547

ANT Test Labs : Attestation of Global Compliance Co., Ltd.