







Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



-6dB&99% Bandwidth





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2

7.6 MAXIMUM CONDUCTED OUTPUT POWER

Product	: EUT-Sample	Test Mode	: See section 3.4
Test Item	: Maximum Conducted Output Power	Temperature	: 25 °C
Test Voltage	: DC 3.91V	Humidity	: 56%RH
Test Result	: PASS		

Ant1

Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
a	5180	11.18	2.26	13.44	24	Pass
a	5240	12.27	2.28	14.55	24	Pass
a	5260	12.57	2.24	14.81	24	Pass
a	5320	11.93	2.23	14.16	24	Pass
a	5500	11.21	2.31	13.52	24	Pass
a	5700	12.75	2.23	14.98	24	Pass
a	5745	10.6	2.28	12.88	30	Pass
a	5825	11.85	2.19	14.04	30	Pass
n20	5180	12.4	2.57	14.97	24	Pass
n20	5240	12.77	3.63	16.4	24	Pass
n20	5260	13.22	2.33	15.55	24	Pass
n20	5320	12.7	2.42	15.12	24	Pass
n20	5500	12.4	2.33	14.73	24	Pass
n20	5700	13.23	2.42	15.65	24	Pass
n20	5745	10.11	2.31	12.42	30	Pass
n20	5825	12.34	3.93	16.27	30	Pass
n40	5190	10.63	6.53	17.16	24	Pass
n40	5230	11.22	3.96	15.18	24	Pass
n40	5270	11.08	3.86	14.94	24	Pass
n40	5310	10.62	3.9	14.52	24	Pass
n40	5510	10.04	3.93	13.97	24	Pass
n40	5670	12.02	3.86	15.88	24	Pass
n40	5755	10.23	4.46	14.69	30	Pass
n40	5795	10.82	3.89	14.71	30	Pass
ac20	5180	12.5	2.41	14.91	24	Pass
ac20	5240	12.82	2.2	15.02	24	Pass
ac20	5260	13.14	2.43	15.57	24	Pass
ac20	5320	12.72	2.34	15.06	24	Pass
ac20	5500	12.64	2.35	14.99	24	Pass
ac20	5700	13.74	2.39	16.13	24	Pass
ac20	5745	12.4	2.21	14.61	30	Pass
ac20	5825	12.57	2.34	14.91	30	Pass
ac40	5190	10.67	2.77	13.44	24	Pass
ac40	5230	10.78	3.85	14.63	24	Pass
ac40	5270	10.95	3.92	14.87	24	Pass
ac40	5310	10.68	3.8	14.48	24	Pass
ac40	5510	10.8	3.85	14.65	24	Pass
ac40	5670	11.56	3.83	15.39	24	Pass
ac40	5755	10.06	2.7	12.76	30	Pass
ac40	5795	10.29	5.94	16.23	30	Pass
ac80	5210	8.21	6.21	14.42	24	Pass
ac80	5290	7.73	6.2	13.93	24	Pass
ac80	5530	7.61	6.06	13.67	24	Pass
ac80	5610	7.46	6.29	13.75	24	Pass
ac80	5775	8.63	9.03	17.66	30	Pass
ax20	5180	11.6	3.67	15.27	24	Pass
ax20	5240	12.99	2.84	15.83	24	Pass
ax20	5260	12.66	2.83	15.49	24	Pass
ax20	5320	13.09	2.69	15.78	24	Pass
ax20	5500	12.74	2.88	15.62	24	Pass
ax20	5700	13.48	2.83	16.31	24	Pass
ax20	5745	12.05	2.84	14.89	30	Pass
ax20	5825	12.1	2.89	14.99	30	Pass
ax40	5190	9.71	4.41	14.12	24	Pass

Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2

ax40	5230	10.27	3.53	13.8	24	Pass
ax40	5270	10.96	3.33	14.29	24	Pass
ax40	5310	9.87	4.38	14.25	24	Pass
ax40	5510	10.32	3.54	13.86	24	Pass
ax40	5670	11	3.47	14.47	24	Pass
ax40	5755	10.01	4.36	14.37	30	Pass
ax40	5795	9.52	4.69	14.21	30	Pass
ax80	5210	7.56	7.13	14.69	24	Pass
ax80	5290	8.43	6.58	15.01	24	Pass
ax80	5530	7.64	6.89	14.53	24	Pass
ax80	5610	6.85	9.03	15.88	24	Pass
ax80	5775	7.43	5.46	12.89	30	Pass
ax160	5250	3.37	8.36	11.73	24	Pass
ax160	5570	4.43	8.82	13.25	24	Pass

Ant2

Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
a	5180	12.32	1.48	13.8	24	Pass
a	5240	11	1.5	12.5	24	Pass
a	5260	11.14	1.5	12.64	24	Pass
a	5320	10.91	1.5	12.41	24	Pass
a	5500	10.76	1.48	12.24	24	Pass
a	5700	11.08	1.52	12.6	24	Pass
a	5745	10.82	1.48	12.3	30	Pass
a	5825	11.4	1.35	12.75	30	Pass
n20	5180	11.34	1.59	12.93	24	Pass
n20	5240	11.74	1.59	13.33	24	Pass
n20	5260	11.34	1.59	12.93	24	Pass
n20	5320	10.88	1.59	12.47	24	Pass
n20	5500	10.17	1.59	11.76	24	Pass
n20	5700	11.3	1.59	12.89	24	Pass
n20	5745	10.62	1.67	12.29	30	Pass
n20	5825	11.29	1.59	12.88	30	Pass
n40	5190	10.99	2.76	13.75	24	Pass
n40	5230	10.3	2.53	12.83	24	Pass
n40	5270	10.18	2.88	13.06	24	Pass
n40	5310	10.32	2.72	13.04	24	Pass
n40	5510	9.12	3.88	13	24	Pass
n40	5670	10.7	2.75	13.45	24	Pass
n40	5755	10.58	2.76	13.34	30	Pass
n40	5795	10.08	2.76	12.84	30	Pass
ac20	5180	13.59	1.56	15.15	24	Pass
ac20	5240	12.96	1.58	14.54	24	Pass
ac20	5260	13.11	1.58	14.69	24	Pass
ac20	5320	12.76	1.66	14.42	24	Pass
ac20	5500	12.27	1.58	13.85	24	Pass
ac20	5700	13	1.58	14.58	24	Pass
ac20	5745	11.97	1.64	13.61	30	Pass
ac20	5825	13.3	1.58	14.88	30	Pass
ac40	5190	11.43	2.7	14.13	24	Pass
ac40	5230	10.95	2.7	13.65	24	Pass
ac40	5270	9.29	3.94	13.23	24	Pass
ac40	5310	9.91	3.65	13.56	24	Pass
ac40	5510	9.66	2.7	12.36	24	Pass
ac40	5670	11.22	2.7	13.92	24	Pass
ac40	5755	10.06	2.73	12.79	30	Pass
ac40	5795	10.11	2.86	12.97	30	Pass
ac80	5210	9.57	3.6	13.17	24	Pass
ac80	5290	8.82	3.6	12.42	24	Pass
ac80	5530	8.8	2.22	11.02	24	Pass
ac80	5610	9.46	3.01	12.47	24	Pass
ac80	5775	9.03	3.6	12.63	30	Pass
ax20	5180	11.74	1.79	13.53	24	Pass
ax20	5240	11.45	2.04	13.49	24	Pass
ax20	5260	11.19	2.04	13.23	24	Pass
ax20	5320	10.65	1.95	12.6	24	Pass
ax20	5500	10.63	1.94	12.57	24	Pass
ax20	5700	11.09	1.94	13.03	24	Pass
ax20	5745	10.84	1.95	12.79	30	Pass

Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2

ax20	5825	11.38	1.95	13.33	30	Pass
ax40	5190	11.11	3.15	14.26	24	Pass
ax40	5230	10.89	6.73	17.62	24	Pass
ax40	5270	11.57	4.4	15.97	24	Pass
ax40	5310	11.86	3.33	15.19	24	Pass
ax40	5510	8.29	4.44	12.73	24	Pass
ax40	5670	8.17	4.44	12.61	24	Pass
ax40	5755	7.87	4.36	12.23	30	Pass
ax40	5795	7.73	4.77	12.5	30	Pass
ax80	5210	8.77	4.77	13.54	24	Pass
ax80	5290	8	6.71	14.71	24	Pass
ax80	5530	6.32	6.54	12.86	24	Pass
ax80	5610	5.03	9.03	14.06	24	Pass
ax80	5775	4.01	9.03	13.04	30	Pass
ax160	5250	5.41	8.36	13.77	24	Pass
ax160	5570	2.33	5.43	7.76	24	Pass

MiMO Mode



Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
n20	5180	17.08	24	Pass
n20	5240	18.14	24	Pass
n20	5260	17.44	24	Pass
n20	5320	17.00	24	Pass
n20	5500	16.50	24	Pass
n20	5700	17.50	24	Pass
n20	5745	15.37	30	Pass
n20	5825	17.91	30	Pass
n40	5190	18.79	24	Pass
n40	5230	17.17	24	Pass
n40	5270	17.11	24	Pass
n40	5310	16.85	24	Pass
n40	5510	16.52	24	Pass
n40	5670	17.84	24	Pass
n40	5755	17.08	30	Pass
n40	5795	16.89	30	Pass
ac20	5180	18.04	24	Pass
ac20	5240	17.80	24	Pass
ac20	5260	18.16	24	Pass
ac20	5320	17.76	24	Pass
ac20	5500	17.47	24	Pass
ac20	5700	18.43	24	Pass
ac20	5745	17.15	30	Pass
ac20	5825	17.91	30	Pass
ac40	5190	16.81	24	Pass
ac40	5230	17.18	24	Pass
ac40	5270	17.14	24	Pass
ac40	5310	17.05	24	Pass
ac40	5510	16.66	24	Pass
ac40	5670	17.73	24	Pass
ac40	5755	15.79	30	Pass
ac40	5795	17.91	30	Pass
ac80	5210	16.85	24	Pass
ac80	5290	16.25	24	Pass
ac80	5530	15.55	24	Pass
ac80	5610	16.17	24	Pass
ac80	5775	18.85	30	Pass
ax20	5180	17.50	24	Pass
ax20	5240	17.83	24	Pass
ax20	5260	17.52	24	Pass
ax20	5320	17.49	24	Pass
ax20	5500	17.37	24	Pass
ax20	5700	17.98	24	Pass
ax20	5745	16.98	30	Pass
ax20	5825	17.25	30	Pass
ax40	5190	17.20	24	Pass
ax40	5230	19.13	24	Pass
ax40	5270	18.22	24	Pass
ax40	5310	17.76	24	Pass
ax40	5510	16.34	24	Pass
ax40	5670	16.65	24	Pass

Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



ax40	5755	16.44	30	Pass
ax40	5795	16.45	30	Pass
ax80	5210	17.16	24	Pass
ax80	5290	17.87	24	Pass
ax80	5530	16.79	24	Pass
ax80	5610	18.07	24	Pass
ax80	5775	15.98	30	Pass
ax160	5250	15.88	24	Pass
ax160	5570	14.33	24	Pass

Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



ANT1





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100001A-Wi-Fi2

