




















Band4-1312-5-0.009~0.15MHz-PASS




Band4-1312-5-0.15~30MHz-PASS




Band4-1312-5-30~1000MHz-PASS



Band4-1312-5-1000~20000MHz-PASS



Band4-1413-1-0.009~0.15MHz-PASS











Band4-1413-1-0.15~30MHz-PASS



















Band4-1413-1-30~1000MHz-PASS




Band4-1413-1-1000~20000MHz-PASS










Band4-1513-3-0.009~0.15MHz-PASS




Band4-1513-3-0.15~30MHz-PASS




Band4-1513-3-30~1000MHz-PASS



Band4-1513-3-1000~20000MHz-PASS



Band4-1513-4-0.009~0.15MHz-PASS




Band4-1513-4-0.15~30MHz-PASS



Band4-1513-4-30~1000MHz-PASS



Band4-1513-4-1000~20000MHz-PASS



Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VN	NT	-1.30	-0.000759	±2.5	PASS
Band4	1312	VL	NT	0.25	0.000146	±2.5	PASS
Band4	1312	VH	NT	-0.69	-0.000403	±2.5	PASS
Band4	1413	VN	NT	-0.40	-0.000231	±2.5	PASS
Band4	1413	VL	NT	0.77	0.000444	±2.5	PASS
Band4	1413	VH	NT	-1.63	-0.000941	±2.5	PASS
Band4	1513	VN	NT	-2.32	-0.001324	±2.5	PASS
Band4	1513	VL	NT	-2.09	-0.001193	±2.5	PASS
Band4	1513	VH	NT	-4.04	-0.002305	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	2.16	0.001261	±2.5	PASS
Band4	1312	NV	-20	1.39	0.000812	±2.5	PASS
Band4	1312	NV	-10	1.08	0.000631	±2.5	PASS
Band4	1312	NV	0	1.96	0.001145	±2.5	PASS
Band4	1312	NV	10	1.56	0.000911	±2.5	PASS
Band4	1312	NV	20	2.78	0.001623	±2.5	PASS
Band4	1312	NV	30	2.43	0.001419	±2.5	PASS
Band4	1312	NV	40	2.43	0.001419	±2.5	PASS
Band4	1312	NV	50	2.95	0.001723	±2.5	PASS
Band4	1413	NV	-30	-0.37	-0.000214	±2.5	PASS
Band4	1413	NV	-20	-0.38	-0.000219	±2.5	PASS
Band4	1413	NV	-10	-0.83	-0.000479	±2.5	PASS
Band4	1413	NV	0	-1.78	-0.001027	±2.5	PASS
Band4	1413	NV	10	-0.47	-0.000271	±2.5	PASS
Band4	1413	NV	20	-2.37	-0.001368	±2.5	PASS
Band4	1413	NV	30	-0.76	-0.000439	±2.5	PASS
Band4	1413	NV	40	-1.67	-0.000964	±2.5	PASS
Band4	1413	NV	50	-0.06	-0.000035	±2.5	PASS
Band4	1513	NV	-30	-2.89	-0.001649	±2.5	PASS
Band4	1513	NV	-20	-3.61	-0.002060	±2.5	PASS
Band4	1513	NV	-10	-2.12	-0.001210	±2.5	PASS
Band4	1513	NV	0	-2.76	-0.001575	±2.5	PASS
Band4	1513	NV	10	-3.61	-0.002060	±2.5	PASS

Band4	1513	NV	20	-2.00	-0.001141	±2.5	PASS
Band4	1513	NV	30	-2.13	-0.001215	±2.5	PASS
Band4	1513	NV	40	-2.05	-0.001170	±2.5	PASS
Band4	1513	NV	50	-2.37	-0.001352	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-0.63	-0.000368	±2.5	PASS
Band4	1312	1	VL	NT	1.30	0.000759	±2.5	PASS
Band4	1312	1	VH	NT	1.94	0.001133	±2.5	PASS
Band4	1312	2	VN	NT	3.63	0.002120	±2.5	PASS
Band4	1312	2	VL	NT	1.76	0.001028	±2.5	PASS
Band4	1312	2	VH	NT	4.13	0.002412	±2.5	PASS
Band4	1312	3	VN	NT	3.19	0.001863	±2.5	PASS
Band4	1312	3	VL	NT	2.87	0.001676	±2.5	PASS
Band4	1312	3	VH	NT	4.93	0.002879	±2.5	PASS
Band4	1312	4	VN	NT	3.03	0.001769	±2.5	PASS
Band4	1312	4	VL	NT	2.90	0.001694	±2.5	PASS
Band4	1312	4	VH	NT	4.98	0.002908	±2.5	PASS
Band4	1413	1	VN	NT	-0.37	-0.000214	±2.5	PASS
Band4	1413	1	VL	NT	0.11	0.000063	±2.5	PASS
Band4	1413	1	VH	NT	-0.96	-0.000554	±2.5	PASS
Band4	1413	2	VN	NT	-0.48	-0.000277	±2.5	PASS
Band4	1413	2	VL	NT	-1.25	-0.000721	±2.5	PASS
Band4	1413	2	VH	NT	-1.02	-0.000589	±2.5	PASS
Band4	1413	3	VN	NT	0.16	0.000092	±2.5	PASS
Band4	1413	3	VL	NT	1.15	0.000664	±2.5	PASS
Band4	1413	3	VH	NT	0.30	0.000173	±2.5	PASS
Band4	1413	4	VN	NT	-1.49	-0.000860	±2.5	PASS
Band4	1413	4	VL	NT	0.52	0.000300	±2.5	PASS
Band4	1413	4	VH	NT	1.22	0.000704	±2.5	PASS
Band4	1513	1	VN	NT	-2.57	-0.001466	±2.5	PASS
Band4	1513	1	VL	NT	-3.59	-0.002048	±2.5	PASS
Band4	1513	1	VH	NT	-4.06	-0.002317	±2.5	PASS
Band4	1513	2	VN	NT	-3.09	-0.001763	±2.5	PASS
Band4	1513	2	VL	NT	-3.14	-0.001792	±2.5	PASS
Band4	1513	2	VH	NT	-0.89	-0.000508	±2.5	PASS
Band4	1513	3	VN	NT	-0.40	-0.000228	±2.5	PASS
Band4	1513	3	VL	NT	-3.06	-0.001746	±2.5	PASS
Band4	1513	3	VH	NT	-2.75	-0.001569	±2.5	PASS
Band4	1513	4	VN	NT	-0.59	-0.000337	±2.5	PASS

Band4	1513	4	VL	NT	-0.67	-0.000382	±2.5	PASS
Band4	1513	4	VH	NT	-2.69	-0.001535	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	1.62	0.000946	±2.5	PASS
Band4	1312	1	NV	-20	1.51	0.000882	±2.5	PASS
Band4	1312	1	NV	-10	0.74	0.000432	±2.5	PASS
Band4	1312	1	NV	0	4.14	0.002418	±2.5	PASS
Band4	1312	1	NV	10	3.37	0.001968	±2.5	PASS
Band4	1312	1	NV	20	3.49	0.002038	±2.5	PASS
Band4	1312	1	NV	30	3.44	0.002009	±2.5	PASS
Band4	1312	1	NV	40	4.93	0.002879	±2.5	PASS
Band4	1312	1	NV	50	4.10	0.002394	±2.5	PASS
Band4	1312	2	NV	-30	3.75	0.002190	±2.5	PASS
Band4	1312	2	NV	-20	3.00	0.001752	±2.5	PASS
Band4	1312	2	NV	-10	4.15	0.002423	±2.5	PASS
Band4	1312	2	NV	0	5.07	0.002961	±2.5	PASS
Band4	1312	2	NV	10	5.81	0.003393	±2.5	PASS
Band4	1312	2	NV	20	4.88	0.002850	±2.5	PASS
Band4	1312	2	NV	30	5.64	0.003294	±2.5	PASS
Band4	1312	2	NV	40	4.28	0.002499	±2.5	PASS
Band4	1312	2	NV	50	3.76	0.002196	±2.5	PASS
Band4	1312	3	NV	-30	3.04	0.001775	±2.5	PASS
Band4	1312	3	NV	-20	2.91	0.001699	±2.5	PASS
Band4	1312	3	NV	-10	3.86	0.002254	±2.5	PASS
Band4	1312	3	NV	0	2.56	0.001495	±2.5	PASS
Band4	1312	3	NV	10	4.93	0.002879	±2.5	PASS
Band4	1312	3	NV	20	4.93	0.002879	±2.5	PASS
Band4	1312	3	NV	30	4.96	0.002897	±2.5	PASS
Band4	1312	3	NV	40	4.07	0.002377	±2.5	PASS
Band4	1312	3	NV	50	4.72	0.002756	±2.5	PASS
Band4	1312	4	NV	-30	3.95	0.002307	±2.5	PASS
Band4	1312	4	NV	-20	5.43	0.003171	±2.5	PASS
Band4	1312	4	NV	-10	5.21	0.003043	±2.5	PASS
Band4	1312	4	NV	0	5.00	0.002920	±2.5	PASS
Band4	1312	4	NV	10	4.49	0.002622	±2.5	PASS
Band4	1312	4	NV	20	3.98	0.002324	±2.5	PASS
Band4	1312	4	NV	30	5.52	0.003224	±2.5	PASS
Band4	1312	4	NV	40	5.40	0.003153	±2.5	PASS
Band4	1312	4	NV	50	4.81	0.002809	±2.5	PASS

Band4	1413	1	NV	-30	0.03	0.000017	±2.5	PASS
Band4	1413	1	NV	-20	-0.21	-0.000121	±2.5	PASS
Band4	1413	1	NV	-10	0.99	0.000571	±2.5	PASS
Band4	1413	1	NV	0	0.30	0.000173	±2.5	PASS
Band4	1413	1	NV	10	-0.47	-0.000271	±2.5	PASS
Band4	1413	1	NV	20	0.72	0.000416	±2.5	PASS
Band4	1413	1	NV	30	0.26	0.000150	±2.5	PASS
Band4	1413	1	NV	40	0.88	0.000508	±2.5	PASS
Band4	1413	1	NV	50	-0.91	-0.000525	±2.5	PASS
Band4	1413	2	NV	-30	-0.19	-0.000110	±2.5	PASS
Band4	1413	2	NV	-20	-0.26	-0.000150	±2.5	PASS
Band4	1413	2	NV	-10	1.21	0.000698	±2.5	PASS
Band4	1413	2	NV	0	0.71	0.000410	±2.5	PASS
Band4	1413	2	NV	10	0.36	0.000208	±2.5	PASS
Band4	1413	2	NV	20	-0.29	-0.000167	±2.5	PASS
Band4	1413	2	NV	30	-1.91	-0.001102	±2.5	PASS
Band4	1413	2	NV	40	-0.24	-0.000139	±2.5	PASS
Band4	1413	2	NV	50	-0.49	-0.000283	±2.5	PASS
Band4	1413	3	NV	-30	0.84	0.000485	±2.5	PASS
Band4	1413	3	NV	-20	0.63	0.000364	±2.5	PASS
Band4	1413	3	NV	-10	0.04	0.000023	±2.5	PASS
Band4	1413	3	NV	0	-0.09	-0.000052	±2.5	PASS
Band4	1413	3	NV	10	-0.18	-0.000104	±2.5	PASS
Band4	1413	3	NV	20	-0.20	-0.000115	±2.5	PASS
Band4	1413	3	NV	30	1.06	0.000612	±2.5	PASS
Band4	1413	3	NV	40	-0.35	-0.000202	±2.5	PASS
Band4	1413	3	NV	50	0.53	0.000306	±2.5	PASS
Band4	1413	4	NV	-30	-0.67	-0.000387	±2.5	PASS
Band4	1413	4	NV	-20	0.20	0.000115	±2.5	PASS
Band4	1413	4	NV	-10	0.31	0.000179	±2.5	PASS
Band4	1413	4	NV	0	-0.54	-0.000312	±2.5	PASS
Band4	1413	4	NV	10	-1.16	-0.000670	±2.5	PASS
Band4	1413	4	NV	20	0.06	0.000035	±2.5	PASS
Band4	1413	4	NV	30	1.44	0.000831	±2.5	PASS
Band4	1413	4	NV	40	0.11	0.000063	±2.5	PASS
Band4	1413	4	NV	50	0.14	0.000081	±2.5	PASS
Band4	1513	1	NV	-30	-3.54	-0.002020	±2.5	PASS
Band4	1513	1	NV	-20	-2.73	-0.001558	±2.5	PASS
Band4	1513	1	NV	-10	-4.95	-0.002824	±2.5	PASS
Band4	1513	1	NV	0	-4.24	-0.002419	±2.5	PASS
Band4	1513	1	NV	10	-3.84	-0.002191	±2.5	PASS

Band4	1513	1	NV	20	-2.47	-0.001409	±2.5	PASS
Band4	1513	1	NV	30	-1.62	-0.000924	±2.5	PASS
Band4	1513	1	NV	40	-2.62	-0.001495	±2.5	PASS
Band4	1513	1	NV	50	-2.76	-0.001575	±2.5	PASS
Band4	1513	2	NV	-30	-4.19	-0.002391	±2.5	PASS
Band4	1513	2	NV	-20	-1.53	-0.000873	±2.5	PASS
Band4	1513	2	NV	-10	-2.14	-0.001221	±2.5	PASS
Band4	1513	2	NV	0	-2.54	-0.001449	±2.5	PASS
Band4	1513	2	NV	10	-1.67	-0.000953	±2.5	PASS
Band4	1513	2	NV	20	-2.13	-0.001215	±2.5	PASS
Band4	1513	2	NV	30	-3.31	-0.001889	±2.5	PASS
Band4	1513	2	NV	40	-2.46	-0.001404	±2.5	PASS
Band4	1513	2	NV	50	-0.91	-0.000519	±2.5	PASS
Band4	1513	3	NV	-30	-1.22	-0.000696	±2.5	PASS
Band4	1513	3	NV	-20	-0.93	-0.000531	±2.5	PASS
Band4	1513	3	NV	-10	-0.95	-0.000542	±2.5	PASS
Band4	1513	3	NV	0	-1.19	-0.000679	±2.5	PASS
Band4	1513	3	NV	10	-1.24	-0.000708	±2.5	PASS
Band4	1513	3	NV	20	-1.93	-0.001101	±2.5	PASS
Band4	1513	3	NV	30	-2.20	-0.001255	±2.5	PASS
Band4	1513	3	NV	40	-2.81	-0.001603	±2.5	PASS
Band4	1513	3	NV	50	-1.00	-0.000571	±2.5	PASS
Band4	1513	4	NV	-30	-1.19	-0.000679	±2.5	PASS
Band4	1513	4	NV	-20	-2.10	-0.001198	±2.5	PASS
Band4	1513	4	NV	-10	-1.08	-0.000616	±2.5	PASS
Band4	1513	4	NV	0	-2.46	-0.001404	±2.5	PASS
Band4	1513	4	NV	10	-2.02	-0.001153	±2.5	PASS
Band4	1513	4	NV	20	-2.27	-0.001295	±2.5	PASS
Band4	1513	4	NV	30	-2.18	-0.001244	±2.5	PASS
Band4	1513	4	NV	40	-0.86	-0.000491	±2.5	PASS
Band4	1513	4	NV	50	-2.42	-0.001381	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-1.46	-0.000853	±2.5	PASS
Band4	1312	1	VL	NT	-1.66	-0.000969	±2.5	PASS
Band4	1312	1	VH	NT	-0.87	-0.000508	±2.5	PASS
Band4	1312	2	VN	NT	-1.42	-0.000829	±2.5	PASS
Band4	1312	2	VL	NT	-1.25	-0.000730	±2.5	PASS
Band4	1312	2	VH	NT	0.00	0.000000	±2.5	PASS
Band4	1312	3	VN	NT	-1.43	-0.000835	±2.5	PASS

Band4	1312	3	VL	NT	-2.14	-0.001250	±2.5	PASS
Band4	1312	3	VH	NT	-0.37	-0.000216	±2.5	PASS
Band4	1312	4	VN	NT	-0.57	-0.000333	±2.5	PASS
Band4	1312	4	VL	NT	-1.03	-0.000601	±2.5	PASS
Band4	1312	4	VH	NT	-2.52	-0.001472	±2.5	PASS
Band4	1312	5	VN	NT	-1.95	-0.001139	±2.5	PASS
Band4	1312	5	VL	NT	-3.21	-0.001875	±2.5	PASS
Band4	1312	5	VH	NT	0.03	0.000018	±2.5	PASS
Band4	1413	1	VN	NT	-3.26	-0.001882	±2.5	PASS
Band4	1413	1	VL	NT	-3.47	-0.002003	±2.5	PASS
Band4	1413	1	VH	NT	-3.12	-0.001801	±2.5	PASS
Band4	1413	2	VN	NT	-0.45	-0.000260	±2.5	PASS
Band4	1413	2	VL	NT	-1.25	-0.000721	±2.5	PASS
Band4	1413	2	VH	NT	-1.70	-0.000981	±2.5	PASS
Band4	1413	3	VN	NT	-0.68	-0.000392	±2.5	PASS
Band4	1413	3	VL	NT	-1.84	-0.001062	±2.5	PASS
Band4	1413	3	VH	NT	-0.60	-0.000346	±2.5	PASS
Band4	1413	4	VN	NT	-1.45	-0.000837	±2.5	PASS
Band4	1413	4	VL	NT	-1.06	-0.000612	±2.5	PASS
Band4	1413	4	VH	NT	-0.66	-0.000381	±2.5	PASS
Band4	1413	5	VN	NT	-1.48	-0.000854	±2.5	PASS
Band4	1413	5	VL	NT	-1.94	-0.001120	±2.5	PASS
Band4	1413	5	VH	NT	-1.03	-0.000594	±2.5	PASS
Band4	1513	1	VN	NT	6.25	0.003566	±2.5	PASS
Band4	1513	1	VL	NT	3.58	0.002043	±2.5	PASS
Band4	1513	1	VH	NT	3.57	0.002037	±2.5	PASS
Band4	1513	2	VN	NT	3.81	0.002174	±2.5	PASS
Band4	1513	2	VL	NT	4.62	0.002636	±2.5	PASS
Band4	1513	2	VH	NT	2.97	0.001695	±2.5	PASS
Band4	1513	3	VN	NT	2.38	0.001358	±2.5	PASS
Band4	1513	3	VL	NT	1.59	0.000907	±2.5	PASS
Band4	1513	3	VH	NT	1.92	0.001096	±2.5	PASS
Band4	1513	4	VN	NT	4.39	0.002505	±2.5	PASS
Band4	1513	4	VL	NT	3.67	0.002094	±2.5	PASS
Band4	1513	4	VH	NT	3.98	0.002271	±2.5	PASS
Band4	1513	5	VN	NT	3.89	0.002220	±2.5	PASS
Band4	1513	5	VL	NT	3.75	0.002140	±2.5	PASS
Band4	1513	5	VH	NT	2.06	0.001175	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band4	1312	1	NV	-30	-1.78	-0.001039	±2.5	PASS
Band4	1312	1	NV	-20	0.73	0.000426	±2.5	PASS
Band4	1312	1	NV	-10	-0.58	-0.000339	±2.5	PASS
Band4	1312	1	NV	0	1.08	0.000631	±2.5	PASS
Band4	1312	1	NV	10	1.40	0.000818	±2.5	PASS
Band4	1312	1	NV	20	0.82	0.000479	±2.5	PASS
Band4	1312	1	NV	30	2.58	0.001507	±2.5	PASS
Band4	1312	1	NV	40	1.45	0.000847	±2.5	PASS
Band4	1312	1	NV	50	1.29	0.000753	±2.5	PASS
Band4	1312	2	NV	-30	0.29	0.000169	±2.5	PASS
Band4	1312	2	NV	-20	1.44	0.000841	±2.5	PASS
Band4	1312	2	NV	-10	2.22	0.001296	±2.5	PASS
Band4	1312	2	NV	0	1.90	0.001110	±2.5	PASS
Band4	1312	2	NV	10	0.91	0.000531	±2.5	PASS
Band4	1312	2	NV	20	0.75	0.000438	±2.5	PASS
Band4	1312	2	NV	30	1.39	0.000812	±2.5	PASS
Band4	1312	2	NV	40	2.05	0.001197	±2.5	PASS
Band4	1312	2	NV	50	1.81	0.001057	±2.5	PASS
Band4	1312	3	NV	-30	-0.83	-0.000485	±2.5	PASS
Band4	1312	3	NV	-20	0.03	0.000018	±2.5	PASS
Band4	1312	3	NV	-10	0.45	0.000263	±2.5	PASS
Band4	1312	3	NV	0	2.59	0.001512	±2.5	PASS
Band4	1312	3	NV	10	-0.16	-0.000093	±2.5	PASS
Band4	1312	3	NV	20	-0.02	-0.000012	±2.5	PASS
Band4	1312	3	NV	30	1.04	0.000607	±2.5	PASS
Band4	1312	3	NV	40	-0.39	-0.000228	±2.5	PASS
Band4	1312	3	NV	50	0.70	0.000409	±2.5	PASS
Band4	1312	4	NV	-30	1.10	0.000642	±2.5	PASS
Band4	1312	4	NV	-20	-0.40	-0.000234	±2.5	PASS
Band4	1312	4	NV	-10	-0.02	-0.000012	±2.5	PASS
Band4	1312	4	NV	0	-0.26	-0.000152	±2.5	PASS
Band4	1312	4	NV	10	1.31	0.000765	±2.5	PASS
Band4	1312	4	NV	20	1.62	0.000946	±2.5	PASS
Band4	1312	4	NV	30	1.78	0.001039	±2.5	PASS
Band4	1312	4	NV	40	2.78	0.001623	±2.5	PASS
Band4	1312	4	NV	50	3.00	0.001752	±2.5	PASS
Band4	1312	5	NV	-30	1.69	0.000987	±2.5	PASS
Band4	1312	5	NV	-20	1.34	0.000783	±2.5	PASS
Band4	1312	5	NV	-10	0.85	0.000496	±2.5	PASS
Band4	1312	5	NV	0	1.22	0.000712	±2.5	PASS
Band4	1312	5	NV	10	-1.64	-0.000958	±2.5	PASS

Band4	1312	5	NV	20	1.29	0.000753	±2.5	PASS
Band4	1312	5	NV	30	0.78	0.000456	±2.5	PASS
Band4	1312	5	NV	40	1.37	0.000800	±2.5	PASS
Band4	1312	5	NV	50	1.38	0.000806	±2.5	PASS
Band4	1413	1	NV	-30	-2.34	-0.001351	±2.5	PASS
Band4	1413	1	NV	-20	-2.92	-0.001685	±2.5	PASS
Band4	1413	1	NV	-10	-1.67	-0.000964	±2.5	PASS
Band4	1413	1	NV	0	-1.58	-0.000912	±2.5	PASS
Band4	1413	1	NV	10	-1.56	-0.000900	±2.5	PASS
Band4	1413	1	NV	20	0.18	0.000104	±2.5	PASS
Band4	1413	1	NV	30	-1.36	-0.000785	±2.5	PASS
Band4	1413	1	NV	40	-0.85	-0.000491	±2.5	PASS
Band4	1413	1	NV	50	-1.46	-0.000843	±2.5	PASS
Band4	1413	2	NV	-30	0.17	0.000098	±2.5	PASS
Band4	1413	2	NV	-20	-1.30	-0.000750	±2.5	PASS
Band4	1413	2	NV	-10	-0.84	-0.000485	±2.5	PASS
Band4	1413	2	NV	0	1.10	0.000635	±2.5	PASS
Band4	1413	2	NV	10	1.07	0.000618	±2.5	PASS
Band4	1413	2	NV	20	1.74	0.001004	±2.5	PASS
Band4	1413	2	NV	30	-0.55	-0.000317	±2.5	PASS
Band4	1413	2	NV	40	0.86	0.000496	±2.5	PASS
Band4	1413	2	NV	50	0.62	0.000358	±2.5	PASS
Band4	1413	3	NV	-30	-1.00	-0.000577	±2.5	PASS
Band4	1413	3	NV	-20	1.59	0.000918	±2.5	PASS
Band4	1413	3	NV	-10	-1.88	-0.001085	±2.5	PASS
Band4	1413	3	NV	0	-0.10	-0.000058	±2.5	PASS
Band4	1413	3	NV	10	0.14	0.000081	±2.5	PASS
Band4	1413	3	NV	20	-0.79	-0.000456	±2.5	PASS
Band4	1413	3	NV	30	0.09	0.000052	±2.5	PASS
Band4	1413	3	NV	40	0.82	0.000473	±2.5	PASS
Band4	1413	3	NV	50	1.74	0.001004	±2.5	PASS
Band4	1413	4	NV	-30	-1.21	-0.000698	±2.5	PASS
Band4	1413	4	NV	-20	-1.35	-0.000779	±2.5	PASS
Band4	1413	4	NV	-10	-0.20	-0.000115	±2.5	PASS
Band4	1413	4	NV	0	0.83	0.000479	±2.5	PASS
Band4	1413	4	NV	10	-2.07	-0.001195	±2.5	PASS
Band4	1413	4	NV	20	1.26	0.000727	±2.5	PASS
Band4	1413	4	NV	30	-0.93	-0.000537	±2.5	PASS
Band4	1413	4	NV	40	-0.98	-0.000566	±2.5	PASS
Band4	1413	4	NV	50	0.72	0.000416	±2.5	PASS
Band4	1413	5	NV	-30	0.10	0.000058	±2.5	PASS

Band4	1413	5	NV	-20	0.81	0.000468	±2.5	PASS
Band4	1413	5	NV	-10	-1.07	-0.000618	±2.5	PASS
Band4	1413	5	NV	0	-2.44	-0.001408	±2.5	PASS
Band4	1413	5	NV	10	0.78	0.000450	±2.5	PASS
Band4	1413	5	NV	20	0.80	0.000462	±2.5	PASS
Band4	1413	5	NV	30	-1.92	-0.001108	±2.5	PASS
Band4	1413	5	NV	40	0.86	0.000496	±2.5	PASS
Band4	1413	5	NV	50	-0.31	-0.000179	±2.5	PASS
Band4	1513	1	NV	-30	3.35	0.001911	±2.5	PASS
Band4	1513	1	NV	-20	3.74	0.002134	±2.5	PASS
Band4	1513	1	NV	-10	3.11	0.001775	±2.5	PASS
Band4	1513	1	NV	0	2.84	0.001620	±2.5	PASS
Band4	1513	1	NV	10	2.96	0.001689	±2.5	PASS
Band4	1513	1	NV	20	3.78	0.002157	±2.5	PASS
Band4	1513	1	NV	30	3.15	0.001797	±2.5	PASS
Band4	1513	1	NV	40	2.97	0.001695	±2.5	PASS
Band4	1513	1	NV	50	1.95	0.001113	±2.5	PASS
Band4	1513	2	NV	-30	4.26	0.002431	±2.5	PASS
Band4	1513	2	NV	-20	2.56	0.001461	±2.5	PASS
Band4	1513	2	NV	-10	4.61	0.002630	±2.5	PASS
Band4	1513	2	NV	0	3.17	0.001809	±2.5	PASS
Band4	1513	2	NV	10	2.25	0.001284	±2.5	PASS
Band4	1513	2	NV	20	3.39	0.001934	±2.5	PASS
Band4	1513	2	NV	30	3.22	0.001837	±2.5	PASS
Band4	1513	2	NV	40	2.83	0.001615	±2.5	PASS
Band4	1513	2	NV	50	2.41	0.001375	±2.5	PASS
Band4	1513	3	NV	-30	4.05	0.002311	±2.5	PASS
Band4	1513	3	NV	-20	3.67	0.002094	±2.5	PASS
Band4	1513	3	NV	-10	1.14	0.000650	±2.5	PASS
Band4	1513	3	NV	0	3.70	0.002111	±2.5	PASS
Band4	1513	3	NV	10	2.93	0.001672	±2.5	PASS
Band4	1513	3	NV	20	2.38	0.001358	±2.5	PASS
Band4	1513	3	NV	30	2.61	0.001489	±2.5	PASS
Band4	1513	3	NV	40	1.67	0.000953	±2.5	PASS
Band4	1513	3	NV	50	2.94	0.001678	±2.5	PASS
Band4	1513	4	NV	-30	1.57	0.000896	±2.5	PASS
Band4	1513	4	NV	-20	2.31	0.001318	±2.5	PASS
Band4	1513	4	NV	-10	2.79	0.001592	±2.5	PASS
Band4	1513	4	NV	0	1.92	0.001096	±2.5	PASS
Band4	1513	4	NV	10	3.58	0.002043	±2.5	PASS
Band4	1513	4	NV	20	4.57	0.002608	±2.5	PASS

Band4	1513	4	NV	30	1.48	0.000844	±2.5	PASS
Band4	1513	4	NV	40	2.59	0.001478	±2.5	PASS
Band4	1513	4	NV	50	2.08	0.001187	±2.5	PASS
Band4	1513	5	NV	-30	1.79	0.001021	±2.5	PASS
Band4	1513	5	NV	-20	3.31	0.001889	±2.5	PASS
Band4	1513	5	NV	-10	2.92	0.001666	±2.5	PASS
Band4	1513	5	NV	0	2.74	0.001563	±2.5	PASS
Band4	1513	5	NV	10	2.75	0.001569	±2.5	PASS
Band4	1513	5	NV	20	2.14	0.001221	±2.5	PASS
Band4	1513	5	NV	30	2.40	0.001369	±2.5	PASS
Band4	1513	5	NV	40	1.81	0.001033	±2.5	PASS
Band4	1513	5	NV	50	2.30	0.001312	±2.5	PASS

----- THE END -----