


Annex F. Photographs

F.1 Test Sample




Sample Front – S02



Sample Back – S02



Screen – S02




Keyboard – S02



Laptop Mode – S02








F.2 Test positions

Top Edge	Back Face
	
Right Edge	Left Edge
	
Laptop	Laptop – Side View
	


F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location			Main WLAN
Item	Antenna function	Distance (mm)	
A	WWan-main to edge	3.63	
B	WWan-main to right edge	9.75	
C	WWan-main to edge	195.765	
D	WWan-combo to edge	3.63	
E	WWan-combo to left edge	9.75	
F	WWan-combo to table	195.765	
G	WWan-main to WWan-combo	83.2	
H	Wlan-aux to right edge	293.3	
I	Wlan-aux to up edge	119.3	
J	Wlan-aux to bottom edge	55.6	
K	Wlan-aux to left edge	3.6	
L	Wlan-aux to D cover edge	3.43	
Below table for tablet mode			
M	Wlan-aux to C cover edge	2.4	
N	Wlan-main to C cover edge	16.092	
Aux WLAN			Aux WLAN
			
Tablet Mode			
			

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch – 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.