Wireless Barcode Scanner Quick Start Guide



System Settings




Restore Wireless Defaults



Version

Data Format



GB2312




Unicode(UTF-8)

Note: This product supports wireless 2.4G receiver and wired USB interface to directly output GB2312 or Unicode encoding

Data Transfer Mode



Synchronous Mode*



Storage Mode

Data Control



Upload All Data



Total Data Uploaded



Clear All Data

Wireless 2.4G Pairing

Wireless 2.45 mode supports Windows, Mac O5, Linux, Unix, Android and other systems.

Step 1: Scan the "Wireless 2.4G Mode" setting code;

After the setting is completed, the receiver that has been paired last time will be prioritized by default.



Wireless 2.4G Mode

Step 2: Scan the 'One-click Pairing' setting

The blue light of the bar code flashes quickly and enters the 2.4G pairing state.



One-click Pairing

Step 3: Plug the receiver into the host (within 1 minute), hear a "Di", and the blue LED2 stays on. The connection is paired successfully.











International Cayboard



- Neverment a approxima

Warranty Card Sher Horse laborate laurem Arithmi-Tradius Name mac165 Probat Serie Number Costate Sea. Profilery Description



This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.