



Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant1	60.3	2.2	2.63
NVNT	BLE 1M	2440	Ant1	58.7	2.3	2.70
NVNT	BLE 1M	2480	Ant1	60.3	2.2	2.63






Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	-7.45	30	Pass
NVNT	BLE 1M	2440	Ant1	-2.38	30	Pass
NVNT	BLE 1M	2480	Ant1	-2.81	30	Pass






-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.505	0.5	Pass
NVNT	BLE 1M	2440	Ant1	0.503	0.5	Pass
NVNT	BLE 1M	2480	Ant1	0.511	0.5	Pass






Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 1M	2402	Ant1	0.912
NVNT	BLE 1M	2440	Ant1	0.908
NVNT	BLE 1M	2480	Ant1	0.917






Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	-19.82	8	Pass
NVNT	BLE 1M	2440	Ant1	-14.69	8	Pass
NVNT	BLE 1M	2480	Ant1	-15.23	8	Pass





Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-44.27	-20	Pass
NVNT	BLE 1M	2480	Ant1	-47.4	-20	Pass






Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-29.45	-20	Pass
NVNT	BLE 1M	2440	Ant1	-31.64	-20	Pass
NVNT	BLE 1M	2480	Ant1	-30.56	-20	Pass




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Emission



Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Ref



Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Emission



-----End-----