CONSTRUCTION PHOTOS OF EUT



Model : BTY-LRV5000
Rechargeable Lithium Ion Battery
Rating:3.6V ⎓ 2330 mAh 8.388Wh
Internal battery code: 28.24024.001
LRV5-100 1ICP7/38/64
Cautions and warnings
• Do not expose to high temperature (140°F / 60°C)
• Do not disassemble
• Do not allow metal objects to contact or short circuit the battery terminals
• Do not incinerate or expose to fire
• To dispose of properly
• Recycling number 1-800-822-8837
MH30128
Date Code: DC19041501537 8205
PPWNC
Cell Manufactured origin China
Pack Manufactured in Taiwan
Assembly by Joules Miles Co., Ltd
- +



Model : BTY-LRV5000
Rechargeable Lithium Ion Battery
Rating:3.6V 2330 mAh 8.388Wh
Internal battery code: 28.24024.001
LRV5-100 1ICP7/38/64
Cautions and warnings
• Do not expose to high temperature (140°F / 60°C)
• Do not disassemble
• Do not allow metal objects to contact or short circuit the battery terminals
• Do not incinerate or expose to fire
• To dispose of properly
• Recycling number 1-800-822-8837
MH30128
Date Code: DC190415015378Z05
PPWNC
Cell Manufactured origin China
Pack Manufactured in Taiwan
Assembly by Joules Miles Co., Ltd








77619-51
5392762.1P
1907 WX
77733-2
82676.1
1913 WX


SK1101G
182512
1845KLE
ZY8990 CHINA
TC58BYGOS3H
BAI0


GCT
GDM7243Q
SKI101G
182512


Si32185
A-FM
A015CA
1840


PC100
PY2
PC106
PC99
PC103
PC101
CGR25
ublox
M8030-KT
B3000A
05243987
1845A3
PC85
PL2
A909L
PC94PC95
PY1
PR94
PC27
PR6
PR7
PC28PC20
PC104
PC105
PR8
SW2


BQ25606
TI 798
A77D
2R2
SW2


LTE_RX3
PES5
PC117
PC118
PC116
LTE_RX
PJ3
PJ6
PC112
PC110
PC111
U1
PC69
PC70
PC71
PES1
48.LVT11.SGC
2019.05.08
N2
PC37
PC34
PC36
PC35
PC32
PC33


N1
PES4
LTE_RX2
PC113
PC114
PC115
R12
C6
PJ9
C5
C3
C4
C9
R14
R5
R13
R10
C8
R8
R11
R222
Q212
Q100
C212
L121
PSL1
PSC19
PSC20
PSR22
PSC21
PSR21
PSC23
PSR23
PSR27
PSR26
PSR25
U21






LTE_TRX
TP_VSTB_1V8
TP_VDI
TP_SLICBAT
TP_CB2






48.LVT11.SGC
2019.05.08
LTE_RX