

### Rédaction du document

| Fonction                      | Date       | Nom                   | Visa |
|-------------------------------|------------|-----------------------|------|
| Hardware Development Engineer | 22/07/2019 | Sébastien VAN WALBEEK | SVW  |
|                               |            |                       |      |
|                               |            |                       |      |

### Révision du document

| Numéro de révision | Date       | Modifications effectuées |
|--------------------|------------|--------------------------|
| V1.0               | 22/07/2019 | Initial version          |
| V1.1               | 05/09/2019 | Add SST-120 and SST-A180 |
|                    |            |                          |
|                    |            |                          |

### Validation du document

| Fonction | Date | Nom | Visa |
|----------|------|-----|------|
|          |      |     |      |
|          |      |     |      |

### Diffusion du document

|       |
|-------|
| Nom : |
|       |

### Commentaires

|  |
|--|
|  |
|--|

## SOMMAIRE

|      |                                             |   |
|------|---------------------------------------------|---|
| 1.   | Object .....                                | 2 |
| 2.   | SST-A identification label definition ..... | 2 |
| 2.1. | Label specifications .....                  | 2 |
| 2.2. | Serigraphy specifications .....             | 2 |
| 3.   | SST-A identification label location .....   | 6 |

## 1. Object

The purpose of this document is to describe the content and format of the Smart Storage Agitator SST-A product identification label that will be marketed in Europe, United States of America and Canada.

## 2. SST-A identification label definition


### 2.1. Label specifications

Heavy-duty Metal AVERY L6012-20 Label:


|                    |                                                         |
|--------------------|---------------------------------------------------------|
| Dimensions         | 96mm x 50,8mm                                           |
| Material           | Polyester                                               |
| Color              | metal                                                   |
| Adhesive type      | Permanent Adhesive                                      |
| Resistance         | Unalterable and tear-resistant material                 |
| Use                | from -20°C to + 80°C, UV, dirt, oil, moisture resistant |
| Standard           | UL969                                                   |
| Mark of conformity | UL Recognized                                           |

## 2.2. Serigraphy specifications

### European Labels:




## Overview of SST-A60 Label




Overview of SST-A240 Label

### USA Labels:



Overview of SST-A60 Label with MASCOT power supply



Overview of SST-A60, SST-A120, SST-A180 and SST-A240 labels with GLOBTEK power supply

The SST-A kit reference are:

- PRD\_7150300A for the model 5 drawers.
- PRD\_7150500A for the model 10 drawers.
- PRD\_7150600A for the model 15 drawers.
- PRD\_7150400A for the model 20 drawers.

Serial number: XXyywwnnnnnn

Supplier index: 2 letters: XX (index assigned to each supplier and provided by BIOLOG\_ID: BI for Biolog-ID, EM for EMKA Electronique).

Year: 2 characters: 00 to 99: 16 for 2016

Week: 2 characters: 01 to 53

Number: 6 characters: 000001 à 999999

SST-A kit reference:

| Trade name                 | SST-A60                                                                            | SST-A120                            | SST-A180                            | SST-A240                                                                             |
|----------------------------|------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------|
| Product Reference          | PRD_7150300A                                                                       | PRD_7150500A                        | PRD_7150600A                        | PRD_7150400A                                                                         |
| Associated HELMER Agitator | Helmer PF96                                                                        | Helmer PC2200                       | Helmer PC3200                       | Helmer PC4200                                                                        |
| Storage capacity           | 60 bags<br>(5 drawers of 12 bags)                                                  | 120 bags<br>(10 drawers of 12 bags) | 180 bags<br>(15 drawers of 12 bags) | 240 bags<br>(20 drawers of 12 bags)                                                  |
| Number of drawers          | 5                                                                                  | 10                                  | 15                                  | 20                                                                                   |
| Number of satellites       | 4                                                                                  | 8                                   | 12                                  | 16                                                                                   |
| Number of RFID modules     | 1                                                                                  | 2                                   | 3                                   | 4                                                                                    |
| Number of calculator       | 1                                                                                  | 1                                   | 1                                   | 1                                                                                    |
| Dimensions                 | 793 x 383 x 276 mm                                                                 | 793 x 383 x 610 mm                  | 793 x 383 x 915 mm                  | 793 x 383 x 1220 mm                                                                  |
| Weight                     | 25 Kg                                                                              | 50 Kg                               | 75 Kg                               | 100 Kg                                                                               |
| Label<br>European versions |  |                                     |                                     |  |

### 3. SST-A identification label location

The identification label is place on the calculator box.

