Appendix B: Photographs of EUT

Product: Mobile phone
Model: SSB554R
Internal Photos










+VIBR-
VCTP SJA EMT RST
SCL
GND
Q9_MB_V2.3 20180811
1909 X RMR
21C62301A 80208
TX
+MIC-
-SPK+


GPS
BH11
E213371
14.5
DM
DP
GND
MEDIATEK
ARM
MT6580A
1820-WMAZATH
BET04025
ATG33874
Kingston
VBAT
NTC
GND


09 V2.3 ANT BOARD
ANT
+MIC-
30 20 10 mm 0 10 20


30 20 10 mm 0 10 20

SOHO STYLE
SMART PHONES
Voltage: 3.7V
Capacity: 2000mAh 7.4Wh
Charging Voltage: 4.2V
MAZE
SPEED
Voltage: 3.7V
Capacity: 2100mAh 7.77Wh
Charging Voltage: 4.2V
Standard: GB/T 18287-2000

Caution
• Use the authorized charger only.
• Do not expose to high temperature (140°F/60°C).
• Do not disassemble.
• Do not allow metal objects to contact or short circuit the battery terminals.
• Do not incinerate or expose to fire.
WARNING
MAY EXPLODE IF
DISPOSED OF IN FIRE
Made in China
Caution
• Use the authorized charger only.
• Do not expose to high temperature (140°F/60°C).
• Do not disassemble.
• Do not allow metal objects to contact or short circuit the battery terminals.
• Do not incinerate or expose to fire.
WARNING
MAY EXPLODE IF
DISPOSED OF IN FIRE
Made in China