

RF Test Report

Applicant : Superior Communications DBA PureGear

Product Type : PURECAM

Trade Name : PureGear

Model Number : 07614PG

Test Specification : FCC 47 CFR PART 24E
FCC 47 CFR PART 27
ANSI/TIA-603-D 2010

Receive Date : Oct. 23, 2017

Test Period : Nov. 01, 2017 ~ Mar. 13, 2018

Issue Date : Mar. 14, 2018

Issue by

A Test Lab Techno Corp.
No. 140-1, Changan Street, Bade District,
Taoyuan City 33465, Taiwan (R.O.C)
Tel : +886-3-2710188 / Fax : +886-3-2710190



Taiwan Accreditation Foundation accreditation number: 1330

Test Firm MRA designation number: TW0010

Note: This report shall not be reproduced except in full, without the written approval of A Test Lab Techno Corp. This document may be altered or revised by A Test Lab Techno Corp. personnel only, and shall be noted in the revision section of the document. The client should not use it to claim product endorsement by TAF, or any government agencies. The test results in the report only apply to the tested sample.



Revision History

Rev.	Issue Date	Revisions	Revised By
00	Feb. 05, 2018	Initial Issue	Nina Lin
01	Mar. 14, 2018	Revised report information	Nina Lin



Verification of Compliance

Issued Date: Mar. 14, 2018

Applicant : Superior Communications DBA PureGear
Product Type : PURECAM
Trade Name : PureGear
Model Number : 07614PG
FCC ID : 2AIIF-07614PG
EUT Rated Voltage : DC 5V
Test Voltage : DC 4.5V / DC 5.0V / DC 5.5V, 120Vac / 60 Hz
Applicable Standard : FCC 47 CFR PART 24E
FCC 47 CFR PART 27
ANSI/TIA-603-D 2010
Test Result : Complied

Performing Lab. : A Test Lab Techno Corp.
No. 140-1, Changan Street, Bade District,
Taoyuan City 33465, Taiwan (R.O.C)
Tel : +886-3-2710188 / Fax : +886-3-2710190
Taiwan Accreditation Foundation accreditation number: 1330
<http://www.atl-lab.com.tw/e-index.htm>



A Test Lab Techno Corp. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by A Test Lab Techno Corp. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Approved By : Fly Lu Reviewed By : Eric Ou Yang
(Manager) (Fly Lu) (Testing Engineer) (Eric Ou Yang)

TABLE OF CONTENTS

1	General Information.....	5
1.1.	EUT Description.....	5
1.2.	Mode of Operation	12
1.3.	EUT Exercise Software.....	17
1.4.	Configuration of Test System Details	17
1.5.	Test Instruments.....	18
1.6.	Test Site Environment.....	19
1.7.	Summary of Test Result.....	20
2	Measurement Procedure.....	21
2.1.	Conducted Output Average Power Test	21
2.2.	Effective Radiated Power / Equivalent Isotropic Radiated Power Test.....	22
2.3.	Frequency Stability Test	25
2.4.	Emission Bandwidth & Occupied Bandwidth Test	26
2.5.	Peak to Average Ratio Test.....	27
2.6.	Band Edge Test.....	28
2.7.	Conducted Spurious Emission Test.....	30
2.8.	Radiated Emission Test.....	32
3	Test Results	34
	Conducted Output Average Power	34
	Effective Radiated Power / Equivalent Isotropic Radiated Power	53
	Radiated Emission.....	57
	Appendix : Frequency Stability/ Emission Bandwidth & Occupied Bandwidth/ Peak to Average Ratio/ Band Edge/ Conducted Spurious Emission.....	129



1 General Information

1.1. EUT Description

Applicant	Superior Communications DBA PureGear 5082 4th Street Irwindale California USA, Irwindale, California, 91706, United States		
Manufacturer	Shenzhen Auto Range Tech Co., Limited 5/F, Bldg. A1, Atomic Power Industrial Park, Fuming, Guanlan, Shenzhen, Guangdong, P. R. China.		
Product Type	PURECAM		
Trade Name	PureGear		
Model Number	07614PG		
FCC ID	2AIF-07614PG		
IMEI No.	35316305670667		
Operate Band	Frequency Range (MHz)	Modulation	Channel Bandwidth
LTE Band 2	UL: 1850.7 ~ 1909.3	QPSK, 16QAM	1.4M, 3M, 5MHz, 10MHz, 15MHz, 20MHz
	DL: 1930.7 ~ 1989.3	QPSK, 16QAM	
LTE Band 4	UL: 1710.7 ~ 1754.3	QPSK, 16QAM	1.4M, 3M, 5MHz, 10MHz, 15MHz, 20MHz
	DL: 2110.7 ~ 2154.3	QPSK, 16QAM	
LTE Band 12	UL: 699 ~ 716	QPSK, 16QAM	1.4M, 3M, 5MHz, 10MHz
	DL: 729 ~ 746	QPSK, 16QAM	
LTE Band 17	UL: 704.0 ~ 715.9	QPSK, 16QAM	5MHz, 10MHz
	DL: 734.0 ~ 745.9	QPSK, 16QAM	
Type of Antenna	Internal Antenna		
Antenna Gain	LTE Band 2	2.8 dBi	
	LTE Band 4	0.2 dBi	
	LTE Band 12	2.0 dBi	
	LTE Band 17	2.0 dBi	
Operate Temp. Range	-10 ~ 70 ℃		



Band	Channel Bandwidth	Modulation	Max. RF Output Power
			(W)
LTE Band2	1.4MHz	QPSK	0.192
LTE Band2	1.4MHz	16QAM	0.161
LTE Band2	3MHz	QPSK	0.189
LTE Band2	3MHz	16QAM	0.156
LTE Band2	5MHz	QPSK	0.194
LTE Band2	5MHz	16QAM	0.162
LTE Band2	10MHz	QPSK	0.193
LTE Band2	10MHz	16QAM	0.163
LTE Band2	15MHz	QPSK	0.192
LTE Band2	15MHz	16QAM	0.169
LTE Band2	20MHz	QPSK	0.193
LTE Band2	20MHz	16QAM	0.168
LTE Band4	1.4MHz	QPSK	0.196
LTE Band4	1.4MHz	16QAM	0.165
LTE Band4	3MHz	QPSK	0.195
LTE Band4	3MHz	16QAM	0.163
LTE Band4	5MHz	QPSK	0.195
LTE Band4	5MHz	16QAM	0.161
LTE Band4	10MHz	QPSK	0.194
LTE Band4	10MHz	16QAM	0.162
LTE Band4	15MHz	QPSK	0.191
LTE Band4	15MHz	16QAM	0.157
LTE Band4	20MHz	QPSK	0.191
LTE Band4	20MHz	16QAM	0.159



Band	Channel Bandwidth	Modulation	Max. RF Output Power
			(W)
LTE Band12	1.4MHz	QPSK	0.188
LTE Band12	1.4MHz	16QAM	0.165
LTE Band12	3MHz	QPSK	0.187
LTE Band12	3MHz	16QAM	0.164
LTE Band12	5MHz	QPSK	0.190
LTE Band12	5MHz	16QAM	0.164
LTE Band12	10MHz	QPSK	0.193
LTE Band12	10MHz	16QAM	0.164
LTE Band17	5MHz	QPSK	0.193
LTE Band17	5MHz	16QAM	0.173
LTE Band17	10MHz	QPSK	0.186
LTE Band17	10MHz	16QAM	0.167



Band	Channel Bandwidth	Modulation	E.R.P. /E.I.R.P.
			(W)
LTE Band2	1.4MHz	QPSK	0.161
LTE Band2	1.4MHz	16QAM	0.132
LTE Band2	3MHz	QPSK	0.150
LTE Band2	3MHz	16QAM	0.123
LTE Band2	5MHz	QPSK	0.152
LTE Band2	5MHz	16QAM	0.124
LTE Band2	10MHz	QPSK	0.161
LTE Band2	10MHz	16QAM	0.126
LTE Band2	15MHz	QPSK	0.158
LTE Band2	15MHz	16QAM	0.122
LTE Band2	20MHz	QPSK	0.165
LTE Band2	20MHz	16QAM	0.111
LTE Band4	1.4MHz	QPSK	0.196
LTE Band4	1.4MHz	16QAM	0.130
LTE Band4	3MHz	QPSK	0.187
LTE Band4	3MHz	16QAM	0.131
LTE Band4	5MHz	QPSK	0.190
LTE Band4	5MHz	16QAM	0.129
LTE Band4	10MHz	QPSK	0.177
LTE Band4	10MHz	16QAM	0.128
LTE Band4	15MHz	QPSK	0.187
LTE Band4	15MHz	16QAM	0.134
LTE Band4	20MHz	QPSK	0.191
LTE Band4	20MHz	16QAM	0.138



Band	Channel Bandwidth	Modulation	E.R.P. /E.I.R.P.
			(W)
LTE Band12	1.4MHz	QPSK	0.191
LTE Band12	1.4MHz	16QAM	0.134
LTE Band12	3MHz	QPSK	0.182
LTE Band12	3MHz	16QAM	0.124
LTE Band12	5MHz	QPSK	0.190
LTE Band12	5MHz	16QAM	0.125
LTE Band12	10MHz	QPSK	0.196
LTE Band12	10MHz	16QAM	0.130
LTE Band17	5MHz	QPSK	0.194
LTE Band17	5MHz	16QAM	0.131
LTE Band17	10MHz	QPSK	0.195
LTE Band17	10MHz	16QAM	0.125



Band	Channel Bandwidth	Modulation	Emission Designator Occupied Bandwidth (MHz)	
LTE Band2	1.4MHz	QPSK	1.0773	1M08G7D
LTE Band2	1.4MHz	16QAM	1.0771	1M08W7D
LTE Band2	3MHz	QPSK	2.6894	2M69G7D
LTE Band2	3MHz	16QAM	2.6818	2M68W7D
LTE Band2	5MHz	QPSK	4.4740	4M47G7D
LTE Band2	5MHz	16QAM	4.4856	4M49W7D
LTE Band2	10MHz	QPSK	8.9323	8M93G7D
LTE Band2	10MHz	16QAM	8.9440	8M94W7D
LTE Band2	15MHz	QPSK	13.421	13M42G7D
LTE Band2	15MHz	16QAM	13.407	13M41W7D
LTE Band2	20MHz	QPSK	17.851	17M85G7D
LTE Band2	20MHz	16QAM	17.858	17M86W7D
LTE Band4	1.4MHz	QPSK	1.0768	1M08G7D
LTE Band4	1.4MHz	16QAM	1.0771	1M08W7D
LTE Band4	3MHz	QPSK	2.6866	2M69G7D
LTE Band4	3MHz	16QAM	2.6839	2M68W7D
LTE Band4	5MHz	QPSK	4.4743	4M47G7D
LTE Band4	5MHz	16QAM	4.4894	4M49W7D
LTE Band4	10MHz	QPSK	8.9395	8M94G7D
LTE Band4	10MHz	16QAM	8.9459	8M95W7D
LTE Band4	15MHz	QPSK	13.436	13M44G7D
LTE Band4	15MHz	16QAM	13.418	13M42W7D
LTE Band4	20MHz	QPSK	17.861	17M86G7D
LTE Band4	20MHz	16QAM	17.872	17M87W7D



Band	Channel Bandwidth	Modulation	Emission Designator Occupied Bandwidth (MHz)	
LTE Band12	1.4MHz	QPSK	1.0787	1M08G7D
LTE Band12	1.4MHz	16QAM	1.0776	1M08W7D
LTE Band12	3MHz	QPSK	2.6914	2M69G7D
LTE Band12	3MHz	16QAM	2.6877	2M69W7D
LTE Band12	5MHz	QPSK	4.4772	4M48G7D
LTE Band12	5MHz	16QAM	4.4918	4M49W7D
LTE Band12	10MHz	QPSK	8.9528	8M95G7D
LTE Band12	10MHz	16QAM	8.9680	8M97W7D
LTE Band17	5MHz	QPSK	4.4844	4M48G7D
LTE Band17	5MHz	16QAM	4.4935	4M49W7D
LTE Band17	10MHz	QPSK	8.8919	8M89G7D
LTE Band17	10MHz	16QAM	8.9019	8M90W7D

1.2. Mode of Operation

Three channels had been tested for each channel bandwidth.

LTE Band 2						
Channel Bandwidth	1.4MHz		3MHz		5MHz	
	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
Low CH	18607	1850.7	18615	1851.5	18625	1852.5
Middle CH	18900	1880.0	18900	1880.0	18900	1880.0
High CH	19193	1909.3	19185	1908.5	19175	1907.5
Channel Bandwidth	10MHz		15MHz		20MHz	
	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
Low CH	18650	1855.0	18675	1857.5	18700	1860.0
Middle CH	18900	1880.0	18900	1880.0	18900	1880.0
High CH	19150	1905.0	19125	1902.5	19100	1900.0

LTE Band 4						
Channel Bandwidth	1.4MHz		3MHz		5MHz	
	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
Low CH	19957	1710.7	19965	1711.5	19975	1712.5
Middle CH	20175	1732.5	20175	1732.5	20175	1732.5
High CH	20393	1754.3	20385	1753.5	20375	1752.5
Channel Bandwidth	10MHz		15MHz		20MHz	
	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
Low CH	20000	1715.0	20025	1717.5	20050	1720.0
Middle CH	20175	1732.5	20175	1732.5	20175	1732.5
High CH	20350	1750.0	20325	1747.5	20300	1745.0

Note: Regards to the frequency band operation: the lowest, middle and highest frequency of channel were selected to perform the test, then shown on this report.

LTE Band 12				
Channel Bandwidth	1.4MHz		3MHz	
	Channel	Frequency (MHz)	Channel	Frequency (MHz)
Low CH	23017	699.7	23025	700.5
Middle CH	23095	707.5	23095	707.5
High CH	23173	715.3	23165	714.5
Channel Bandwidth	5MHz		10MHz	
	Channel	Frequency (MHz)	Channel	Frequency (MHz)
Low CH	23035	701.5	23060	704.0
Middle CH	23095	707.5	23095	707.5
High CH	23155	713.5	23130	711.0

LTE Band 17				
Channel Bandwidth	5MHz		10MHz	
	Channel	Frequency (MHz)	Channel	Frequency (MHz)
Low CH	23755	706.5	23780	709.0
Middle CH	23790	710.0	23790	710.0
High CH	23825	713.5	23800	711.0

Note: Regards to the frequency band operation: the lowest, middle and highest frequency of channel were selected to perform the test, then shown on this report.

During all testing, EUT is in link mode with base station emulator at maximum power level. The spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range, and EUT is rotated on three test planes to find out the worst emission.

Frequency range investigated for radiated emission: 30MHz to 26.5 GHz.

Band	Channel Bandwidth	Test Modes	
LTE Band 2	1.4 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☒ LTE(RB Size 1, RB Offset 2) Link ☐ LTE(RB Size 1, RB Offset 5) Link ☐ LTE(RB Size 3, RB Offset 0) Link ☐ LTE(RB Size 3, RB Offset 1) Link ☐ LTE(RB Size 3, RB Offset 3) Link ☐ LTE(RB Size 6, RB Offset 0) Link	QPSK
	3 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☒ LTE(RB Size 1, RB Offset 7) Link ☐ LTE(RB Size 1, RB Offset 14) Link ☐ LTE(RB Size 8, RB Offset 0) Link ☐ LTE(RB Size 8, RB Offset 3) Link ☐ LTE(RB Size 8, RB Offset 7) Link ☐ LTE(RB Size 15, RB Offset 0) Link	QPSK
	5 MHz	☒ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 12) Link ☐ LTE(RB Size 1, RB Offset 24) Link ☐ LTE(RB Size 12, RB Offset 0) Link ☐ LTE(RB Size 12, RB Offset 6) Link ☐ LTE(RB Size 12, RB Offset 13) Link ☐ LTE(RB Size 25, RB Offset 0) Link	QPSK
	10 MHz	☒ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 24) Link ☐ LTE(RB Size 1, RB Offset 49) Link ☐ LTE(RB Size 25, RB Offset 0) Link ☐ LTE(RB Size 25, RB Offset 12) Link ☐ LTE(RB Size 25, RB Offset 25) Link ☐ LTE(RB Size 50, RB Offset 0) Link	QPSK
	15 MHz	☒ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 37) Link ☐ LTE(RB Size 1, RB Offset 74) Link ☐ LTE(RB Size 36, RB Offset 0) Link ☐ LTE(RB Size 36, RB Offset 19) Link ☐ LTE(RB Size 36, RB Offset 39) Link ☐ LTE(RB Size 75, RB Offset 0) Link	QPSK
	20 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 49) Link ☒ LTE(RB Size 1, RB Offset 99) Link ☐ LTE(RB Size 50, RB Offset 0) Link ☐ LTE(RB Size 50, RB Offset 25) Link ☐ LTE(RB Size 50, RB Offset 50) Link ☐ LTE(RB Size 100, RB Offset 0) Link	QPSK




Band	Channel Bandwidth	Test Modes	
LTE Band 4	1.4 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☒ LTE(RB Size 1, RB Offset 2) Link ☐ LTE(RB Size 1, RB Offset 5) Link ☐ LTE(RB Size 3, RB Offset 0) Link ☐ LTE(RB Size 3, RB Offset 1) Link ☐ LTE(RB Size 3, RB Offset 3) Link ☐ LTE(RB Size 6, RB Offset 0) Link	QPSK
	3 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☒ LTE(RB Size 1, RB Offset 7) Link ☐ LTE(RB Size 1, RB Offset 14) Link ☐ LTE(RB Size 8, RB Offset 0) Link ☐ LTE(RB Size 8, RB Offset 3) Link ☐ LTE(RB Size 8, RB Offset 7) Link ☐ LTE(RB Size 15, RB Offset 0) Link	QPSK
	5 MHz	☒ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 12) Link ☐ LTE(RB Size 1, RB Offset 24) Link ☐ LTE(RB Size 12, RB Offset 0) Link ☐ LTE(RB Size 12, RB Offset 6) Link ☐ LTE(RB Size 12, RB Offset 13) Link ☐ LTE(RB Size 25, RB Offset 0) Link	QPSK
	10 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 24) Link ☒ LTE(RB Size 1, RB Offset 49) Link ☐ LTE(RB Size 25, RB Offset 0) Link ☐ LTE(RB Size 25, RB Offset 12) Link ☐ LTE(RB Size 25, RB Offset 25) Link ☐ LTE(RB Size 50, RB Offset 0) Link	QPSK
	15 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☒ LTE(RB Size 1, RB Offset 37) Link ☐ LTE(RB Size 1, RB Offset 74) Link ☐ LTE(RB Size 36, RB Offset 0) Link ☐ LTE(RB Size 36, RB Offset 19) Link ☐ LTE(RB Size 36, RB Offset 39) Link ☐ LTE(RB Size 75, RB Offset 0) Link	QPSK
	20 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☒ LTE(RB Size 1, RB Offset 49) Link ☐ LTE(RB Size 1, RB Offset 99) Link ☐ LTE(RB Size 50, RB Offset 0) Link ☐ LTE(RB Size 50, RB Offset 25) Link ☐ LTE(RB Size 50, RB Offset 50) Link ☐ LTE(RB Size 100, RB Offset 0) Link	QPSK

Band	Channel Bandwidth	Test Modes	
LTE Band 12	1.4 MHz	☒ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 2) Link ☐ LTE(RB Size 1, RB Offset 5) Link ☐ LTE(RB Size 3, RB Offset 0) Link ☐ LTE(RB Size 3, RB Offset 1) Link ☐ LTE(RB Size 3, RB Offset 3) Link ☐ LTE(RB Size 6, RB Offset 0) Link	QPSK
	3 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 7) Link ☒ LTE(RB Size 1, RB Offset 14) Link ☐ LTE(RB Size 8, RB Offset 0) Link ☐ LTE(RB Size 8, RB Offset 3) Link ☐ LTE(RB Size 8, RB Offset 7) Link ☐ LTE(RB Size 15, RB Offset 0) Link	QPSK
	5 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 12) Link ☒ LTE(RB Size 1, RB Offset 24) Link ☐ LTE(RB Size 12, RB Offset 0) Link ☐ LTE(RB Size 12, RB Offset 6) Link ☐ LTE(RB Size 12, RB Offset 13) Link ☐ LTE(RB Size 25, RB Offset 0) Link	QPSK
	10 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 24) Link ☒ LTE(RB Size 1, RB Offset 49) Link ☐ LTE(RB Size 25, RB Offset 0) Link ☐ LTE(RB Size 25, RB Offset 12) Link ☐ LTE(RB Size 25, RB Offset 25) Link ☐ LTE(RB Size 50, RB Offset 0) Link	QPSK
LTE Band 17	5 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 12) Link ☒ LTE(RB Size 1, RB Offset 24) Link ☐ LTE(RB Size 12, RB Offset 0) Link ☐ LTE(RB Size 12, RB Offset 6) Link ☐ LTE(RB Size 12, RB Offset 13) Link ☐ LTE(RB Size 25, RB Offset 0) Link	QPSK
	10 MHz	☐ LTE(RB Size 1, RB Offset 0) Link ☐ LTE(RB Size 1, RB Offset 24) Link ☒ LTE(RB Size 1, RB Offset 49) Link ☐ LTE(RB Size 25, RB Offset 0) Link ☐ LTE(RB Size 25, RB Offset 13) Link ☐ LTE(RB Size 25, RB Offset 25) Link ☐ LTE(RB Size 50, RB Offset 0) Link	QPSK

1.3. EUT Exercise Software

1	Setup the EUT shown on “Configuration of Test System Details”.
2	Turn on the power of all equipment.
3	EUT run test program test.

1.4. Configuration of Test System Details





1.5. Test Instruments

For Conducted

Equipment	Manufacturer	Model Number	Serial Number	Cal. Date	Cal. Cycle
Wideband Radio Communication Tester	R & S	CMW500	103168	11/05/2017	1 year
Spectrum Analyzer	Agilent	N9030A	MY53120541	12/22/2016	1 year
Temperature & Humidity Chamber	TAICHY	MHU-225LA	980729	04/17/2017	1 year
Test Site	ATL	TE05	TE05	N.C.R.	-----

For Spurious Radiation

Equipment	Manufacturer	Model Number	Serial Number	Cal. Date	Cal. Cycle
RF Pre-selector	Agilent	N9039A	MY46520256	04/24/2017	1 year
EXA Signal Analyzer	Keysight	N9010A	MY52221312	01/06/2017	1 year
Pre Amplifier	Agilent	8449B	3008A02237	10/16/2017	1 year
Pre Amplifier	Agilent	8447D	2944A11119	01/12/2017	1 year
Pre Amplifier (26.5~40GHz)	EMCI	EMC2654045	980028	08/29/2017	1 year
Pre Amplifier (1~26.5GHz)	EMCI	EMC012645SE	980289	01/16/2017	1 year
Broadband Antenna	Schwarzbeck	VULB9168	416	10/26/2017	1 year
Horn Antenna (1~18GHz)	SCHWARZBECK MESS-ELEKTRONIK	BBHA9120D	9120D-550	06/20/2017	1 year
Horn Antenna (18~40GHz)	ETS	3116	00086467	09/11/2017	1 year
Microwave Cable	EMCI	EMC102-KM-KM-14000	151001	02/20/2017	1 year
Microwave Cable	EMCI	EMC-104-SM-SM-14000	140202	02/20/2017	1 year
Microwave Cable	EMCI	EMC104-SM-SM-600	140301	02/20/2017	1 year
Signal Generator	Agilent	E8257D	MY44320425	03/02/2017	1 year
Test Site	ATL	TE01	888001	08/29/2017	1 year

Note: N.C.R. = No Calibration Request.

1.6. Test Site Environment

Items	Required (IEC 68-1)	Actual
Temperature (°C)	15-35	26
Humidity (%RH)	25-75	60
Barometric pressure (mbar)	860-1060	950

Test Setting Condition		
L.V.	Low Voltage	DC 4.5V
N.V.	Normal Voltage	DC 5.0V
H.V.	High Voltage	DC 5.5V
L.T.	Low Temperature	-10 °C
N.T.	Normal Temperature	+25 °C
H.T.	High Temperature	+70 °C

**1.7. Summary of Test Result**

FCC Rule	Description	Result
§2.1046	Conducted Output Average Power	Pass
§24.232 §27.50 §27.50	Equivalent Isotropic Radiated Power / Equivalent Radiated Power	Pass
§2.1055 §24.235 §27.54	Frequency Stability	Pass
§2.1049	Emission Bandwidth & Occupied Bandwidth	Pass
§24.232 §27.50	Peak to average ratio	Pass
§2.1051 §24.238 §27.53	Band Edge	Pass
§2.1051 §24.238 §27.53	Conducted Spurious Emissions	Pass
§2.1053 §24.238 §27.53	Radiated Spurious Emissions	Pass


2 Measurement Procedure

2.1. Conducted Output Average Power Test

■ **Limit**

N/A

■ **Test Setup**



■ **Test Procedure**

- a. The EUT was set up for the maximum power with simulator.
- b. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

■ **Uncertainty**

The measurement uncertainty is defined as for Conducted Power measurement is 1.2 dB.

2.2. Effective Radiated Power / Equivalent Isotropic Radiated Power Test

■ Limit


For FCC Part 27: The EIRP of mobile transmitters and auxiliary test transmitters must not exceed 1 Watts.

For FCC Part 27.50(c)(9): Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.


For FCC Part 24.232(b): The EIRP of mobile transmitters and auxiliary test transmitters must not exceed 2 Watts.

■ Test Setup


Below 1 GHz



Above 1 GHz



For Substituted Method Test Set-UP



■ Test Procedure

- a. The EUT was set up for the maximum power with wwan link data modulation. The power was measured with Spectrum Analyzer. All measurements were done at 3 channels (low, middle and high operational frequency range).
- b. E.I.R.P power measurement. In the semi-anechoic chamber, EUT placed on the 0.8m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- c. The substitution antenna (Note:1 & 2) is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- d. $E.I.R.P. = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$
- e. $E.R.P. = E.I.R.P. - 2.15 \text{ dB}$

Note: 1. Below 1 GHz Substituted Method Test : Sleeve dipole antenna to Bi-Log Antenna

2. Above 1 GHz Substituted Method Test : Horn antenna to Horn Antenna

■ Uncertainty


The measurement uncertainty is defined as for Field Strength of Spurious Radiation measurement is $\pm 3.072 \text{ dB}$.

2.3. Frequency Stability Test

■ Limit

According to the FCC rule shall be tested the frequency stability. The rule is defined that” The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation. The test extreme voltage is according to the 2.1055(d)(1) Vary primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried battery equipment and the extreme temperature rule is comply with the 2.1055(a)(1) $-30^{\circ}\text{C} \sim 50^{\circ}\text{C}$.

■ Setup



■ Test Procedure

1. The EUT and test equipment were set up as shown on the following section.
2. With all power removed, the temperature was decreased to -30°C and permitted to stabilize for three hours. Power was applied and the maximum change in frequency was note within one minute.
3. With power OFF, the temperature was raised in 10°C steps. The sample was permitted to stabilize at each step for at least one-half hour. Power was applied and the maximum frequency change was noted within one minute.
4. The EUT was placed in a temperature chamber at $25 \pm 5^{\circ}\text{C}$ and connected as the following section.
5. The power supply voltage to the EUT was varied from BEP to 115% of the nominal value measured at the input to the EUT.
6. The temperature tests were performed for the worst case.
7. Test data was recorded.

■ Uncertainty

The measurement uncertainty is defined as for Frequency Stability measurement is $\pm 10\text{Hz}$.


2.4. Emission Bandwidth & Occupied Bandwidth Test

■ Limit

The width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5 % of the total mean power of a given emission.

The emission bandwidth is defined as the width of the signal between two points, located at the 2 sides of the carrier frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

■ Setup



■ Test Procedure

- The EUT makes a phone call to the communication simulator. The power was measured with R&S Spectrum Analyzer. All measurements were done at 3 channels. (low, middle and high operational frequency range.)
- The conducted occupied bandwidth used the power splitter via EUT RF power connector between simulation base station and spectrum analyzer.
- The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. Use OBW measurement function of Spectrum analyzer to measure 99 % occupied bandwidth.

■ Uncertainty


The measurement uncertainty is defined as $\pm 10\text{Hz}$

2.5. Peak to Average Ratio Test

■ Limit

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB.

■ Setup



■ Test Procedure

- Set resolution/measurement bandwidth signal's occupied bandwidth;
- Set the number of counts to a value that stabilizes the measured CCDF curve;
- Record the maximum PAPR level associated with a probability of 0.1%.

■ Uncertainty

The measurement uncertainty is defined as for Conducted Power measurement is 1.2 dB.



2.6. Band Edge Test

■ Limit

The Band Edge Limit:

§24.238(a)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10\log(P)$ dB.


§27.53(g)

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB.

For mobile digital stations, the attenuation factor shall be not less than $43 + 10\log_{10}(P)$ dB at the channel edge and $55 + 10\log_{10}(P)$ dB

at 5.5 megahertz from the channel edges.

■ Setup



■ Test Procedure

- The EUT was set up for the maximum peak power with WWAN link data modulation. The power was measured with Spectrum Analyzer. All measurements were done at 2 channels (low and high operational frequency range.)
- The band edge measurement used the power splitter via EUT RF power connector between simulation base station and spectrum analyzer. This splitter loss and cable loss are the worst loss in the transmitted path track.
- The center frequency of spectrum is the band edge frequency and span is 10 MHz. RB of the resolution bandwidth of at least one percent of the emission bandwidth.
- Record the max trace plot into the test report.

■ Uncertainty

The measurement uncertainty is defined as for Conducted Power measurement is 1.2 dB.


2.7. Conducted Spurious Emission Test

■ Limit


The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission equal to -13dBm

■ Setup

Below 2.8GHz



Above 2.8GHz



■ Test Procedure

- The EUT was set up for the maximum peak power with WWAN link data modulation. The power was measured with Spectrum Analyzer. All measurements were done at 3 channels (low, middle and high operational frequency range.).
- The conducted spurious emission used the power splitter via EUT RF power connector between simulation base station and spectrum analyzer.
- When the spectrum scanned from 10MHz to 2.5GHz (Band 7 and Band 41: scanned from 10MHz to 4GHz), it shall be connected to the band reject filter attenuated the carried frequency. The spectrum set RB=1MHz, VB=1MHz.
- When the spectrum scanned from 2.5GHz to 10th harmonic (Band 7 and Band 41: scanned from 4GHz to 10th harmonic), it shall be connected to the high pass filter attenuated the carried frequency. The spectrum set RB=1MHz, VB=1MHz.

■ Uncertainty

The measurement uncertainty is evaluated as ± 2.24 dB.


2.8. Radiated Emission Test

■ Limit


The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission equal to -13dBm

■ Setup


Below 1GHz



Above 1GHz



For Substituted Method Test Set-UP



■ Test Procedure

- The EUT was set up for the maximum power with wwan link data modulation. The power was measured with Spectrum Analyzer. All measurements were done at 3 channels (low, middle and high operational frequency range).
- Radiation Emission measurement. In the semi-anechoic chamber, EUT placed on the 0.8m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- The substitution antenna (Note:1 & 2) is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G.
- $E.I.R.P. = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$
- $E.R.P. = E.I.R.P. - 2.15 \text{ dB}$

Note: 1. Below 1 GHz Substituted Method Test : Sleeve dipole antenna to Bi-Log Antenna

2. Above 1 GHz Substituted Method Test : Horn antenna to Horn Antenn

■ Uncertainty

The measurement uncertainty is defined as for Field Strength of Spurious Radiation measurement is $\pm 3.072 \text{ dB}$.



3 Test Results

Conducted Output Average Power

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band2	1.4MHz	QPSK	18607	1850.7	1	0	22.68	0.185
					1	2	22.75	0.188
					1	5	22.68	0.185
					3	0	22.54	0.179
					3	1	22.59	0.182
					3	3	22.61	0.182
					6	0	21.59	0.144
			18900	1880.0	1	0	22.70	0.186
					1	2	22.83	0.192
					1	5	22.72	0.187
					3	0	22.78	0.190
					3	1	22.79	0.190
					3	3	22.80	0.191
					6	0	21.62	0.145
			19193	1909.3	1	0	22.61	0.182
					1	2	22.74	0.188
					1	5	22.58	0.181
					3	0	22.51	0.178
					3	1	22.45	0.176
					3	3	22.22	0.167
					6	0	21.64	0.146



Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band2	1.4MHz	16QAM	18607	1850.7	1	0	22.02	0.159
					1	2	22.08	0.161
					1	5	22.00	0.158
					3	0	21.58	0.144
					3	1	21.66	0.147
					3	3	21.64	0.146
					6	0	20.54	0.113
			18900	1880.0	1	0	21.93	0.156
					1	2	22.07	0.161
					1	5	22.06	0.161
					3	0	21.66	0.147
					3	1	21.68	0.147
					3	3	21.70	0.148
					6	0	20.54	0.113
			19193	1909.3	1	0	21.92	0.156
					1	2	21.95	0.157
					1	5	21.98	0.158
					3	0	21.56	0.143
					3	1	21.53	0.142
					3	3	21.31	0.135
					6	0	20.56	0.114

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band2	3MHz	QPSK	18615	1851.5	1	0	22.62	0.183
					1	7	22.73	0.187
					1	14	22.53	0.179
					8	0	21.66	0.147
					8	3	21.73	0.149
					8	7	21.68	0.147
					15	0	21.71	0.148
			18900	1880.0	1	0	22.67	0.185
					1	7	22.76	0.189
					1	14	22.66	0.185
					8	0	21.71	0.148
					8	3	21.75	0.150
					8	7	21.64	0.146
					15	0	21.80	0.151
			19185	1908.5	1	0	22.50	0.178
					1	7	22.60	0.182
					1	14	22.58	0.181
					8	0	21.72	0.149
					8	3	21.75	0.150
					8	7	21.72	0.149
					15	0	21.69	0.148
		16QAM	18615	1851.5	1	0	21.87	0.154
					1	7	21.89	0.155
					1	14	21.79	0.151
					8	0	20.62	0.115
					8	3	20.63	0.116
					8	7	20.61	0.115
					15	0	20.55	0.114
			18900	1880.0	1	0	21.84	0.153
					1	7	21.92	0.156
					1	14	21.84	0.153
					8	0	20.58	0.114
					8	3	20.60	0.115
					8	7	20.53	0.113
					15	0	20.50	0.112
			19185	1908.5	1	0	21.79	0.151
					1	7	21.91	0.155
					1	14	21.88	0.154
					8	0	20.61	0.115
					8	3	20.63	0.116
					8	7	20.65	0.116
					15	0	20.56	0.114

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band2	5MHz	QPSK	18625	1852.5	1	0	22.77	0.189
					1	12	22.65	0.184
					1	24	22.72	0.187
					12	0	21.73	0.149
					12	6	21.75	0.150
					12	13	21.74	0.149
			18900	1880.0	25	0	21.76	0.150
					1	0	22.88	0.194
					1	12	22.72	0.187
					1	24	22.76	0.189
					12	0	21.90	0.155
					12	6	21.84	0.153
					12	13	21.75	0.150
					25	0	21.84	0.153
			19175	1907.5	1	0	22.86	0.193
					1	12	22.62	0.183
					1	24	22.68	0.185
					12	0	21.78	0.151
					12	6	21.73	0.149
					12	13	21.70	0.148
		16QAM	18625	1852.5	25	0	21.66	0.147
					1	0	22.05	0.160
					1	12	21.80	0.151
					1	24	21.93	0.156
					12	0	20.64	0.116
					12	6	20.69	0.117
			18900	1880.0	12	13	20.66	0.116
					25	0	20.65	0.116
					1	0	22.07	0.161
					1	12	21.87	0.154
					1	24	21.89	0.155
					12	0	20.78	0.120
					12	6	20.71	0.118
					12	13	20.61	0.115
			19175	1907.5	25	0	20.66	0.116
					1	0	22.10	0.162
					1	12	21.77	0.150
					1	24	21.95	0.157
					12	0	20.72	0.118
					12	6	20.63	0.116
					12	11	20.62	0.115
					25	0	20.56	0.114

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band2	10MHz	QPSK	18650	1855.0	1	0	22.85	0.193
					1	24	22.80	0.191
					1	49	22.83	0.192
					25	0	22.05	0.160
					25	12	21.97	0.157
					25	25	21.92	0.156
			18900	1880.0	50	0	21.96	0.157
					1	0	22.86	0.193
					1	24	22.78	0.190
					1	49	22.85	0.193
					25	0	22.03	0.160
					25	12	21.82	0.152
					25	25	21.82	0.152
					50	0	21.97	0.157
			19150	1905.0	1	0	22.85	0.193
					1	24	22.50	0.178
					1	49	22.60	0.182
					25	0	21.91	0.155
					25	12	21.72	0.149
					25	25	21.67	0.147
		16QAM	18650	1855.0	50	0	21.72	0.149
					1	0	22.04	0.160
					1	24	21.98	0.158
					1	49	22.09	0.162
					25	0	20.94	0.124
					25	12	20.85	0.122
			18900	1880.0	25	25	20.77	0.119
					50	0	20.79	0.120
					1	0	22.12	0.163
					1	24	21.92	0.156
					1	49	22.05	0.160
					25	0	20.84	0.121
					25	12	20.66	0.116
					25	25	20.63	0.116
			19150	1905.0	50	0	20.79	0.120
					1	0	22.01	0.159
					1	24	21.76	0.150
					1	49	21.86	0.153
					25	0	20.73	0.118
					25	12	20.55	0.114
					25	25	20.55	0.114
					50	0	20.57	0.114

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band2	15MHz	QPSK	18675	1857.5	1	0	22.70	0.186
					1	37	22.47	0.177
					1	74	22.79	0.190
					36	0	21.73	0.149
					36	19	21.79	0.151
					36	39	21.84	0.153
					75	0	21.76	0.150
			18900	1880.0	1	0	22.84	0.192
					1	37	22.43	0.175
					1	74	22.78	0.190
					36	0	21.84	0.153
					36	19	21.85	0.153
					36	39	21.84	0.153
					75	0	21.89	0.155
			19125	1902.5	1	0	22.81	0.191
					1	37	22.34	0.171
					1	74	22.73	0.187
					36	0	21.82	0.152
					36	19	21.80	0.151
					36	39	21.78	0.151
					75	0	21.78	0.151
		16QAM	18675	1857.5	1	0	21.96	0.157
					1	37	21.94	0.156
					1	74	21.95	0.157
					36	0	20.58	0.114
					36	19	20.63	0.116
					36	39	20.66	0.116
					75	0	20.67	0.117
			18900	1880.0	1	0	21.98	0.158
					1	37	22.01	0.159
					1	74	22.06	0.161
					36	0	20.64	0.116
					36	19	20.69	0.117
					36	39	20.69	0.117
					75	0	20.71	0.118
			19125	1902.5	1	0	22.27	0.169
					1	37	21.92	0.156
					1	74	22.05	0.160
					36	0	20.66	0.116
					36	19	20.59	0.115
					36	39	20.61	0.115
					75	0	20.74	0.119

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band2	20MHz	QPSK	18700	1860.0	1	0	22.68	0.185
					1	49	22.60	0.182
					1	99	22.72	0.187
					50	0	21.90	0.155
					50	25	21.81	0.152
					50	50	21.92	0.156
					100	0	21.93	0.156
			18900	1880.0	1	0	22.77	0.189
					1	49	22.70	0.186
					1	99	22.85	0.193
					50	0	21.90	0.155
					50	25	21.83	0.152
					50	50	21.90	0.155
					100	0	21.99	0.158
			19100	1900.0	1	0	22.79	0.190
					1	49	22.58	0.181
					1	99	22.67	0.185
					50	0	21.75	0.150
					50	25	21.68	0.147
					50	50	21.79	0.151
					100	0	21.79	0.151
		16QAM	18700	1860.0	1	0	22.06	0.161
					1	49	21.86	0.153
					1	99	22.07	0.161
					50	0	20.70	0.117
					50	25	20.67	0.117
					50	50	20.69	0.117
					100	0	20.80	0.120
			18900	1880.0	1	0	22.02	0.159
					1	49	21.88	0.154
					1	99	22.26	0.168
					50	0	20.72	0.118
					50	25	20.71	0.118
					50	50	20.74	0.119
					100	0	20.76	0.119
			19100	1900.0	1	0	22.09	0.162
					1	49	21.80	0.151
					1	99	22.17	0.165
					50	0	20.58	0.114
					50	25	20.56	0.114
					50	50	20.59	0.115
					100	0	20.67	0.117

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band4	1.4MHz	QPSK	19957	1710.7	1	0	22.67	0.185
					1	2	22.81	0.191
					1	5	22.78	0.190
					3	0	22.67	0.185
					3	1	22.69	0.186
					3	3	22.62	0.183
					6	0	21.59	0.144
			20175	1732.5	1	0	22.79	0.190
					1	2	22.93	0.196
					1	5	22.84	0.192
					3	0	22.57	0.181
					3	1	22.61	0.182
					3	3	22.48	0.177
					6	0	21.66	0.147
			20393	1754.3	1	0	22.52	0.179
					1	2	22.80	0.191
					1	5	22.51	0.178
					3	0	22.14	0.164
					3	1	22.21	0.166
					3	3	22.64	0.184
					6	0	21.54	0.143
		16QAM	19957	1710.7	1	0	22.17	0.165
					1	2	22.15	0.164
					1	5	22.12	0.163
					3	0	21.73	0.149
					3	1	21.78	0.151
					3	3	21.80	0.151
					6	0	20.69	0.117
			20175	1732.5	1	0	22.11	0.163
					1	2	22.13	0.163
					1	5	22.12	0.163
					3	0	21.82	0.152
					3	1	21.86	0.153
					3	3	21.73	0.149
					6	0	20.85	0.122
			20393	1754.3	1	0	22.08	0.161
					1	2	22.11	0.163
					1	5	22.07	0.161
					3	0	21.63	0.146
					3	1	21.71	0.148
					3	3	21.74	0.149
					6	0	20.64	0.116

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band4	3MHz	QPSK	19965	1711.5	1	0	22.64	0.184
					1	7	22.76	0.189
					1	14	22.69	0.186
					8	0	21.69	0.148
					8	3	21.63	0.146
					8	7	21.71	0.148
					15	0	21.71	0.148
			20175	1732.5	1	0	22.79	0.190
					1	7	22.91	0.195
					1	14	22.67	0.185
					8	0	21.72	0.149
					8	3	21.74	0.149
					8	7	21.75	0.150
					15	0	21.73	0.149
			20385	1753.5	1	0	22.50	0.178
					1	7	22.61	0.182
					1	14	22.57	0.181
					8	0	21.61	0.145
					8	3	21.62	0.145
					8	7	21.60	0.145
					15	0	21.61	0.145
		16QAM	19965	1711.5	1	0	22.02	0.159
					1	7	22.04	0.160
					1	14	22.04	0.160
					8	0	20.69	0.117
					8	3	20.67	0.117
					8	7	20.73	0.118
					15	0	20.67	0.117
			20175	1732.5	1	0	22.10	0.162
					1	7	22.13	0.163
					1	14	21.93	0.156
					8	0	20.97	0.125
					8	3	21.12	0.129
					8	7	21.07	0.128
					15	0	20.80	0.120
			20385	1753.5	1	0	21.95	0.157
					1	7	21.99	0.158
					1	14	21.86	0.153
					8	0	20.66	0.116
					8	3	20.70	0.117
					8	7	20.64	0.116
					15	0	20.58	0.114

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band4	5MHz	QPSK	19975	1712.5	1	0	22.74	0.188
					1	12	22.63	0.183
					1	24	22.76	0.189
					12	0	21.77	0.150
					12	6	21.75	0.150
					12	13	21.70	0.148
					25	0	21.71	0.148
			20175	1732.5	1	0	22.89	0.195
					1	12	22.72	0.187
					1	24	22.72	0.187
					12	0	21.82	0.152
					12	6	21.77	0.150
					12	13	21.70	0.148
					25	0	21.75	0.150
			20375	1752.5	1	0	22.71	0.187
					1	12	22.53	0.179
					1	24	22.63	0.183
					12	0	21.67	0.147
					12	6	21.63	0.146
					12	13	21.61	0.145
					25	0	21.61	0.145
		16QAM	19975	1712.5	1	0	21.99	0.158
					1	12	21.96	0.157
					1	24	22.01	0.159
					12	0	20.81	0.121
					12	6	20.78	0.120
					12	13	20.75	0.119
					25	0	20.72	0.118
			20175	1732.5	1	0	21.96	0.157
					1	12	21.91	0.155
					1	24	22.06	0.161
					12	0	21.13	0.130
					12	6	21.09	0.129
					12	13	20.97	0.125
					25	0	20.85	0.122
			20375	1752.5	1	0	21.94	0.156
					1	12	21.84	0.153
					1	24	22.02	0.159
					12	0	20.76	0.119
					12	6	20.68	0.117
					12	11	20.68	0.117
					25	0	20.64	0.116

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band4	10MHz	QPSK	20000	1715.0	1	0	22.79	0.190
					1	24	22.63	0.183
					1	49	22.83	0.192
					25	0	21.76	0.150
					25	12	21.76	0.150
					25	25	21.77	0.150
					50	0	21.77	0.150
			20175	1732.5	1	0	22.82	0.191
					1	24	22.69	0.186
					1	49	22.88	0.194
					25	0	21.75	0.150
					25	12	21.81	0.152
					25	25	21.77	0.150
					50	0	21.76	0.150
			20350	1750.0	1	0	22.64	0.184
					1	24	22.45	0.176
					1	49	22.71	0.187
					25	0	21.63	0.146
					25	12	21.59	0.144
					25	25	21.59	0.144
					50	0	21.66	0.147
		16QAM	20000	1715.0	1	0	22.09	0.162
					1	24	22.03	0.160
					1	49	22.08	0.161
					25	0	20.75	0.119
					25	12	20.79	0.120
					25	25	20.73	0.118
					50	0	20.71	0.118
			20175	1732.5	1	0	22.01	0.159
					1	24	21.98	0.158
					1	49	22.05	0.160
					25	0	20.74	0.119
					25	12	20.83	0.121
					25	25	20.81	0.121
					50	0	20.73	0.118
			20350	1750.0	1	0	22.03	0.160
					1	24	21.78	0.151
					1	49	22.02	0.159
					25	0	20.65	0.116
					25	12	20.58	0.114
					25	25	20.58	0.114
					50	0	20.64	0.116

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band4	15MHz	QPSK	20025	1717.5	1	0	22.62	0.183
					1	37	22.75	0.188
					1	74	22.67	0.185
					36	0	21.86	0.153
					36	19	21.94	0.156
					36	39	21.87	0.154
			20175	1732.5	75	0	21.90	0.155
					1	0	22.69	0.186
					1	37	22.80	0.191
					1	74	22.58	0.181
					36	0	21.90	0.155
					36	19	22.04	0.160
					36	39	21.89	0.155
					75	0	21.91	0.155
			20325	1747.5	1	0	22.70	0.186
					1	37	22.77	0.189
					1	74	22.47	0.177
					36	0	21.90	0.155
					36	19	21.92	0.156
					36	39	21.72	0.149
					75	0	21.88	0.154
		16QAM	20025	1717.5	1	0	21.65	0.146
					1	37	21.95	0.157
					1	74	21.70	0.148
					36	0	20.55	0.114
					36	19	20.64	0.116
					36	39	20.55	0.114
			20175	1732.5	75	0	20.63	0.116
					1	0	21.74	0.149
					1	37	21.96	0.157
					1	74	21.62	0.145
					36	0	20.51	0.112
					36	19	20.69	0.117
					36	39	20.53	0.113
			20325	1747.5	75	0	20.56	0.114
					1	0	21.74	0.149
					1	37	21.94	0.156
					1	74	21.55	0.143
					36	0	20.61	0.115
					36	19	20.62	0.115
					36	39	20.41	0.110
					75	0	20.57	0.114

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band4	20MHz	QPSK	20050	1720.0	1	0	22.42	0.175
					1	49	22.75	0.188
					1	99	22.45	0.176
					50	0	21.67	0.147
					50	25	21.75	0.150
					50	50	21.64	0.146
			20175	1732.5	100	0	21.66	0.147
					1	0	22.50	0.178
					1	49	22.77	0.189
					1	99	22.47	0.177
					50	0	21.67	0.147
					50	25	21.75	0.150
					50	50	21.69	0.148
					100	0	21.69	0.148
			20300	1745.0	1	0	22.67	0.185
					1	49	22.81	0.191
					1	99	22.45	0.176
					50	0	21.80	0.151
					50	25	21.81	0.152
					50	50	21.70	0.148
					100	0	21.72	0.149
		16QAM	20050	1720.0	1	0	21.62	0.145
					1	49	21.97	0.157
					1	99	21.67	0.147
					50	0	20.54	0.113
					50	25	20.60	0.115
					50	50	20.43	0.110
			20175	1732.5	100	0	20.56	0.114
					1	0	21.68	0.147
					1	49	21.93	0.156
					1	99	21.66	0.147
					50	0	20.51	0.112
					50	25	20.61	0.115
					50	50	20.47	0.111
					100	0	20.49	0.112
			20300	1745.0	1	0	21.81	0.152
					1	49	22.01	0.159
					1	99	21.67	0.147
					50	0	20.69	0.117
					50	25	20.70	0.117
					50	50	20.51	0.112
					100	0	20.58	0.114

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band12	1.4MHz	QPSK	23017	699.7	1	0	22.58	0.181
					1	2	22.59	0.182
					1	5	22.57	0.181
					3	0	22.58	0.181
					3	1	22.54	0.179
					3	3	22.37	0.173
					6	0	21.41	0.138
			23095	707.5	1	0	22.74	0.188
					1	2	22.68	0.185
					1	5	22.70	0.186
					3	0	22.45	0.176
					3	1	22.64	0.184
					3	3	22.38	0.173
					6	0	21.50	0.141
			23173	715.3	1	0	22.59	0.182
					1	2	22.68	0.185
					1	5	22.51	0.178
					3	0	22.32	0.171
					3	1	22.47	0.177
					3	3	22.31	0.170
					6	0	21.49	0.141
		16QAM	23017	699.7	1	0	22.04	0.160
					1	2	22.01	0.159
					1	5	22.00	0.158
					3	0	21.28	0.134
					3	1	21.26	0.134
					3	3	21.29	0.135
					6	0	20.84	0.121
			23095	707.5	1	0	22.15	0.164
					1	2	22.17	0.165
					1	5	22.16	0.164
					3	0	21.74	0.149
					3	1	21.95	0.157
					3	3	21.65	0.146
					6	0	20.84	0.121
			23173	715.3	1	0	22.15	0.164
					1	2	22.13	0.163
					1	5	22.14	0.164
					3	0	21.38	0.137
					3	1	21.50	0.141
					3	3	21.84	0.153
					6	0	20.84	0.121

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band12	3MHz	QPSK	23025	700.5	1	0	22.49	0.177
					1	7	22.69	0.186
					1	14	22.72	0.187
					8	0	21.56	0.143
					8	3	21.60	0.145
					8	7	21.68	0.147
					15	0	21.63	0.146
			23095	707.5	1	0	22.47	0.177
					1	7	22.54	0.179
					1	14	22.61	0.182
					8	0	21.62	0.145
					8	3	21.66	0.147
					8	7	21.51	0.142
					15	0	21.66	0.147
			23165	714.5	1	0	22.49	0.177
					1	7	22.50	0.178
					1	14	22.44	0.175
					8	0	21.53	0.142
					8	3	21.61	0.145
					8	7	21.51	0.142
					15	0	21.48	0.141
		16QAM	23025	700.5	1	0	22.05	0.160
					1	7	22.15	0.164
					1	14	22.14	0.164
					8	0	20.72	0.118
					8	3	20.72	0.118
					8	7	20.76	0.119
					15	0	20.72	0.118
			23095	707.5	1	0	22.07	0.161
					1	7	22.14	0.164
					1	14	22.13	0.163
					8	0	20.74	0.119
					8	3	20.74	0.119
					8	7	20.60	0.115
					15	0	20.65	0.116
			23165	714.5	1	0	22.01	0.159
					1	7	21.94	0.156
					1	14	22.11	0.163
					8	0	20.54	0.113
					8	3	20.61	0.115
					8	7	20.58	0.114
					15	0	20.59	0.115

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band12	5MHz	QPSK	23035	701.5	1	0	22.61	0.182
					1	12	22.57	0.181
					1	24	22.79	0.190
					12	0	21.67	0.147
					12	6	21.89	0.155
					12	13	21.73	0.149
					25	0	21.75	0.150
			23095	707.5	1	0	22.68	0.185
					1	12	22.72	0.187
					1	24	22.74	0.188
					12	0	21.52	0.142
					12	6	21.56	0.143
					12	13	21.67	0.147
					25	0	21.83	0.152
			23155	713.5	1	0	22.64	0.184
					1	12	22.43	0.175
					1	24	22.78	0.190
					12	0	21.70	0.148
					12	6	21.68	0.147
					12	13	21.69	0.148
					25	0	21.68	0.147
		16QAM	23035	701.5	1	0	22.10	0.162
					1	12	21.90	0.155
					1	24	22.05	0.160
					12	0	20.75	0.119
					12	6	20.86	0.122
					12	13	20.83	0.121
					25	0	20.77	0.119
			23095	707.5	1	0	22.13	0.163
					1	12	21.94	0.156
					1	24	22.14	0.164
					12	0	20.67	0.117
					12	6	20.69	0.117
					12	13	20.76	0.119
					25	0	20.87	0.122
			23155	713.5	1	0	22.15	0.164
					1	12	22.06	0.161
					1	24	22.13	0.163
					12	0	20.81	0.121
					12	6	20.74	0.119
					12	11	20.86	0.122
					25	0	20.78	0.120

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band12	10MHz	QPSK	23060	704.0	1	0	22.69	0.186
					1	24	22.72	0.187
					1	49	22.80	0.191
					25	0	21.50	0.141
					25	12	21.59	0.144
					25	25	21.84	0.153
			23095	707.5	50	0	21.65	0.146
					1	0	22.65	0.184
					1	24	22.77	0.189
					1	49	22.85	0.193
					25	0	21.56	0.143
					25	12	21.90	0.155
					25	25	21.75	0.150
					50	0	21.94	0.156
			23130	711.0	1	0	22.76	0.189
					1	24	22.72	0.187
					1	49	22.82	0.191
					25	0	21.85	0.153
					25	12	21.71	0.148
					25	25	21.75	0.150
					50	0	21.86	0.153
		16QAM	23060	704.0	1	0	22.01	0.159
					1	24	22.11	0.163
					1	49	22.14	0.164
					25	0	20.83	0.121
					25	12	20.97	0.125
					25	25	21.22	0.132
			23095	707.5	50	0	20.91	0.123
					1	0	21.91	0.155
					1	24	22.15	0.164
					1	49	22.11	0.163
					25	0	20.88	0.122
					25	12	20.84	0.121
					25	25	20.71	0.118
					50	0	20.87	0.122
			23130	711.0	1	0	22.07	0.161
					1	24	22.04	0.160
					1	49	22.08	0.161
					25	0	20.78	0.120
					25	12	20.70	0.117
					25	25	20.84	0.121
					50	0	20.79	0.120

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band17	5MHz	QPSK	23755	706.5	1	0	22.57	0.181
					1	12	22.60	0.182
					1	24	22.85	0.193
					12	0	21.73	0.149
					12	6	21.81	0.152
					12	13	21.80	0.151
					25	0	21.88	0.154
			23790	710.0	1	0	22.75	0.188
					1	12	22.68	0.185
					1	24	22.81	0.191
					12	0	21.86	0.153
					12	6	21.92	0.156
					12	13	21.79	0.151
					25	0	21.88	0.154
			23825	713.5	1	0	22.72	0.187
					1	12	22.63	0.183
					1	24	22.77	0.189
					12	0	21.79	0.151
					12	6	21.84	0.153
					12	13	21.90	0.155
					25	0	21.84	0.153
		16QAM	23755	706.5	1	0	22.31	0.170
					1	12	22.13	0.163
					1	24	22.37	0.173
					12	0	20.76	0.119
					12	6	20.83	0.121
					12	13	20.96	0.125
					25	0	20.88	0.122
			23790	710.0	1	0	22.38	0.173
					1	12	22.12	0.163
					1	24	22.34	0.171
					12	0	20.95	0.124
					12	6	20.97	0.125
					12	13	20.90	0.123
					25	0	20.83	0.121
			23825	713.5	1	0	22.22	0.167
					1	12	22.21	0.166
					1	24	22.25	0.168
					12	0	20.91	0.123
					12	6	20.87	0.122
					12	11	20.97	0.125
					25	0	20.96	0.125

Band	Channel Bandwidth	Modulation	Channel	Frequency (MHz)	RB Configuration		Average Power	
					Size	Offset	(dBm)	(W)
LTE Band17	10MHz	QPSK	23780	709.0	1	0	22.55	0.180
					1	24	22.61	0.182
					1	49	22.57	0.181
					25	0	21.75	0.150
					25	12	21.84	0.153
					25	25	21.69	0.148
			23790	710.0	50	0	21.83	0.152
					1	0	22.54	0.179
					1	24	22.58	0.181
					1	49	22.54	0.179
					25	0	21.87	0.154
					25	12	21.78	0.151
					25	25	21.71	0.148
					50	0	21.84	0.153
			23800	711.0	1	0	22.56	0.180
					1	24	22.54	0.179
					1	49	22.70	0.186
					25	0	21.87	0.154
					25	12	21.77	0.150
					25	25	21.85	0.153
					50	0	21.90	0.155
		16QAM	23780	709.0	1	0	22.02	0.159
					1	24	22.05	0.160
					1	49	22.16	0.164
					25	0	20.61	0.115
					25	12	20.83	0.121
					25	25	20.69	0.117
			23790	710.0	50	0	20.88	0.122
					1	0	21.95	0.157
					1	24	22.02	0.159
					1	49	22.24	0.167
					25	0	20.86	0.122
					25	12	20.76	0.119
					25	25	20.76	0.119
			23800	711.0	50	0	20.88	0.122
					1	0	22.07	0.161
					1	24	22.08	0.161
					1	49	22.21	0.166
					25	0	20.87	0.122
					25	12	20.73	0.118
					25	25	20.90	0.123
					50	0	20.93	0.124

Effective Radiated Power / Equivalent Isotropic Radiated Power

Band 2								
Channel Bandwidth	Modulation	Frequency (MHz)	Ant. Polar.	Read Level (dBm)	Correction Factor (dBm)	E.I.R.P.		Limit (W)
						(dBm)	(W)	
1.4M	QPSK	1850.7	H	12.91	6.54	19.45	0.088	< 2
			V	14.65	6.54	21.19	0.132	< 2
		1880.0	H	13.30	6.66	19.96	0.099	< 2
			V	15.41	6.66	22.07	0.161	< 2
		1909.3	H	12.84	6.77	19.61	0.091	< 2
			V	14.90	6.77	21.67	0.147	< 2
3M	16QAM	1880.0	H	12.45	6.66	19.11	0.081	< 2
			V	14.55	6.66	21.21	0.132	< 2
	QPSK	1851.5	H	13.26	6.54	19.80	0.095	< 2
			V	15.01	6.54	21.55	0.143	< 2
		1880.0	H	13.07	6.65	19.72	0.094	< 2
			V	15.12	6.65	21.77	0.150	< 2
5M	16QAM	1908.5	H	12.70	6.78	19.48	0.089	< 2
			V	14.87	6.78	21.65	0.146	< 2
		1880.0	H	12.33	6.65	18.98	0.079	< 2
			V	14.25	6.65	20.90	0.123	< 2
	QPSK	1852.5	H	13.27	6.54	19.81	0.096	< 2
			V	15.09	6.54	21.63	0.146	< 2
10M	16QAM	1880.0	H	12.95	6.65	19.60	0.091	< 2
			V	15.14	6.65	21.79	0.151	< 2
		1907.5	H	12.96	6.77	19.73	0.094	< 2
			V	15.05	6.77	21.82	0.152	< 2
		1880.0	H	11.91	6.65	18.56	0.072	< 2
			V	14.28	6.65	20.93	0.124	< 2
15M	QPSK	1855.0	H	12.84	6.54	19.38	0.087	< 2
			V	15.17	6.54	21.71	0.148	< 2
		1880.0	H	13.12	6.65	19.77	0.095	< 2
			V	15.43	6.65	22.08	0.161	< 2
		1905.0	H	13.00	6.74	19.74	0.094	< 2
			V	15.05	6.74	21.79	0.151	< 2
20M	16QAM	1880.0	H	12.04	6.65	18.69	0.074	< 2
			V	14.37	6.65	21.02	0.126	< 2
	QPSK	1857.5	H	13.20	6.54	19.74	0.094	< 2
			V	15.33	6.55	21.88	0.154	< 2
		1880.0	H	12.97	6.64	19.61	0.091	< 2
			V	15.19	6.65	21.84	0.153	< 2
20M	QPSK	1902.5	H	13.13	6.73	19.86	0.097	< 2
			V	15.27	6.73	22.00	0.158	< 2
		1880.0	H	11.90	6.65	18.55	0.072	< 2
			V	14.22	6.65	20.87	0.122	< 2
		1860.0	H	13.35	6.55	19.90	0.098	< 2
			V	15.50	6.55	22.05	0.160	< 2
20M	16QAM	1880.0	H	12.93	6.63	19.56	0.090	< 2
			V	14.90	6.63	21.53	0.142	< 2
		1900.0	H	12.90	6.71	19.61	0.091	< 2
			V	15.46	6.71	22.17	0.165	< 2
		1880.0	H	11.87	6.63	18.50	0.071	< 2
			V	13.81	6.63	20.44	0.111	< 2

Band 4								
Channel Bandwidth	Modulation	Frequency (MHz)	Ant. Polar.	Read Level (dBm)	Correction Factor (dBm)	E.I.R.P.		Limit (W)
						(dBm)	(W)	
1.4M	QPSK	1710.7	H	14.83	5.97	20.80	0.120	< 1
			V	16.96	5.97	22.93	0.196	< 1
		1732.5	H	14.74	6.06	20.80	0.120	< 1
			V	16.51	6.06	22.57	0.181	< 1
		1754.3	H	14.43	6.15	20.58	0.114	< 1
			V	16.25	6.15	22.40	0.174	< 1
	16QAM	1732.5	H	13.35	6.06	19.41	0.087	< 1
			V	15.09	6.06	21.15	0.130	< 1
3M	QPSK	1711.5	H	14.52	5.98	20.50	0.112	< 1
			V	16.67	5.97	22.64	0.184	< 1
		1732.5	H	14.81	6.06	20.87	0.122	< 1
			V	16.66	6.06	22.72	0.187	< 1
		1753.5	H	14.38	6.14	20.52	0.113	< 1
			V	16.39	6.14	22.53	0.179	< 1
	16QAM	1732.5	H	12.85	6.05	18.90	0.078	< 1
			V	15.11	6.05	21.16	0.131	< 1
5M	QPSK	1712.5	H	14.50	5.98	20.48	0.112	< 1
			V	16.42	5.97	22.39	0.173	< 1
		1732.5	H	14.70	6.05	20.75	0.119	< 1
			V	16.74	6.05	22.79	0.190	< 1
		1752.5	H	14.35	6.14	20.49	0.112	< 1
			V	16.30	6.14	22.44	0.175	< 1
	16QAM	1732.5	H	12.89	6.05	18.94	0.078	< 1
			V	15.05	6.06	21.11	0.129	< 1
10M	QPSK	1715.0	H	14.26	5.98	20.24	0.106	< 1
			V	16.43	5.98	22.41	0.174	< 1
		1732.5	H	14.44	6.04	20.48	0.112	< 1
			V	16.43	6.04	22.47	0.177	< 1
		1750.0	H	14.36	6.12	20.48	0.112	< 1
			V	16.31	6.12	22.43	0.175	< 1
	16QAM	1732.5	H	13.12	6.05	19.17	0.083	< 1
			V	15.03	6.05	21.08	0.128	< 1
15M	QPSK	1717.5	H	14.27	5.98	20.25	0.106	< 1
			V	16.30	5.98	22.28	0.169	< 1
		1732.5	H	14.64	6.04	20.68	0.117	< 1
			V	16.68	6.04	22.72	0.187	< 1
		1747.5	H	14.45	6.09	20.54	0.113	< 1
			V	16.39	6.09	22.48	0.177	< 1
	16QAM	1732.5	H	13.33	6.04	19.37	0.086	< 1
			V	15.24	6.04	21.28	0.134	< 1
20M	QPSK	1720.0	H	14.31	5.98	20.29	0.107	< 1
			V	16.20	5.98	22.18	0.165	< 1
		1732.5	H	14.56	6.03	20.59	0.115	< 1
			V	16.79	6.03	22.82	0.191	< 1
		1745.0	H	14.51	6.08	20.59	0.115	< 1
			V	16.57	6.08	22.65	0.184	< 1
	16QAM	1732.5	H	13.28	6.04	19.32	0.086	< 1
			V	15.37	6.04	21.41	0.138	< 1

Band 12								
Channel Bandwidth	Modulation	Frequency (MHz)	Ant. Polar.	Read Level (dBm)	Correction Factor (dBm)	E.R.P.		Limit (W)
						(dBm)	(W)	
1.4M	QPSK	699.7	H	11.82	8.88	20.70	0.117	< 3
			V	13.77	8.88	22.65	0.184	< 3
		707.5	H	11.58	9.03	20.61	0.115	< 3
			V	13.77	9.03	22.80	0.191	< 3
		715.3	H	11.31	9.17	20.48	0.112	< 3
			V	13.32	9.16	22.48	0.177	< 3
	16QAM	707.5	H	9.88	9.03	18.91	0.078	< 3
			V	12.23	9.03	21.26	0.134	< 3
3M	QPSK	700.5	H	11.68	8.88	20.56	0.114	< 3
			V	13.59	8.88	22.47	0.177	< 3
		707.5	H	11.46	9.01	20.47	0.111	< 3
			V	13.32	9.01	22.33	0.171	< 3
		714.5	H	11.35	9.14	20.49	0.112	< 3
			V	13.45	9.14	22.59	0.182	< 3
	16QAM	707.5	H	10.40	9.01	19.41	0.087	< 3
			V	11.92	9.01	20.93	0.124	< 3
5M	QPSK	701.5	H	11.59	8.88	20.47	0.111	< 3
			V	13.83	8.88	22.71	0.187	< 3
		707.5	H	11.88	8.98	20.86	0.122	< 3
			V	13.60	8.99	22.59	0.182	< 3
		713.5	H	11.50	9.10	20.60	0.115	< 3
			V	13.69	9.09	22.78	0.190	< 3
	16QAM	707.5	H	10.13	8.99	19.12	0.082	< 3
			V	11.98	8.99	20.97	0.125	< 3
10M	QPSK	704.0	H	11.84	8.88	20.72	0.118	< 3
			V	13.53	8.88	22.41	0.174	< 3
		707.5	H	11.88	8.95	20.83	0.121	< 3
			V	13.97	8.95	22.92	0.196	< 3
		711.0	H	11.61	9.01	20.62	0.115	< 3
			V	13.63	9.01	22.64	0.184	< 3
	16QAM	707.5	H	10.22	8.95	19.17	0.083	< 3
			V	12.19	8.95	21.14	0.130	< 3



Band 17								
Channel Bandwidth	Modulation	Frequency (MHz)	Ant. Polar.	Read Level (dBm)	Correction Factor (dBm)	E.R.P.		Limit (W)
						(dBm)	(W)	
5M	QPSK	706.5	H	11.94	8.98	20.92	0.124	< 3
			V	13.90	8.98	22.88	0.194	< 3
		710.0	H	11.64	9.04	20.68	0.117	< 3
			V	13.71	9.04	22.75	0.188	< 3
		713.5	H	11.57	9.10	20.67	0.117	< 3
			V	13.50	9.09	22.59	0.182	< 3
	16QAM	710.0	H	10.25	9.04	19.29	0.085	< 3
			V	12.14	9.04	21.18	0.131	< 3
10M	QPSK	709.0	H	11.79	8.98	20.77	0.119	< 3
			V	13.85	8.98	22.83	0.192	< 3
		710.0	H	11.58	8.99	20.57	0.114	< 3
			V	13.42	8.99	22.41	0.174	< 3
		711.0	H	11.50	9.01	20.51	0.112	< 3
			V	13.88	9.01	22.89	0.195	< 3
	16QAM	710.0	H	9.98	8.99	18.97	0.079	< 3
			V	11.98	8.99	20.97	0.125	< 3



Radiated Emission

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1850.7MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M_QPSK_CH18607	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3701.400	-43.88	-0.51	-44.39	-13.00	-31.39	peak
2	5552.100	-36.29	3.59	-32.70	-13.00	-19.70	peak
3	7402.800	-49.65	9.70	-39.95	-13.00	-26.95	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1850.7MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M_QPSK_CH18607	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3701.400	-42.61	-0.51	-43.12	-13.00	-30.12	peak
2	5552.100	-39.81	3.59	-36.22	-13.00	-23.22	peak
3	7402.800	-49.77	9.70	-40.07	-13.00	-27.07	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-46.32	-0.37	-46.69	-13.00	-33.69	peak
2	5640.000	-40.03	3.79	-36.24	-13.00	-23.24	peak
3	7520.000	-48.38	10.12	-38.26	-13.00	-25.26	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-42.86	-0.37	-43.23	-13.00	-30.23	peak
2	5640.000	-37.66	3.79	-33.87	-13.00	-20.87	peak
3	7520.000	-49.26	10.12	-39.14	-13.00	-26.14	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1909.3MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M_QPSK_CH19193	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3818.600	-42.02	-0.21	-42.23	-13.00	-29.23	peak
2	5727.900	-36.53	4.00	-32.53	-13.00	-19.53	peak
3	7637.200	-44.52	10.38	-34.14	-13.00	-21.14	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1909.3MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M_QPSK_CH19193	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3818.600	-41.33	-0.21	-41.54	-13.00	-28.54	peak
2	5727.900	-41.23	4.00	-37.23	-13.00	-24.23	peak
3	7637.200	-45.97	10.38	-35.59	-13.00	-22.59	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-46.32	-0.37	-46.69	-13.00	-33.69	peak
2	5640.000	-41.03	3.79	-37.24	-13.00	-24.24	peak
3	7520.000	-49.38	10.12	-39.26	-13.00	-26.26	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_1.4M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-43.86	-0.37	-44.23	-13.00	-31.23	peak
2	5640.000	-38.66	3.79	-34.87	-13.00	-21.87	peak
3	7520.000	-50.26	10.12	-40.14	-13.00	-27.14	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1851.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M_QPSK_CH18615	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3703.000	-44.49	-0.51	-45.00	-13.00	-32.00	peak
2	5554.500	-38.15	3.60	-34.55	-13.00	-21.55	peak
3	7406.000	-43.01	9.72	-33.29	-13.00	-20.29	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1851.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M_QPSK_CH18615	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3703.000	-42.82	-0.51	-43.33	-13.00	-30.33	peak
2	5554.500	-34.30	3.60	-30.70	-13.00	-17.70	peak
3	7406.000	-47.66	9.72	-37.94	-13.00	-24.94	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-44.95	-0.37	-45.32	-13.00	-32.32	peak
2	5640.000	-36.84	3.79	-33.05	-13.00	-20.05	peak
3	7520.000	-48.90	10.12	-38.78	-13.00	-25.78	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-41.53	-0.37	-41.90	-13.00	-28.90	peak
2	5640.000	-35.31	3.79	-31.52	-13.00	-18.52	peak
3	7520.000	-48.88	10.12	-38.76	-13.00	-25.76	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1908.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M_QPSK_CH19185	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3817.000	-43.15	-0.21	-43.36	-13.00	-30.36	peak
2	5725.500	-35.88	3.99	-31.89	-13.00	-18.89	peak
3	7634.000	-49.45	10.37	-39.08	-13.00	-26.08	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1908.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M_QPSK_CH19185	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3817.000	-41.86	-0.21	-42.07	-13.00	-29.07	peak
2	5725.500	-41.14	3.99	-37.15	-13.00	-24.15	peak
3	7634.000	-46.67	10.37	-36.30	-13.00	-23.30	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-44.52	-0.37	-44.89	-13.00	-31.89	peak
2	5640.000	-38.58	3.79	-34.79	-13.00	-21.79	peak
3	7520.000	-47.09	10.12	-36.97	-13.00	-23.97	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_3M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-42.75	-0.37	-43.12	-13.00	-30.12	peak
2	5640.000	-39.71	3.79	-35.92	-13.00	-22.92	peak
3	7520.000	-48.79	10.12	-38.67	-13.00	-25.67	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1852.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M_QPSK_CH18625	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3705.000	-44.14	-0.51	-44.65	-13.00	-31.65	peak
2	5557.500	-33.25	3.61	-29.64	-13.00	-16.64	peak
3	7410.000	-41.85	9.72	-32.13	-13.00	-19.13	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1852.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M_QPSK_CH18625	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3705.000	-40.89	-0.51	-41.40	-13.00	-28.40	peak
2	5557.500	-36.99	3.61	-33.38	-13.00	-20.38	peak
3	7410.000	-47.99	9.72	-38.27	-13.00	-25.27	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-46.76	-0.37	-47.13	-13.00	-34.13	peak
2	5640.000	-36.03	3.79	-32.24	-13.00	-19.24	peak
3	7520.000	-45.72	10.12	-35.60	-13.00	-22.60	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-40.99	-0.37	-41.36	-13.00	-28.36	peak
2	5640.000	-35.38	3.79	-31.59	-13.00	-18.59	peak
3	7520.000	-49.00	10.12	-38.88	-13.00	-25.88	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1907.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M_QPSK_CH19175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3815.000	-43.20	-0.22	-43.42	-13.00	-30.42	peak
2	5722.500	-38.28	3.99	-34.29	-13.00	-21.29	peak
3	7630.000	-50.24	10.37	-39.87	-13.00	-26.87	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1907.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M_QPSK_CH19175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3815.000	-42.86	-0.22	-43.08	-13.00	-30.08	peak
2	5722.500	-36.44	3.99	-32.45	-13.00	-19.45	peak
3	7630.000	-47.20	10.37	-36.83	-13.00	-23.83	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-43.45	-0.37	-43.82	-13.00	-30.82	peak
2	5640.000	-40.60	3.79	-36.81	-13.00	-23.81	peak
3	7520.000	-49.88	10.12	-39.76	-13.00	-26.76	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_5M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-44.07	-0.37	-44.44	-13.00	-31.44	peak
2	5640.000	-38.29	3.79	-34.50	-13.00	-21.50	peak
3	7520.000	-46.99	10.12	-36.87	-13.00	-23.87	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1855MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M_QPSK_CH18650	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3710.000	-43.63	-0.49	-44.12	-13.00	-31.12	peak
2	5565.000	-35.88	3.62	-32.26	-13.00	-19.26	peak
3	7420.000	-46.24	9.76	-36.48	-13.00	-23.48	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1855MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M_QPSK_CH18650	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3710.000	-42.14	-0.49	-42.63	-13.00	-29.63	peak
2	5565.000	-32.52	3.62	-28.90	-13.00	-15.90	peak
3	7420.000	-45.76	9.76	-36.00	-13.00	-23.00	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-45.79	-0.37	-46.16	-13.00	-33.16	peak
2	5640.000	-38.49	3.79	-34.70	-13.00	-21.70	peak
3	7520.000	-47.54	10.12	-37.42	-13.00	-24.42	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-41.05	-0.37	-41.42	-13.00	-28.42	peak
2	5640.000	-39.35	3.79	-35.56	-13.00	-22.56	peak
3	7520.000	-49.05	10.12	-38.93	-13.00	-25.93	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1905MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M_QPSK_CH19150	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3810.000	-46.80	-0.23	-47.03	-13.00	-34.03	peak
2	5715.000	-35.92	3.97	-31.95	-13.00	-18.95	peak
3	7620.000	-47.10	10.34	-36.76	-13.00	-23.76	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1905MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M_QPSK_CH19150	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3810.000	-41.82	-0.23	-42.05	-13.00	-29.05	peak
2	5715.000	-36.24	3.97	-32.27	-13.00	-19.27	peak
3	7620.000	-46.17	10.34	-35.83	-13.00	-22.83	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-45.11	-0.37	-45.48	-13.00	-32.48	peak
2	5640.000	-37.68	3.79	-33.89	-13.00	-20.89	peak
3	7520.000	-45.92	10.12	-35.80	-13.00	-22.80	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_10M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-42.06	-0.37	-42.43	-13.00	-29.43	peak
2	5640.000	-41.32	3.79	-37.53	-13.00	-24.53	peak
3	7520.000	-49.49	10.12	-39.37	-13.00	-26.37	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1857.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M_QPSK_CH18675	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3715.000	-45.96	-0.49	-46.45	-13.00	-33.45	peak
2	5572.500	-36.76	3.64	-33.12	-13.00	-20.12	peak
3	7430.000	-41.98	9.82	-32.16	-13.00	-19.16	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1857.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M_QPSK_CH18675	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3715.000	-41.49	-0.49	-41.98	-13.00	-28.98	peak
2	5572.500	-38.45	3.64	-34.81	-13.00	-21.81	peak
3	7430.000	-47.61	9.82	-37.79	-13.00	-24.79	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-45.23	-0.37	-45.60	-13.00	-32.60	peak
2	5640.000	-34.37	3.79	-30.58	-13.00	-17.58	peak
3	7520.000	-45.15	10.12	-35.03	-13.00	-22.03	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-38.85	-0.37	-39.22	-13.00	-26.22	peak
2	5640.000	-37.35	3.79	-33.56	-13.00	-20.56	peak
3	7520.000	-49.34	10.12	-39.22	-13.00	-26.22	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1902.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M_QPSK_CH19125	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3805.000	-44.94	-0.24	-45.18	-13.00	-32.18	peak
2	5707.500	-36.74	3.95	-32.79	-13.00	-19.79	peak
3	7610.000	-46.39	10.32	-36.07	-13.00	-23.07	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1902.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M_QPSK_CH19125	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3805.000	-43.74	-0.24	-43.98	-13.00	-30.98	peak
2	5707.500	-37.84	3.95	-33.89	-13.00	-20.89	peak
3	7610.000	-49.31	10.32	-38.99	-13.00	-25.99	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-47.15	-0.37	-47.52	-13.00	-34.52	peak
2	5640.000	-37.49	3.79	-33.70	-13.00	-20.70	peak
3	7520.000	-45.11	10.12	-34.99	-13.00	-21.99	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_15M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-41.22	-0.37	-41.59	-13.00	-28.59	peak
2	5640.000	-40.59	3.79	-36.80	-13.00	-23.80	peak
3	7520.000	-49.62	10.12	-39.50	-13.00	-26.50	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1860MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M_QPSK_CH18700	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3720.000	-44.75	-0.47	-45.22	-13.00	-32.22	peak
2	5580.000	-33.49	3.65	-29.84	-13.00	-16.84	peak
3	7440.000	-48.56	9.85	-38.71	-13.00	-25.71	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1860MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M_QPSK_CH18700	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3720.000	-39.69	-0.47	-40.16	-13.00	-27.16	peak
2	5580.000	-38.51	3.65	-34.86	-13.00	-21.86	peak
3	7440.000	-48.97	9.85	-39.12	-13.00	-26.12	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-47.19	-0.37	-47.56	-13.00	-34.56	peak
2	5640.000	-40.28	3.79	-36.49	-13.00	-23.49	peak
3	7520.000	-46.53	10.12	-36.41	-13.00	-23.41	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M_QPSK_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-40.08	-0.37	-40.45	-13.00	-27.45	peak
2	5640.000	-41.77	3.79	-37.98	-13.00	-24.98	peak
3	7520.000	-48.62	10.12	-38.50	-13.00	-25.50	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1900MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M_QPSK_CH19100	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3800.000	-45.78	-0.26	-46.04	-13.00	-33.04	peak
2	5700.000	-39.23	3.92	-35.31	-13.00	-22.31	peak
3	7600.000	-41.32	10.30	-31.02	-13.00	-18.02	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1900MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M_QPSK_CH19100	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3800.000	-42.14	-0.26	-42.40	-13.00	-29.40	peak
2	5700.000	-38.81	3.92	-34.89	-13.00	-21.89	peak
3	7600.000	-47.94	10.30	-37.64	-13.00	-24.64	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-45.86	-0.37	-46.23	-13.00	-33.23	peak
2	5640.000	-39.99	3.79	-36.20	-13.00	-23.20	peak
3	7520.000	-46.96	10.12	-36.84	-13.00	-23.84	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1880MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 2_20M-16QAM_CH18900	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-41.45	-0.37	-41.82	-13.00	-28.82	peak
2	5640.000	-41.48	3.79	-37.69	-13.00	-24.69	peak
3	7520.000	-49.17	10.12	-39.05	-13.00	-26.05	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1710.7MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M_QPSK_CH19957	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3421.400	-44.49	-1.18	-45.67	-13.00	-32.67	peak
2	5132.100	-39.96	2.88	-37.08	-13.00	-24.08	peak
3	6842.800	-44.89	7.68	-37.21	-13.00	-24.21	peak
4	8553.500	-49.78	11.16	-38.62	-13.00	-25.62	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1710.7MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M_QPSK_CH19957	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3421.400	-40.91	-1.18	-42.09	-13.00	-29.09	peak
2	5132.100	-38.22	2.88	-35.34	-13.00	-22.34	peak
3	6842.800	-44.74	7.68	-37.06	-13.00	-24.06	peak
4	8553.500	-47.57	11.16	-36.41	-13.00	-23.41	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-45.76	-1.11	-46.87	-13.00	-33.87	peak
2	5197.500	-38.73	2.98	-35.75	-13.00	-22.75	peak
3	6930.000	-48.27	7.93	-40.34	-13.00	-27.34	peak
4	8662.500	-49.94	11.28	-38.66	-13.00	-25.66	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-42.93	-1.11	-44.04	-13.00	-31.04	peak
2	5197.500	-42.71	2.98	-39.73	-13.00	-26.73	peak
3	6930.000	-44.74	7.93	-36.81	-13.00	-23.81	peak
4	8662.500	-50.32	11.28	-39.04	-13.00	-26.04	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1754.3MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M_QPSK_CH20393	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3508.600	-47.00	-1.03	-48.03	-13.00	-35.03	peak
2	5262.900	-43.15	3.09	-40.06	-13.00	-27.06	peak
3	7017.200	-47.15	8.19	-38.96	-13.00	-25.96	peak
4	8771.500	-51.97	11.41	-40.56	-13.00	-27.56	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1754.3MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M_QPSK_CH20393	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3508.600	-42.60	-1.03	-43.63	-13.00	-30.63	peak
2	5262.900	-36.87	3.09	-33.78	-13.00	-20.78	peak
3	7017.200	-46.92	8.19	-38.73	-13.00	-25.73	peak
4	8771.500	-51.19	11.41	-39.78	-13.00	-26.78	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-45.75	-1.11	-46.86	-13.00	-33.86	peak
2	5197.500	-42.64	2.98	-39.66	-13.00	-26.66	peak
3	6930.000	-46.39	7.93	-38.46	-13.00	-25.46	peak
4	8662.500	-48.59	11.28	-37.31	-13.00	-24.31	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_1.4M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-42.76	-1.11	-43.87	-13.00	-30.87	peak
2	5197.500	-32.79	2.98	-29.81	-13.00	-16.81	peak
3	6930.000	-42.61	7.93	-34.68	-13.00	-21.68	peak
4	8662.500	-51.09	11.28	-39.81	-13.00	-26.81	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1711.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M_QPSK_CH19965	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3423.000	-46.51	-1.19	-47.70	-13.00	-34.70	peak
2	5134.500	-48.55	2.88	-45.67	-13.00	-32.67	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1711.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M_QPSK_CH19965	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3423.000	-43.43	-1.19	-44.62	-13.00	-31.62	peak
2	5134.500	-46.93	2.88	-44.05	-13.00	-31.05	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-45.33	-1.11	-46.44	-13.00	-33.44	peak
2	5197.500	-40.11	2.98	-37.13	-13.00	-24.13	peak
3	6930.000	-43.91	7.93	-35.98	-13.00	-22.98	peak
4	8662.500	-47.56	11.28	-36.28	-13.00	-23.28	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-43.06	-1.11	-44.17	-13.00	-31.17	peak
2	5197.500	-41.09	2.98	-38.11	-13.00	-25.11	peak
3	6930.000	-42.47	7.93	-34.54	-13.00	-21.54	peak
4	8662.500	-50.42	11.28	-39.14	-13.00	-26.14	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1753.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M_QPSK_CH20385	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3507.000	-45.56	-1.03	-46.59	-13.00	-33.59	peak
2	5260.500	-44.06	3.08	-40.98	-13.00	-27.98	peak
3	7014.000	-48.83	8.19	-40.64	-13.00	-27.64	peak
4	8767.500	-51.37	11.41	-39.96	-13.00	-26.96	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1753.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M_QPSK_CH20385	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3507.000	-43.15	-1.03	-44.18	-13.00	-31.18	peak
2	5260.500	-39.66	3.08	-36.58	-13.00	-23.58	peak
3	7014.000	-46.34	8.19	-38.15	-13.00	-25.15	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-45.72	-1.11	-46.83	-13.00	-33.83	peak
2	5197.500	-39.60	2.98	-36.62	-13.00	-23.62	peak
3	6930.000	-46.27	7.93	-38.34	-13.00	-25.34	peak
4	8662.500	-47.89	11.28	-36.61	-13.00	-23.61	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_3M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-42.49	-1.11	-43.60	-13.00	-30.60	peak
2	5197.500	-39.85	2.98	-36.87	-13.00	-23.87	peak
3	6930.000	-41.27	7.93	-33.34	-13.00	-20.34	peak
4	8662.500	-49.39	11.28	-38.11	-13.00	-25.11	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1712.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M_QPSK_CH19975	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3425.000	-44.29	-1.18	-45.47	-13.00	-32.47	peak
2	5137.500	-42.27	2.89	-39.38	-13.00	-26.38	peak
3	6850.000	-47.68	7.69	-39.99	-13.00	-26.99	peak
4	8562.500	-47.96	11.17	-36.79	-13.00	-23.79	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1712.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M_QPSK_CH19975	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3425.000	-40.68	-1.18	-41.86	-13.00	-28.86	peak
2	5137.500	-41.02	2.89	-38.13	-13.00	-25.13	peak
3	6850.000	-44.86	7.69	-37.17	-13.00	-24.17	peak
4	8562.500	-48.70	11.17	-37.53	-13.00	-24.53	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-45.10	-1.11	-46.21	-13.00	-33.21	peak
2	5197.500	-39.37	2.98	-36.39	-13.00	-23.39	peak
3	6930.000	-47.74	7.93	-39.81	-13.00	-26.81	peak
4	8662.500	-50.11	11.28	-38.83	-13.00	-25.83	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-41.66	-1.11	-42.77	-13.00	-29.77	peak
2	5197.500	-37.02	2.98	-34.04	-13.00	-21.04	peak
3	6930.000	-42.15	7.93	-34.22	-13.00	-21.22	peak
4	8662.500	-49.43	11.28	-38.15	-13.00	-25.15	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1752.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M_QPSK_CH20375	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3505.000	-45.61	-1.05	-46.66	-13.00	-33.66	peak
2	5257.500	-34.46	3.08	-31.38	-13.00	-18.38	peak
3	7010.000	-47.54	8.17	-39.37	-13.00	-26.37	peak
4	8762.500	-52.26	11.39	-40.87	-13.00	-27.87	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1752.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M_QPSK_CH20375	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3505.000	-42.79	-1.05	-43.84	-13.00	-30.84	peak
2	5257.500	-40.52	3.08	-37.44	-13.00	-24.44	peak
3	7010.000	-46.83	8.17	-38.66	-13.00	-25.66	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-44.01	-1.11	-45.12	-13.00	-32.12	peak
2	5197.500	-40.39	2.98	-37.41	-13.00	-24.41	peak
3	6930.000	-45.38	7.93	-37.45	-13.00	-24.45	peak
4	8662.500	-47.24	11.28	-35.96	-13.00	-22.96	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_5M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-42.46	-1.11	-43.57	-13.00	-30.57	peak
2	5197.500	-36.72	2.98	-33.74	-13.00	-20.74	peak
3	6930.000	-42.83	7.93	-34.90	-13.00	-21.90	peak
4	8662.500	-49.14	11.28	-37.86	-13.00	-24.86	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1715MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M_QPSK_CH20000	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3430.000	-44.93	-1.18	-46.11	-13.00	-33.11	peak
2	5145.000	-40.29	2.89	-37.40	-13.00	-24.40	peak
3	6860.000	-46.31	7.72	-38.59	-13.00	-25.59	peak
4	8575.000	-47.90	11.19	-36.71	-13.00	-23.71	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1715MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M_QPSK_CH20000	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3430.000	-40.57	-1.18	-41.75	-13.00	-28.75	peak
2	5145.000	-37.27	2.89	-34.38	-13.00	-21.38	peak
3	6860.000	-40.90	7.72	-33.18	-13.00	-20.18	peak
4	8575.000	-47.66	11.19	-36.47	-13.00	-23.47	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-46.94	-1.11	-48.05	-13.00	-35.05	peak
2	5197.500	-42.55	2.98	-39.57	-13.00	-26.57	peak
3	6930.000	-46.51	7.93	-38.58	-13.00	-25.58	peak
4	8662.500	-47.00	11.28	-35.72	-13.00	-22.72	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-42.41	-1.11	-43.52	-13.00	-30.52	peak
2	5197.500	-41.00	2.98	-38.02	-13.00	-25.02	peak
3	6930.000	-43.62	7.93	-35.69	-13.00	-22.69	peak
4	8662.500	-48.03	11.28	-36.75	-13.00	-23.75	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1750MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M_QPSK_CH20350	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3500.000	-47.09	-1.06	-48.15	-13.00	-35.15	peak
2	5250.000	-44.36	3.07	-41.29	-13.00	-28.29	peak
3	7000.000	-45.74	8.13	-37.61	-13.00	-24.61	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1750MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M_QPSK_CH20350	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3500.000	-43.67	-1.06	-44.73	-13.00	-31.73	peak
2	5250.000	-39.13	3.07	-36.06	-13.00	-23.06	peak
3	7000.000	-47.28	8.13	-39.15	-13.00	-26.15	peak
4	8750.000	-53.22	11.38	-41.84	-13.00	-28.84	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-49.08	-1.11	-50.19	-13.00	-37.19	peak
2	5197.500	-36.81	2.98	-33.83	-13.00	-20.83	peak
3	6930.000	-47.76	7.93	-39.83	-13.00	-26.83	peak
4	8662.500	-50.10	11.28	-38.82	-13.00	-25.82	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_10M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-41.54	-1.11	-42.65	-13.00	-29.65	peak
2	5197.500	-40.39	2.98	-37.41	-13.00	-24.41	peak
3	6930.000	-43.81	7.93	-35.88	-13.00	-22.88	peak
4	8662.500	-48.25	11.28	-36.97	-13.00	-23.97	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1717.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M_QPSK_CH20025	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3435.000	-45.80	-1.16	-46.96	-13.00	-33.96	peak
2	5152.500	-43.17	2.91	-40.26	-13.00	-27.26	peak
3	6870.000	-46.67	7.75	-38.92	-13.00	-25.92	peak
4	8587.500	-47.85	11.20	-36.65	-13.00	-23.65	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1717.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M_QPSK_CH20025	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3435.000	-41.33	-1.16	-42.49	-13.00	-29.49	peak
2	5152.500	-40.40	2.91	-37.49	-13.00	-24.49	peak
3	6870.000	-43.40	7.75	-35.65	-13.00	-22.65	peak
4	8587.500	-47.19	11.20	-35.99	-13.00	-22.99	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-45.17	-1.11	-46.28	-13.00	-33.28	peak
2	5197.500	-42.21	2.98	-39.23	-13.00	-26.23	peak
3	6930.000	-48.50	7.93	-40.57	-13.00	-27.57	peak
4	8662.500	-49.05	11.28	-37.77	-13.00	-24.77	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-40.14	-1.11	-41.25	-13.00	-28.25	peak
2	5197.500	-40.36	2.98	-37.38	-13.00	-24.38	peak
3	6930.000	-46.12	7.93	-38.19	-13.00	-25.19	peak
4	8662.500	-49.51	11.28	-38.23	-13.00	-25.23	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1747.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M_QPSK_CH20325	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3495.000	-46.71	-1.06	-47.77	-13.00	-34.77	peak
2	5242.500	-37.27	3.05	-34.22	-13.00	-21.22	peak
3	6990.000	-41.51	8.10	-33.41	-13.00	-20.41	peak
4	8737.500	-48.42	11.38	-37.04	-13.00	-24.04	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1747.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M_QPSK_CH20325	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3495.000	-44.63	-1.06	-45.69	-13.00	-32.69	peak
2	5242.500	-40.64	3.05	-37.59	-13.00	-24.59	peak
3	6990.000	-44.70	8.10	-36.60	-13.00	-23.60	peak
4	8737.500	-52.00	11.38	-40.62	-13.00	-27.62	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-46.17	-1.11	-47.28	-13.00	-34.28	peak
2	5197.500	-44.27	2.98	-41.29	-13.00	-28.29	peak
3	6930.000	-47.87	7.93	-39.94	-13.00	-26.94	peak
4	8662.500	-48.01	11.28	-36.73	-13.00	-23.73	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_15M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-45.92	-1.11	-47.03	-13.00	-34.03	peak
2	5197.500	-44.02	2.98	-41.04	-13.00	-28.04	peak
3	6930.000	-47.89	7.93	-39.96	-13.00	-26.96	peak
4	8662.500	-50.33	11.28	-39.05	-13.00	-26.05	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1720MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M_QPSK_CH20050	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3440.000	-44.61	-1.16	-45.77	-13.00	-32.77	peak
2	5160.000	-44.82	2.92	-41.90	-13.00	-28.90	peak
3	6880.000	-48.27	7.78	-40.49	-13.00	-27.49	peak
4	8600.000	-50.27	11.21	-39.06	-13.00	-26.06	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1720MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M_QPSK_CH20050	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3440.000	-41.21	-1.16	-42.37	-13.00	-29.37	peak
2	5160.000	-41.87	2.92	-38.95	-13.00	-25.95	peak
3	6880.000	-43.61	7.78	-35.83	-13.00	-22.83	peak
4	8600.000	-47.96	11.21	-36.75	-13.00	-23.75	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-48.71	-1.11	-49.82	-13.00	-36.82	peak
2	5197.500	-40.50	2.98	-37.52	-13.00	-24.52	peak
3	6930.000	-43.62	7.93	-35.69	-13.00	-22.69	peak
4	8662.500	-50.03	11.28	-38.75	-13.00	-25.75	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M_QPSK_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-40.99	-1.11	-42.10	-13.00	-29.10	peak
2	5197.500	-38.92	2.98	-35.94	-13.00	-22.94	peak
3	6930.000	-42.81	7.93	-34.88	-13.00	-21.88	peak
4	8662.500	-50.12	11.28	-38.84	-13.00	-25.84	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1745MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M_QPSK_CH20300	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3490.000	-46.46	-1.08	-47.54	-13.00	-34.54	peak
2	5235.000	-43.29	3.04	-40.25	-13.00	-27.25	peak
3	6980.000	-43.27	8.07	-35.20	-13.00	-22.20	peak
4	8725.000	-50.26	11.36	-38.90	-13.00	-25.90	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1745MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M_QPSK_CH20300	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3490.000	-45.22	-1.08	-46.30	-13.00	-33.30	peak
2	5235.000	-40.08	3.04	-37.04	-13.00	-24.04	peak
3	6980.000	-43.03	8.07	-34.96	-13.00	-21.96	peak
4	8725.000	-50.65	11.36	-39.29	-13.00	-26.29	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-47.25	-1.11	-48.36	-13.00	-35.36	peak
2	5197.500	-44.21	2.98	-41.23	-13.00	-28.23	peak
3	6930.000	-47.03	7.93	-39.10	-13.00	-26.10	peak
4	8662.500	-48.20	11.28	-36.92	-13.00	-23.92	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	1732.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 4_20M-16QAM_CH20175	Date:	11/27/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3465.000	-40.22	-1.11	-41.33	-13.00	-28.33	peak
2	5197.500	-40.45	2.98	-37.47	-13.00	-24.47	peak
3	6930.000	-43.44	7.93	-35.51	-13.00	-22.51	peak
4	8662.500	-49.76	11.28	-38.48	-13.00	-25.48	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	699.7MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M_QPSK_CH23017	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1399.400	-49.88	-7.09	-56.97	-13.00	-43.97	peak
2	2099.100	-35.88	-4.74	-40.62	-13.00	-27.62	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	699.7MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M_QPSK_CH23017	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1399.400	-32.24	-7.09	-39.33	-13.00	-26.33	peak
2	2099.100	-26.13	-4.74	-30.87	-13.00	-17.87	peak
3	2798.800	-42.26	-2.41	-44.67	-13.00	-31.67	peak
4	3498.500	-40.17	-1.06	-41.23	-13.00	-28.23	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-36.75	-7.02	-43.77	-13.00	-30.77	peak
2	2122.500	-34.71	-4.64	-39.35	-13.00	-26.35	peak
3	2830.000	-39.01	-2.32	-41.33	-13.00	-28.33	peak
4	3537.500	-46.09	-0.95	-47.04	-13.00	-34.04	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-31.04	-7.02	-38.06	-13.00	-25.06	peak
2	2122.500	-27.31	-4.64	-31.95	-13.00	-18.95	peak
3	2830.000	-37.45	-2.32	-39.77	-13.00	-26.77	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	715.3MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M_QPSK_CH23173	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1430.600	-29.64	-6.96	-36.60	-13.00	-23.60	peak
2	2145.900	-37.31	-4.55	-41.86	-13.00	-28.86	peak
3	2861.200	-41.74	-2.25	-43.99	-13.00	-30.99	peak
4	3576.500	-40.56	-0.86	-41.42	-13.00	-28.42	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	715.3MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M_QPSK_CH23173	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1430.600	-26.81	-6.96	-33.77	-13.00	-20.77	peak
2	2145.900	-29.83	-4.55	-34.38	-13.00	-21.38	peak
3	2861.200	-37.96	-2.25	-40.21	-13.00	-27.21	peak
4	3576.500	-42.93	-0.86	-43.79	-13.00	-30.79	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-35.35	-7.02	-42.37	-13.00	-29.37	peak
2	2122.500	-33.76	-4.64	-38.40	-13.00	-25.40	peak
3	2830.000	-41.66	-2.32	-43.98	-13.00	-30.98	peak
4	3537.500	-45.96	-0.95	-46.91	-13.00	-33.91	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_1.4M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-34.46	-7.02	-41.48	-13.00	-28.48	peak
2	2122.500	-32.54	-4.64	-37.18	-13.00	-24.18	peak
3	2830.000	-46.04	-2.32	-48.36	-13.00	-35.36	peak
4	3537.500	-37.73	-0.95	-38.68	-13.00	-25.68	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	700.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M_QPSK_CH23025	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1401.000	-34.59	-7.08	-41.67	-13.00	-28.67	peak
2	2101.500	-31.87	-4.72	-36.59	-13.00	-23.59	peak
3	2802.000	-45.14	-2.40	-47.54	-13.00	-34.54	peak
4	3502.500	-44.23	-1.05	-45.28	-13.00	-32.28	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	700.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M_QPSK_CH23025	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1401.000	-32.91	-7.08	-39.99	-13.00	-26.99	peak
2	2101.500	-27.13	-4.72	-31.85	-13.00	-18.85	peak
3	2802.000	-41.21	-2.40	-43.61	-13.00	-30.61	peak
4	3502.500	-41.85	-1.05	-42.90	-13.00	-29.90	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-33.83	-7.02	-40.85	-13.00	-27.85	peak
2	2122.500	-31.94	-4.64	-36.58	-13.00	-23.58	peak
3	2537.500	-43.92	-3.10	-47.02	-13.00	-34.02	peak
4	2830.000	-38.64	-2.32	-40.96	-13.00	-27.96	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-32.90	-7.02	-39.92	-13.00	-26.92	peak
2	2122.500	-27.19	-4.64	-31.83	-13.00	-18.83	peak
3	2830.000	-38.55	-2.32	-40.87	-13.00	-27.87	peak
4	3537.500	-36.79	-0.95	-37.74	-13.00	-24.74	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	714.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M_QPSK_CH23165	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1429.000	-29.70	-6.96	-36.66	-13.00	-23.66	peak
2	2143.500	-31.40	-4.56	-35.96	-13.00	-22.96	peak
3	2858.000	-45.79	-2.25	-48.04	-13.00	-35.04	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	714.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M_QPSK_CH23165	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1429.000	-26.85	-6.96	-33.81	-13.00	-20.81	peak
2	2143.500	-27.81	-4.56	-32.37	-13.00	-19.37	peak
3	2858.000	-39.18	-2.25	-41.43	-13.00	-28.43	peak
4	3572.500	-44.61	-0.87	-45.48	-13.00	-32.48	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-31.93	-7.02	-38.95	-13.00	-25.95	peak
2	2122.500	-31.91	-4.64	-36.55	-13.00	-23.55	peak
3	2830.000	-41.89	-2.32	-44.21	-13.00	-31.21	peak
4	3537.500	-38.71	-0.95	-39.66	-13.00	-26.66	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_3M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-34.18	-7.02	-41.20	-13.00	-28.20	peak
2	2122.500	-30.57	-4.64	-35.21	-13.00	-22.21	peak
3	2830.000	-38.49	-2.32	-40.81	-13.00	-27.81	peak
4	3537.500	-43.13	-0.95	-44.08	-13.00	-31.08	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	701.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M_QPSK_CH23035	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1403.000	-36.11	-7.07	-43.18	-13.00	-30.18	peak
2	2104.500	-31.23	-4.71	-35.94	-13.00	-22.94	peak
3	2806.000	-45.31	-2.39	-47.70	-13.00	-34.70	peak
4	3507.500	-42.23	-1.03	-43.26	-13.00	-30.26	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	701.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M_QPSK_CH23035	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1403.000	-32.55	-7.07	-39.62	-13.00	-26.62	peak
2	2104.500	-31.91	-4.71	-36.62	-13.00	-23.62	peak
3	2806.000	-40.55	-2.39	-42.94	-13.00	-29.94	peak
4	3507.500	-38.33	-1.03	-39.36	-13.00	-26.36	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-32.81	-7.02	-39.83	-13.00	-26.83	peak
2	2122.500	-30.85	-4.64	-35.49	-13.00	-22.49	peak
3	2830.000	-43.21	-2.32	-45.53	-13.00	-32.53	peak
4	3537.500	-42.62	-0.95	-43.57	-13.00	-30.57	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-26.28	-7.02	-33.30	-13.00	-20.30	peak
2	2122.500	-26.98	-4.64	-31.62	-13.00	-18.62	peak
3	2830.000	-38.84	-2.32	-41.16	-13.00	-28.16	peak
4	3537.500	-41.86	-0.95	-42.81	-13.00	-29.81	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	713.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M_QPSK_CH23155	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1427.000	-36.47	-6.96	-43.43	-13.00	-30.43	peak
2	2140.500	-37.37	-4.57	-41.94	-13.00	-28.94	peak
3	2854.000	-45.61	-2.26	-47.87	-13.00	-34.87	peak
4	3567.500	-39.94	-0.87	-40.81	-13.00	-27.81	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	713.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M_QPSK_CH23155	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1427.000	-27.28	-6.96	-34.24	-13.00	-21.24	peak
2	2140.500	-29.05	-4.57	-33.62	-13.00	-20.62	peak
3	2854.000	-44.20	-2.26	-46.46	-13.00	-33.46	peak
4	3567.500	-38.83	-0.87	-39.70	-13.00	-26.70	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-35.63	-7.02	-42.65	-13.00	-29.65	peak
2	2122.500	-32.38	-4.64	-37.02	-13.00	-24.02	peak
3	2830.000	-43.49	-2.32	-45.81	-13.00	-32.81	peak
4	3537.500	-45.25	-0.95	-46.20	-13.00	-33.20	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_5M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-31.38	-7.02	-38.40	-13.00	-25.40	peak
2	2122.500	-26.26	-4.64	-30.90	-13.00	-17.90	peak
3	2830.000	-35.28	-2.32	-37.60	-13.00	-24.60	peak
4	3537.500	-41.03	-0.95	-41.98	-13.00	-28.98	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	704MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M_QPSK_CH23060	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1408.000	-36.07	-7.05	-43.12	-13.00	-30.12	peak
2	2112.000	-43.28	-4.68	-47.96	-13.00	-34.96	peak
3	2816.000	-33.52	-2.36	-35.88	-13.00	-22.88	peak
4	3520.000	-38.56	-1.00	-39.56	-13.00	-26.56	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	704MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M_QPSK_CH23060	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1408.000	-32.12	-7.05	-39.17	-13.00	-26.17	peak
2	2112.000	-29.39	-4.68	-34.07	-13.00	-21.07	peak
3	2816.000	-41.37	-2.36	-43.73	-13.00	-30.73	peak
4	3520.000	-33.11	-1.00	-34.11	-13.00	-21.11	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-32.49	-7.02	-39.51	-13.00	-26.51	peak
2	2122.500	-31.72	-4.64	-36.36	-13.00	-23.36	peak
3	2830.000	-43.62	-2.32	-45.94	-13.00	-32.94	peak
4	3537.500	-42.25	-0.95	-43.20	-13.00	-30.20	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M_QPSK_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-28.69	-7.02	-35.71	-13.00	-22.71	peak
2	2122.500	-24.78	-4.64	-29.42	-13.00	-16.42	peak
3	2830.000	-39.13	-2.32	-41.45	-13.00	-28.45	peak
4	3537.500	-42.90	-0.95	-43.85	-13.00	-30.85	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	711MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M_QPSK_CH23130	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1422.000	-33.46	-6.99	-40.45	-13.00	-27.45	peak
2	2133.000	-27.47	-4.60	-32.07	-13.00	-19.07	peak
3	2844.000	-40.43	-2.29	-42.72	-13.00	-29.72	peak
4	3555.000	-43.05	-0.91	-43.96	-13.00	-30.96	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	711MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M_QPSK_CH23130	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1422.000	-35.86	-6.99	-42.85	-13.00	-29.85	peak
2	2133.000	-26.19	-4.60	-30.79	-13.00	-17.79	peak
3	2844.000	-39.21	-2.29	-41.50	-13.00	-28.50	peak
4	3555.000	-43.71	-0.91	-44.62	-13.00	-31.62	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-34.21	-7.02	-41.23	-13.00	-28.23	peak
2	2122.500	-29.15	-4.64	-33.79	-13.00	-20.79	peak
3	2830.000	-43.97	-2.32	-46.29	-13.00	-33.29	peak
4	3537.500	-45.72	-0.95	-46.67	-13.00	-33.67	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	707.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 12_10M-16QAM_CH23095	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1415.000	-32.72	-7.02	-39.74	-13.00	-26.74	peak
2	2122.500	-26.62	-4.64	-31.26	-13.00	-18.26	peak
3	2830.000	-39.51	-2.32	-41.83	-13.00	-28.83	peak
4	3537.500	-42.23	-0.95	-43.18	-13.00	-30.18	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	706.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M_QPSK_CH23755	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1413.000	-34.00	-7.02	-41.02	-13.00	-28.02	peak
2	2119.500	-29.39	-4.65	-34.04	-13.00	-21.04	peak
3	2826.000	-44.56	-2.33	-46.89	-13.00	-33.89	peak
4	3532.500	-37.73	-0.97	-38.70	-13.00	-25.70	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	706.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M_QPSK_CH23755	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1413.000	-32.86	-7.02	-39.88	-13.00	-26.88	peak
2	2119.500	-25.33	-4.65	-29.98	-13.00	-16.98	peak
3	2826.000	-38.76	-2.33	-41.09	-13.00	-28.09	peak
4	3532.500	-41.51	-0.97	-42.48	-13.00	-29.48	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M_QPSK_CH23790	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-34.42	-6.99	-41.41	-13.00	-28.41	peak
2	2130.000	-33.78	-4.62	-38.40	-13.00	-25.40	peak
3	2840.000	-43.69	-2.30	-45.99	-13.00	-32.99	peak
4	3550.000	-39.00	-0.92	-39.92	-13.00	-26.92	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M_QPSK_CH23790	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-32.30	-6.99	-39.29	-13.00	-26.29	peak
2	2130.000	-25.44	-4.62	-30.06	-13.00	-17.06	peak
3	2840.000	-37.51	-2.30	-39.81	-13.00	-26.81	peak
4	3550.000	-43.74	-0.92	-44.66	-13.00	-31.66	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	713.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M_QPSK_CH23825	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1427.000	-33.25	-6.96	-40.21	-13.00	-27.21	peak
2	2140.500	-32.96	-4.57	-37.53	-13.00	-24.53	peak
3	2854.000	-43.53	-2.26	-45.79	-13.00	-32.79	peak
4	3567.500	-46.19	-0.87	-47.06	-13.00	-34.06	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	713.5MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M_QPSK_CH23825	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1427.000	-26.97	-6.96	-33.93	-13.00	-20.93	peak
2	2140.500	-25.75	-4.57	-30.32	-13.00	-17.32	peak
3	2854.000	-43.70	-2.26	-45.96	-13.00	-32.96	peak
4	3567.500	-45.51	-0.87	-46.38	-13.00	-33.38	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M-16QAM_CH23790	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-28.86	-6.99	-35.85	-13.00	-22.85	peak
2	2130.000	-28.14	-4.62	-32.76	-13.00	-19.76	peak
3	2840.000	-44.00	-2.30	-46.30	-13.00	-33.30	peak
4	3550.000	-46.12	-0.92	-47.04	-13.00	-34.04	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_5M-16QAM_CH23790	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-33.60	-6.99	-40.59	-13.00	-27.59	peak
2	2130.000	-24.82	-4.62	-29.44	-13.00	-16.44	peak
3	2840.000	-39.79	-2.30	-42.09	-13.00	-29.09	peak
4	3550.000	-39.89	-0.92	-40.81	-13.00	-27.81	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	709MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M_QPSK_CH23780	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1418.000	-35.40	-7.01	-42.41	-13.00	-29.41	peak
2	2127.000	-30.82	-4.63	-35.45	-13.00	-22.45	peak
3	2836.000	-44.29	-2.30	-46.59	-13.00	-33.59	peak
4	3545.000	-43.46	-0.95	-44.41	-13.00	-31.41	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	709MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M_QPSK_CH23780	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1418.000	-30.87	-7.01	-37.88	-13.00	-24.88	peak
2	2127.000	-28.62	-4.63	-33.25	-13.00	-20.25	peak
3	2836.000	-39.55	-2.30	-41.85	-13.00	-28.85	peak
4	3545.000	-45.05	-0.95	-46.00	-13.00	-33.00	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M_QPSK_CH23790	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-35.52	-6.99	-42.51	-13.00	-29.51	peak
2	2130.000	-33.74	-4.62	-38.36	-13.00	-25.36	peak
3	2840.000	-44.64	-2.30	-46.94	-13.00	-33.94	peak
4	3550.000	-44.28	-0.92	-45.20	-13.00	-32.20	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M_QPSK_CH23790	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-30.72	-6.99	-37.71	-13.00	-24.71	peak
2	2130.000	-27.30	-4.62	-31.92	-13.00	-18.92	peak
3	2840.000	-41.65	-2.30	-43.95	-13.00	-30.95	peak
4	3550.000	-44.43	-0.92	-45.35	-13.00	-32.35	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	711MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M_QPSK_CH23800	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1422.000	-29.62	-6.99	-36.61	-13.00	-23.61	peak
2	2133.000	-31.10	-4.60	-35.70	-13.00	-22.70	peak
3	2844.000	-42.02	-2.29	-44.31	-13.00	-31.31	peak
4	3555.000	-43.63	-0.91	-44.54	-13.00	-31.54	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	711MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M_QPSK_CH23800	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1422.000	-29.75	-6.99	-36.74	-13.00	-23.74	peak
2	2133.000	-27.22	-4.60	-31.82	-13.00	-18.82	peak
3	2844.000	-36.32	-2.29	-38.61	-13.00	-25.61	peak
4	3555.000	-40.70	-0.91	-41.61	-13.00	-28.61	peak



Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M-16QAM_CH23790	Date:	11/24/2017
Ant.Polar.:	Horizontal		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-38.74	-6.99	-45.73	-13.00	-32.73	peak
2	2130.000	-34.67	-4.62	-39.29	-13.00	-26.29	peak
3	2840.000	-45.49	-2.30	-47.79	-13.00	-34.79	peak
4	3550.000	-48.25	-0.92	-49.17	-13.00	-36.17	peak

Standard:	Part 24E&27	Test Distance:	3m
Test item:	Harmonic	Power:	AC 120V/60Hz
Frequency:	710MHz	Temp.(°C)/Hum.(%RH):	26(°C)/60%RH
Mode:	4G_BAND 17_10M-16QAM_CH23790	Date:	11/24/2017
Ant.Polar.:	Vertical		

No.	Frequency (MHz)	Reading (dBm)	Correct Factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1420.000	-37.25	-6.99	-44.24	-13.00	-31.24	peak
2	2130.000	-31.64	-4.62	-36.26	-13.00	-23.26	peak
3	2840.000	-42.03	-2.30	-44.33	-13.00	-31.33	peak
4	3550.000	-44.76	-0.92	-45.68	-13.00	-32.68	peak



Appendix : Frequency Stability/ Emission Bandwidth & Occupied Bandwidth/ Peak to Average Ratio/ Band Edge/ Conducted Spurious Emission

The equipment passed the requirement of this clause, the detail results refer to "Test Results_Band2/Band4/Band12/Band17."

.