

Intertek Testing Services


RF VOLTAGE

EUT: WB2000
 Manuf: AboCom
 Op Cond: LISN-L
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: EMI RCV:835418/012
 120V 60Hz 21'C 58%RH A ant. tx at low channel
 Date: 12. Jul 02 16:37

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
 Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: WB2000
Manuf: AboCom
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:835418/012
120V 60Hz 21'C 58%RH A ant. tx at low channel
Date: 12. Jul 02 16:43

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: WB2000
 Manuf: AboCom
 Op Cond: LISN-L
 Operator: kays1
 Test Spec: FCC Class B
 Comment: EMI RCV:835418/012
 120V 60Hz 21'C 58%RH A ant. tx at middle channel
 Date: 12. Jul 02 16:55

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
 Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: WB2000
 Manuf: AboCom
 Op Cond: LISN-N
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: EMI RCV:835418/012
 120V 60Hz 21'C 58%RH A ant. tx at middle channel
 Date: 12. Jul 02 16:49

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
 Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: WB2000
Manuf: AboCom
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:835418/012
120V 60Hz 21°C 58%RH A ant. tx at high channel
Date: 12. Jul 02 17:00

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: WB2000
 Manuf: AboCom
 Op Cond: LISN-M
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: EMI RCV:835418/012
 120V 60Hz 21°C 58%RH A ant. tx at high channel
 Date: 12. Jul 02 17:06

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN OFF

Final Measurement: x QP
 Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: WB2000
Manuf: AboCom
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:835418/012
120V 60Hz 21'C 58%RH B ant. tx at low channel
Date: 12. Jul 02 17:47

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: WB2000
 Manuf: AboCom
 Op Cond: LISN-N
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: EMI RCV:835418/012
 120V 60Hz 21°C 58%RH B ant. tx at low channel
 Date: 12. Jul 02 17:41

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
 Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE


EUT: WB2000
Manuf: AboCom
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:835418/012
120V 60Hz 21°C 58%RH B ant. tx at middle channel
Date: 12. Jul 02 17:28

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP

Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: WB2000
Manuf: AboCom
Op Cond: LISN-N
Operator: kays1
Test Spec: FCC Class B
Comment: EMI RCV:835418/012
120V 60Hz 21'C 58%RH B ant. tx at middle channel
Date: 12. Jul 02 17:35

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: WB2000
 Manuf: AboCom
 Op Cond: LISN-L
 Operator: kaysi
 Test Spec: FCC Class B
 Comment: EMI RCV:835418/012
 120V 60Hz 21'C 58%RH B ant. tx at high channel
 Date: 12. Jul 02 17:21

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
 Meas Time: 1 s



Intertek Testing Services
RF VOLTAGE

EUT: WB2000
Manuf: AboCom
Op Cond: LISN-W
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:835418/012
120V 60Hz 21'C 58%RH B ant. tx at high channel
Date: 12. Jul 02 17:15

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s

