



Mode	66										
	Band Edge										
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location										
ANT	1+2+3										
Pol.	Horizontal						Fundamental				
Peak	Data: 1 Level (dBuV/m)										



Mode	66									
	Band Edge									
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location									
ANT	1+2+3									
Pol.	Horizontal					Fundamental				
Peak	Data: 4 Level (dBuV/m)									



Mode	66											
	Band Edge											
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location											
ANT	1+2+3											
Pol.	Vertical						Fundamental					
Peak	Data: 6 Level (dBuV/m)											



Mode	66																																
	Band Edge																																
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																
ANT	1+2+3																																
Pol.	Vertical	Fundamental																															
Peak	Data: 9 Level (dBuV/m) Date: 2024-06-07 Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.92</td><td>54.73</td><td>-19.27</td><td>74.00</td><td>44.12</td><td>34.78</td><td>8.38</td><td>32.55</td><td>145</td><td>358 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.92	54.73	-19.27	74.00	44.12	34.78	8.38	32.55	145	358 Peak	NA
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1	5353.92	54.73	-19.27	74.00	44.12	34.78	8.38	32.55	145	358 Peak																							
Avg	Data: 10 Level (dBuV/m) Date: 2024-06-07 Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.72</td><td>42.33</td><td>-11.67</td><td>54.00</td><td>31.72</td><td>34.78</td><td>8.38</td><td>32.55</td><td>145</td><td>358 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.72	42.33	-11.67	54.00	31.72	34.78	8.38	32.55	145	358 Average	NA
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1	5358.72	42.33	-11.67	54.00	31.72	34.78	8.38	32.55	145	358 Average																							



		66									
Mode	Band Edge										
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location										
ANT	1+2+3										
Pol.	Horizontal						Fundamental				
Peak	Data: 3 Level (dBuV/m)										



Mode	66																																																																																											
	Band Edge																																																																																											
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																																																											
ANT	1+2+3																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Data: 7 Level (dBuV/m) Date: 2024-06-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) PEAK(U-NI)_6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7172.00</td><td>50.43</td><td>-37.77</td><td>88.20</td><td>39.00</td><td>35.47</td><td>8.63</td><td>33.47</td><td>160</td><td>343</td><td>Peak</td></tr><tr><td>2</td><td>7325.53</td><td>50.04</td><td>-23.96</td><td>74.00</td><td>39.28</td><td>35.43</td><td>8.95</td><td>33.62</td><td>160</td><td>343</td><td>Peak</td></tr></table>					Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7172.00	50.43	-37.77	88.20	39.00	35.47	8.63	33.47	160	343	Peak	2	7325.53	50.04	-23.96	74.00	39.28	35.43	8.95	33.62	160	343	Peak	Data: 5 Level (dBuV/m) Date: 2024-06-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK(U-NI)_6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>90.78</td><td>-28.42</td><td>119.20</td><td>79.75</td><td>35.49</td><td>8.84</td><td>33.30</td><td>160</td><td>343</td><td>Peak</td></tr></table>					Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	6985.00	90.78	-28.42	119.20	79.75	35.49	8.84	33.30	160	343	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																				
1	7172.00	50.43	-37.77	88.20	39.00	35.47	8.63	33.47	160	343	Peak																																																																																	
2	7325.53	50.04	-23.96	74.00	39.28	35.43	8.95	33.62	160	343	Peak																																																																																	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																						
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																				
1	6985.00	90.78	-28.42	119.20	79.75	35.49	8.84	33.30	160	343	Peak																																																																																	
Avg	Data: 8 Level (dBuV/m) Date: 2024-06-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6885 6978. 7071. 7164. 7257. 7350 Frequency (MHz) AVG(U-NI)_6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.00</td><td>41.61</td><td>-26.59</td><td>68.20</td><td>30.87</td><td>35.48</td><td>8.68</td><td>33.42</td><td>160</td><td>343</td><td>Peak</td></tr><tr><td>2</td><td>7272.81</td><td>41.41</td><td>-12.59</td><td>54.00</td><td>30.72</td><td>35.44</td><td>8.83</td><td>33.58</td><td>160</td><td>343</td><td>Average</td></tr></table>					Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7126.00	41.61	-26.59	68.20	30.87	35.48	8.68	33.42	160	343	Peak	2	7272.81	41.41	-12.59	54.00	30.72	35.44	8.83	33.58	160	343	Average	Data: 6 Level (dBuV/m) Date: 2024-06-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG(U-NI)_6E <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>82.17</td><td>-17.03</td><td>99.20</td><td>71.14</td><td>35.49</td><td>8.84</td><td>33.30</td><td>160</td><td>343</td><td>Average</td></tr></table>					Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	6985.00	82.17	-17.03	99.20	71.14	35.49	8.84	33.30	160	343	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																				
1	7126.00	41.61	-26.59	68.20	30.87	35.48	8.68	33.42	160	343	Peak																																																																																	
2	7272.81	41.41	-12.59	54.00	30.72	35.44	8.83	33.58	160	343	Average																																																																																	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																						
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																				
1	6985.00	82.17	-17.03	99.20	71.14	35.49	8.84	33.30	160	343	Average																																																																																	



Mode	66																																																													
	Band Edge																																																													
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																													
ANT	1+2+3																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	Data: 3 Level (dBuV/m) Date: 2024-07-09 PEAK_BE_74 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.84</td><td>52.60</td><td>-21.40</td><td>74.00</td><td>50.36</td><td>30.83</td><td>4.92</td><td>33.51</td><td>374</td><td>169 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.84	52.60	-21.40	74.00	50.36	30.83	4.92	33.51	374	169 Peak	Data: 1 Level (dBuV/m) Date: 2024-07-09 PEAK_74 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 2480.00</td><td>93.60</td><td>19.60</td><td>74.00</td><td>91.36</td><td>30.83</td><td>4.92</td><td>33.51</td><td>374</td><td>169 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 2480.00	93.60	19.60	74.00	91.36	30.83	4.92	33.51	374	169 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 2483.84	52.60	-21.40	74.00	50.36	30.83	4.92	33.51	374	169 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 * 2480.00	93.60	19.60	74.00	91.36	30.83	4.92	33.51	374	169 Peak																																																					
Avg	Data: 4 Level (dBuV/m) Date: 2024-07-09 AVG_BE_54 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>40.80</td><td>-13.20</td><td>54.00</td><td>38.56</td><td>30.83</td><td>4.92</td><td>33.51</td><td>374</td><td>169 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	40.80	-13.20	54.00	38.56	30.83	4.92	33.51	374	169 Average	Data: 2 Level (dBuV/m) Date: 2024-07-09 AVG_54 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 2480.00</td><td>94.09</td><td>40.09</td><td>54.00</td><td>91.85</td><td>30.83</td><td>4.92</td><td>33.51</td><td>374</td><td>169 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 2480.00	94.09	40.09	54.00	91.85	30.83	4.92	33.51	374	169 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 2483.52	40.80	-13.20	54.00	38.56	30.83	4.92	33.51	374	169 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 * 2480.00	94.09	40.09	54.00	91.85	30.83	4.92	33.51	374	169 Average																																																					



Mode	66											
	Band Edge											
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location											
ANT	1+2+3											
Pol.	Vertical						Fundamental					
Peak	Data: 7 Level (dBuV/m) </											



Mode	66																																																																																																																														
	Harmonic																																																																																																																														
	WLAN 5G 11AX160_CH50 & WLAN 6G 11AX160_CH207 & BLE_CH39(2M) Co-location																																																																																																																														
ANT	1+2+3																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg	Data: 1 Level (dBuV/m) Date: 2024-06-07 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.68</td><td>-20.62</td><td>68.30</td><td>58.18</td><td>37.50</td><td>10.84</td><td>58.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>13968.00</td><td>48.22</td><td>-20.08</td><td>68.30</td><td>55.94</td><td>38.51</td><td>12.73</td><td>58.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>15750.00</td><td>48.25</td><td>-25.75</td><td>74.00</td><td>55.59</td><td>39.11</td><td>12.71</td><td>59.16</td><td>---</td><td>---</td><td>Peak</td></tr></table> Data: 2 Level (dBuV/m) Date: 2024-06-07 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>48.02</td><td>-20.28</td><td>68.30</td><td>58.52</td><td>37.50</td><td>10.84</td><td>58.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>13968.00</td><td>48.84</td><td>-19.46</td><td>68.30</td><td>56.56</td><td>38.51</td><td>12.73</td><td>58.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>15750.00</td><td>48.82</td><td>-25.18</td><td>74.00</td><td>56.16</td><td>39.11</td><td>12.71</td><td>59.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.68	-20.62	68.30	58.18	37.50	10.84	58.84	---	---	Peak	2	13968.00	48.22	-20.08	68.30	55.94	38.51	12.73	58.96	---	---	Peak	3	15750.00	48.25	-25.75	74.00	55.59	39.11	12.71	59.16	---	---	Peak		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	48.02	-20.28	68.30	58.52	37.50	10.84	58.84	---	---	Peak	2	13968.00	48.84	-19.46	68.30	56.56	38.51	12.73	58.96	---	---	Peak	3	15750.00	48.82	-25.18	74.00	56.16	39.11	12.71	59.16	---	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	10500.00	47.68	-20.62	68.30	58.18	37.50	10.84	58.84	---	---	Peak																																																																																																																				
2	13968.00	48.22	-20.08	68.30	55.94	38.51	12.73	58.96	---	---	Peak																																																																																																																				
3	15750.00	48.25	-25.75	74.00	55.59	39.11	12.71	59.16	---	---	Peak																																																																																																																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	10500.00	48.02	-20.28	68.30	58.52	37.50	10.84	58.84	---	---	Peak																																																																																																																				
2	13968.00	48.84	-19.46	68.30	56.56	38.51	12.73	58.96	---	---	Peak																																																																																																																				
3	15750.00	48.82	-25.18	74.00	56.16	39.11	12.71	59.16	---	---	Peak																																																																																																																				

Note: the highest signal over limit is WLAN 6G co-location fundamental signal.




Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	100.00	-	-	10Hz
802.11ax HE40	100.00	-	-	10Hz
802.11ax HE80	100.00	-	-	10Hz
802.11ax HE160	100.00	-	-	10Hz
802.11ax HE20 Partial RU 26	100.00	-	-	10Hz
802.11ax HE20 Partial RU 52	100.00	-	-	10Hz
802.11ax HE20 Partial RU 106	100.00	-	-	10Hz



802.11a




802.11ax HE20






802.11ax HE40




802.11ax HE80






802.11ax HE160




802.11ax HE20 Partial RU 26





802.11ax HE20 Partial RU 52



802.11ax HE20 Partial RU 106

