

Page: 1 of 105

# RF Exposure report





The following samples were submitted and identified on behalf of the client as:

Product Name 11ax RTL8852BE Combo module

Brand Name REALTEK
Model No. RTL8852BE

**Applicant** Realtek Semiconductor Corp.

No. 2, Innovation Road II, Hsinchu Science Park, Hsinchu

300, Taiwan

**Standards** IEEE/ANSI C95.1-1992, IEEE 1528-2013

FCC ID TX2-RTL8852BE

Date of EUT Receipt Oct. 28, 2022

**Date of Test(s)** Nov. 28, 2022 ~ Dec. 01, 2022

Date of Issue Jan. 05, 2023

In the configuration tested, the EUT complied with the standards specified above.

#### Remarks

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

#### Signed on behalf of SGS

Clerk / Kimmy Chiou	PM / Bond Tsai	Approved By / John Yeh
Kimmy Chiou	BondJsai	John Teh
		Date: Jan. 05, 2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有景,同时此样只属是例如子。太极生土概太公司电荷实可,因可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ Idiwan Etd.



Page: 2 of 105

# **Revision History**

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2208000309E5	00	Initial creation of document	Dec. 08, 2022	Kimmy Chiou	*
TESA2208000309E5	01	Modify 2.4G power	Jan. 05, 2023	Kimmy Chiou	

	- 1	
N	$\Delta T_{4}$	Э,
v	$\mathbf{O}$	<b>=</b> .

The mark " \* " is the revised version of the report due to comments submitted by the certification.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 3 of 105

## **Contents**

1	GENERAL INFORMATION	4
	1.1 Test Methodology	4
	1.2 Description of EUT	5
	1.3 Maximum value	
	1.4 Antenna Information	6
2	MEASUREMENT SYSTEM	
	2.1 Test Facility	7
	2.2 SAR System	
3	SAR SYSTEM VERIFICATION	
	3.1 Tissue Simulating Liquid	11
	3.2 Tissue Simulant Liquid measurement	11
	3.3 Measurement results of Tissue Simulant Liquid	11
	3.4 The composition of the tissue simulating liquid:	13
	3.5 System check	
	3.6 System check results	
4	TEST CONFIGURATIONS	15
	4.1 Test Environment	15
	4.2 Test Note	15
	4.3 Test position	
	4.4 Test limit	
5	MAXIMUM OUTPUT POWER	21
	5.1 WLAN	
	5.2 Bluetooth	
	5.3 BLE	
6	DUTY CYCLE	
7	SUMMARY OF RESULTS	
	7.1 Decision rules	
	7.2 Summary of SAR Results	
	7.3 Reporting statements of conformity	
	7.4 Conclusion	
8	SIMULTANEOUS TRANSMISSION ANALYSIS	
	8.1 Simultaneous Transmission Scenarios:	
	8.2 Estimated SAR calculation	
	8.3 SPLSR evaluation and analysis	
	8.4 Conclusion	
9	INSTRUMENTS LIST	
10	UNCERTAINTY BUDGET	
11	SAR MEASUREMENT RESULTS	
12	SAR SYSTEM CHECK RESULTS	
13	APPENDIXES	
	13.1 SAR_Appendix A Photographs	105
	13.2 SAR_Appendix B DAE & Probe Cal. Certificate	105
	13.3 SAR Appendix C Phantom Description & Dipole Cal. Certificate	105

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. We ## heat prosecuted to the fullest extent of the law.



Page: 4 of 105

#### **GENERAL INFORMATION**

#### 1.1 Test Methodology

The SAR testing method and procedure for this device is in accordance with the following standards:

IEEE/ANSI C95.1-1992

IEEE 1528-2013

KDB447498D01v06

KDB865664D01v01r04

KDB865664D02v01r02

KDB616217D04v01r02

KDB248227D01v02r01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 5 of 105

#### 1.2 **Description of EUT**

#### General Information of Host:

beneral information of nost.					
Product Name	Portable Computer				
Brand Name	DELL				
Model No.	P112F				
FCC ID	TX2-RTL8852BE				
Integrated WLAN Module	Brand Name: REALTEK Model Name: RTL8852BE				
Mode	WLAN: 802.11a/b/g/n/ac/ax HT20/HT40/VHT20/VHT40/VHT80/HE20/HE40/HE80 Bluetooth BR/EDR/LE				
Dut. Oud.	WLAN802.11	Please refer to section 7			
Duty Cycle	BLE	Please refer to section 7			
	802.11 b/g/n/ax	2.4GHz (2400.0 – 2483.5 MHz)			
Supported radios (TX Frequency Range, MHz)	802.11a/n/ac/ax	5.2GHz (5150.0 –5350.0 MHz) 5.6GHz (5470.0 – 5725.0 MHz) 5.8GHz (5725.0 – 5850.0 MHz)			
	Bluetooth 5.2	2.4GHz (2400.0 – 2483.5 MHz)			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 6 of 105

#### Maximum value

Summary of Maximum SAR				
	Highest SAR 1g			
Mode	Body			
	(W/kg)			
2.4G WLAN	0.96			
5G WLAN	1.19			
BLE	0.33			

#### **Antenna Information** 1.4

Lanton mode WLAN

Laptop mode_wlan										
Vendor		AWAN								
Antenna		Main Aux								
Part Number			AYP6Y-100258 DC33002N00L					AYP6Y-100259 DC33002N01L		
Frequency(MHz)	2400~2500 5150~5250 5250~5350 5470~5725 5725~5850					2400~2500	5150~5250	5250~5350	5470~5725	5725~5850
Gain (dBi)	1.59	2.95	2.36	2.75	2.63	0.48	2.53	2.57	2.59	2.84

Laptop mode\_WLAN

Vendor		Hong Bo Co., Ltd								
Antenna			Main					Aux		
Part Number		Compa	260-24388 II P/N: DC3300	)2N20L			Compa	260-24389 II P/N: DC3300	)2N21L	
Frequency(MHz)	2400~2500 5150~5250 5250~5350 5470~5725 5725~5850				2400~2500	5150~5250	5250~5350	5470~5725	5725~5850	
Gain (dBi)	2.983	2.618	2.526	2.901	2.925	2.489	2.441	2.441	2.492	1.899

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 105

### **2 MEASUREMENT SYSTEM**

#### 2.1 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier		
	1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road, Neihu	SAR 2				
	District, Taipei City, 11493, Taiwan.		District, Taipei City, 11493,	SAR 6	TW0029	
	No. 2, Keji 1st Rd., Guishan	SAR 1		TW3702		
Central RF Lab. (TAF code 3702)	Township, Taoyuan County, 33383, Taiwan	SAR 4	TW0028			
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku	SAR 3				
	District, New Taipei City, Taiwan	SAR 7	TW0027			

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世操具攝風內內干。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 8 of 105

### 2.2 SAR System

### **Block Diagram (DASY6)**

The DASY system used for performing compliance tests consists of the following items:



- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running Windows 10 and the DASY6 software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是这种思考的问题。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 9 of 105

#### FX3DV4 F-Field Probe

EX3DV4 E-F	leid Flobe
Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 2450/5250/5600/5750 MHz Additional CF for other liquids and frequencies upon request
Frequency	10 MHz to > 6 GHz
Directivity	± 0.3 dB in HSL (rotation around probe axis)
	± 0.5 dB in tissue material (rotation normal to probe axis)
Dynamic	10 $\mu$ W/g to > 100 mW/g
Range	Linearity: ± 0.2 dB (noise: typically < 1 μW/g)
Dimensions	Tip diameter: 2.5 mm
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 10 of 105

## PHANTOM (ELI)

PITANTON (L	
Model	ELI
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.
Shell Thickness	2 ± 0.2 mm
	Approx. 30 liters
	Major axis: 600 mm Minor axis: 400 mm

#### **DEVICE HOLDER (ELI)**

Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin ), which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 11 of 105

#### 3 SAR SYSTEM VERIFICATION

#### 3.1 Tissue Simulating Liquid

For the measurement of the field distribution inside the SAM phantom with DASY, the phantom must be filled with homogeneous tissue simulating liquid. For head SAR testing, the liquid height from the ear reference point (ERP) of the phantom to the liquid top surface is larger than 15cm. For body SAR testing, the liquid height from the center of the flat phantom to the liquid top surface is larger than 15cm.

#### 3.2 Tissue Simulant Liquid measurement

The dielectric properties for this Head-simulant fluid were measured by using the SPEAG Dielectric Assessment Kit (DAKS-3.5)

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within  $\pm 5\%$  of the target values.

#### 3.3 Measurement results of Tissue Simulant Liquid

Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, εr	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
	2412	39.265	1.766	40.248	1.818	2.50%	2.95%
	2437	39.222	1.788	40.203	1.840	2.50%	2.90%
Nov, 28. 2022	2440	39.223	1.789	40.198	1.843	2.49%	3.01%
	2450	39.200	1.800	40.180	1.852	2.50%	2.87%
	2462	39.184	1.813	40.165	1.863	2.50%	2.74%
	5180	36.020	4.639	36.989	4.753	2.69%	2.46%
	5190	36.010	4.650	36.977	4.764	2.69%	2.45%
	5200	36.000	4.660	36.966	4.774	2.68%	2.45%
	5210	35.990	4.670	36.954	4.784	2.68%	2.45%
	5220	35.980	4.680	36.943	4.795	2.68%	2.46%
Nov. 20, 2022	5230	35.970	4.690	36.931	4.805	2.67%	2.46%
Nov, 28. 2022	5240	35.960	4.700	36.920	4.816	2.67%	2.47%
	5250	35.950	4.710	36.909	4.826	2.67%	2.47%
	5270	35.930	4.730	36.886	4.847	2.66%	2.48%
	5290	35.910	4.750	36.863	4.868	2.65%	2.49%
	5310	35.890	4.770	36.840	4.889	2.65%	2.50%
	5320	35.880	4.780	36.829	4.900	2.64%	2.51%
	5600	35.500	5.070	36.509	5.194	2.84%	2.45%
Nov, 29. 2022	5610	35.490	5.080	36.497	5.204	2.84%	2.45%
	5670	35.430	5.140	36.429	5.267	2.82%	2.47%
	5690	35.410	5.160	36.406	5.288	2.81%	2.48%
	5710	35.390	5.180	36.383	5.309	2.81%	2.49%
Nov, 29. 2022	5750	35.350	5.220	36.337	5.351	2.79%	2.51%
1907, 29. 2022	5755	35.345	5.225	36.331	5.356	2.79%	2.51%
	5775	35.325	5.245	36.309	5.377	2.78%	2.52%
	5795	35.305	5.265	36.286	5.398	2.78%	2.53%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度外侧经少量,同时此类早度内向的工,大规生土领土公司事富统司,不可如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 12 of 105

Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, εr	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
	2412	39.265	1.766	39.770	1.797	1.28%	1.74%
	2437	39.222	1.788	39.725	1.819	1.28%	1.69%
Nov, 30. 2022	2440	39.223	1.789	39.720	1.821	1.27%	1.81%
	2450	39.200	1.800	39.702	1.830	1.28%	1.67%
	2462	39.184	1.813	39.687	1.841	1.28%	1.54%
	5180	36.020	4.639	36.511	4.693	1.36%	1.17%
	5190	36.010	4.650	36.499	4.703	1.36%	1.16%
	5200	36.000	4.660	36.488	4.714	1.35%	1.15%
	5210	35.990	4.670	36.476	4.724	1.35%	1.16%
	5220	35.980	4.680	36.465	4.734	1.35%	1.16%
Nov. 30. 2022	5230	35.970	4.690	36.453	4.745	1.34%	1.17%
1400, 30. 2022	5240	35.960	4.700	36.442	4.755	1.34%	1.17%
	5250	35.950	4.710	36.431	4.745	1.34%	0.74%
	5270	35.930	4.730	36.408	4.786	1.33%	1.19%
	5290	35.910	4.750	36.385	4.807	1.32%	1.20%
	5310	35.890	4.770	36.362	4.828	1.32%	1.21%
	5320	35.880	4.780	36.351	4.838	1.31%	1.22%
	5600	35.500	5.070	36.031	5.129	1.49%	1.17%
Dec, 01. 2022	5610	35.490	5.080	36.019	5.139	1.49%	1.17%
	5670	35.430	5.140	35.951	5.201	1.47%	1.19%
	5690	35.410	5.160	35.928	5.222	1.46%	1.20%
	5710	35.390	5.180	35.905	5.243	1.45%	1.21%
Dec, 01. 2022	5750	35.350	5.220	35.859	5.284	1.44%	1.23%
Dec, 01. 2022	5755	35.345	5.225	35.853	5.289	1.44%	1.23%
	5775	35.325	5.245	35.831	5.310	1.43%	1.24%
	5795	35.305	5.265	35.808	5.331	1.42%	1.25%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 13 of 105

#### 3.4 The composition of the tissue simulating liquid:

Simulating Liquids for 600 MHz -10 GHz, Manufactured by SPEAG:


Broad-band head	SPEAG Product	Frequency range (MHz)	Main Ingredients
tissue simulating liquids	HBBL600- 10000V6	600 - 10000	Water, Oil

### 3.5 System check

The microwave circuit arrangement for system check is sketched in below. The daily system accuracy verification occurs within the flat section of the SAM phantom and ELI phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values.

The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed with SAR values normalized to 1W forward power delivered to the dipole.

During the tests, the liquid depth from the center of the flat phantom to the liquid top surface was 15 cm above in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



The block diagram of system check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

303 Idiwali Etd.



Page: 14 of 105

#### 3.6 System check results

Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D2450V2	727	2450	52.8	13.14	52.56	-0.45	± 10%	Nov.28,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D5GHzV2	1023	5250	81	8.18 81.8		0.99	± 10%	Nov.28,2022
D5GHzV2	1023	5600	84.4	8.07	80.7	-4.38	± 10%	Nov.29,2022
D5GHzV2	1023	5750	81	8.25	82.5	1.85	± 10%	Nov.29,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D2450V2	727	2450	52.8	13.14	52.56	-0.45	± 10%	Nov.30,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D5GHzV2	1023	5250	81	7.98	79.8	-1.48	± 10%	Nov.30,2022
D5GHzV2	1023	5600	84.4	8.14	81.4	-3.55	± 10%	Dec.01,2022
D5GHzV2	1023	5750	81	8.1	81	0.00	± 10%	Dec.01,2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時此幾乎攝展例の干。大報华主德大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 15 of 105

#### **TEST CONFIGURATIONS**

#### 4.1 **Test Environment**

Ambient Temperature: 22±2° C Tissue Simulating Liquid: 22±2° C

#### 4.2 **Test Note**

- General: Measurements are performed respectively on the lowest, middle and highest channels of the operating band(s).
- **General:** The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.
- General: During the SAR testing, the DASY system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.
- **General:** According to KDB447498D01v06, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is  $\leq 0.8$ W/kg, when the transmission band is  $\leq 100$  MHz.
- **General:** According to KDB865664D01v01r04, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is  $\geq$  1.45 W/kg ( $\sim$  10% from the 1-g SAR limit).
- WLAN 2.4GHz: 802.11b DSSS SAR Test Requirements: SAR is measured for 2.4 GHz 802.11b DSSS mode using the highest measured maximum output power channel, when the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration. When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.
- WLAN 2.4GHz: 802.11g/n OFDM SAR Test Exclusion Requirements: SAR is not required for 802.11g/n since the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.
- WLAN 5GHz: Initial Test Configuration: An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band. SAR is measured using the highest measured maximum output power channel. When the reported SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for the subsequent next highest measured output power channel(s) in the initial test configuration until the reported SAR is ≤ 1.2 W/kg or all required channels are tested. Since the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 16 of 105

specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for subsequent test configuration.

• WLAN 5GHz: Based on FCC guidance, general principles of KDB248227D01 can be applied to 802.11ax to determine initial test configuration with 802.11ax being considered as the highest 802.11 mode for the appropriate frequency band.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数些结甲磺酚酮过少样具色素,同既此样具属是例如于。大数些主领太公司事而纯可,不可如必遏制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw




Page: 17 of 105

#### **Test position**

#### Laptop mode SAR test position (0mm)

For laptop PC, according to KDB 616217 D04, SAR evaluation is required for the bottom surface of the keyboard. This EUT was tested in the base of EUT directly against the flat phantom. The required minimum test separation distance for incorporating transmitters and antennas into laptop computer display is determined with the display screen opened at an angle of 90° to the keyboard compartment.



**Illustration for Laptop Setup** 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 18 of 105

#### **Test limit**

#### § 2.1093(d)(1)

Applications for equipment authorization of portable RF sources subject to routine environmental evaluation must contain a statement confirming compliance with the limits specified in § 1.1310 as part of their application. Technical information showing the basis for this statement must be submitted to the Commission upon request. The SAR limits specified in § 1.1310(a) through (c) of this chapter shall be used for evaluation of portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1). A minimum separation distance applicable to the operating configurations and exposure conditions of the device shall be used for the evaluation. In general, maximum time-averaged power levels must be used for evaluation. All unlicensed personal communications service (PCS) devices and unlicensed NII devices shall be subject to the limits for general population/uncontrolled exposure. Radiofrequency radiation exposure limits.

#### § 1.1310(a)

Specific absorption rate (SAR) shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in § 1.1307(b) within the frequency range of 100 kHz to 6 GHz (inclusive).

#### § 1.1310(b)

The SAR limits for occupational/controlled exposure are 0.4 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 8 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatial-average SAR limit for occupational/controlled exposure is 20 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 6 minutes to determine compliance with occupational/controlled SAR limits.

The SAR limits for general population/uncontrolled exposure are 0.08 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 1.6 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatialaverage SAR limit is 4 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 30 minutes to determine compliance with general population/uncontrolled SAR limits.

#### Note to paragraphs (a) through (c):

SAR is a measure of the rate of energy absorption due to exposure to RF electromagnetic energy. These SAR limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized SAR in Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radiofrequency

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 19 of 105

Electromagnetic Fields," NCRP Report No. 86, Section 17.4.5, copyright 1986 by NCRP, Bethesda, Maryland 20814. Limits for whole body SAR and peak spatial-average SAR are based on recommendations made in both of these documents. The MPE limits in Table 1 are based generally on criteria published by the NCRP in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, Sections 17.4.1, 17.4.1.1, 17.4.2 and 17.4.3, copyright 1986 by NCRP, Bethesda, Maryland 20814. In the frequency range from 100 MHz to 1500 MHz, these MPE exposure limits for field strength and power density are also generally based on criteria recommended by the ANSI in Section 4.1 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017.

Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1).

According to ANSI/IEEE C95.1-1992, the criteria listed in the following Table shall be used to evaluate the environmental impact of human exposure to radio frequency (RF) radiation as specified in §1.1310.

Peak Spatially Averaged Power Density was evaluated over a circular area of 4cm2 per interim FCC Guidance for near-field power density evaluations per October 2018 TCB Workshop notes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世操具攝風內內干。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 20 of 105

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)					
(i) Limits for Occupational/Controlled Exposure									
0.3-3.0	614	1.63	*(100)	≤6					
3.0-30	1842/f	4.89/f	*(900/f <sup>2</sup> )	<6					
30-300	61.4	0.163	1.0	<6					
300-1,500			f/300	<6					
1,500- 100,000			5	<6					
	(ii) Limits for Genera	l Population/Uncontrolle	d Exposure						
0.3-1.34	614	1.63	*(100)	<30					
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	<30					
30-300	27.5	0.073	0.2	<30					
300-1,500			f/1500	<30					
1,500- 100,000			1.0	<30					

f = frequency in MHz. \* = Plane-wave equivalent power density. Table 1 to § 1.1310(e)(1) - Limits for Maximum Permissible Exposure (MPE)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.sqs.com.tw



Page: 21 of 105

#### 5 MAXIMUM OUTPUT POWER

#### **5.1 WLAN**

#### **AWAN**

	T	cr	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	2412		17.50	17.15
		6	2437	1	17.50	17.11
	802.11b	11	2462	1Mbps	17.50	17.27
		12	2467	]	15.08	14.95
		13	2472		11.81	11.66
		1	2412		16.74	16.26
		6	2437		17.50	17.04
	802.11g	11	2462	6Mbps	16.86	16.45
		12	2467	1	12.86	12.84
		13	2472		11.80	11.80
		1	2412	]	15.62	15.17
		6	2437	]	17.50	16.97
	802.11n20-HT0	11	2462	MCS0	15.71	15.18
		12	2467	]	12.69	12.65
		13	2472		11.61	11.49
2.45GHz		1	2412	]	15.62	14.98
2.430112	802.11ac20-VHT0	6	2437	MCS0	17.50	16.91
		11	2462		15.71	15.27
		1	2412	1	15.77	15.39
		6	2437	1	17.50	17.05
	802.11ax20-HE0	11	2462	MCS0	15.88	15.30
		12	2467	1	12.93	12.83
		13	2472		11.80	11.67
		3	2422	]	14.44	13.97
	802.11n40-HT0	6	2437	MCS0	17.50	17.09
		9	2452		14.63	14.03
		3	2422	]	14.44	14.03
	802.11ac40-VHT0	6	2437	MCS0	17.50	17.17
		9	2452		14.63	14.19
		3	2422	]	14.63	14.08
	802.11ax40-HE0	6	2437	MCS0	17.50	16.88
		9	2452		14.82	14.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键中含素,同时此类早度保护的工,大型化力等的。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 22 of 105

		ch	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		17.00	16.88
	802.11a	40	5200	6Mbpc	17.00	16.84
	802.11a	44	5220	6Mbps	17.00	16.92
		48	5240	]	17.00	16.85
		36	5180		17.00	16.83
	802.11n20-HT0	40	5200	MCS0	17.00	16.74
		44	5220	IVICSU	17.00	16.72
		48	5240		17.00	16.71
	802.11ac20-VHT0	36	5180	MCS0	17.00	15.78
		40	5200		17.00	15.89
		44	5220		17.00	15.87
5.15-5.25 GHz		48	5240		17.00	15.82
3.13-3.23 GHZ		36	5180		17.00	15.85
	802.11ax20-HE0	40	5200	MCS0	17.00	16.05
	002.11ax20-11L0	44	5220	IVICSO	17.00	15.99
		48	5240		17.00	15.98
	802.11n40-HT0	38	5190	MCS0	16.57	15.42
	002.111140-1110	46	5230	IVICSO	17.00	16.96
	802.11ac40-VHT0	38	5190	MCS0	16.57	15.55
	002.11ac40-V1110	46	5230	IVICOU	17.00	16.01
	802.11ax40-HE0	38	5190	MCS0	16.84	15.87
		46	5230		17.00	16.00
	802.11ac80-VHT0	42	5210	MCS0	15.56	14.48
	802.11ax80-HE0	42	5210	MCS0	15.76	14.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验明,此起华廷国旗影响建设建设,因此此接到了一个大型,是这种特别,但是华廷国旗影响建设,因此,但是华廷国旗影响建设,是一个大型中国统治,

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 23 of 105

		cł	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		17.00	16.53
	802.11a	56	5280	/ Mbno	17.00	16.70
	802.11a	60	5300	6Mbps	17.00	16.44
		64	5320	]	17.00	16.65
	802.11n20-HT0	52	5260		17.00	16.56
		56	5280	MCS0	17.00	16.74
		60	5300	IVICSO	17.00	16.56
		64	5320		17.00	16.59
	802.11ac20-VHT0	52	5260		17.00	16.52
		56	5280	MCS0	17.00	16.63
		60	5300		17.00	16.52
5.25-5.35 GHz		64	5320		17.00	16.61
5.25-5.35 GHZ		52	5260		17.00	16.71
	802.11ax20-HE0	56	5280	MCS0	17.00	16.55
	002.11ax20-11L0	60	5300	IVICSO	17.00	16.63
		64	5320		17.00	16.63
	802.11n40-HT0	54	5270	MCS0	17.00	16.62
	002.111140-1110	62	5310	IVICSO	16.50	16.27
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.61
	002.11ac40-V1110	62	5310	IVICOU	16.50	16.20
	802.11ax40-HE0	54	5270	MCS0	17.00	16.83
	UUZ. I I AX4U-I IEU	62	5310	IVICOU	16.79	16.33
	802.11ac80-VHT0	58	5290	MCS0	16.86	16.43
	802.11ax80-HE0	58	5290	MCS0	17.00	16.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有贵,同既此样只属是例如于。大数华土领太公司隶而实可,无可如必通剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 24 of 105

	100					
		cl	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		18.00	17.64
	802.11a	120	5600	(Mbno	18.00	17.61
	802.11a	140	5700	6Mbps	17.98	17.71
		144	5720		17.32	16.70
		100	5500		18.00	17.56
	000 11p00 UT0	120	5600	MCS0	18.00	17.57
	802.11n20-HT0	140	5700	IVICSU	18.00	17.70
		144	5720		16.92	16.59
		100	5500		18.00	17.52
	802.11ac20-VHT0	120	5600	MCS0	18.00	17.60
		140	5700	IVICSU	18.00	17.57
		144	5720		16.92	16.40
		100	5500		18.00	17.41
	802.11ax20-HF0	120	5600	MCS0	18.00	17.60
	802.11ax20-HE0	140	5700	IVICSU	18.00	17.57
		144	5720		17.46	17.05
5.6GHz		102	5510	MCS0	15.17	14.67
3.0GHZ	802.11n40-HT0	118	5590		18.00	17.50
	802.11N40-H10	134	5670	IVICSU	18.00	17.76
		142	5710		18.00	17.73
		102	5510		15.17	14.65
	802.11ac40-VHT0	118	5590	MCS0	18.00	17.40
	802.11aC40-VH10	134	5670	IVICSU	18.00	17.46
		142	5710		18.00	17.50
		102	5510		15.41	14.95
	802.11ax40-HE0	118	5590	MCS0	18.00	17.43
	002.11dX4U-HEU	134	5670	IVICSU	18.00	17.68
		142	5710		18.00	17.71
		106	5530		15.35	14.82
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.44
		138	5690		18.00	17.59
		106	5530		15.52	15.01
	802.11ax80-HE0	122	5610	MCS0	18.00	17.73
		138	5690		18.00	17.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,他就是结果成果的证明,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 25 of 105

		ch	nain 0			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		149	5745		18.50	18.08
	802.11a	157	5785	6Mbps	18.50	17.99
		165	5825		18.50	18.30
		149	5745		18.50	18.18
	802.11n20-HT0	157	5785	MCS0	18.50	18.27
		165	5825		18.50	18.23
	802.11ac20-VHT0	149	5745	MCS0	18.50	18.21
		157	5785		18.50	18.19
		165	5825		18.50	18.15
5.8GHz		149	5745		18.50	18.11
3.0GHZ	802.11ax20-HE0	157	5785	MCS0	18.50	18.12
		165	5825		18.50	18.06
	802.11n40-HT0	151	5755	MCS0	18.50	18.16
	002.111140-П10	159	5795	IVICSU	18.50	18.28
	802.11ac40-VHT0	151	5755	MCS0	18.50	18.17
	002.11aC4U-VHTU	159	5795	IVICSU	18.50	18.19
	802.11ax40-HE0	151	5755	MCS0	18.50	18.17
	002.11dX4U-HEU	159	5795	IVICSU	18.50	18.28
	802.11ac80-VHT0	155	5775	MCS0	18.50	18.24
	802.11ax80-HE0	155	5775	MCS0	18.50	18.10

1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 105

		ch	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	2412		17.50	17.10
		6	2437	1	17.50	17.31
	802.11b	11	2462	1Mbps	17.50	17.39
		12	2467	1 ' 1	15.26	15.17
		13	2472	1	11.94	11.91
		1	2412		16.93	16.47
		6	2437	1	17.50	16.93
	802.11g	11	2462	6Mbps	17.10	16.76
		12	2467	1	13.05	12.91
		13	2472	]	12.15	11.98
		1	2412		15.95	15.54
		6	2437	1	17.50	17.08
	802.11n20-HT0	11	2462	MCS0	15.97	15.45
		12	2467	]	13.04	12.92
		13	2472		11.81	11.74
2.4ECH=		1	2412		15.95	15.54
2.45GHz	802.11ac20-VHT0	6	2437	MCS0	17.50	17.11
		11	2462	]	15.97	15.62
		1	2412		16.14	15.68
		6	2437	]	17.50	17.15
	802.11ax20-HE0	11	2462	MCS0	16.16	15.76
		12	2467	1	13.19	13.19
		13	2472	1	12.04	11.98
		3	2422		14.93	14.44
	802.11n40-HT0	6	2437	MCS0	17.50	17.22
		9	2452	<u>                                      </u>	14.95	14.59
		3	2422		14.93	14.63
	802.11ac40-VHT0	6	2437	MCS0	17.50	16.99
		9	2452	]	14.95	14.50
		3	2422		15.10	14.80
	802.11ax40-HE0	6	2437	MCS0	17.50	17.07
		9	2452	]	15.12	14.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 27 of 105

		ch	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		17.00	16.72
	802.11a	40	5200	6Mbpc	17.00	16.64
	002.114	44	5220	6Mbps	17.00	16.64
		48	5240		17.00	16.74
		36	5180	]	17.00	16.66
	802.11n20-HT0	40	5200	MCS0	17.00	16.75
		44	5220		17.00	16.68
		48	5240		17.00	16.72
	802.11ac20-VHT0	36	5180	]	17.00	16.60
		40	5200	MCS0	17.00	16.78
		44	5220		17.00	16.78
5.15-5.25 GHz		48	5240		17.00	16.63
J. 13-J. 25 GHZ		36	5180	]	17.00	16.78
	802.11ax20-HE0	40	5200	MCS0	17.00	16.66
	002.11ax20-11L0	44	5220	IVICSO	17.00	16.79
		48	5240		17.00	16.70
	802.11n40-HT0	38	5190	MCS0	16.55	16.31
	002.111140-1110	46	5230	IVICSO	17.00	16.69
	802.11ac40-VHT0	38	5190	MCS0	16.55	16.24
	002.11ac40-VIII 0	46	5230	IVICOU	17.00	16.49
	802.11ax40-HE0	38	5190	MCS0	16.77	16.46
	JUZ. I TUNTUTILU	46	5230		17.00	16.70
	802.11ac80-VHT0	42	5210	MCS0	15.43	15.02
	802.11ax80-HE0	42	5210	MCS0	15.67	15.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只有約明,此親先は田原釈師学文辞『台書』、周郎世辞『原原図の王。大親先土徳大八司書高統司,天司朝以海朝。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 📍 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 28 of 105

		ct	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		17.00	16.53
	802.11a	56	5280	4Mbpc	17.00	16.51
	002.114	60	5300	6Mbps	17.00	16.51
		64	5320		17.00	16.48
		52	5260		17.00	16.41
	802.11n20-HT0	56	5280	MCS0	17.00	16.57
		60	5300		17.00	16.63
		64	5320		17.00	16.48
	802.11ac20-VHT0	52	5260	MCS0	17.00	16.60
		56	5280		17.00	16.59
		60	5300		17.00	16.45
5.25-5.35 GHz		64	5320		17.00	16.46
3.23-3.33 GHZ		52	5260		17.00	16.55
	802.11ax20-HE0	56	5280	MCS0	17.00	16.59
	002.11dX2U-HEU	60	5300	IVICSU	17.00	16.46
		64	5320	1	17.00	16.56
	802.11n40-HT0	54	5270	MCS0	17.00	16.87
	002.111140-1110	62	5310	IVICSO	17.00	16.77
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.49
	002.11ac40-V1110	62	5310	IVICOU	16.74	16.33
	802.11ax40-HE0	54	5270	MCS0	17.00	16.51
	002.11ax40-11EU	62	5310		16.96	16.35
	802.11ac80-VHT0	58	5290	MCS0	16.62	16.05
	802.11ax80-HE0	58	5290	MCS0	16.89	16.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 29 of 105

		ch	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		18.00	17.46
	802.11a	120	5600	(Mbno	18.00	17.51
	802.118	140	5700	6Mbps	18.00	17.54
		144	5720		17.67	17.14
		100	5500		18.00	17.43
	000 11 m 20 LITO	120	5600	MCCO	18.00	17.32
	802.11n20-HT0	140	5700	MCS0	18.00	17.40
		144	5720		17.60	17.09
		100	5500		18.00	17.59
	000 1120 1/1/170	120	5600	MOCO	18.00	17.44
	802.11ac20-VHT0	140	5700	MCS0	18.00	17.55
		144	5720		17.60	17.01
	802.11ax20-HE0	100	5500	MCCO	18.00	17.34
		120	5600		18.00	17.63
		140	5700	MCS0	18.00	17.48
		144	5720		17.86	17.43
F (OI)		102	5510	MCS0	15.27	14.68
5.6GHz	000 11 40 1170	118	5590		18.00	17.50
	802.11n40-HT0	134	5670		18.00	17.48
		142	5710		18.00	17.55
		102	5510		15.27	14.73
	000 11 - 40 1/1/170	118	5590	14000	18.00	17.34
	802.11ac40-VHT0	134	5670	MCS0	18.00	17.48
		142	5710	1	18.00	17.33
		102	5510		15.52	15.04
	000 1140 UE0	118	5590	Mocco	18.00	17.44
	802.11ax40-HE0	134	5670	MCS0	18.00	17.46
		142	5710		18.00	17.42
		106	5530		15.29	14.66
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.43
		138	5690		18.00	17.62
		106	5530		15.46	14.95
	802.11ax80-HE0	122	5610	MCS0	18.00	17.74
		138	5690	]	18.00	17.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 105

		ch	nain 1					
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)		
		149	5745		18.50	18.02		
	802.11a	157	5785	6Mbps	18.50	18.08		
		165	5825		18.50	18.03		
		149	5745	]	18.50	18.13		
	802.11n20-HT0	157	5785	MCS0	18.50	18.26		
		165	5825		18.50	18.12		
	802.11ac20-VHT0	149	5745	MCS0	18.50	18.25		
		157	5785		18.50	18.05		
		165	5825		18.50	18.05		
5.8GHz		149	5745	MCSO 18.50	18.50	18.15		
5.0GHZ	802.11ax20-HE0	157	5785		18.18			
		165	5825		18.50	18.13		
	802.11n40-HT0	151	5755	MCSO	18.50	18.24		
	002.111140-1110	159	5795	85     6Mbps     18.50       25     18.50       45     18.50       85     MCSO     18.50       25     18.50       45     18.50       85     MCSO     18.50       25     18.50       45     18.50       25     18.50       85     MCSO     18.50       25     18.50       55     MCSO     18.50       95     18.50       95     18.50       95     18.50       18.50     18.50	18.11			
	802.11ac40-VHT0	151	5755	MCSO	18.50	18.17		
	002.11ac40-VIII 0	159	5795	IVICOU	18.50	18.10		
	802.11ax40-HE0	151	5755	MCS0	18.50	18.13		
	002.11ax40-11EU	159	5795		18.50	18.08		
	802.11ac80-VHT0	155	5775	MCS0	18.50	18.28		
	802.11ax80-HE0	155	5775	MCS0	18.50	18.11		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 31 of 105

#### **Hong Bo**

chain 0(Main)								
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)		
		1	2412		17.50	17.21		
		6	2437		17.50	17.32		
	802.11b	11	2462	1Mbps	17.50	17.29		
		12	2467	]	15.08	14.98		
		13	2472		11.81	11.70		
		1	2412		16.74	16.39		
		6	2437		17.50	17.08		
	802.11g	11	2462	6Mbps	16.86	16.52		
		12	2467		12.86	12.67		
		13	2472		11.80	11.72		
	802.11n20-HT0	1	2412		15.62	15.30		
		6	2437	MCS0	17.50	17.07		
		11	2462		15.71	15.23		
		12	2467		12.69	12.60		
		13	2472		11.61	11.48		
2.45GHz		1	2412		15.62	15.17		
2.40GHZ	802.11ac20-VHT0	6	2437	MCS0	17.50	17.09		
		11	2462		15.71	15.41		
		1	2412		15.77	15.44		
	802.11ax20-HE0	6	2437	1	17.50	17.18		
		11	2462	MCS0	15.88	15.41		
		12	2467		12.93	12.80		
		13	2472		11.80	11.70		
		3	2422		14.44	14.13		
	802.11n40-HT0	6	2437	MCS0	17.50	17.19		
		9	2452		14.63	14.16		
		3	2422		14.44	14.12		
	802.11ac40-VHT0	6	2437	MCS0	17.50	17.20		
		9	2452		14.63	14.34		
		3	2422		14.63	14.26		
	802.11ax40-HE0	6	2437	MCS0	17.50	17.08		
		9	2452		14.82	14.37		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 32 of 105

		chain	0(Main)						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)			
		36	5180		17.00	16.72			
	802.11a	40	5200	/ Mbno	17.00	16.84			
	802.118	44	5220	6Mbps	17.00	16.78			
		48	5240	1	17.00	16.70			
		36	5180		17.00	16.93			
	802.11n20-HT0	40	5200	MCS0	17.00	16.59			
		44	5220	IVICSO	17.00	16.23			
		48	5240		17.00	16.11			
	802.11ac20-VHT0	36	5180	MCS0	17.00	15.94			
		40	5200		17.00	16.09			
		44	5220		17.00	16.07			
5.15-5.25 GHz		48	5240		17.00	15.99			
5.15-5.25 GHZ		36	5180		17.00	15.98			
	802.11ax20-HE0	40	5200	MCS0	17.00	16.07			
	002.11dX2U-TEU	44	5220	IVICSU	17.00	16.00			
		48	5240	1	17.00	16.09			
	802.11n40-HT0	38	5190	MCS0	16.57	15.58			
	002.111140-1110	46	5230	IVICSO	17.00	16.98			
	802.11ac40-VHT0	38	5190	MCS0	16.57	15.57			
	002.11ac40-V1110	46	5230	IVICOU	17.00	16.04			
	802.11ax40-HE0	38	5190	MCS0	16.84	15.94			
	UUZ. I I AX4U-I IEU	46	5230	IVICOU	17.00	16.08			
	802.11ac80-VHT0	42	5210	MCS0	15.56	14.62			
	802.11ax80-HE0	42	5210	MCS0	15.76	14.85			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 33 of 105

		chain	0(Main)						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)			
		52	5260		17.00	16.63			
	802.11a	56	5280	4 Mbpc	17.00	16.75			
	802.11d	60	5300	6Mbps	17.00	16.63			
		64	5320		17.00	16.68			
		52	5260		17.00	16.67			
	802.11n20-HT0	56	5280	MCS0	17.00	16.82			
	802.11N20-H10	60	5300	IVICSU	17.00	16.76			
		64	5320		17.00	16.72			
	802.11ac20-VHT0	52	5260	MCSO	17.00	16.69			
		56	5280		17.00	16.64			
	002.11aC2U-VH1U	60	5300	IVICSU	17.00	16.62			
5.25-5.35 GHz		64	5320		17.00	16.66			
5.25-5.35 GHZ		52	5260		17.00	16.82			
	802.11ax20-HE0	56	5280	MCSO	17.00	16.64			
	002.11ax20-11L0	60	5300	5260     17.00       5280     17.00       5300     17.00       5320     17.00       5260     17.00       5280     17.00					
		64	5320		17.00	16.65			
	802.11n40-HT0	54	5270	MCSO	17.00	16.68			
	002.111140-1110	62	5310	IVICOU	16.50	16.31			
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.73			
	002.11ac40-VIII 0	62	5310	IVICOU	16.50	16.21			
	802.11ax40-HE0	54	5270	MCS0	17.00	16.82			
		62	5310		16.79	16.50			
	802.11ac80-VHT0	58	5290	MCS0	16.86	16.58			
	802.11ax80-HE0	58	5290	MCS0	17.00	16.95			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验明,此起华廷国旗影响建设建设,因此此接到了一个大型,是这种特别,但是华廷国旗影响建设,因此,但是华廷国旗影响建设,是一个大型中国统治,

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. <sub>I</sub> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 34 of 105

		chair T	0(Main)					
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)		
		100	5500		18.00	17.67		
	802.11a	120	5600	6Mbpc	18.00	17.76		
	802.118	140	5700	6Mbps	17.98	17.74		
		144	5720		17.32	16.91		
		100	5500		18.00	17.58		
	000 11p00 UT0	120	5600	MCS0	18.00	17.62		
	802.11n20-HT0	140	5700	IVICSU	18.00	17.71		
		144	5720		16.92	16.62		
		100	5500		18.00	17.72		
	802.11ac20-VHT0	120	5600	MCS0	18.00	17.73		
	802.11ac20-VH10	140	5700	IVICSU	18.00	17.71		
		144	5720		16.92	16.50		
	802.11ax20-HE0	100	5500		18.00	17.61		
		120	5600	MCS0	18.00	17.64		
		140	5700	IVICSU	18.00	17.62		
		144	5720		17.46	17.20		
5.6GHz		102	5510	MCCO	15.17	14.86		
3.0GHZ	802.11n40-HT0	118	5590		18.00	17.57		
	802.111140-H10	134	5670	IVICSU	18.00	17.75		
		142	5710		18.00	17.63		
		102	5510		15.17	14.82		
	802.11ac40-VHT0	118	5590	MCSO	MCSO 18.00 18.00 18.00 15.17 18.00	17.56		
	002.11aC4U-VH1U	134	5670	IVICSU	18.00	17.65		
		142	5710		18.00	17.64		
		102	5510		15.41	15.00		
	802.11ax40-HE0	118	5590	MCS0	18.00	17.57		
	0U2. 1 1dX4U-ΠEU	134	5670	IVICSU	18.00	17.73		
		142	5710		18.00	17.72		
		106	5530		15.35	14.93		
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.64		
		138	5690		18.00	17.68		
		106	5530		15.52	15.12		
	802.11ax80-HE0	122	5610	MCS0	18.00	17.76		
		138	5690		18.00	17.88		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 35 of 105

	chain O(Main)									
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)				
		149	5745		18.50	18.26				
	802.11a	157	5785	6Mbps	18.50	18.20				
		165	5825		18.50	18.35				
		149	5745	MCS0 18.50 18.50 18.50	18.27					
	802.11n20-HT0	157	5785		18.50	18.30				
		165	5825		18.50	18.29				
	802.11ac20-VHT0	149	5745	MCS0	18.50	18.24				
		157	5785		18.50	18.24				
		165	5825		18.50	18.27				
5.8GHz		149	5745		18.50	18.22				
5.0GHZ	802.11ax20-HE0	157	5785	MCS0	18.50	18.29				
		165	5825		18.50	18.21				
	802.11n40-HT0	151	5755	MCSO	18.50	18.33				
	0U2. I III4U-H I U	159	5795	IVICOU	18.50	18.35				
	802.11ac40-VHT0	151	5755	MCSO	18.50	18.35				
	002.11aC4U-VHTU	159	5795	5745     18.50       5785     6Mbps     18.50       5825     18.50       5745     18.50       5785     MCSO     18.50       5745     18.50       5785     MCSO     18.50       5785     18.50       5745     18.50       5745     18.50       5785     MCSO     18.50       5755     18.50       5795     18.50       5755     18.50       5755     18.50       5755     18.50						
	802.11ax40-HE0	151	5755	MCSO	18.50	18.37				
	002.11dX4U-NEU	159	5795	IVICSU	18.50	18.37				
	802.11ac80-VHT0	155	5775	MCS0	18.50	18.37				
	802.11ax80-HE0	155	5775	MCS0	18.50	18.27				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sgs.com.tw



Page: 36 of 105

		chaii	า 1(Aux)					
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)		
		1	2412		17.50	17.26		
		6	2437		17.50	17.43		
	802.11b	11	2462	1Mbps	17.50	17.38		
		12	2467	]	15.26	15.26		
		13	2472		11.94	11.74		
		1	2412		16.93	16.49		
		6	2437	]	17.50	17.07		
	802.11g	11	2462	6Mbps	17.10	16.82		
		12	2467	]	13.05	13.01		
		13	2472		12.15	11.98		
	802.11n20-HT0	1	2412		15.95	15.66		
		6	2437		17.50	17.25		
		11	2462	MCS0	15.97	15.63		
		12	2467		13.04	12.92		
		13	2472		11.81	11.79		
2.45GHz		1	2412	MCS0	15.95	15.52		
2.400112	802.11ac20-VHT0	6	2437		17.50	17.14		
		11	2462		15.97	15.71		
		1	2412		16.14	15.84		
	802.11ax20-HE0	6	2437	1	17.50	17.23		
		11	2462	MCS0	16.16	15.75		
		12	2467	]	13.19	13.05		
		13	2472		12.04	11.99		
		3	2422	1	14.93	14.57		
	802.11n40-HT0	6	2437	MCS0	17.50	17.21		
		9	2452		14.95	14.70		
		3	2422	]	14.93	14.65		
	802.11ac40-VHT0	6	2437	MCS0	17.50	17.07		
		9	2452		14.95	14.58		
		3	2422	]	15.10	14.79		
	802.11ax40-HE0	6	2437	MCS0	17.50	17.10		
		9	2452		15.12	14.83		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,他就是结果成果的证明,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 37 of 105

	chain 1(Aux)										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)					
		36	5180		17.00	16.72					
	802.11a	40	5200	6Mbps	17.00	16.71					
	002.114	44	5220	Olvibbs	17.00	16.67					
		48	5240		17.00	16.80					
		36	5180		17.00	16.75					
	802.11n20-HT0	40	5200	MCS0	17.00	16.77					
	0U2.11112U-H1U	44	5220	IVICSU	17.00	16.71					
		48	5240		17.00	16.80					
	802.11ac20-VHT0	36	5180		17.00	16.67					
		40	5200	MCS0	17.00	16.84					
		44	5220	IVICSU	17.00	16.84					
5.15-5.25 GHz		48	5240		17.00	16.66					
3.13-3.23 GHZ		36	5180		17.00	16.79					
	802.11ax20-HE0	40	5200	MCS0	17.00	16.83					
	002.11dX2U-HEU	44	5220	IVICSU	17.00	16.83					
		48	5240		17.00	16.69					
	802.11n40-HT0	38	5190	MCS0	16.55	16.36					
	002.11114U-H1U	46	5230	IVICSU	17.00	16.85					
	802.11ac40-VHT0	38	5190	MCS0	16.55	16.32					
	002.11aC4U-VH1U	46	5230	IVICSU	17.00	16.66					
	802.11ax40-HE0	38	5190	MCS0	16.77	16.60					
	OUZ. I I AX4U-TIEU	46	5230	IVICSU	17.00	16.84					
	802.11ac80-VHT0	42	5210	MCS0	15.43	15.13					
	802.11ax80-HE0	42	5210	MCS0	15.67	15.40					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,他就是结果成果的证明,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 38 of 105

chain 1(Aux)										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)				
		52	5260		17.00	16.54				
	802.11a	56	5280	4Mbpc	17.00	16.50				
	0U2.11d	60	5300	6Mbps	17.00	16.53				
		64	5320		17.00	16.64				
		52	5260		17.00	16.53				
	000 11p00 UT0	56	5280	MCS0	17.00	16.66				
	802.11n20-HT0	60	5300	IVICSU	17.00	16.64				
		64	5320		17.00	16.49				
	802.11ac20-VHT0	52	5260		17.00	16.61				
		56	5280	MCS0	17.00	16.59				
		60	5300	IVICSU	17.00	16.57				
5.25-5.35 GHz		64	5320		17.00	16.62				
3.23-3.33 GHZ		52	5260		17.00	16.56				
	802.11ax20-HE0	56	5280	MCS0	17.00	16.58				
	002.11dX2U-TEU	60	5300	IVICSU	17.00	16.56				
		64	5320		17.00	16.69				
	802.11n40-HT0	54	5270	MCS0	17.00	16.91				
	002.111140-1110	62	5310	IVICSO	17.00	16.69				
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.52				
	002.11ac40-V1110	62	5310	IVICOU	16.74	16.39				
	802.11ax40-HE0	54	5270	MCS0	17.00	16.51				
	OUZ. I I AX4U-TIEU	62	5310	IVICSU	16.96	16.51				
	802.11ac80-VHT0	58	5290	MCS0	16.62	16.22				
	802.11ax80-HE0	58	5290	MCS0	16.89	16.46				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 39 of 105

		chair	ı 1(Aux)			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		18.00	17.53
	000 11-	120	5600	( N Alara a	18.00	17.59
	802.11a	140	5700	6Mbps	18.00	17.53
		144	5720		17.67	17.25
		100	5500		18.00	17.59
	000 11-00 UT0	120	5600	MOCO	18.00	17.45
	802.11n20-HT0	140	5700	MCS0	18.00	17.56
		144	5720		17.60	17.16
		100	5500		18.00	17.59
	000 1120 1/1/170	120	5600	MOCO	18.00	17.61
	802.11ac20-VHT0	140	5700	MCS0	18.00	17.53
		144	5720		17.60	17.13
		100	5500		18.00	17.48
	000 11 - 00 1150	120	5600	14000	18.00	17.61
	802.11ax20-HE0	140	5700	MCS0	18.00	17.53
		144	5720		17.86	17.47
F / O.U.		102	5510		15.27	14.83
5.6GHz	000 11 40 UT0	118	5590	14000	18.00	17.57
	802.11n40-HT0	134	5670	MCS0	18.00	17.49
		142	5710		18.00	17.55
		102	5510		15.27	14.90
	000 11 - 10 1/1/T0	118	5590	14000	18.00	17.50
	802.11ac40-VHT0	134	5670	MCS0	18.00	17.64
		142	5710		18.00	17.47
		102	5510		15.52	15.10
	000 1110 1150	118	5590	MOCO	18.00	17.54
	802.11ax40-HE0	134	5670	MCS0	18.00	17.51
		142	5710		18.00	17.49
		106	5530		15.29	14.79
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.59
		138	5690		18.00	17.60
		106	5530		15.46	15.08
	802.11ax80-HE0	122	5610	MCS0	18.00	17.65
		138	5690	1	18.00	17.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键中含素,同时此类早度保护的大学,未就是土壤土壤土人司事富统可,无可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 40 of 105

	chain 1(Aux)												
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)							
		149	5745		18.50	18.17							
	802.11a	157	5785	6Mbps	18.50	18.11							
		165	5825		18.50	18.18							
		149	5745	]	18.50	18.30							
	802.11n20-HT0	157	5785	MCS0	18.50	18.25							
		165	5825		18.50	18.16							
		149	5745		18.50	18.27							
	802.11ac20-VHT0	157	5785	MCS0	18.50	18.19							
		165	5825		18.50	18.21							
5.8GHz		149	5745		18.50	18.18							
3.00112	802.11ax20-HE0	157	5785	MCS0	18.50	18.16							
		165	5825		18.50	18.17							
	802.11n40-HT0	151	5755	MCS0	18.50	18.24							
	002.111140-1110	159	5795	101030	18.50	18.13							
	802.11ac40-VHT0	151	5755	MCS0	18.50	18.15							
	002.11d040-V1110	159	5795	101030	18.50	18.17							
	802.11ax40-HE0	151	5755	MCS0	18.50	18.18							
	002.11dX40-11L0	159	5795		18.50	18.12							
	802.11ac80-VHT0	155	5775	MCS0	18.50	18.30							
	802.11ax80-HE0	155	5775	MCS0	18.50	18.25							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 41 of 105

#### 5.2 **Bluetooth**

## **AWAN**

			1Mbps		2Mbps		3Mbps		
Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	
	CH 00	2402		11.26		9.46		9.44	
BR/EDR	CH 39	2441	12.31	10.99	9.54	9.35	9.54	9.21	
	CH 78	2480		10.91		9.22		9.16	

Hong Bo

nong b	•								
			1Mbps		2Mbps		3Mbps		
Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	
	CH 00	2402		11.34		9.51		9.53	
BR/EDR	CH 39	2441	12.31	11.14	9.54	9.41	9.54	9.42	
	CH 78	2480		11.09		9.28		9.26	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folder of this document is advised tractification and the contractive treteril responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 42 of 105

# **AWAN**

Mada	Channal	Frequency	GFSK						
Mode	Channel	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)					
	CH 00	2402		12.31					
BLE_1M	CH 19	2440	12.37	12.28					
	CH 39	2480		12.24					
Mode	Channel	Frequency		GFSK					
Mode	Criarinei	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)					
	CH 00	2402		11.63					
BLE_2M	CH 19	2440	12.38	11.69					
	CH 39	2480		11.54					

Hong Bo

Hong bo				
Mode	Channel	Frequency		GFSK
Mode	Mode Chaille		Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
	CH 00	2402		12.36
BLE_1M	CH 19	2440	12.37	12.35
	CH 39	2480		12.27
Mode	Channel	Frequency		GFSK
Mode	Criainei	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
	CH 00	2402		11.67
BLE_2M	CH 19	2440	12.38	11.72
	CH 39	2480		11.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此想华红用魔影测验之缘具色素,同时此楼里属是2000千。木梨华丰硕木八司丰面纯可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 43 of 105




# **6 DUTY CYCLE**

## **AWAN**



# Hong Bo




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 44 of 105

## **AWAN**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。木都些主领大八司事而验可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 45 of 105



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 46 of 105



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度外侧经少量,同时此类早度内向的工,大规生土领土公司事富统司,不可如公海侧。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


iGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 47 of 105





-0.04 dB -37.40 dBm -5.13 dB -37.40 dBm

**VBW 3.0 MHz** 

4.020 ms (Δ) 5.310 ms 4.070 ms (Δ) 5.310 ms

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Span 0 Hz

Sweep 10.00 ms (1001 pts)

FUNCTION FUNCTION WIDTH FUNCTION VALUE

-60.0

Center 5.270000000 GHz

(A)


(A)

Res BW 3.0 MHz

Δ2 F Δ4 F



Page: 48 of 105




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 49 of 105



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sqs.com.tw




Page: 50 of 105

## **AWAN**



# Hong Bo



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 51 of 105

# **SUMMARY OF RESULTS**

## **Decision rules**

Reported measurement data comply with Test Methodology in section 1.1. Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

#### 7.2 **Summary of SAR Results**

## **AWAN**

AVAIN												
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
			(11111)		(IVII IZ)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	
WLAN 802.11b	Main	Bottom Surface	0	1	2412	17.50	17.15	1.011	108.39%	0.635	0.696	-
WLAN 802.11b	Main	Bottom Surface	0	6	2437	17.50	17.11	1.011	109.40%	0.761	0.842	001
WLAN 802.11b	Main	Bottom Surface	0	11	2462	17.50	17.27	1.011	105.44%	0.722	0.770	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	ID
			(11111)		(IVII IZ)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	
WLAN 802.11a 5.2G	Main	Bottom Surface	0	36	5180	17.00	16.88	1.040	102.80%	1.110	1.187	002
WLAN 802.11a 5.2G	Main	Bottom Surface	0	40	5200	17.00	16.84	1.040	103.75%	0.955	1.030	-
WLAN 802.11a 5.2G	Main	Bottom Surface	0	44	5220	17.00	16.92	1.040	101.86%	1.000	1.059	-
WLAN 802.11a 5.2G	Main	Bottom Surface	0	48	5240	17.00	16.85	1.040	103.51%	0.933	1.004	-
Repeated	Main	Bottom Surface	0	36	5180	17.00	16.88	1.040	102.80%	1.065	1.139	-
·												
WLAN 802.11n(40M) 5.2G	Main	Bottom Surface	0	46	5230	17.00	16.96	1.020	100.93%	1.080	1.112	003
Repeated		Bottom Surface	0	46	5230	17.00	16.96	1.020	100.93%	1.055	1.086	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
			` ′		, ,	Tolerance (dBm)	(dBm)		Ü	Measured	Reported	
WLAN 802.11n(40M) 5.3G	Main	Bottom Surface	0	54	5270	17.00	16.62	1.020	109.14%	1.060	1.180	004
WLAN 802.11n(40M) 5.3G	Main	Bottom Surface	0	62	5310	16.50	16.27	1.020	105.44%	0.739	0.795	-
Repeated	Main	Bottom Surface	0	54	5270	17.00	16.62	1.020	109.14%	1.023	1.139	-
WLAN 802.11ax(80M) 5.3G	Main	Bottom Surface	0	58	5290	17.00	16.89	1.024	102.57%	1.010	1.061	005
Repeated	Main	Bottom Surface	0	58	5290	17.00	16.89	1.024	102.57%	0.978	1.027	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	134	5670	18.00	17.76	1.020	105.68%	0.923	0.995	
WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	142	5710	18.00	17.73	1.020	106.41%	1.060	1.151	006
Repeated	Main	Bottom Surface	0	142	5710	18.00	17.73	1.020	106.41%	1.024	1.111	-
WLAN 802.11ac(80M) 5.6G	Main	Bottom Surface	0	122	5610	18.00	17.44	1.016	113.76%	0.760	0.878	-
WLAN 802.11ac(80M) 5.6G	Main	Bottom Surface	0	138	5690	18.00	17.59	1.016	109.90%	0.994	1.110	007
Repeated	Main	Bottom Surface	0	138	5690	18.00	17.59	1.016	109.90%	0.961	1.073	
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR		ID
			(11111)		(IVII IZ)	Tolerance (dBm)	(dBm)	Scalling	stalling	Measured	Reported	
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	151	5755	18.50	18.16	1.020	108.14%	0.845	0.932	-
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	159	5795	18.50	18.28	1.020	105.20%	1.020	1.094	008
Repeated	Main	Bottom Surface	0	159	5795	18.50	18.28	1.020	105.20%	0.960	1.030	-
WLAN 802.11ac(80M) 5.8G	Main	Bottom Surface	0	155	5775	18.50	18.24	1.016	106.17%	1.030	1.111	009
Repeated	Main	Bottom Surface	0	155	5775	18.50	18.24	1.016	106.17%	0.973	1.050	-

<sup>\* -</sup> repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 52 of 105

Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	D
WLAN 802.11b	Aux	Bottom Surface	0	11	2462	17.50	17.39	1.011	102.57%	0.553	0.573	010
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR	0 , 0,	ID
BLE2M	Aux	Bottom Surface	0	19	2440	12.38	11.69	1.302	117.22%	Measured 0.198	Reported 0.302	011
BLEZW	Aux	Bottom Surface	U	19	2440			1.302	117.22%		AR over 1g	011
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		/kg) Reported	ID
WLAN 802.11a 5.2G	Aux	Bottom Surface	0	36	5180	17.00	16.72	1.040	106.66%	0.873	0.968	-
WLAN 802.11a 5.2G	Aux	Bottom Surface	0	48	5240	17.00	16.74	1.040	106.17%	0.954	1.053	012
Repeated	Aux	Bottom Surface	0	48	5240	17.00	16.74	1.040	106.17%	0.937	1.035	-
WLAN 802.11n(40M) 5.2G	Aux	Bottom Surface	0	46	5230	17.00	16.69	1.020	107.40%	0.988	1.082	013
Repeated	Aux	Bottom Surface	0	46	5230	17.00	16.69	1.020	107.40%	0.959	1.051	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
111 111 000 11 (101 N 5 00		2.11			5070	. ,		1.000	400.040/	Measured	Reported	011
WLAN 802.11n(40M) 5.3G	Aux	Bottom Surface	0	54	5270	17.00	16.87	1.020	103.04%	0.985	1.035	014
WLAN 802.11n(40M) 5.3G	Aux	Bottom Surface	0	62	5310	17.00	16.77	1.020	105.44%	0.981	1.055	-
Repeated	Aux	Bottom Surface	0	54	5270	17.00	16.87	1.020	103.04%	0.966	1.015	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11n(40M) 5.6G	Aux	Bottom Surface	0	134	5670	18.00	17.48	1.020	112.72%	0.998	1.147	015
WLAN 802.11n(40M) 5.6G	Aux	Bottom Surface	0	142	5710	18.00	17.55	1.020	110.92%	0.966	1.093	-
Repeated	Aux	Bottom Surface	0	134	5670	18.00	17.48	1.020	112.72%	0.974	1.120	-
· · · · · · · · · · · · · · · · · · ·												
WLAN 802.11ac(80M) 5.6G	Aux	Bottom Surface	0	122	5610	18.00	17.43	1.016	114.02%	0.909	1.053	
WLAN 802.11ac(80M) 5.6G	Aux	Bottom Surface	0	138	5690	18.00	17.62	1.016	109.14%	0.949	1.052	016
Repeated	Aux	Bottom Surface	0	138	5690	18.00	17.62	1.016	109.14%	0.921	1.021	
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	ID
			(1111)		(IVII IZ)	Tolerance (dBm)	(dBm)	scaling	scaning	Measured	Reported	
WLAN 802.11n(40M) 5.8G	Aux	Bottom Surface	0	151	5755	18.50	18.24	1.020	106.17%	1.050	1.137	
WLAN 802.11n(40M) 5.8G	Aux	Bottom Surface	0	159	5795	18.50	18.11	1.020	109.40%	1.060	1.183	017
Repeated	Aux	Bottom Surface	0	159	5795	18.50	18.11	1.020	109.40%	1.052	1.174	
WLAN 802.11ac(80M) 5.8G	Aux	Bottom Surface	0	155	5775	18.50	18.28	1.016	105.20%	0.865	0.925	018
Repeated	Aux	Bottom Surface	0	155	5775	18.50	18.28	1.016	105.20%	0.848	0.906	-

<sup>\* -</sup> repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 53 of 105

Hong Bo

Hong Bo												
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11b	Main	Bottom Surface	0	1	2412	17.50	17.21	1.011	106.91%	0.884	0.955	019
WLAN 802.11b	Main	Bottom Surface	0	6	2437	17.50	17.32	1.011	104.23%	0.867	0.914	-
WLAN 802.11b	Main	Bottom Surface	0	11	2462	17.50	17.29	1.011	104.95%	0.748	0.794	-
Repeated Mode	Main Antenna	Bottom Surface  Position	0 Distance	1 Channel	2412 Freq.	17.50 Max. Rated Avg. Power + Max.	17.21 Measured Avg. Power	1.011 Duty cycle	106.91% Power	0.871 Averaged SAR	0.941 over 1g (W/kg)	ID
			(mm)		(MHz)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	
WLAN 802.11a 5.2G	Main	Bottom Surface	0	40	5200	17.00	16.84	1.040	103.75%	0.867	0.936	020
WLAN 802.11a 5.2G	Main	Bottom Surface	0	44	5220	17.00	16.78	1.040	105.20%	0.784	0.858	-
Repeated	Main	Bottom Surface	0	40	5200	17.00	16.84	1.040	103.75%	0.844	0.911	-
WLAN 802.11n(40M) 5.2G	Main	Bottom Surface	0	46	5230	17.00	16.98	1.012	100.46%	0.917	0.932	021
Repeated	Main	Bottom Surface	0	46	5230	17.00	16.98	1.012	100.46%	0.902	0.917	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11ax(80M) 5.3G	Main	Bottom Surface	0	58	5290	17.00	16.95	1.022	101.16%	0.747	0.772	022
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		over 1g (W/kg)  Reported	ID
WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	134	5670	18.00	17.75	1.012	105.93%	1.020	1.093	023
WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	142	5710	18.00	17.63	1.012	108.89%	0.885	0.975	-
Repeated	Main	Bottom Surface	0	134	5670	18.00	17.75	1.012	105.93%	0.963	1.032	-
WLAN 802.11ac(80M) 5.6G	Main	Bottom Surface	0	122	5610	18.00	17.64	1.078	108.64%	0.895	1.048	-
WLAN 802.11ac(80M) 5.6G Repeated	Main Main	Bottom Surface Bottom Surface	0	138 138	5690 5690	18.00 18.00	17.68 17.68	1.078	107.65% 107.65%	0.977	1.134	024
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	ID
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	151	5755	18.50	18.33	1.012	103.99%	Measured 0.891	Reported 0.938	025
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	159	5795	18.50	18.35	1.012	103.51%	0.788	0.936	025
Repeated Repeated	Main	Bottom Surface	0	151	5755	18.50	18.33	1.012	103.99%	0.869	0.915	-
			-									
WLAN 802.11ac(80M) 5.8G	Main	Bottom Surface	0	155	5775	18.50	18.37	1.078	103.04%	0.894	0.993	026
Repeated	Main	Bottom Surface	0	155	5775	18.50	18.37	1.078	103.04%	0.870	0.966	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11b	Aux	Bottom Surface	0	6	2437	17.50	17.43	1.011	101.62%	0.440	0.452	027
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
BLE2M	Aux	Bottom Surface	0	19	2440	12.38	11.72	1.299	116.41%	0.215	0.325	028
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		AR over 1g /kg) Reported	ID
WLAN 802.11a 5.2G	Aux	Bottom Surface	0	36	5180	17.00	16.72	1.040	106.66%	0.687	0.762	-
WLAN 802.11a 5.2G	Aux	Bottom Surface	0	48	5240	17.00	16.80	1.040	104.71%	0.865	0.942	029
Repeated	Aux	Bottom Surface	0	48	5240	17.00	16.80	1.040	104.71%	0.838	0.913	-
WLAN 802.11n(40M) 5.2G	Aux	Bottom Surface Bottom Surface	0	46 46	5230 5230	17.00 17.00	16.85 16.85	1.012	103.51% 103.51%	0.837	0.877	030
Repeated Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		over 1g (W/kg)  Reported	ID
WLAN 802.11n(40M) 5.3G	Aux	Bottom Surface	0	54	5270	17.00	16.91	1.012	102.09%	0.979	1.011	
WLAN 802.11n(40M) 5.3G	Aux	Bottom Surface	0	62	5310	17.00	16.69	1.012	107.40%	1.050	1.141	031
Repeated	Aux	Bottom Surface	0	62	5310	17.00	16.69	1.012	107.40%	1.010	1.098	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11n(40M) 5.6G	Aux	Bottom Surface	0	134	5670	18.00	17.49	1.012	112.46%	0.905	1.030	-
WLAN 802.11n(40M) 5.6G	Aux	Bottom Surface	0	142	5710	18.00	17.55	1.012	110.92%	0.918	1.030	032
Repeated	Aux	Bottom Surface	0	142	5710	18.00	17.55	1.012	110.92%	0.907	1.018	-
WLAN 802.11ac(80M) 5.6G	Aux	Bottom Surface	0	122	5610	18.00	17.59	1.078	109.90%	0.908	1.076	_
WLAN 802.11ac(80M) 5.6G	Aux	Bottom Surface	0	138	5690	18.00	17.60	1.078	109.65%	0.954	1.128	033
Repeated Repeated	Aux	Bottom Surface	0	138	5690	18.00	17.60	1.078	109.65%	0.929	1.098	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg)  Reported	ID
WLAN 802.11n(40M) 5.8G	Aux	Bottom Surface	0	151	5755	18.50	18.24	1.012	106.17%	0.938	1.008	034
WLAN 802.11n(40M) 5.8G	Aux	Bottom Surface	0	159	5795	18.50	18.13	1.012	108.89%	0.883	0.973	-
Repeated	Aux	Bottom Surface	0	151	5755	18.50	18.24	1.012	106.17%	0.904	0.971	-
WLAN 802.11ac(80M) 5.8G	Aux	Bottom Surface	0	155	5775	18.50	18.30	1.078	104.71%	0.800	0.903	035
Repeated	Aux	Bottom Surface	0	155	5775	18.50	18.30	1.078	104.71%	0.776	0.876	-

<sup>\* -</sup> repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 54 of 105

## Note:

Reported SAR = measured SAR \* Power scaling \* Duty cycle scaling

# 7.3 Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

# 7.4 Conclusion

The device is compliant because all the standalone results are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主極大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 55 of 105

# SIMULTANEOUS TRANSMISSION ANALYSIS

#### 8.1 **Simultaneous Transmission Scenarios:**

Simultaneous Transmit Configurations	Body
WLAN 2.4GHz Main + BT Aux	Yes
WLAN 2.4GHz Main + WLAN 2.4GHz Aux	Yes
WLAN 5GHz Main + BT Aux	Yes
WLAN 5GHz Main + WLAN 5GHz Aux	Yes
WLAN 5GHz Main + WLAN 5GHz Aux + BT Aux	Yes

## Note:

- 1. Bluetooth and WLAN Aux share the same antenna path, and BT can transmit with WLAN Main
- 2. For 2.4/5GHz WLAN Main and Aux antennas, the maximum output power of each antenna during simultaneous transmission is the same with or less than that used in standalone transmission, and we used the sum of 1-g SAR provision in KDB447498D01 to exclude the simultaneous transmitted SAR measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 56 of 105

#### 8.2 Estimated SAR calculation

According to KDB447498 D01v06 – When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

Estimated SAR = 
$$\frac{\text{Max. tune up power (mW)}}{\text{Min. test separation distance(mm)}} \times \frac{\sqrt{\text{f(GHz)}}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

# 8.3 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by (SAR1 + SAR2)^1.5/Ri, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and Ri is the separation distance between the peak SAR locations for the antenna pair in mm.

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

505 laiwan Eta.




Page: 57 of 105

# **Simultaneous Transmission Combination AWAN**

				FCC Reported SAR			Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	
		2	3	4	5	7	2+7	2+3	4+7	4+5	4+5+7	
Exposure Positi	on	2.4GHz WLAN chain 0	2.4GHz WLAN chain 1	5GHz WLAN chain 0	5GHz WLAN chain 1	Bluetooth chain 1	Summed	Summed	Summed	Summed	Summed	SPLSR
		1g SAR	1g SAR	1g SAR	1g SAR	1g SAR	1g SAR (W/kg)					
		(W/kg)	(W/kg)	(W/kg)	(W/kg)	(W/kg)						
Bottom Surface	0	0.842	0.573	1.187	1.183	0.302	1.144	1.415	1.489	2.370	2.672	the sum of 1g-SAR>1.6, analysis as below

	Scenario 1: 4+5+7									
Position	Conditions	SAR Value	Coordinates (cm)			ΣSAR	Peak Location	SPLSR	Simultaneous Transmission SAR	
	Conditions	(W/kg)	Х	у	Z	(W/kg)	Separation Distance (mm)	3F L3K	Test	
Bottom	WLAN 5G Main	1.187	-78.40	172.80	-177.00	-	-	-	-	
Surface	WLAN 5G Aux+BT	1.485	-89.00	-171.60	-177.00	2.672	344.56	0.013	SPLSR ≤ 0.04, Not required	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page: 58 of 105

# **Hong Bo**

		FCC	Reported SAR		Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	
	2	3	4	5	7	2+7	2+3	4+7	4+5	4+5+7
Exposure Position	2.4GHz WLAN chain 0	2.4GHz WLAN chain 1	5GHz WLAN chain 0	5GHz WLAN chain 1	Bluetooth chain 1	Summed	Summed	Summed	Summed	Summed
	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
Bottom Surface 0	0.955	0.452	1.134	1.141	0.325	1.280	1.407	1.459	2.275	2.600

	Scenario 1: 4+5+7										
Position	Conditions	SAR Value	Coordinates (cm)			ΣSAR	Peak Location	SPLSR	Simultaneous Transmission SAR		
	Conditions	(W/kg)	Х	у	Z	(W/kg)	Separation Distance (mm)	SPLSK	Test		
Bottom	WLAN 5G Main	1.134	-79.40	174.20	-177.00	-	-	-	-		
Surface	WLAN 5G Aux+BT	1.466	-88.20	-175.80	-177.00	2.600	350.11	0.012	SPLSR ≤ 0.04, Not required		



#### 8.4 Conclusion

The simultaneous transmission is compliant because both SAR sum and/or SPLSR are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 59 of 105

# **INSTRUMENTS LIST**

		Equi	pment List		
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration
SPEAG	Data acquisition Electronics	DAE4	1719	Mar/25/2022	Mar/24/2023
SPEAG	Dosimetric E-Field Probe	EX3DV4	7712	Mar/21/2022	Mar/20/2023
SPEAG	System Validation Dipole	D2450V2	727	Apr/25/2022	Apr/24/2023
SPEAG	System Validation Dipole	D5GHzV2	1023	Jan/27/2022	Jan/26/2023
SPEAG	Dielectric Assessment Kit	DAKS-3.5	1053	Feb/28/2022	Feb/27/2023
R&S	MXG Analog Signal Generator	SMB100A03	182012	Jun/13/2022	Jun/12/2023
Agilent	Dual-directional coupler	772D	MY46151258	Oct/03/2022	Oct/02/2023
Agilent	Dual-directional coupler	778D	MY46151242	Aug/30/2022	Aug/29/2023
EMCI	Amplifier	ZHL-42	980189	Calibration not required	Calibration not required
EMCI	Amplifier	ZVE-8G	980190	Calibration not required	Calibration not required
R&S	Power Sensor	NRP18S	101973	Jan/22/2022	Jan/21/2023
R&S	Power Meter	NRX	102191	Jan/22/2022	Jan/21/2023
R&S	Power Sensor	NRP18S	101358	Jan/22/2022	Jan/21/2023
SPEAG	Software	DASY 8 V16.0.2.83	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required
LKM	Digital thermometer	DTM3000	EC14010603	Sep/27/2022	Sep/26/2023
TECPEL	Digital thermometer	DTM-303A	TP130077	Sep/29/2022	Sep/28/2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 60 of 105

# **10 UNCERTAINTY BUDGET**

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

Α	С	D	e		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	∞
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
lsotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	œ
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	2.84%	N	1	1	0.64	0.43	1.82%	1.22%	М
Liquid Conductivity (mea.)	2.53%	N	1	1	0.6	0.49	1.52%	1.24%	М
Combined standard uncertainty		RSS					11.95%	11.84%	
Expant uncertainty (95% confidence interval), K=2							23.91%	23.67%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键中含素,同时此类早度保护的大学,未就是土壤土壤土人司事富统可,无可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 61 of 105

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

А	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	8
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	8
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	8
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	8
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	8
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	8
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	8
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	8
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	8
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	8
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	8
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	8
Liquid permittivity (mea.)	2.50%	N	1	1	0.64	0.43	1.60%	1.08%	М
Liquid Conductivity (mea.)	3.01%	N	1	1	0.6	0.49	1.81%	1.47%	М
Combined standard uncertainty		RSS					11.67%	11.55%	
Expant uncertainty (95% confidence interval), K=2							23.34%	23.11%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 62 of 105

# 11 SAR MEASUREMENT RESULTS

ID: 001

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11b\_Body\_Bottom Surface\_CH 6\_0mm\_Main

Ambient temperature: 23.5°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2437.0, 6	8.16	1.819	39.725

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	0.680	0.761
psSAR8g [W/kg]	0.380	0.406
psSAR10g [W/kg]	0.348	0.371
Power Drift [dB]	0.06	0.01
M2/M1 [%]		52.7
Dist 3dB Peak [mm]		9.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Page: 63 of 105

ID: 002

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11a 5.2G\_Body\_Bottom Surface\_CH 36\_0mm\_Main

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5180.0, 36	5.94	4.693	36.511

#### **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

#### Scans Setup

·	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	1.04	1.11
psSAR8g [W/kg]	0.425	0.454
psSAR10g [W/kg]	0.376	0.401
Power Drift [dB]	0.04	0.03
M2/M1 [%]		63.3
Dist 3dB Peak [mm]		8.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 64 of 105

ID: 003

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.2G\_Body\_Bottom Surface\_CH 46\_0mm\_Main

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.745	36.453

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

#### Scans Setup

·	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	1.01	1.08
psSAR8g [W/kg]	0.420	0.423
psSAR10g [W/kg]	0.373	0.371
Power Drift [dB]	0.05	0.03
M2/M1 [%]		62.4
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 65 of 105

ID: 004

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.3G\_Body\_Bottom Surface\_CH 54\_0mm\_Main

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5270.0, 54	5.94	4.786	36.408

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

•	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	1.02	1.06
psSAR8g [W/kg]	0.405	0.440
psSAR10g [W/kg]	0.359	0.390
Power Drift [dB]	0.06	0.02
M2/M1 [%]		63.6
Dist 3dB Peak [mm]		8.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 66 of 105

ID: 005

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11ax(80M) 5.3G\_Body\_Bottom Surface\_CH 58\_0mm\_Main

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5290.0, 58	5.94	4.807	36.385

### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

# Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	0.969	1.01
psSAR8g [W/kg]	0.389	0.419
psSAR10g [W/kg]	0.345	0.371
Power Drift [dB]	-0.04	0.03
M2/M1 [%]		63.0
Dist 3dB Peak [mm]		9.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sqs.com.tw



Page: 67 of 105

ID: 006

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.6G\_Body\_Bottom Surface\_CH 142\_0mm\_Main

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5710.0, 142	5.45	5.243	35.905

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

#### Scans Setup

·	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-12-01	2022-12-01
psSAR1g [W/kg]	1.05	1.06
psSAR8g [W/kg]	0.427	0.423
psSAR10g [W/kg]	0.380	0.375
Power Drift [dB]	0.04	-0.01
M2/M1 [%]		56.8
Dist 3dB Peak [mm]		8.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 68 of 105

ID: 007

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11ac(80M) 5.6G\_Body\_Bottom Surface\_CH 138\_0mm\_Main

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.222	35.928

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

·	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-12-01	2022-12-01
psSAR1g [W/kg]	0.966	0.994
psSAR8g [W/kg]	0.398	0.401
psSAR10g [W/kg]	0.356	0.364
Power Drift [dB]	0.03	0.02
M2/M1 [%]		56.9
Dist 3dB Peak [mm]		8.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 69 of 105

ID: 008

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.8G\_Body\_Bottom Surface\_CH 159\_0mm\_Main

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5795.0, 159	5.45	5.331	35.808

### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-12-01	2022-12-01
psSAR1g [W/kg]	0.985	1.02
psSAR8g [W/kg]	0.387	0.394
psSAR10g [W/kg]	0.343	0.344
Power Drift [dB]	0.04	0.05
M2/M1 [%]		55.9
Dist 3dB Peak [mm]		8.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sqs.com.tw



Page: 70 of 105

ID: 009

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11ac(80M) 5.8G\_Body\_Bottom Surface\_CH 155\_0mm\_Main

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5775.0, 155	5.45	5.31	35.831

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

·	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-12-01	2022-12-01
psSAR1g [W/kg]	0.997	1.03
psSAR8g [W/kg]	0.391	0.398
psSAR10g [W/kg]	0.347	0.348
Power Drift [dB]	0.05	-0.01
M2/M1 [%]		56.4
Dist 3dB Peak [mm]		8.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 71 of 105

ID: 010

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11b\_Body\_Bottom Surface\_CH 11\_0mm\_Aux

Ambient temperature: 23.5°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2462.0, 11	8.16	1.841	39.687

### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

## **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	0.515	0.553
psSAR8g [W/kg]	0.296	0.319
psSAR10g [W/kg]	0.272	0.294
Power Drift [dB]	0.04	0.02
M2/M1 [%]		56.6
Dist 3dB Peak [mm]		11.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 72 of 105

Report No.: TESA2208000309E5

Measurement Report for AWAN, BLE2M\_Body\_Bottom Surface\_CH 19\_0mm\_Aux

Ambient temperature: 23.5°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2440.0, 19	8.16	1.821	39.72

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

•	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	0.175	0.198
psSAR8g [W/kg]	0.098	0.113
psSAR10g [W/kg]	0.090	0.104
Power Drift [dB]	-0.01	0.03
M2/M1 [%]		54.6
Dist 3dB Peak [mm]		11.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Page: 73 of 105

ID: 012

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11a 5.2G\_Body\_Bottom Surface\_CH 48\_0mm\_Aux

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5240.0, 48	5.94	4.755	36.442

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

·	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	0.907	0.954
psSAR8g [W/kg]	0.365	0.389
psSAR10g [W/kg]	0.323	0.343
Power Drift [dB]	0.04	0.02
M2/M1 [%]		60.8
Dist 3dB Peak [mm]		9.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 74 of 105

ID: 013

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.2G\_Body\_Bottom Surface\_CH 46\_0mm\_Aux

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.745	36.453

### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

# Scans Setup

·	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	0.945	0.988
psSAR8g [W/kg]	0.380	0.402
psSAR10g [W/kg]	0.337	0.355
Power Drift [dB]	0.01	0.03
M2/M1 [%]		60.6
Dist 3dB Peak [mm]		9.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 75 of 105

ID: 014

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.3G\_Body\_Bottom Surface\_CH 54\_0mm\_Aux

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5270.0, 54	5.94	4.786	36.408

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	0.926	0.985
psSAR8g [W/kg]	0.372	0.404
psSAR10g [W/kg]	0.331	0.354
Power Drift [dB]	0.03	0.02
M2/M1 [%]		70.3
Dist 3dB Peak [mm]		9.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 76 of 105

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.6G\_Body\_Bottom Surface\_CH 134\_0mm\_Aux

Ambient temperature: 23.1°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5670.0, 134	5.29	5.201	35.951

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan		
Date	2022-12-01	2022-12-01		
psSAR1g [W/kg]	0.979	0.998		
psSAR8g [W/kg]	0.395	0.417		
psSAR10g [W/kg]	0.353	0.371		
Power Drift [dB]	0.04	-0.06		
M2/M1 [%]		58.6		
Dist 3dB Peak [mm]		10.2		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 77 of 105

ID: 016

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11ac(80M) 5.6G\_Body\_Bottom Surface\_CH 138\_0mm\_Aux

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.222	35.928

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

Area Scan	Zoom Scan		
2022-12-01	2022-12-01		
0.900	0.949		
0.372	0.372		
0.332	0.329		
0.05	0.01		
	57.8		
	10.0		
	Area Scan 2022-12-01 0.900 0.372 0.332 0.05		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 22



Page: 78 of 105

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11n(40M) 5.8G\_Body\_Bottom Surface\_CH 159\_0mm\_Aux

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5795.0, 159	5.45	5.331	35.808

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

•	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

## **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-12-01	2022-12-01
psSAR1g [W/kg]	1.03	1.06
psSAR8g [W/kg]	0.420	0.445
psSAR10g [W/kg]	0.375	0.396
Power Drift [dB]	0.03	-0.02
M2/M1 [%]		57.0
Dist 3dB Peak [mm]		10.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 79 of 105

ID: 018

Report No.: TESA2208000309E5

Measurement Report for AWAN, WLAN 802.11ac(80M) 5.8G\_Body\_Bottom Surface\_CH 155\_0mm\_Aux

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5775.0, 155	5.45	5.31	35.831

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-12-01	2022-12-01
psSAR1g [W/kg]	0.837	0.865
psSAR8g [W/kg]	0.341	0.361
psSAR10g [W/kg]	0.305	0.321
Power Drift [dB]	0.06	-0.05
M2/M1 [%]		56.6
Dist 3dB Peak [mm]		10.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 80 of 105

ID: 019

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11b\_Body\_Bottom Surface\_CH 1\_0mm\_Main

Ambient temperature: 23.6°C; Liquid temperature: 23.0°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2412.0, 1	8.16	1.818	40.248

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.828	0.884
psSAR8g [W/kg]	0.461	0.486
psSAR10g [W/kg]	0.422	0.447
Power Drift [dB]	0.01	-0.03
M2/M1 [%]		50.5
Dist 3dB Peak [mm]		9.8



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 81 of 105

ID: 020

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11a 5.2G\_Body\_Bottom Surface\_CH 40\_0mm\_Main

Ambient temperature: 23.4°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5200.0, 40	5.94	4.774	36.966

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.850	0.867
psSAR8g [W/kg]	0.334	0.352
psSAR10g [W/kg]	0.296	0.310
Power Drift [dB]	0.02	0.05
M2/M1 [%]		62.8
Dist 3dB Peak [mm]		8.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 82 of 105

ID: 021

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11n(40M) 5.2G\_Body\_Bottom Surface\_CH 46\_0mm\_Main

Ambient temperature: 23.4°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.805	36.931

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

## **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 140.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.828	0.917
psSAR8g [W/kg]	0.345	0.368
psSAR10g [W/kg]	0.306	0.323
Power Drift [dB]	-0.04	0.06
M2/M1 [%]		62.0
Dist 3dB Peak [mm]		7.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 83 of 105

ID: 022

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11ax(80M) 5.3G\_Body\_Bottom Surface\_CH 58\_0mm\_Main

Ambient temperature: 23.4°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5290.0, 58	5.94	4.868	36.863

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

·	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 140.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.634	0.747
psSAR8g [W/kg]	0.264	0.299
psSAR10g [W/kg]	0.235	0.263
Power Drift [dB]	0.03	0.05
M2/M1 [%]		60.3
Dist 3dB Peak [mm]		8.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 84 of 105

ID: 023

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11n(40M) 5.6G\_Body\_Bottom Surface\_CH 134\_0mm\_Main

Ambient temperature: 23.2°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5670.0, 134	5.29	5.267	36.429

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

## **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	1.01	1.02
psSAR8g [W/kg]	0.401	0.321
psSAR10g [W/kg]	0.359	0.373
Power Drift [dB]	-0.04	0.04
M2/M1 [%]		58.5
Dist 3dB Peak [mm]		9.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 85 of 105

ID: 024

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11ac(80M) 5.6G\_Body\_Bottom Surface\_CH 138\_0mm\_Main

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.288	36.406

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

## **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	0.934	0.977
psSAR8g [W/kg]	0.375	0.327
psSAR10g [W/kg]	0.336	0.354
Power Drift [dB]	0.05	0.01
M2/M1 [%]		55.8
Dist 3dB Peak [mm]		9.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 86 of 105

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11n(40M) 5.8G\_Body\_Bottom Surface\_CH 151\_0mm\_Main

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5755.0, 151	5.45	5.356	36.331

#### **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	0.894	0.891
psSAR8g [W/kg]	0.362	0.346
psSAR10g [W/kg]	0.325	0.330
Power Drift [dB]	0.06	0.02
M2/M1 [%]		57.9
Dist 3dB Peak [mm]		9.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 87 of 105

ID: 026

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11ac(80M) 5.8G\_Body\_Bottom Surface\_CH 155\_0mm\_Main

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5775.0, 155	5.45	5.377	36.309

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

•	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	0.895	0.894
psSAR8g [W/kg]	0.389	0.381
psSAR10g [W/kg]	0.351	0.337
Power Drift [dB]	0.05	
M2/M1 [%]		56.4
Dist 3dB Peak [mm]		9.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

www.sqs.com.tw



Page: 88 of 105

ID: 027

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11b\_Body\_Bottom Surface\_CH 6\_0mm\_Aux

Ambient temperature: 23.6°C; Liquid temperature: 23.0°C

**Exposure Conditions** 

Р	nantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
FI	at, HSL	Bottom Surface, 0.00	2437.0, 6	8.16	1.84	40.203

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.414	0.440
psSAR8g [W/kg]	0.235	0.249
psSAR10g [W/kg]	0.215	0.229
Power Drift [dB]	0.02	0.03
M2/M1 [%]		55.9
Dist 3dB Peak [mm]		10.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 89 of 105

ID: 028

Report No.: TESA2208000309E5

Measurement Report for HB, BLE2M\_Body\_Bottom Surface\_CH 19\_0mm\_Aux

Ambient temperature: 23.6°C; Liquid temperature: 23.0°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2440.0, 19	8.16	1.843	40.198

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.209	0.215
psSAR8g [W/kg]	0.115	0.123
psSAR10g [W/kg]	0.105	0.113
Power Drift [dB]	0.06	0.01
M2/M1 [%]		56.3
Dist 3dB Peak [mm]		11.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产概率从同事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 90 of 105

ID: 029

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11a 5.2G\_Body\_Bottom Surface\_CH 48\_0mm\_Aux

Ambient temperature: 23.4°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5240.0, 48	5.94	4.816	36.92

#### Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

## **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.840	0.865
psSAR8g [W/kg]	0.339	0.356
psSAR10g [W/kg]	0.300	0.313
Power Drift [dB]	-0.04	0.02
M2/M1 [%]		61.1
Dist 3dB Peak [mm]		8.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 91 of 105

ID: 030

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11n(40M) 5.2G\_Body\_Bottom Surface\_CH 46\_0mm\_Aux

Ambient temperature: 23.4°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.805	36.931

#### **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

#### Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	0.807	0.837
psSAR8g [W/kg]	0.326	0.344
psSAR10g [W/kg]	0.289	0.305
Power Drift [dB]	0.05	-0.05
M2/M1 [%]		61.3
Dist 3dB Peak [mm]		8.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 92 of 105

ID: 031

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11n(40M) 5.3G\_Body\_Bottom Surface\_CH 62\_0mm\_Aux

Ambient temperature: 23.4°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5310.0, 62	5.94	4.889	36.84

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

·	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	1.04	1.05
psSAR8g [W/kg]	0.416	0.433
psSAR10g [W/kg]	0.369	0.382
Power Drift [dB]	0.04	0.05
M2/M1 [%]		60.5
Dist 3dB Peak [mm]		9.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 93 of 105

ID: 032

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11n(40M) 5.6G\_Body\_Bottom Surface\_CH 142\_0mm\_Aux

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5710.0, 142	5.45	5.309	36.383

#### **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719. 2022-03-25

# Scans Setup

·	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	0.902	0.918
psSAR8g [W/kg]	0.361	0.380
psSAR10g [W/kg]	0.321	0.337
Power Drift [dB]	-0.01	0.03
M2/M1 [%]		57.4
Dist 3dB Peak [mm]		10.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 94 of 105

ID: 033

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11ac(80M) 5.6G\_Body\_Bottom Surface\_CH 138\_0mm\_Aux

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.288	36.406

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

#### **Scans Setup**

·	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	0.948	0.954
psSAR8g [W/kg]	0.379	0.394
psSAR10g [W/kg]	0.336	0.350
Power Drift [dB]	0.03	0.04
M2/M1 [%]		57.5
Dist 3dB Peak [mm]		10.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 95 of 105

ID: 034

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11n(40M) 5.8G\_Body\_Bottom Surface\_CH 151\_0mm\_Aux

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5755.0, 151	5.45	5.356	36.331

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

## **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 140.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	0.909	0.938
psSAR8g [W/kg]	0.368	0.392
psSAR10g [W/kg]	0.327	0.345
Power Drift [dB]	0.05	
M2/M1 [%]		57.0
Dist 3dB Peak [mm]		10.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 96 of 105

ID: 035

Report No.: TESA2208000309E5

Measurement Report for HB, WLAN 802.11ac(80M) 5.8G\_Body\_Bottom Surface\_CH 155\_0mm\_Aux

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5775.0, 155	5.45	5.377	36.309

## **Hardware Setup**


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

# **Scans Setup**

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-29	2022-11-29
psSAR1g [W/kg]	0.798	0.800
psSAR8g [W/kg]	0.325	0.337
psSAR10g [W/kg]	0.289	0.297
Power Drift [dB]	0.01	-0.02
M2/M1 [%]		57.2
Dist 3dB Peak [mm]		10.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Page: 97 of 105

# 12 SAR SYSTEM CHECK RESULTS

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D2450

CW, Channel 2450 (2450.0 MHz), SN:727

Ambient temperature: 23.5°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	8.16	1.83	39.702

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	13.1	13.14
psSAR8g [W/kg]	6.72	6.84
psSAR10g [W/kg]	6.07	6.20
Power Drift [dB]	-0.02	-0.01
M2/M1 [%]		59.8
Dist 3dB Peak [mm]		9.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 98 of 105

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D5GHz,

CW, Channel 5250 (5250.0 MHz), SN:1023

Ambient temperature: 23.3°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.94	4.745	36.431

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-30	2022-11-30
psSAR1g [W/kg]	6.00	7.98
psSAR8g [W/kg]	3.04	2.68
psSAR10g [W/kg]	2.77	2.27
psPDab (4.0cm2, sq) [W/m2]		53.6
Power Drift [dB]	-0.06	-0.02
M2/M1 [%]		55.4
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 99 of 105

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D5GHz,

CW, Channel 5600 (5600.0 MHz), SN:1023

Ambient temperature: 23.1°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.29	5.129	36.031

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

Area Scan	Zoom Scan
2022-12-01	2022-12-01
7.23	8.14
2.60	2.68
2.24	2.29
-0.04	0.03
	53.3
	7.6
	Area Scan 2022-12-01 7.23 2.60 2.24 -0.04



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 100 of 105

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D5GHz,

CW, Channel 5750 (5750.0 MHz), SN:1023

Ambient temperature: 23.1°C; Liquid temperature: 22.3°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.45	5.284	35.859

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-12-01	2022-12-01
psSAR1g [W/kg]	6.94	8.10
psSAR8g [W/kg]	2.49	2.70
psSAR10g [W/kg]	2.15	2.30
Power Drift [dB]	0.02	-0.03
M2/M1 [%]		52.7
Dist 3dB Peak [mm]		8.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 101 of 105

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D2450

CW, Channel 2450 (2450.0 MHz), SN:727

Ambient temperature: 23.6°C; Liquid temperature: 23.0°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	8.16	1.852	40.18

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

Area Scan	Zoom Scan
2022-11-28	2022-11-28
13.07	13.14
6.69	6.82
6.04	6.19
-0.02	-0.01
	57.2
	9.2
	Area Scan 2022-11-28 13.07 6.69 6.04 -0.02



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

台灣檢驗科技股份有限公司



Page: 102 of 105

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D5GHz,

CW, Channel 5250 (5250.0 MHz), SN:1023

Ambient temperature: 23.4°C; Liquid temperature: 22.8°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.94	4.826	36.909

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-28	2022-11-28
psSAR1g [W/kg]	6.09	8.18
psSAR8g [W/kg]	3.06	2.73
psSAR10g [W/kg]	2.82	2.34
Power Drift [dB]	-0.04	-0.03
M2/M1 [%]		55.1
Dist 3dB Peak [mm]		7.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 103 of 105

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D5GHz,

CW, Channel 5600 (5600.0 MHz), SN:1023

Ambient temperature: 23.2°C; Liquid temperature: 22.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.29	5.194	36.509

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan		
Date	2022-11-29	2022-11-29		
psSAR1g [W/kg]	7.36	8.07		
psSAR8g [W/kg]	2.57	2.65		
psSAR10g [W/kg]	2.22	2.28		
Power Drift [dB]	-0.01	-0.05		
M2/M1 [%]		51.6		
Dist 3dB Peak [mm]		7.7		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产概率从同事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 104 of 105

Report No.: TESA2208000309E5

Measurement Report for Device, FRONT, D5GHz,

CW, Channel 5750 (5750.0 MHz), SN:1023

Ambient temperature: 23.2°C; Liquid temperature: 22.5°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.45	5.351	36.337

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan		
Date	2022-11-29	2022-11-29		
psSAR1g [W/kg]	7.11	8.25		
psSAR8g [W/kg]	2.52	2.72		
psSAR10g [W/kg]	2.18	2.34		
Power Drift [dB]	0.03	-0.02		
M2/M1 [%]		56.4		
Dist 3dB Peak [mm]		8.1		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

台灣檢驗科技股份有限公司



Page: 105 of 105

# Refer to separated files for the following appendixes.

- 13.1 SAR\_Appendix A Photographs
- 13.2 SAR Appendix B DAE & Probe Cal. Certificate
- SAR Appendix C Phantom Description & Dipole Cal. Certificate 13.3

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.