

Case No. : <u>GTS20240827006-1-03</u>	
Ambient Condition: <u>22</u> °C, <u>52</u> %RH,	
Test Date: <u>2024.10.15</u>	Test Engineer: <u>Evan ouyang</u>

Appendix C.1: DTS Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	10.040	2407.000	2417.040	0.5	PASS
		2437	10.080	2431.960	2442.040	0.5	PASS
		2462	10.080	2456.960	2467.040	0.5	PASS
11G	Ant1	2412	16.560	2403.720	2420.280	0.5	PASS
		2437	16.520	2428.760	2445.280	0.5	PASS
		2462	16.520	2453.760	2470.280	0.5	PASS
11N20SISO	Ant1	2412	17.760	2403.160	2420.920	0.5	PASS
		2437	17.760	2428.120	2445.880	0.5	PASS
		2462	17.680	2453.160	2470.840	0.5	PASS
11N40SISO	Ant1	2422	36.400	2403.840	2440.240	0.5	PASS
		2437	36.400	2418.840	2455.240	0.5	PASS
		2452	36.400	2433.840	2470.240	0.5	PASS

Test Graphs

11B_Ant1_2412




11B_Ant1_2437



11B_Ant1_2462



11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Appendix C.2: Occupied Channel Bandwidth

Test Result


TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	15.231	2404.3800	2419.6110	---	---
		2437	15.178	2429.4016	2444.5796	---	---
		2462	15.165	2454.3764	2469.5414	---	---
11G	Ant1	2412	17.006	2403.4877	2420.4937	---	---
		2437	17.042	2428.4386	2445.4806	---	---
		2462	17.030	2453.4277	2470.4577	---	---
11N20SISO	Ant1	2412	18.002	2403.0079	2421.0099	---	---
		2437	18.041	2427.9814	2446.0224	---	---
		2462	18.043	2452.9642	2471.0072	---	---
11N40SISO	Ant1	2422	36.517	2403.7953	2440.3123	---	---
		2437	36.569	2418.8325	2455.4015	---	---
		2452	36.540	2433.7370	2470.2770	---	---

Test Graphs


11B_Ant1_2412



11B_Ant1_2437




11B_Ant1_2462



11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437




11N20SISO_Ant1_2462




11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Appendix C.3: Maximum conducted output power

Test Mode	Antenna	Frequency[MHz]	Peak power [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	22.28	≤30.00	PASS
		2437	22.34	≤30.00	PASS
		2462	22.18	≤30.00	PASS
11G	Ant1	2412	22.59	≤30.00	PASS
		2437	22.23	≤30.00	PASS
		2462	22.50	≤30.00	PASS
11N20SISO	Ant1	2412	20.71	≤30.00	PASS
		2437	23.34	≤30.00	PASS
		2462	22.73	≤30.00	PASS
11N40SISO	Ant1	2422	20.09	≤30.00	PASS
		2437	22.37	≤30.00	PASS
		2452	20.67	≤30.00	PASS


Appendix C.4: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-10.95	≤8.00	PASS
		2437	-10.94	≤8.00	PASS
		2462	-11.20	≤8.00	PASS
11G	Ant1	2412	-12.90	≤8.00	PASS
		2437	-13.38	≤8.00	PASS
		2462	-13.14	≤8.00	PASS
11N20SISO	Ant1	2412	-14.35	≤8.00	PASS
		2437	-11.90	≤8.00	PASS
		2462	-12.37	≤8.00	PASS
11N40SISO	Ant1	2422	-16.07	≤8.00	PASS
		2437	-14.40	≤8.00	PASS
		2452	-16.96	≤8.00	PASS

Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437




11N20SISO_Ant1_2462




11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452



Appendix C.5: Band edge measurements

Test Result


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	8.99	-27.02	≤ -11.01	PASS
		High	2462	8.99	-44.9	≤ -11.01	PASS
11G	Ant1	Low	2412	1.60	-27.97	≤ -18.4	PASS
		High	2462	1.24	-42.78	≤ -18.76	PASS
11N20SISO	Ant1	Low	2412	-0.82	-36.11	≤ -20.82	PASS
		High	2462	1.24	-42.17	≤ -18.76	PASS
11N40SISO	Ant1	Low	2422	-4.56	-38.34	≤ -24.56	PASS
		High	2452	-3.52	-44.39	≤ -23.52	PASS

Test Graphs


11B_Ant1_Low_2412




11B_Ant1_High_2462




11G_Ant1_Low_2412




11G_Ant1_High_2462




11N20SISO_Ant1_Low_2412




11N20SISO_Ant1_High_2462



11N40SISO_Ant1_Low_2422



11N40SISO_Ant1_High_2452





Appendix C.6: Conducted Spurious Emission

Test Result


TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	8.83	8.83	---	PASS
			30~1000	8.83	-59.95	≤ -11.17	PASS
			1000~26500	8.83	-48.22	≤ -11.17	PASS
		2437	Reference	8.77	8.77	---	PASS
			30~1000	8.77	-60.35	≤ -11.23	PASS
			1000~26500	8.77	-48.06	≤ -11.23	PASS
		2462	Reference	8.93	8.93	---	PASS
			30~1000	8.93	-60.67	≤ -11.07	PASS
			1000~26500	8.93	-46.6	≤ -11.07	PASS
11G	Ant1	2412	Reference	0.63	0.63	---	PASS
			30~1000	0.63	-60.85	≤ -19.37	PASS
			1000~26500	0.63	-47.7	≤ -19.37	PASS
		2437	Reference	0.64	0.64	---	PASS
			30~1000	0.64	-60.07	≤ -19.36	PASS
			1000~26500	0.64	-47.77	≤ -19.36	PASS
		2462	Reference	0.90	0.90	---	PASS
			30~1000	0.90	-60.73	≤ -19.1	PASS
			1000~26500	0.90	-47.66	≤ -19.1	PASS
11N20SISO	Ant1	2412	Reference	-1.31	-1.31	---	PASS
			30~1000	-1.31	-60.51	≤ -21.31	PASS
			1000~26500	-1.31	-47.39	≤ -21.31	PASS
		2437	Reference	0.75	0.75	---	PASS
			30~1000	0.75	-60.9	≤ -19.25	PASS
			1000~26500	0.75	-47.71	≤ -19.25	PASS
		2462	Reference	0.60	0.60	---	PASS
			30~1000	0.60	-60	≤ -19.4	PASS
			1000~26500	0.60	-47.99	≤ -19.4	PASS
11N40SISO	Ant1	2422	Reference	-5.12	-5.12	---	PASS
			30~1000	-5.12	-53.41	≤ -25.12	PASS
			1000~26500	-5.12	-47.86	≤ -25.12	PASS
		2437	Reference	-2.09	-2.09	---	PASS
			30~1000	-2.09	-59.33	≤ -22.09	PASS
			1000~26500	-2.09	-47.88	≤ -22.09	PASS
		2452	Reference	-4.17	-4.17	---	PASS
			30~1000	-4.17	-60.82	≤ -24.17	PASS
			1000~26500	-4.17	-47	≤ -24.17	PASS

Test Graphs






11B_Ant1_2437_1000~26500



11B_Ant1_2462_0~Reference



11B_Ant1_2462_30~1000




11B_Ant1_2462_1000~26500




11G_Ant1_2412_0~Reference



11G_Ant1_2412_30~1000



11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500



11G_Ant1_2462_0~Reference



11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500




11N20SISO_Ant1_2412_0~Reference



11N20SISO_Ant1_2412_30~1000




11N20SISO_Ant1_2412_1000~26500




11N20SISO_Ant1_2437_1000~26500



11N20SISO_Ant1_2462_0~Reference



11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500



11N40SISO_Ant1_2422_0~Reference



11N40SISO_Ant1_2422_30~1000




11N40SISO_Ant1_2422_1000~26500



11N40SISO_Ant1_2437_0~Reference



11N40SISO_Ant1_2437_30~1000




11N40SISO_Ant1_2437_1000~26500




11N40SISO_Ant1_2452_0~Reference



11N40SISO_Ant1_2452_30~1000



11N40SISO_Ant1_2452_1000~26500



Appendix C.7: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Frequenc y[MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-49.06	≤-41.20	46.14	≤54	PASS
				AV	2386.320	-41.76	≤-41.20	53.44	≤54	PASS
				AV	2390.000	-43.99	≤-41.20	51.21	≤54	PASS
				Peak	2310.000	-46.19	≤-21.20	49.01	≤74	PASS
				Peak	2386.710	-36.58	≤-21.20	58.62	≤74	PASS
				Peak	2390.000	-39.44	≤-21.20	55.76	≤74	PASS
		High	2462	AV	2483.500	-42.82	≤-41.20	52.38	≤54	PASS
				AV	2483.560	-42.92	≤-41.20	52.28	≤54	PASS
				AV	2500.000	-47.93	≤-41.20	47.27	≤54	PASS
				Peak	2483.500	-40.85	≤-21.20	54.35	≤74	PASS
				Peak	2487.740	-37.37	≤-21.20	57.83	≤74	PASS
				Peak	2500.000	-46.9	≤-21.20	48.30	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-49.24	≤-41.20	45.96	≤54	PASS
				AV	2389.440	-47.59	≤-41.20	47.61	≤54	PASS
				AV	2390.000	-47.6	≤-41.20	47.60	≤54	PASS
				Peak	2310.000	-49.09	≤-21.20	46.11	≤74	PASS
				Peak	2338.480	-39.25	≤-21.20	55.95	≤74	PASS
				Peak	2390.000	-45.46	≤-21.20	49.74	≤74	PASS
		High	2462	AV	2483.500	-46.27	≤-41.20	48.93	≤54	PASS
				AV	2483.560	-46.36	≤-41.20	48.84	≤54	PASS
				AV	2500.000	-48.34	≤-41.20	46.86	≤54	PASS
				Peak	2483.500	-40.14	≤-21.20	55.06	≤74	PASS
				Peak	2484.330	-41.07	≤-21.20	54.13	≤74	PASS
				Peak	2500.000	-46.95	≤-21.20	48.25	≤74	PASS
11N20SIS O	Ant1	Low	2412	AV	2310.000	-49.15	≤-41.20	46.05	≤54	PASS
				AV	2389.960	-46.51	≤-41.20	48.69	≤54	PASS
				AV	2390.000	-46.52	≤-41.20	48.68	≤54	PASS
				Peak	2310.000	-42.55	≤-21.20	52.65	≤74	PASS
				Peak	2380.860	-39.58	≤-21.20	55.62	≤74	PASS
				Peak	2390.000	-47.3	≤-21.20	47.90	≤74	PASS
		High	2462	AV	2483.500	-44.98	≤-41.20	50.22	≤54	PASS
				AV	2483.560	-45.05	≤-41.20	50.15	≤54	PASS
				AV	2500.000	-48.33	≤-41.20	46.87	≤54	PASS
				Peak	2483.500	-43.03	≤-21.20	52.17	≤74	PASS
				Peak	2484.550	-38.76	≤-21.20	56.44	≤74	PASS

				Peak	2500.000	-48.37	≤ -21.20	46.83	≤ 74	PASS
11N40SIS O	Ant1	Low	2422	AV	2310.000	-49.18	≤ -41.20	46.02	≤ 54	PASS
				AV	2389.960	-46.26	≤ -41.20	48.94	≤ 54	PASS
				AV	2390.000	-46.26	≤ -41.20	48.94	≤ 54	PASS
				Peak	2310.000	-46.09	≤ -21.20	49.11	≤ 74	PASS
				Peak	2385.150	-39	≤ -21.20	56.20	≤ 74	PASS
				Peak	2390.000	-42.21	≤ -21.20	52.99	≤ 74	PASS
		High	2452	AV	2483.500	-43.7	≤ -41.20	51.50	≤ 54	PASS
				AV	2483.560	-43.74	≤ -41.20	51.46	≤ 54	PASS
				AV	2500.000	-47.04	≤ -41.20	48.16	≤ 54	PASS
				Peak	2483.500	-42.82	≤ -21.20	52.38	≤ 74	PASS
				Peak	2484.880	-35.42	≤ -21.20	59.78	≤ 74	PASS
				Peak	2500.000	-43.3	≤ -21.20	51.90	≤ 74	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







11B_Ant1_High_2462_Peak




11G_Ant1_Low_2412_AV




11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV




11G_Ant1_High_2462_Peak




11N20SISO_Ant1_High_2462_AV



11N20SISO_Ant1_High_2462_Peak



11N40SISO_Ant1_Low_2422_AV



11N40SISO_Ant1_High_2452_Peak

