SYMBOL TECHNOLOGIES INC 41210000 HAND HELD DATA TERMINAL



PHOTOGRAPHS OF EQUIPMENT



Front View

SYMBOL TECHNOLOGIES INC 41210000 HAND HELD DATA TERMINAL



PHOTOGRAPHS OF EQUIPMENT



Rear View

SYMBOL TECHNOLOGIES INC 41210000 HAND HELD DATA TERMINAL



PHOTOGRAPHS OF EQUIPMENT



Left Hand Side View

SYMBOL TECHNOLOGIES INC 41210000 HAND HELD DATA TERMINAL



PHOTOGRAPHS OF EQUIPMENT




Right Hand Side View

SYMBOL TECHNOLOGIES INC 41210000 HAND HELD DATA TERMINAL



PHOTOGRAPHS OF EQUIPMENT



Label View

SYMBOL TECHNOLOGIES INC 41210000 HAND HELD DATA TERMINAL



MANUFACTURERS LABEL DIAGRAMS

PROD FAM: 4XXX


DESCRIPTION: LBL:LCD,41210000X (T3CF,MARLIN,)

CTRY CODE: US

COUNTRY: US/CANADA

SN POOL: UPS CUSTOM SN POOL "4SN-UPS" LBL STOCK PN: 63-68724-01 SEE NOTE 2 LBL SCRIPT: 6872701A *SEE NOTE 1

CCG1:M201



NOTES: UNLESS OTHERWISE SPECIFIED

- SCRIPT FILE TO BE CREATED BY MANUFACTURING. SCRIPT FILE MUST MATCH THIS DOCUMENT EXACTLY.
- LABEL STOCK P/N IS SUBJECT TO CHANGE. CHECK BOM FOR ACTUAL PART NUMBER.
- IN ALL CASES "XXX....." REPRESENTS VARIABLE FIELDS IN SCRIPT FILE. ACTUAL NUMBER OF CHARACTERS IN SCRIPT FILE MAY VARY.
- 4. COUNTRY OF ORIGIN REQUIRED.
- 5. CREATE VARIABLE FIELD FOR PLANT CODE.
- "MFD:" REPRESENTS MANUFACTURE DAY, MONTH, YEAR (IE: 12SEP03)
- 7. USE CODE 39 STD BARCODE.
 ELTRON PRINTER SETUP:
 NARROW BARS =2 DOTS WIDE BARS= 6 DOTS
 ASPECT RATIO = 3:1 BAR CODE DENSITY = 6.6 MILS
 BAR CODE HEIGHT APPROX 0.167

EDR 73582 69-68727-01A

Label View - 41210000