




Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5122.15	30.42	13.45	43.87	54	-10.13	AVG
		5146.1	42.26	13.43	55.69	74	-18.31	PK
	@	5220	83.67	13.33	97	N/A	N/A	PK
	@	5220	75.51	13.33	88.84	N/A	N/A	AVG
	*	10440	30.08	17.63	47.71	68.2	-20.49	PK
Vertical		5092.05	30.5	13.43	43.93	54	-10.07	AVG
		5118.8	41.74	13.45	55.19	74	-18.81	PK
	@	5220	88.42	13.33	101.75	N/A	N/A	PK
	@	5220	79.71	13.33	93.04	N/A	N/A	AVG
	*	10440	30.55	17.63	48.18	68.2	-20.02	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5070.2	41.57	13.37	54.94	74	-19.06	PK
		5100.8	30.39	13.46	43.85	54	-10.15	AVG
	@	5240	84.29	13.27	97.56	N/A	N/A	PK
	@	5240	75.09	13.27	88.36	N/A	N/A	AVG
	*	10480	29.51	17.69	47.2	68.2	-21	PK
Vertical		5063	41.79	13.35	55.14	74	-18.86	PK
		5094.5	30.5	13.44	43.94	54	-10.06	AVG
	@	5240	88.98	13.27	102.25	N/A	N/A	PK
	@	5240	79.85	13.27	93.12	N/A	N/A	AVG
	*	10480	31.62	17.69	49.31	68.2	-18.89	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	82.75	13.24	95.99	N/A	N/A	PK
	@	5260	74.49	13.24	87.73	N/A	N/A	AVG
		5352.3	40.31	13.26	53.57	74	-20.43	PK
		5456.7	28.31	13.69	42	54	-12	AVG
	*	10520	30.28	17.73	48.01	68.2	-20.19	PK
Vertical	@	5260	88.75	13.24	101.99	N/A	N/A	PK
	@	5260	79.92	13.24	93.16	N/A	N/A	AVG
		5375.7	39.55	13.33	52.88	74	-21.12	PK
		5459.1	28.31	13.7	42.01	54	-11.99	AVG
	*	10520	31.44	17.73	49.17	68.2	-19.03	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	83.42	13.21	96.63	N/A	N/A	PK
	@	5300	75.03	13.21	88.24	N/A	N/A	AVG
		5366.4	40.69	13.31	54	74	-20	PK
		5448.6	28.25	13.66	41.91	54	-12.09	AVG
	*	10600	30.7	17.73	48.43	68.2	-19.77	PK
Vertical	@	5300	89.1	13.21	102.31	N/A	N/A	PK
	@	5300	81.39	13.21	94.6	N/A	N/A	AVG
		5446.5	39.12	13.66	52.78	74	-21.22	PK
		5447.1	28.39	13.66	42.05	54	-11.95	AVG
	*	10600	29.91	17.73	47.64	68.2	-20.56	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	83.66	13.23	96.89	N/A	N/A	PK
	@	5320	75.87	13.23	89.1	N/A	N/A	AVG
		5434.5	40.02	13.6	53.62	74	-20.38	PK
		5458.8	28.25	13.7	41.95	54	-12.05	AVG
	*	10640	30.35	17.82	48.17	74	-25.83	PK
Vertical	@	5320	90.61	13.23	103.84	N/A	N/A	PK
	@	5320	81.7	13.23	94.93	N/A	N/A	AVG
		5412.9	40.47	13.48	53.95	74	-20.05	PK
		5459.4	28.39	13.7	42.09	54	-11.91	AVG
	*	10640	30.52	17.82	48.34	74	-25.66	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.55	39.75	13.69	53.44	74	-20.56	PK
		5453.55	28.5	13.69	42.19	54	-11.81	AVG
		5461.95	38.81	13.71	52.52	68.2	-15.68	PK
	@	5500	84.34	13.83	98.17	N/A	N/A	PK
	@	5500	73.8	13.83	87.63	N/A	N/A	AVG
	*	11000	29.68	18.28	47.96	74	-26.04	PK
Vertical		5449.7	40.35	13.67	54.02	74	-19.98	PK
		5449.7	28.2	13.67	41.87	54	-12.13	AVG
		5469.3	38.81	13.74	52.55	68.2	-15.65	PK
	@	5500	92.2	13.83	106.03	N/A	N/A	PK
	@	5500	82.3	13.83	96.13	N/A	N/A	AVG
	*	11000	31.76	18.28	50.04	74	-23.96	PK


TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5459.15	40.5	13.7	54.2	74	-19.8	PK
		5459.15	28.9	13.7	42.6	54	-11.4	AVG
		5465.45	40.07	13.72	53.79	68.2	-14.41	PK
	@	5580	84.83	13.98	98.81	N/A	N/A	PK
	@	5580	74.5	13.98	88.48	N/A	N/A	AVG
	*	5737.05	39.99	14.24	54.23	68.2	-13.97	PK
Vertical		11160	29.88	18.32	48.2	74	-25.8	PK
		5422.4	39.78	13.53	53.31	74	-20.69	PK
		5422.4	28.2	13.53	41.73	54	-12.27	AVG
		5470	39.62	13.74	53.36	68.2	-14.84	PK
	@	5580	94.62	13.98	108.6	N/A	N/A	PK
	@	5580	84.5	13.98	98.48	N/A	N/A	AVG
	*	5741.6	40.66	14.27	54.93	68.2	-13.27	PK
	*	11160	29.95	18.32	48.27	74	-25.73	PK


TX, 802.11ax(HE20) (Ch 116)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 116)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 116)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 116)


Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5700	83.3	14.05	97.35	N/A	N/A	PK
	@	5700	72.8	14.05	86.85	N/A	N/A	AVG
	*	5737.05	39.89	14.24	54.13	68.2	-14.07	PK
	*	11400	30.32	18.74	49.06	74	-24.94	PK
Vertical	@	5700	93.99	14.05	108.04	N/A	N/A	PK
	@	5700	83.9	14.05	97.95	N/A	N/A	AVG
	*	5725	40.41	14.18	54.59	68.2	-13.61	PK
	*	11400	29.85	18.74	48.59	74	-25.41	PK


TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5564	40.86	13.93	54.79	68.2	-13.41	PK
		5653	40.05	14.01	54.06	70.43	-16.37	PK
	@	5745	87.3	14.28	101.58	N/A	N/A	PK
	*	11490	30.41	19.02	49.43	74	-24.57	PK
Vertical		5631	40.59	14.02	54.61	68.2	-13.59	PK
		5651.5	41.42	14	55.42	69.31	-13.89	PK
	@	5745	102.91	14.28	117.19	N/A	N/A	PK
	*	11490	30.23	19.02	49.25	74	-24.75	PK


TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal







TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5616	40.75	14.03	54.78	68.2	-13.42	PK
		5664.5	39.86	14.01	53.87	78.96	-25.09	PK
		5785	86.67	14.48	101.15	N/A	N/A	PK
		5920	40.24	14.98	55.22	71.89	-16.67	PK
		6027.5	40.58	15.21	55.79	68.2	-12.41	PK
	*	11570	30.83	18.88	49.71	74	-24.29	PK
Vertical	@	5641	41.15	14.01	55.16	68.2	-13.04	PK
		5692	40.9	14.04	54.94	99.3	-44.36	PK
		5785	100.02	14.48	114.5	N/A	N/A	PK
		5914.5	40.65	14.98	55.63	75.94	-20.31	PK
		5936.5	41.87	15	56.87	68.2	-11.33	PK
	*	11570	30.25	18.88	49.13	74	-24.87	PK

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	84.83	14.69	99.52	N/A	N/A	PK
		5885.5	39.97	14.92	54.89	97.4	-42.51	PK
		5953.5	41.24	15.03	56.27	68.2	-11.93	PK
	*	11650	29.42	18.63	48.05	74	-25.95	PK
Vertical	@	5825	100.35	14.69	115.04	N/A	N/A	PK
		5909.5	40.66	14.97	55.63	79.64	-24.01	PK
		5970	40.83	15.07	55.9	68.2	-12.3	PK
	*	11650	30.56	18.63	49.19	74	-24.81	PK



Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5009	42.5	12.84	55.34	74	-18.66	PK
		5073.15	30.22	13.38	43.6	54	-10.4	AVG
	@	5190	78.45	13.4	91.85	N/A	N/A	PK
	@	5190	68.5	13.4	81.9	N/A	N/A	AVG
	*	10380	29.85	17.49	47.34	68.2	-20.86	PK
Vertical		5098.7	30.17	13.46	43.63	54	-10.37	AVG
		5099	42.72	13.46	56.18	74	-17.82	PK
	@	5190	81.55	13.4	94.95	N/A	N/A	PK
	@	5190	73.4	13.4	86.8	N/A	N/A	AVG
	*	10380	30.1	17.49	47.59	68.2	-20.61	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5108.85	30.18	13.45	43.63	54	-10.37	AVG
		5147.3	41.59	13.43	55.02	74	-18.98	PK
	@	5230	82.02	13.3	95.32	N/A	N/A	PK
	@	5230	72.6	13.3	85.9	N/A	N/A	AVG
	*	10460	31.02	17.66	48.68	68.2	-19.52	PK
Vertical		5093.1	30.2	13.44	43.64	54	-10.36	AVG
		5110.4	43.02	13.46	56.48	74	-17.52	PK
	@	5230	86.31	13.3	99.61	N/A	N/A	PK
	@	5230	77.51	13.3	90.81	N/A	N/A	AVG
	*	10460	31.09	17.66	48.75	68.2	-19.45	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	81.11	13.22	94.33	N/A	N/A	PK
	@	5270	72.14	13.22	85.36	N/A	N/A	AVG
		5436.3	40.31	13.61	53.92	74	-20.08	PK
		5459.4	28.19	13.7	41.89	54	-12.11	AVG
	*	10540	30.79	17.72	48.51	68.2	-19.69	PK
Vertical	@	5270	86.5	13.22	99.72	N/A	N/A	PK
	@	5270	77.7	13.22	90.92	N/A	N/A	AVG
		5433.6	39.68	13.59	53.27	74	-20.73	PK
		5456.1	28.29	13.69	41.98	54	-12.02	AVG
	*	10540	30.87	17.72	48.59	68.2	-19.61	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	77.74	13.21	90.95	N/A	N/A	PK
	@	5310	69.58	13.21	82.79	N/A	N/A	AVG
		5440.2	40.39	13.63	54.02	74	-19.98	PK
		5454	28.19	13.69	41.88	54	-12.12	AVG
	*	10620	30.44	17.78	48.22	74	-25.78	PK
Vertical	@	5310	85.43	13.21	98.64	N/A	N/A	PK
	@	5310	75.12	13.21	88.33	N/A	N/A	AVG
		5455.2	39.5	13.69	53.19	74	-20.81	PK
		5460	28.25	13.7	41.95	54	-12.05	AVG
	*	10620	29.98	17.78	47.76	74	-26.24	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5451.45	39.06	13.67	52.73	74	-21.27	PK
		5451.45	28.31	13.67	41.98	54	-12.02	AVG
		5464.4	38.88	13.72	52.6	68.2	-15.6	PK
	@	5510	78.43	13.84	92.27	N/A	N/A	PK
	@	5510	68.9	13.84	82.74	N/A	N/A	AVG
	*	11020	29.91	18.32	48.23	74	-25.77	PK
Vertical		5434.65	39.38	13.6	52.98	74	-21.02	PK
		5434.65	28.4	13.6	42	54	-12	AVG
		5467.9	39.24	13.74	52.98	68.2	-15.22	PK
	@	5510	87.98	13.84	101.82	N/A	N/A	PK
	@	5510	77.9	13.84	91.74	N/A	N/A	AVG
	*	11020	30.79	18.32	49.11	74	-24.89	PK

TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5450.05	38.95	13.67	52.62	74	-21.38	PK
		5450.05	28.3	13.67	41.97	54	-12.03	AVG
		5461.25	39.32	13.71	53.03	68.2	-15.17	PK
	@	5550	83.04	13.88	96.92	N/A	N/A	PK
	@	5550	72.91	13.88	86.79	N/A	N/A	AVG
		5726.9	39.49	14.19	53.68	68.2	-14.52	PK
Vertical	*	11100	30.25	18.49	48.74	74	-25.26	PK
		5451.8	39.39	13.67	53.06	74	-20.94	PK
		5451.8	28.11	13.67	41.78	54	-12.22	AVG
		5463	39.15	13.72	52.87	68.2	-15.33	PK
	@	5550	93.14	13.88	107.02	N/A	N/A	PK
	@	5550	83.21	13.88	97.09	N/A	N/A	AVG
		5732.15	40.33	14.21	54.54	68.2	-13.66	PK
	*	11100	29.84	18.49	48.33	74	-25.67	PK


TX, 802.11ax(HE40) (Ch 110)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 110)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5670	84.06	14.02	98.08	N/A	N/A	PK
	@	5670	74.6	14.02	88.62	N/A	N/A	AVG
	*	5736	40.17	14.23	54.4	68.2	-13.8	PK
	*	11340	29.78	18.55	48.33	74	-25.67	PK
Vertical	@	5670	94.5	14.02	108.52	N/A	N/A	PK
	@	5670	84.5	14.02	98.52	N/A	N/A	AVG
	*	5725.85	44.59	14.18	58.77	68.2	-9.43	PK
	*	11340	29.13	18.55	47.68	74	-26.32	PK




Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5636	41.88	14.01	55.89	68.2	-12.31	PK
		5697.5	40.43	14.05	54.48	103.36	-48.88	PK
	@	5755	85.13	14.33	99.46	N/A	N/A	PK
	*	11510	29.83	19.03	48.86	74	-25.14	PK
Vertical		5641	40.64	14.01	54.65	68.2	-13.55	PK
		5696	51.67	14.05	65.72	102.25	-36.53	PK
	@	5755	97.51	14.33	111.84	N/A	N/A	PK
	*	11510	31.04	19.03	50.07	74	-23.93	PK


TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Vertical




Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	83.28	14.53	97.81	N/A	N/A	PK
		5912.5	40.07	14.98	55.05	77.42	-22.37	PK
		5997	40.61	15.16	55.77	68.2	-12.43	PK
	*	11590	30.75	18.84	49.59	74	-24.41	PK
Vertical	@	5795	97.68	14.53	112.21	N/A	N/A	PK
		5880.5	42.47	14.91	57.38	101.11	-43.73	PK
		5945	41.28	15.01	56.29	68.2	-11.91	PK
	*	11590	31.09	18.84	49.93	74	-24.07	PK


TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5092.4	41.73	13.43	55.16	74	-18.84	PK
		5101.85	30.13	13.46	43.59	54	-10.41	AVG
	@	5210	75.93	13.36	89.29	N/A	N/A	PK
	@	5210	65.9	13.36	79.26	N/A	N/A	AVG
	*	10420	31.02	17.6	48.62	68.2	-19.58	PK
Vertical		5065.45	30.28	13.35	43.63	54	-10.37	AVG
		5088.5	41.61	13.43	55.04	74	-18.96	PK
	@	5210	80.16	13.36	93.52	N/A	N/A	PK
	@	5210	70.56	13.36	83.92	N/A	N/A	AVG
	*	10420	31.61	17.6	49.21	68.2	-18.99	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

