

Appendix C: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<CDD>

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5149.00	63.08	20.19	42.89	74.00	-10.92	234	132	Peak	Horizontal		
2 *	5180.00	120.00	77.02	42.98	68.20	51.80	234	132	Peak	Horizontal		
3	5458.00	57.07	13.81	43.26	74.00	-16.93	234	132	Peak	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5149.00	61.48	18.59	42.89	74.00	-12.52	112	28	Peak	Vertical		
2 *	5180.00	120.35	77.37	42.98	68.20	52.15	112	28	Peak	Vertical		
3	5402.50	56.36	13.15	43.21	74.00	-17.64	112	28	Peak	Vertical		






802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.50	42.42	1.06	41.36	54.00	-11.58	286	285	Average	Horizontal	
2 *	5200.00	107.63	65.97	41.66	54.00	53.63	286	285	Average	Horizontal	
3	5402.00	42.86	0.39	42.47	54.00	-11.14	286	285	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.50	42.88	1.51	41.37	54.00	-11.12	100	32	Average	Vertical	
2 *	5200.00	107.12	65.46	41.66	54.00	53.12	100	32	Average	Vertical	
3	5413.50	42.78	0.39	42.39	54.00	-11.22	100	32	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322






802.11ax HE20

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.58	58.59	17.16	41.43	74.00	-15.41	187	287	Peak	Horizontal	
2 *	5188.00	119.76	78.19	41.57	68.28	51.56	187	287	Peak	Horizontal	
3	5428.00	56.42	14.13	42.29	74.00	-17.58	187	287	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	63.59	22.16	41.43	74.00	-10.41	180	159	Peak	Vertical	
2 *	5188.00	118.79	77.22	41.57	68.28	50.59	180	159	Peak	Vertical	
3	5397.00	56.18	13.65	42.45	74.00	-17.90	180	159	Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	46.63	5.20	41.43	54.00	-7.37	107	287	Average	Horizontal	
2 *	5180.00	109.57	60.00	41.57	54.00	55.57	107	287	Average	Horizontal	
3	5404.00	44.80	2.34	42.46	54.00	-9.20	107	287	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	50.00	8.58	41.42	54.00	-4.00	100	159	Average	Vertical	
2 *	5180.00	109.50	60.01	41.57	54.00	55.50	100	159	Average	Vertical	
3	5426.00	44.55	2.26	42.29	54.00	-9.45	100	159	Average	Vertical	

802.11ax HE20

CH 40 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 40 (Horizontal) Average

CH 40 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	44.78	3.43	41.35	54.00	-9.22	223	289 Average	Horizontal	
2 *	5200.00	109.33	67.67	41.66	54.00	55.33	223	289 Average	Horizontal	
3	5439.00	44.91	2.71	42.20	54.00	-9.09	223	289 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.00	44.55	3.19	41.36	54.00	-9.45	100	66 Average	Vertical	
2 *	5200.00	109.00	68.14	41.66	54.00	55.80	100	66 Average	Vertical	
3	5396.00	44.34	1.91	42.43	54.00	-9.66	100	66 Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.00	55.19	13.80	41.39	74.00	-18.81	297	304	Peak	Horizontal	
2 *	5240.00	119.89	76.48	41.61	68.20	49.89	297	304	Peak	Horizontal	
3	5418.50	55.87	13.52	42.35	74.00	-18.13	297	304	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5111.00	56.15	14.82	41.33	74.00	-17.85	113	39	Peak	Vertical	
2 *	5240.00	119.57	77.96	41.61	68.20	51.37	113	39	Peak	Vertical	
3	5433.00	55.38	13.13	42.25	74.00	-18.62	113	39	Peak	Vertical	

802.11ax HE20


CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	62.84	19.97	42.87	74.00	-11.16	101	95	Peak	Horizontal	
2 *	5190.00	115.62	73.81	43.01	68.20	48.62	101	95	Peak	Horizontal	
3	5370.50	57.06	14.00	43.06	74.00	-16.94	101	95	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	60.56	17.66	42.90	68.20	-7.64	100	34	Peak	Vertical	
2 *	5190.00	115.90	72.97	43.01	68.20	47.70	100	34	Peak	Vertical	
3	5364.00	56.83	13.79	43.04	74.00	-17.17	100	34	Peak	Vertical	

802.11ax HE40


CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 46 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5158.00	59.95	18.52	41.43	68.20	-8.25	100	286	Peak	Horizontal	
2 *	5238.00	117.11	75.49	41.62	68.20	48.91	100	286	Peak	Horizontal	
3	5411.50	56.18	13.77	42.41	74.00	-17.82	100	286	Peak	Horizontal	

CH 46 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	64.53	23.12	41.41	74.00	-9.47	100	75	Peak	Vertical	
2 *	5238.00	116.69	75.07	41.62	68.20	48.49	100	75	Peak	Vertical	
3	5420.00	55.71	13.37	42.34	74.00	-18.29	100	75	Peak	Vertical	


	Freq	Level	Lead	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	47.01	5.59	41.42	54.00	-6.99	100	75	Average	Vertical	
2	5230.00	46.74	65.12	41.62	54.00	52.74	100	75	Average	Vertical	
3	5415.50	44.18	1.80	42.38	54.00	-9.82	100	75	Average	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	52.02	9.12	42.90	54.00	-1.98	249	125	Average	Horizontal	
2	5210.00	100.44	57.41	43.03	54.00	46.44	249	125	Average	Horizontal	
3	5407.50	45.03	1.81	43.22	54.00	-8.97	249	125	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	48.43	5.61	42.82	54.00	-5.57	150	33	Average	Vertical	
2	5210.00	99.61	56.58	43.03	54.00	45.61	150	33	Average	Vertical	
3	5427.00	44.83	1.60	43.23	54.00	-9.17	150	33	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A

802.11a

CH 52 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-24

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5092.00	55.29	13.99	41.30	74.00	-18.71	243	302 Peak	Horizontal	
2 *	5260.00	115.71	74.03	41.68	68.20	47.51	243	302 Peak	Horizontal	
3	5391.50	55.89	13.53	42.36	74.00	-18.11	243	302 Peak	Horizontal	

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5092.00	55.29	13.99	41.30	74.00	-18.71	243	302 Peak	Horizontal	
2 *	5260.00	115.71	74.03	41.68	68.20	47.51	243	302 Peak	Horizontal	
3	5391.50	55.89	13.53	42.36	74.00	-18.11	243	302 Peak	Horizontal	

CH 52 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-24

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.00	55.07	13.73	41.34	74.00	-18.93	100	70 Peak	Vertical	
2 *	5260.00	114.17	72.49	41.68	68.20	45.97	100	70 Peak	Vertical	
3	5434.50	55.64	13.41	42.23	74.00	-18.36	100	70 Peak	Vertical	


Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.00	55.07	13.73	41.34	74.00	-18.93	100	70 Peak	Vertical	
2 *	5260.00	114.17	72.49	41.68	68.20	45.97	100	70 Peak	Vertical	
3	5434.50	55.64	13.41	42.23	74.00	-18.36	100	70 Peak	Vertical	

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5098.00	54.50	13.20	41.30	74.00	-19.50	340	318	Peak	Horizontal	
2 *	5300.00	113.59	71.56	42.03	68.20	45.39	340	318	Peak	Horizontal	
3	5370.50	55.52	13.46	42.06	74.00	-18.48	340	318	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4677.50	54.97	13.91	41.06	74.00	-19.03	100	92	Peak	Vertical	
2 *	5300.00	113.75	71.72	42.03	68.20	45.55	100	92	Peak	Vertical	
3	5391.00	55.01	12.66	42.35	74.00	-18.99	100	92	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4843.50	41.98	0.86	41.12	54.00	-12.02	340	318	Average	Horizontal	
2 *	5300.00	103.64	61.81	42.03	54.00	49.64	340	318	Average	Horizontal	
3	5416.00	42.57	0.20	42.37	54.00	-11.43	340	318	Average	Horizontal	





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	42.56	1.44	41.12	54.00	-11.44	100	92	Average	Vertical	
2 *	5300.00	104.37	62.34	42.03	54.00	50.37	100	92	Average	Vertical	
3	5404.50	42.75	0.30	42.45	54.00	-11.25	100	92	Average	Vertical	








802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.00	56.29	14.98	41.31	74.00	-17.71	238	109	Peak	Horizontal	
2 *	5390.00	117.34	75.31	42.03	68.20	49.14	238	109	Peak	Horizontal	
3	5397.50	56.31	13.85	42.46	74.00	-17.69	238	109	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5061.50	55.47	14.19	41.28	74.00	-18.53	100	75	Peak	Vertical	
2 *	5390.00	115.40	73.37	42.03	68.20	47.20	100	75	Peak	Vertical	
3	5360.50	55.43	13.52	41.91	74.00	-18.57	100	75	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.50	43.89	2.54	41.35	54.00	-10.11	238	109	Average	Horizontal	
2 *	5398.00	106.24	64.21	42.03	54.00	52.24	238	109	Average	Horizontal	
3	5408.00	45.07	2.64	42.43	54.00	-8.93	238	109	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.50	43.83	2.49	41.34	54.00	-10.17	100	75	Average	Vertical	
2 *	5398.00	104.65	62.62	42.03	54.00	50.65	100	75	Average	Vertical	
3	5398.50	44.43	1.99	42.44	54.00	-9.57	100	75	Average	Vertical	

802.11ax HE20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4988.00	55.52	14.39	41.13	74.00	-18.48	219	111	Peak	Horizontal	
2 *	5320.00	115.68	73.76	41.92	68.20	47.48	219	111	Peak	Horizontal	
3	5411.50	56.39	13.98	42.41	74.00	-17.61	219	111	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	55.29	13.94	41.35	74.00	-18.71	100	88	Peak	Vertical	
2 *	5320.00	114.73	72.81	41.92	68.20	46.53	100	88	Peak	Vertical	
3	5409.00	56.18	13.76	42.42	74.00	-17.82	100	88	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	58.89	16.13	42.76	74.00	-15.11	100	289	Peak	Horizontal	
2 *	5270.00	114.67	71.71	42.96	68.20	46.47	100	289	Peak	Horizontal	
3	5351.00	60.61	17.64	42.97	74.00	-13.39	100	289	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	58.23	15.33	42.90	74.00	-15.77	100	69	Peak	Vertical	
2 *	5270.00	113.39	70.45	42.90	68.20	45.19	100	69	Peak	Vertical	
3	5352.50	59.60	16.62	42.98	74.00	-14.40	100	69	Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5150.00	48.59	5.69	42.90	54.00	-5.41	100	289	Average	Horizontal	
2 * 5278.00	104.98	61.12	42.96	54.00	50.98	100	289	Average	Horizontal	
3 5350.00	48.46	5.49	42.97	54.00	-5.54	100	289	Average	Horizontal	

CH 54 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5030.00	48.52	5.96	42.56	54.00	-5.48	100	69	Average	Vertical	
2 * 5278.00	104.24	61.28	42.96	54.00	50.24	100	69	Average	Vertical	
3 5451.00	46.49	3.24	43.25	54.00	-7.51	100	69	Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5129.50	56.13	13.37	42.76	74.00	-17.87	100	318	Peak	Horizontal	
2 *	5318.00	119.28	67.35	42.93	68.20	42.08	100	318	Peak	Horizontal	
3	5351.50	65.63	22.65	42.98	74.00	-8.37	100	318	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5870.50	57.88	15.29	42.59	74.00	-16.12	100	36	Peak	Vertical	
2 *	5318.00	111.03	68.10	42.93	68.20	42.83	100	36	Peak	Vertical	
3	5350.00	60.91	17.94	42.97	68.20	-7.29	100	36	Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal) Average

CH 62 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	45.59	2.90	42.69	54.00	-8.41	100	318	Average	Horizontal	
2 *	5318.00	100.72	57.79	42.93	54.00	46.72	100	318	Average	Horizontal	
3 !	5350.50	49.81	6.84	42.97	54.00	-4.19	100	318	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	5070.00	48.90	6.39	42.59	54.00	-5.02	100	36	Average	Vertical	
2 *	5318.00	99.65	56.72	42.93	54.00	45.65	100	36	Average	Vertical	
3 !	5350.00	49.29	6.32	42.97	54.00	-4.71	100	36	Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	57.11	14.26	42.85	74.00	-16.89	278	136	Peak	Horizontal	
2 *	5290.00	109.26	66.52	42.94	68.20	-41.06	278	136	Peak	Horizontal	
3	5351.50	61.73	18.75	42.98	74.00	-12.27	278	136	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.50	57.29	14.47	42.82	74.00	-16.71	118	168	Peak	Vertical	
2 *	5290.00	100.46	63.52	42.94	68.20	-30.26	118	168	Peak	Vertical	
3	5351.50	60.80	17.82	42.98	74.00	-13.20	118	168	Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	47.89	4.24	42.85	54.00	-6.91	278	136	Average	Horizontal	
2 *	5290.00	99.69	56.75	42.94	54.00	45.69	278	136	Average	Horizontal	
3 !	5351.00	51.59	8.62	42.97	54.00	-2.41	278	136	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	47.26	4.50	42.76	54.00	-6.74	118	168	Average	Vertical	
2 *	5290.00	90.51	53.57	42.94	54.00	42.51	118	168	Average	Vertical	
3 !	5350.50	51.63	8.66	42.97	54.00	-2.37	118	168	Average	Vertical	




802.11ax HE160

CH 50 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	51.74	8.89	42.85	54.00	-2.26	281	136	Average	Horizontal	
2	5250.00	99.08	50.10	42.98	54.00	45.08	281	136	Average	Horizontal	
3	5363.50	51.36	8.33	43.03	54.00	-2.64	281	136	Average	Horizontal	

CH 50 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	48.06	5.20	42.86	54.00	-5.94	275	10	Average	Vertical	
2	5250.00	99.71	52.73	42.98	54.00	45.71	275	10	Average	Vertical	
3	5351.00	48.21	5.24	42.97	54.00	-5.79	275	10	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak


CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322






802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5498.00	58.08	15.96	42.12	74.00	-15.92	218	317 Peak	Horizontal	
2	5466.00	56.46	14.27	42.19	68.20	-11.74	218	317 Peak	Horizontal	
3 *	5580.00	120.17	77.93	42.24	68.20	51.97	218	317 Peak	Horizontal	
4	5780.00	59.86	17.18	42.68	68.20	-8.34	218	317 Peak	Horizontal	


CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5380.00	56.89	13.76	42.33	74.00	-17.91	100	91 Peak	Vertical	
2	5464.00	55.27	13.06	42.19	68.20	-12.93	100	91 Peak	Vertical	
3 *	5580.00	116.35	74.11	42.24	68.20	48.15	100	91 Peak	Vertical	
4	6870.50	58.89	15.17	43.72	68.20	-9.31	100	91 Peak	Vertical	




802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.00	56.00	13.54	42.46	74.00	-18.00	267	292	Peak	Horizontal	
2	5468.50	55.22	13.02	42.20	68.20	-12.98	267	292	Peak	Horizontal	
3 *	5700.00	111.94	69.57	42.37	68.20	43.74	267	292	Peak	Horizontal	
4	5781.00	59.04	16.36	42.68	68.20	-9.16	267	292	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5433.50	55.37	13.13	42.24	74.00	-18.63	100	93	Peak	Vertical	
2	5461.00	54.44	12.27	42.17	68.20	-13.76	100	93	Peak	Vertical	
3 *	5700.00	109.14	66.77	42.37	68.20	40.94	100	93	Peak	Vertical	
4	6919.00	58.25	14.52	43.73	68.20	-9.95	100	93	Peak	Vertical	




802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	56.61	14.45	42.16	74.00	-17.39	227	292	Peak	Horizontal	
2	5465.50	56.24	14.05	42.19	68.20	-11.96	227	292	Peak	Horizontal	
3 *	5588.00	117.82	75.58	42.24	68.20	49.62	227	292	Peak	Horizontal	
4	6715.00	59.73	16.09	43.64	68.20	-8.47	227	292	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5488.50	56.66	14.24	42.42	74.00	-17.34	189	332	Peak	Vertical	
2	5464.50	56.38	14.19	42.19	68.20	-11.82	189	332	Peak	Vertical	
3 *	5588.00	116.10	73.86	42.24	68.20	47.90	189	332	Peak	Vertical	
4	6968.50	59.98	16.20	43.78	68.20	-8.22	189	332	Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	44.82	2.67	42.15	54.00	-9.18	227	292 Average	Horizontal	
2 *	5500.00	106.51	64.27	42.24	54.00	52.51	227	292 Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5439.50	44.94	2.75	42.19	54.00	-9.06	109	332 Average	Vertical	
2 *	5500.00	104.48	62.24	42.24	54.00	50.48	109	332 Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	56.72	14.57	42.15	74.00	-17.28	100	314	Peak	Horizontal	
2	5460.00	56.17	14.00	42.17	68.20	-12.03	100	314	Peak	Horizontal	
3 *	5700.00	112.36	69.99	42.37	68.20	44.16	100	314	Peak	Horizontal	
4	6989.00	59.68	15.93	43.75	68.20	-8.52	100	314	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5387.50	56.63	14.32	42.31	74.00	-17.37	233	335	Peak	Vertical	
2	5461.00	55.43	13.26	42.17	68.20	-12.77	233	335	Peak	Vertical	
3 *	5700.00	112.89	70.52	42.37	68.20	44.69	233	335	Peak	Vertical	
4	6978.50	60.15	16.38	43.77	68.20	-8.05	233	335	Peak	Vertical	




802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5469.00	61.32	18.06	43.26	68.20	-6.88	236	131	Peak	Horizontal	
2	5469.50	64.61	21.34	43.27	68.20	-3.59	236	131	Peak	Horizontal	
3 *	5510.00	113.81	70.49	43.32	68.20	45.61	236	131	Peak	Horizontal	
4	6950.50	61.36	16.09	45.27	68.20	-6.84	236	131	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	60.50	17.24	43.26	74.80	-13.50	100	91	Peak	Vertical	
2	5469.50	64.31	21.04	43.27	68.20	-3.89	100	91	Peak	Vertical	
3 *	5510.00	109.14	65.82	43.32	68.20	40.94	100	91	Peak	Vertical	
4	6927.50	60.51	15.26	45.25	68.20	-7.69	100	91	Peak	Vertical	