


Common Information

Project No.: RKSA240325003
Test Mode: 802.11ac80 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5725.349500	66.17	---	68.20	2.03	H	10.5

802.11ax20 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ax20 mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Klein Zhu

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5416.902000	53.06	---	74.00	20.94	V	8.9
5416.902000	---	48.28	54.00	5.72	V	8.9
5465.500000	60.21	---	68.20	7.99	H	9.0

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ax20 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µV/m)	Average (dB µV/m)	Limit (dB µV/m)	Margin (dB)	Pol	Corr. (dB/m)
5728.855000	66.02	---	68.20	2.18	H	10.5

802.11ax40 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ax40 mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Klein Zhu

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5451.222000	54.37	---	74.00	19.63	H	9.0
5451.222000	---	48.97	54.00	5.03	H	9.0
5469.196000	61.55	---	68.20	6.65	H	9.0

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ax40 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5725.862500	65.47	---	68.20	2.73	H	10.5

802.11ax80 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ax80 mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Klein Zhu

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5457.734000	55.54	---	74.00	18.46	H	9.0
5457.734000	---	49.09	54.00	4.91	H	9.0
5466.160000	56.89	---	68.20	11.31	H	9.0

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ax80 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5727.886000	60.84	---	68.20	7.36	H	8.9

Band Edge Test (5725-5850MHz Band):

Note:


1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

Chain 0:

802.11a Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11a mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5502.050000	58.26	---	68.20	9.94	H	10.8
5615.750000	58.19	---	68.20	10.01	H	10.7
5693.150000	62.53	---	100.13	37.61	H	10.6
5716.950000	62.03	---	109.95	47.92	H	10.6

Common Information

Project No.: RKSA240325003
Test Mode: 802.11a mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5852.700000	60.06	---	120.18	60.13	H	10.4
5861.550000	60.94	---	108.97	48.02	H	10.4
5880.150000	63.27	---	101.39	38.12	H	10.3
5929.550000	57.55	---	68.20	10.65	H	10.3
5960.350000	57.47	---	68.20	10.73	H	10.2


Chain 1:

802.11a Mode:

Common Information

Project No.: RKSA240325003
Test Mode: 802.11a mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5534.200000	58.66	---	68.20	9.54	H	10.8
5687.400000	64.17	---	95.88	31.70	H	10.6
5717.400000	64.00	---	110.07	46.07	H	10.6

Common Information

Project No.: RKSA240325003
Test Mode: 802.11a mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum



Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5870.500000	62.11	---	106.46	44.35	H	10.4
5878.550000	64.27	---	102.57	38.30	H	10.3
5952.450000	57.21	---	68.20	10.99	H	10.3


Chain 0+Chain 1:

802.11ac20 Mode:

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ac20 mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5515.700000	58.57	---	68.20	9.63	H	10.8
5635.700000	57.24	---	68.20	10.96	V	10.7
5687.600000	62.61	---	96.02	33.41	H	10.6
5716.900000	66.16	---	109.93	43.77	H	10.6

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ac20 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5855.750000	63.69	---	110.59	46.90	H	10.4
5881.400000	64.45	---	100.46	36.01	H	10.3
5965.750000	57.48	---	68.20	10.72	H	10.2

802.11ac40 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ac40 mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5513.000000	58.04	---	68.20	10.16	V	10.8
5685.300000	62.70	---	94.32	31.62	H	10.6
5699.450000	64.58	---	104.79	40.21	H	10.6
5716.650000	67.84	---	109.86	42.02	H	10.6

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ac40 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5859.050000	64.96	---	109.67	44.71	H	10.4
5890.950000	57.91	---	93.40	35.48	H	10.3
5973.850000	57.75	---	68.20	10.45	V	10.2

802.11ac80 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ac80
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5636.250000	62.59	---	68.20	5.61	H	10.7
5675.950000	69.98	---	87.40	17.42	H	10.6
5688.600000	72.87	---	96.76	23.89	H	10.6
5709.200000	65.52	---	107.78	42.26	H	10.6
5869.800000	69.59	---	106.66	37.07	H	10.4
5886.550000	65.20	---	96.65	31.45	H	10.3
5912.700000	62.81	---	77.30	14.49	H	10.3
5987.900000	58.21	---	68.20	9.99	H	10.2

802.11ax20 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ax20 mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5541.500000	58.14	---	68.20	10.06	V	10.8
5644.850000	57.91	---	68.20	10.29	V	10.7
5685.800000	63.25	---	94.69	31.44	H	10.6
5716.500000	68.06	---	109.82	41.76	H	10.6

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ax20 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5850.400000	71.79	---	129.57	57.78	H	10.4
5863.250000	64.74	---	108.49	43.75	H	10.4
5879.200000	66.21	---	102.09	35.89	H	10.3
5921.950000	57.51	---	70.46	12.95	H	10.3
5971.150000	57.76	---	68.20	10.44	V	10.2

802.11ax40 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ax40 mode of low channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5556.050000	58.42	---	68.20	9.78	H	10.8
5645.850000	57.40	---	68.20	10.80	V	10.7
5699.700000	63.28	---	104.98	41.70	H	10.6
5712.800000	66.94	---	108.78	41.84	H	10.6
5723.050000	70.04	---	123.24	53.21	H	10.6

Common Information

Project No.: RKSA240325003
Test Mode: 802.11ax40 mode of high channel
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5521.200000	58.50	---	68.20	9.70	V	10.8
5850.550000	66.55	---	128.96	62.40	H	10.4
5859.950000	62.52	---	109.41	46.90	H	10.4
5890.300000	57.86	---	93.88	36.02	H	10.3
5920.350000	58.51	---	71.64	13.13	H	10.3
5965.850000	57.75	---	68.20	10.45	H	10.2

802.11ax80 Mode:**Common Information**

Project No.: RKSA240325003
Test Mode: 802.11ax80
Standard: FCC Part 15.205 & FCC Part 15.209 & FCC Part 15.407
Test Engineer: Hugh Wu

Full Spectrum

**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5630.700000	60.09	---	68.20	8.11	V	10.7
5645.850000	60.59	---	68.20	7.61	V	10.7
5689.500000	69.01	---	97.43	28.42	H	10.6
5700.600000	70.58	---	105.37	34.79	H	10.6
5723.800000	62.90	---	126.30	63.40	H	10.5
5873.950000	67.41	---	105.49	38.09	H	10.4
5881.850000	64.54	---	100.13	35.59	H	10.3
5933.200000	57.88	---	68.20	10.32	H	10.3

EMISSION BANDWIDTH**Test Result:** Compliant

5150-5250 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)		99% Bandwidth (MHz)	
			Chain 0	Chain 1	Chain 0	Chain 1
802.11a	Low	5180	18.550	18.650	16.350	16.350
	Middle	5200	18.500	18.650	16.300	16.300
	High	5240	18.600	18.600	16.300	16.300
802.11ac20	Low	5180	19.550	19.450	17.500	17.500
	Middle	5200	19.600	19.500	17.500	17.500
	High	5240	19.600	19.500	17.500	17.500
802.11ac40	Low	5190	39.100	39.200	36.100	36.100
	High	5230	39.200	39.200	36.100	36.100
802.11ac80	Middle	5210	86.200	87.600	76.600	76.600
802.11ax20	Low	5180	20.551	20.806	18.900	18.900
	Middle	5200	20.451	20.756	18.900	18.900
	High	5240	20.502	20.756	18.900	18.900
802.11ax40	Low	5190	41.200	40.100	36.100	37.600
	High	5230	39.200	40.100	36.100	37.600
802.11ax80	Middle	5210	87.000	82.000	76.600	77.400

Note: the 99% Occupied Bandwidth have not fall into the band 5250-5350MHz.

5250-5350 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)		99% Bandwidth (MHz)	
			Chain 0	Chain 1	Chain 0	Chain 1
802.11 a	Low	5260	18.600	18.600	16.300	16.300
	Middle	5280	18.650	18.600	16.300	16.300
	High	5320	18.600	18.600	16.350	16.350
802.11ac20	Low	5260	19.550	19.500	17.500	17.500
	Middle	5280	19.550	19.500	17.500	17.500
	High	5320	19.550	19.500	17.500	17.500
802.11ac40	Low	5270	39.200	39.300	35.900	36.100
	High	5310	39.200	39.300	35.900	36.100
802.11ac80	Middle	5290	87.600	87.800	76.400	76.400
802.11ax20	Low	5260	20.551	20.806	18.950	18.900
	Middle	5280	20.603	20.652	18.900	18.900
	High	5320	20.603	20.808	18.900	18.900
802.11ax40	Low	5270	40.200	40.100	37.700	37.700
	High	5310	40.100	40.100	37.920	37.700
802.11ax80	Middle	5290	81.800	81.800	77.400	77.400

5470-5725 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)		99% Bandwidth (MHz)	
			Chain 0	Chain 1	Chain 0	Chain 1
802.11a	Low	5500	18.550	18.600	16.350	16.350
	Middle	5580	18.550	18.600	16.350	16.350
	High	5700	18.650	18.600	16.350	16.350
	Cross	5720	18.600	18.600	16.350	16.350
802.11ac20	Low	5500	19.650	19.400	17.500	17.500
	Middle	5580	19.450	19.450	17.500	17.500
	High	5700	19.500	19.600	17.500	17.500
	Cross	5720	19.550	19.500	17.500	17.500
802.11ac40	Low	5510	39.300	39.200	36.100	36.100
	Middle	5550	39.300	39.300	36.100	36.100
	High	5670	39.400	39.300	36.100	36.100
	Cross	5710	39.300	39.300	36.100	36.200
802.11ac80	Low	5530	87.800	87.200	76.600	76.600
	Middle	5610	87.600	87.600	76.600	76.400
	High	5690	87.800	88.200	76.400	76.400
802.11ax20	Low	5500	20.756	20.703	18.900	18.900
	Middle	5580	20.755	20.806	18.900	18.900
	High	5700	20.756	20.654	18.900	18.900
	Cross	5720	20.807	20.808	18.900	18.900
802.11ax40	Low	5510	40.200	40.100	37.700	37.600
	Middle	5550	40.200	40.100	37.700	37.700
	High	5670	40.200	40.300	37.700	37.700
	Cross	5710	40.300	40.000	37.700	37.700
802.11ax80	Low	5530	82.000	81.800	77.400	77.400
	Middle	5610	81.800	81.800	77.400	77.400
	High	5690	81.800	81.800	77.400	77.600







5725-5850MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)		99% Bandwidth (MHz)	
			Chain 0	Chain 1	Chain 0	Chain 1
802.11a	Low	5745	18.720	18.800	16.350	16.350
	Middle	5785	18.680	18.760	16.350	16.350
	High	5825	18.640	18.720	16.350	16.350
802.11ac20	Low	5745	24.320	23.960	17.550	17.550
	Middle	5785	24.120	24.440	17.550	17.550
	High	5825	27.440	24.800	17.550	17.550
802.11ac40	Low	5755	52.080	39.280	36.300	36.300
	High	5795	53.680	57.360	36.300	36.300
802.11ac80	Middle	5775	152.000	205.750	77.800	76.600
802.11ax20	Low	5745	20.720	20.720	18.900	18.900
	Middle	5785	20.680	20.680	18.900	18.900
	High	5825	20.640	20.680	18.900	18.900
802.11ax40	Low	5755	40.080	40.080	37.700	37.700
	High	5795	40.000	40.000	37.700	37.700
802.11ax80	Middle	5775	81.6000	183.00	77.600	77.400


Note: the 99% Occupied Bandwidth have not fall into the band 5470-5725MHz.

Test mode	Channel	Frequency (MHz)	6dB Bandwidth (MHz)		Limit (MHz)
			Chain 0	Chain 1	
802.11a	Low	5745	16.200	16.200	0.5
	Middle	5785	16.200	16.450	
	High	5825	16.450	16.450	
802.11ac20	Low	5745	17.250	17.350	
	Middle	5785	17.100	17.500	
	High	5825	17.350	17.350	
802.11ac40	Low	5755	35.700	35.900	
	High	5795	35.700	36.000	
802.11ac80	Middle	5775	76.400	76.400	
802.11ax20	Low	5745	18.100	18.100	
	Middle	5785	17.900	17.900	
	High	5825	18.050	18.300	
802.11ax40	Low	5755	37.800	37.800	
	High	5795	37.800	37.800	
802.11ax80	Middle	5775	78.000	78.000	

For Chain 0:


6dB Bandwidth**5725-5850 MHz Band****802.11a mode, 5745MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:27:16**802.11a mode, 5785MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:31:51**802.11a mode, 5825MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:33:39**802.11ac20 mode, 5745MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:35:28**802.11 ac20 mode, 5785MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:37:53**802.11 ac20 mode, 5825MHz**ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:39:30

802.11ax20 mode, 5745MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:01:48

802.11ax20 mode, 5785MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:04:33

802.11ax20 mode, 5825MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:07:22

802.11ac40 mode, 5755MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:42:38

802.11 ac40 mode, 5795MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:43:54

802.11ax40 mode, 5755MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 15:09:58


802.11ax40 mode, 5795MHz




802.11ac80 mode, 5775MHz




802.11ax80 mode, 5775MHz




26 Bandwidth**5150-5250 MHz Band:****802.11a mode, 5180MHz**


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:27:46

802.11a mode, 5200MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:30:22

802.11a mode, 5240MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:32:37

802.11ac20 mode, 5180MHz

ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:34:53


802.11 ac20 mode, 5200MHz

ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:36:27

802.11 ac20 mode, 5240MHz


ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:38:10

802.11ax20 mode, 5180MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:45:30

802.11ax20 mode, 5200MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:50:24

802.11ax20 mode, 5240MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:52:04

802.11ac40 mode, 5190MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:39:55

802.11 ac40 mode, 5230MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:41:28

802.11ax40 mode, 5190MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:00:29

802.11ax40 mode, 5230MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 11:01:45

802.11ac80 mode, 5210MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 10:43:22

802.11ax80 mode, 5210MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 11:04:00

5250-5350 MHz Band:
802.11a mode, 5260MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:06:14

802.11a mode, 5280MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:08:14

802.11a mode, 5320MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:10:21

802.11ac20 mode, 5260MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:12:14

802.11 ac20 mode, 5280MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:14:00

802.11 ac20 mode, 5320MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:16:45

802.11ax20 mode, 5260MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:42:12

802.11ax20 mode, 5280MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:46:15

802.11ax20 mode, 5320MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:48:26

802.11ac40 mode, 5270MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:18:36

802.11 ac40 mode, 5310MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:37:37

802.11ax40 mode, 5270MHz




ProjectNo.:RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:51:03


802.11ax40 mode, 5310MHz




802.11ac80 mode, 5290MHz



802.11ax80 mode, 5290MHz




5470-5725 MHz Band:
802.11a mode, 5500MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 11:58:18

802.11a mode, 5580MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:21:06

802.11a mode, 5700MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:23:28

802.11a mode, 5720MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:25:23

802.11 ac20 mode, 5500MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:27:43

802.11 ac20 mode, 5580MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:30:41

802.11 ac20 mode, 5700MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:32:49

802.11 ac20 mode, 5720MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:35:05

802.11ac40 mode, 5510MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:37:44

802.11ac40 mode, 5550MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:39:43

802.11 ac40 mode, 5670MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:41:15

802.11 ac40 mode, 5710MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:42:47

802.11ac80 mode, 5530MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:44:43

802.11ac80 mode, 5610MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:46:29

802.11ac80 mode, 5690MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:48:11

802.11ax20 mode, 5500MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:50:31

802.11ax20 mode, 5580MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:52:45

802.11ax20 mode, 5700MHz




ProjectNo.: RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 13:55:24

802.11ax20 mode, 5720MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:04:45

802.11ax40 mode, 5510MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:08:39

802.11ax40 mode, 5550MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:10:11

802.11ax40 mode, 5670MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:13:06

802.11ax40 mode, 5710MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:14:40

802.11ax80 mode, 5530MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:16:38

802.11ax80 mode, 5610MHz



ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:18:17


802.11ax80 mode, 5690MHz



ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 14:20:12


5725-5850 MHz Band:

802.11a mode, 5745MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:36:03

802.11a mode, 5785MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:36:41

802.11a mode, 5825MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:37:14

802.11ac20 mode, 5745MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:40:31

802.11 ac20 mode, 5785MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:39:37

802.11 ac20 mode, 5825MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:38:29

802.11ax20 mode, 5745MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:41:23

802.11ax20 mode, 5785MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:41:51

802.11ax20 mode, 5825MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:42:20

802.11ac40 mode, 5755MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:45:44

802.11 ac40 mode, 5795MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:44:42

802.11ax40 mode, 5755MHz




ProjectNo: RKSA240325003 Tester: Bard Liu
Date: 7 JUN 2024 11:43:16

802.11ax40 mode, 5795MHz




ProjectNo: RKSA240325003 Tester:Barb Liu
Date: 7 JUN 2024 11:43:48

802.11ac80 mode, 5775MHz



ProjectNo: RKSA240325003 Tester:Barb Liu
Date: 7 JUN 2024 11:48:52

802.11ax80 mode, 5775MHz



ProjectNo: RKSA240325003 Tester:Barb Liu
Date: 7 JUN 2024 11:49:34