


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.13	-13	Pass	2985
30	1000	0.1	RMS	924.292	-54.15	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.35	-13	Pass	830
1830	1920	1	RMS	1850.25	24.59	60	Pass	601
1920	3000	1	RMS	2674.699	-38.52	-13	Pass	1080
3000	12000	1	RMS	11905.99	-45.96	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.26	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.22	-13	Pass	2985
30	1000	0.1	RMS	904.09	-54.13	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.3	-13	Pass	830
1830	1920	1	RMS	1851.15	24.51	60	Pass	601
1920	3000	1	RMS	2670.695	-38.51	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.29	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.29	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.67	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.57	-13	Pass	2985
30	1000	0.1	RMS	929.393	-53.95	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.33	-13	Pass	830
1830	1920	1	RMS	1850.25	23.81	60	Pass	601
1920	3000	1	RMS	2670.695	-38.5	-13	Pass	1080
3000	12000	1	RMS	11929.992	-46.15	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.2	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.98	-13	Pass	2985
30	1000	0.1	RMS	900.49	-53.93	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.33	-13	Pass	830
1830	1920	1	RMS	1851.15	23.57	60	Pass	601
1920	3000	1	RMS	2669.694	-38.56	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.2	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.33	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.01	-13	Pass	2985
30	1000	0.1	RMS	998	-53.79	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.34	-13	Pass	830
1830	1920	1	RMS	1879.5	24.25	60	Pass	601
1920	3000	1	RMS	2668.693	-38.52	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.24	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.43	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	1000	0.1	RMS	916.091	-54.05	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.32	-13	Pass	830
1830	1920	1	RMS	1880.4	24.17	60	Pass	601
1920	3000	1	RMS	2671.696	-38.46	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.11	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.29	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.52	-13	Pass	2985
30	1000	0.1	RMS	1000	-54.07	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.34	-13	Pass	830
1830	1920	1	RMS	1879.5	23.82	60	Pass	601
1920	3000	1	RMS	2675.7	-38.51	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.19	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.33	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.65	-13	Pass	2985
30	1000	0.1	RMS	892.989	-54.17	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.31	-13	Pass	830
1830	1920	1	RMS	1880.4	23.75	60	Pass	601
1920	3000	1	RMS	2665.69	-38.54	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.06	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.33	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.31	-13	Pass	2985
30	1000	0.1	RMS	924.792	-54.05	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.34	-13	Pass	830
1830	1920	1	RMS	1908.9	24.25	60	Pass	601
1920	3000	1	RMS	2676.701	-38.54	-13	Pass	1080
3000	12000	1	RMS	11900.989	-46.2	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.25	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.46	-13	Pass	2985
30	1000	0.1	RMS	882.488	-53.76	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.37	-13	Pass	830
1830	1920	1	RMS	1909.65	24.26	60	Pass	601
1920	3000	1	RMS	2667.692	-38.51	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.15	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.35	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.1	-13	Pass	2985
30	1000	0.1	RMS	934.093	-54.15	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.38	-13	Pass	830
1830	1920	1	RMS	1908.9	23.23	60	Pass	601
1920	3000	1	RMS	2671.696	-38.55	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.04	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.19	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.59	-13	Pass	2985
30	1000	0.1	RMS	999.9	-54.07	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.39	-13	Pass	830
1830	1920	1	RMS	1909.8	23.2	60	Pass	601
1920	3000	1	RMS	2667.692	-38.48	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.12	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.29	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.27	-13	Pass	2985
30	1000	0.1	RMS	881.088	-54.27	-13	Pass	9700
1000	1830	1	RMS	1817.986	-43.29	-13	Pass	830
1830	1920	1	RMS	1850.25	24.64	60	Pass	601
1920	3000	1	RMS	2665.69	-38.56	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.17	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.17	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.58	-13	Pass	2985
30	1000	0.1	RMS	902.79	-54.15	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.35	-13	Pass	830
1830	1920	1	RMS	1852.8	24.47	60	Pass	601
1920	3000	1	RMS	2667.692	-38.56	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.25	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.12	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2985
30	1000	0.1	RMS	937.394	-53.89	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.35	-13	Pass	830
1830	1920	1	RMS	1850.25	23.26	60	Pass	601
1920	3000	1	RMS	2670.695	-38.58	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.29	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.17	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.12	-13	Pass	2985
30	1000	0.1	RMS	994.199	-54.26	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.38	-13	Pass	830
1830	1920	1	RMS	1852.8	23.41	60	Pass	601
1920	3000	1	RMS	2670.695	-38.54	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.13	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.28	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.43	-13	Pass	2985
30	1000	0.1	RMS	908.191	-54.13	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.32	-13	Pass	830
1830	1920	1	RMS	1878.75	24.41	60	Pass	601
1920	3000	1	RMS	2667.692	-38.53	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.18	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.27	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.3	-13	Pass	2985
30	1000	0.1	RMS	926.792	-54.2	-13	Pass	9700
1000	1830	1	RMS	1817.986	-43.36	-13	Pass	830
1830	1920	1	RMS	1881.3	24.41	60	Pass	601
1920	3000	1	RMS	2669.694	-38.53	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.25	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.06	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.52	-13	Pass	2985
30	1000	0.1	RMS	958.996	-54.18	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.33	-13	Pass	830
1830	1920	1	RMS	1878.75	23.62	60	Pass	601
1920	3000	1	RMS	2670.695	-38.57	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.16	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.21	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.88	-13	Pass	2985
30	1000	0.1	RMS	954.495	-54.38	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.3	-13	Pass	830
1830	1920	1	RMS	1881.3	23.78	60	Pass	601
1920	3000	1	RMS	2670.695	-38.54	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.13	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.35	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.79	-13	Pass	2985
30	1000	0.1	RMS	931.593	-54.19	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.32	-13	Pass	830
1830	1920	1	RMS	1907.25	24.28	60	Pass	601
1920	3000	1	RMS	2673.698	-38.52	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.21	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.32	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.46	-13	Pass	2985
30	1000	0.1	RMS	885.988	-53.91	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.37	-13	Pass	830
1830	1920	1	RMS	1909.8	24.11	60	Pass	601
1920	3000	1	RMS	2669.694	-38.56	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.24	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.3	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.62	-13	Pass	2985
30	1000	0.1	RMS	899.59	-54.02	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.36	-13	Pass	830
1830	1920	1	RMS	1907.25	23.45	60	Pass	601
1920	3000	1	RMS	2670.695	-38.52	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.2	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.36	-13	Pass	8000



1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.74	-13	Pass	2985
30	1000	0.1	RMS	997.6	-54.09	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.35	-13	Pass	830
1830	1920	1	RMS	1909.8	23.42	60	Pass	601
1920	3000	1	RMS	2672.697	-38.51	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.18	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.34	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.47	-13	Pass	2985
30	1000	0.1	RMS	944.894	-54.2	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.26	-13	Pass	830
1830	1920	1	RMS	1850.4	24.33	60	Pass	601
1920	3000	1	RMS	2666.691	-38.56	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.23	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.21	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.44	-13	Pass	2985
30	1000	0.1	RMS	902.29	-53.89	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.35	-13	Pass	830
1830	1920	1	RMS	1854.6	24.25	60	Pass	601
1920	3000	1	RMS	2668.693	-38.55	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.22	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.31	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.34	-13	Pass	2985
30	1000	0.1	RMS	997.6	-54.09	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.34	-13	Pass	830
1830	1920	1	RMS	1850.4	23.75	60	Pass	601
1920	3000	1	RMS	2669.694	-38.53	-13	Pass	1080
3000	12000	1	RMS	11929.992	-46.24	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.27	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.09	-13	Pass	2985
30	1000	0.1	RMS	924.592	-53.76	-13	Pass	9700
1000	1830	1	RMS	1818.987	-43.36	-13	Pass	830
1830	1920	1	RMS	1854.6	22.9	60	Pass	601
1920	3000	1	RMS	2670.695	-38.52	-13	Pass	1080
3000	12000	1	RMS	11900.989	-46.11	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.38	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.27	-13	Pass	2985
30	1000	0.1	RMS	903.89	-54.08	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.3	-13	Pass	830
1830	1920	1	RMS	1877.85	24.34	60	Pass	601
1920	3000	1	RMS	2669.694	-38.59	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.12	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.25	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.27	-13	Pass	2985
30	1000	0.1	RMS	909.491	-54.09	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.31	-13	Pass	830
1830	1920	1	RMS	1882.2	24.52	60	Pass	601
1920	3000	1	RMS	2669.694	-38.55	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.26	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.42	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.64	-13	Pass	2985
30	1000	0.1	RMS	880.988	-54.3	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.33	-13	Pass	830
1830	1920	1	RMS	1877.85	23.67	60	Pass	601
1920	3000	1	RMS	2667.692	-38.53	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.21	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.37	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.72	-13	Pass	2985
30	1000	0.1	RMS	939.394	-53.93	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.34	-13	Pass	830
1830	1920	1	RMS	1882.2	23.76	60	Pass	601
1920	3000	1	RMS	2671.696	-38.47	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.17	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.23	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.47	-13	Pass	2985
30	1000	0.1	RMS	960.696	-54.09	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.33	-13	Pass	830
1830	1920	1	RMS	1905.3	24.36	60	Pass	601
1920	3000	1	RMS	2670.695	-38.57	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.09	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.24	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.95	-13	Pass	2985
30	1000	0.1	RMS	885.688	-54.11	-13	Pass	9700
1000	1830	1	RMS	1825.995	-43.33	-13	Pass	830
1830	1920	1	RMS	1909.65	24.23	60	Pass	601
1920	3000	1	RMS	2672.697	-38.54	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.17	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.36	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.88	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.96	-13	Pass	2985
30	1000	0.1	RMS	916.391	-53.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.32	-13	Pass	830
1830	1920	1	RMS	1905.3	23.05	60	Pass	601
1920	3000	1	RMS	2669.694	-38.45	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.04	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.26	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.2	-13	Pass	2985
30	1000	0.1	RMS	942.694	-54.17	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.32	-13	Pass	830
1830	1920	1	RMS	1909.65	23.3	60	Pass	601
1920	3000	1	RMS	2669.694	-38.57	-13	Pass	1080
3000	12000	1	RMS	11915.991	-45.96	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.34	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	928.893	-54.2	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.3	-13	Pass	830
1830	1920	1	RMS	1850.55	24.79	60	Pass	601
1920	3000	1	RMS	2668.693	-38.53	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.16	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.34	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.88	-13	Pass	2985
30	1000	0.1	RMS	947.995	-54.1	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.29	-13	Pass	830
1830	1920	1	RMS	1859.4	24.74	60	Pass	601
1920	3000	1	RMS	2668.693	-38.52	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.23	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.34	-13	Pass	8000



1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.12	-13	Pass	2985
30	1000	0.1	RMS	995.5	-54.19	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.29	-13	Pass	830
1830	1920	1	RMS	1850.55	23.99	60	Pass	601
1920	3000	1	RMS	2667.692	-38.51	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.12	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.23	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	1000	0.1	RMS	927.693	-54.14	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.33	-13	Pass	830
1830	1920	1	RMS	1859.4	23.04	60	Pass	601
1920	3000	1	RMS	2669.694	-38.5	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.12	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.25	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.8	-13	Pass	2985
30	1000	0.1	RMS	911.391	-54.07	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.33	-13	Pass	830
1830	1920	1	RMS	1875.6	24.62	60	Pass	601
1920	3000	1	RMS	2671.696	-38.55	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.15	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.36	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.65	-13	Pass	2985
30	1000	0.1	RMS	894.189	-53.91	-13	Pass	9700
1000	1830	1	RMS	1825.995	-43.35	-13	Pass	830
1830	1920	1	RMS	1884.3	24.47	60	Pass	601
1920	3000	1	RMS	2668.693	-38.55	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.29	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.32	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.31	-13	Pass	2985
30	1000	0.1	RMS	868.086	-54.37	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.34	-13	Pass	830
1830	1920	1	RMS	1875.6	23.9	60	Pass	601
1920	3000	1	RMS	2666.691	-38.5	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.14	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.23	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.24	-13	Pass	2985
30	1000	0.1	RMS	902.59	-54.12	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.33	-13	Pass	830
1830	1920	1	RMS	1884.45	24.15	60	Pass	601
1920	3000	1	RMS	2671.696	-38.51	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.18	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.38	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.76	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.36	-13	Pass	2985
30	1000	0.1	RMS	951.395	-54.17	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.32	-13	Pass	830
1830	1920	1	RMS	1900.65	24.36	60	Pass	601
1920	3000	1	RMS	2666.691	-38.6	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.24	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.39	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.16	-13	Pass	2985
30	1000	0.1	RMS	908.691	-54.25	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.34	-13	Pass	830
1830	1920	1	RMS	1909.35	24.51	60	Pass	601
1920	3000	1	RMS	2671.696	-38.52	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.21	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.38	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.17	-13	Pass	2985
30	1000	0.1	RMS	929.493	-54.23	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.29	-13	Pass	830
1830	1920	1	RMS	1900.65	23.1	60	Pass	601
1920	3000	1	RMS	2669.694	-38.51	-13	Pass	1080
3000	12000	1	RMS	11894.988	-46.14	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.36	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.17	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.88	-13	Pass	2985
30	1000	0.1	RMS	988.299	-53.33	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.35	-13	Pass	830
1830	1920	1	RMS	1909.35	23.02	60	Pass	601
1920	3000	1	RMS	2672.697	-38.56	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.05	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.3	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.86	-13	Pass	2985
30	1000	0.1	RMS	905.19	-54.2	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.36	-13	Pass	830
1830	1920	1	RMS	1850.85	24.51	60	Pass	601
1920	3000	1	RMS	2666.691	-38.53	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.27	-13	Pass	9000
12000	20000	1	RMS	19834.979	-28.33	-13	Pass	8000



1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.99	-13	Pass	2985
30	1000	0.1	RMS	931.393	-54.09	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.33	-13	Pass	830
1830	1920	1	RMS	1864.2	24.72	60	Pass	601
1920	3000	1	RMS	2670.695	-38.44	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.26	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.27	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.52	-13	Pass	2985
30	1000	0.1	RMS	892.389	-53.96	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.29	-13	Pass	830
1830	1920	1	RMS	1850.85	23.58	60	Pass	601
1920	3000	1	RMS	2671.696	-38.54	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.26	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.43	-13	Pass	8000



1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.59	-13	Pass	2985
30	1000	0.1	RMS	875.087	-54.17	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.35	-13	Pass	830
1830	1920	1	RMS	1864.2	23.41	60	Pass	601
1920	3000	1	RMS	2672.697	-38.55	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.15	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.32	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.42	-13	Pass	2985
30	1000	0.1	RMS	953.595	-54.06	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.29	-13	Pass	830
1830	1920	1	RMS	1873.35	24.53	60	Pass	601
1920	3000	1	RMS	2668.693	-38.56	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.3	-13	Pass	9000
12000	20000	1	RMS	19837.98	-28.37	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.81	-13	Pass	2985
30	1000	0.1	RMS	963.296	-54.2	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.34	-13	Pass	830
1830	1920	1	RMS	1886.7	24.3	60	Pass	601
1920	3000	1	RMS	2664.69	-38.56	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.13	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.38	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.26	-13	Pass	2985
30	1000	0.1	RMS	996.1	-54.08	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.33	-13	Pass	830
1830	1920	1	RMS	1873.35	23.9	60	Pass	601
1920	3000	1	RMS	2666.691	-38.55	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.14	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.37	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.35	-13	Pass	2985
30	1000	0.1	RMS	938.794	-54.08	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.34	-13	Pass	830
1830	1920	1	RMS	1886.7	23.9	60	Pass	601
1920	3000	1	RMS	2671.696	-38.51	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.18	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.35	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.26	-13	Pass	2985
30	1000	0.1	RMS	909.291	-54.13	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.34	-13	Pass	830
1830	1920	1	RMS	1895.85	24	60	Pass	601
1920	3000	1	RMS	2670.695	-38.56	-13	Pass	1080
3000	12000	1	RMS	11924.992	-46.16	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.15	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.03	-13	Pass	2985
30	1000	0.1	RMS	912.191	-53.91	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.33	-13	Pass	830
1830	1920	1	RMS	1909.2	24.03	60	Pass	601
1920	3000	1	RMS	2669.694	-38.43	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.3	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.33	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.92	-13	Pass	2985
30	1000	0.1	RMS	968.397	-54.05	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.32	-13	Pass	830
1830	1920	1	RMS	1895.85	22.92	60	Pass	601
1920	3000	1	RMS	2668.693	-38.56	-13	Pass	1080
3000	12000	1	RMS	11906.99	-45.93	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.34	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.8	-13	Pass	2985
30	1000	0.1	RMS	958.096	-54.08	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.35	-13	Pass	830
1830	1920	1	RMS	1909.2	22.9	60	Pass	601
1920	3000	1	RMS	2669.694	-38.54	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.21	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.33	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	1000	0.1	RMS	995.7	-54.02	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.31	-13	Pass	830
1830	1920	1	RMS	1851.15	24.21	60	Pass	601
1920	3000	1	RMS	2665.69	-38.54	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.17	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.26	-13	Pass	8000



1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.9	-13	Pass	2985
30	1000	0.1	RMS	925.992	-53.94	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.35	-13	Pass	830
1830	1920	1	RMS	1868.85	24.42	60	Pass	601
1920	3000	1	RMS	2669.694	-38.54	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.09	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.42	-13	Pass	8000



1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.17	-39.85	-13	Pass	2985
30	1000	0.1	RMS	891.889	-54	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.32	-13	Pass	830
1830	1920	1	RMS	1851.15	23.67	60	Pass	601
1920	3000	1	RMS	2671.696	-38.5	-13	Pass	1080
3000	12000	1	RMS	11916.991	-45.97	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.35	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.42	-13	Pass	2985
30	1000	0.1	RMS	906.29	-54.05	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.35	-13	Pass	830
1830	1920	1	RMS	1868.85	23.55	60	Pass	601
1920	3000	1	RMS	2666.691	-38.58	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.23	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.3	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.58	-13	Pass	2985
30	1000	0.1	RMS	942.094	-53.85	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.31	-13	Pass	830
1830	1920	1	RMS	1871.1	24.72	60	Pass	601
1920	3000	1	RMS	2667.692	-38.55	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.18	-13	Pass	9000
12000	20000	1	RMS	19839.98	-28.39	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-37.7	-13	Pass	2985
30	1000	0.1	RMS	896.689	-54.24	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.33	-13	Pass	830
1830	1920	1	RMS	1888.95	24.68	60	Pass	601
1920	3000	1	RMS	2671.696	-38.48	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.23	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.4	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	1000	0.1	RMS	908.891	-54.21	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.36	-13	Pass	830
1830	1920	1	RMS	1871.1	23.23	60	Pass	601
1920	3000	1	RMS	2668.693	-38.55	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.14	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.35	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.14	-13	Pass	2985
30	1000	0.1	RMS	992.999	-54.04	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.31	-13	Pass	830
1830	1920	1	RMS	1888.8	23.29	60	Pass	601
1920	3000	1	RMS	2673.698	-38.57	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.19	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.34	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	928.993	-54.2	-13	Pass	9700
1000	1830	1	RMS	1814.982	-43.32	-13	Pass	830
1830	1920	1	RMS	1891.05	24.11	60	Pass	601
1920	3000	1	RMS	2669.694	-38.56	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.23	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.28	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.07	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.87	-13	Pass	2985
30	1000	0.1	RMS	973.897	-54.19	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.34	-13	Pass	830
1830	1920	1	RMS	1908.9	24.05	60	Pass	601
1920	3000	1	RMS	2670.695	-38.61	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.22	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.26	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	935.493	-54.17	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.39	-13	Pass	830
1830	1920	1	RMS	1891.05	23.53	60	Pass	601
1920	3000	1	RMS	2668.693	-38.49	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.22	-13	Pass	9000
12000	20000	1	RMS	19835.979	-28.19	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.97	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.63	-13	Pass	2985
30	1000	0.1	RMS	980.198	-54.13	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.38	-13	Pass	830
1830	1920	1	RMS	1908.9	23.29	60	Pass	601
1920	3000	1	RMS	2669.694	-38.49	-13	Pass	1080
3000	12000	1	RMS	11917.991	-45.91	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.4	-13	Pass	8000



END