
Antenna Data Sheet

Antenna Frequency : 2.4-2.5 /5.15-5.85GHz

Antenna Name : Triangular rhomboid antenna

Antenna Type : External Antenna

Peak Gain : 1.88dBi

Issue Date: 2024-11-16

Manufacturer : Dongguan Jomu electronic technology Co., LTD
Address : Room 202, No. 48 Fumin South Road, Dalang Town, Dongguan City,
Guangdong Province

一、


Specification

1. Electrical Properties


- 1.1 Frequency
Range-----2.4-2.5&5.15-5.85GHz
- 1.2 Impedance----- 50 Ω
- 1.3 VSWR----- 2.0
- 1.4 Return Loss----- 2dB or Less
- 1.5 Radiation----- Omni-directional
- 1.6 Gain ----- 1 . 8 8 dBi
- 1.7 Polarization ----- Linear polarization
- 1.8 Admitted Power----- 1W
- 1.9 Cable----- RG-113 Cable

2. Physical Properties


- 2.1 Antenna Cover-----ABS
- 2.2 Antenna Base----- ABS
- 2.3 Operating Temp----- -10°C~+60°C
- 2.4 Storage Temp----- -10°C~+60°C
- 2.4 Color----- White



三、 Return loss:





2D、3DRadiation Pattern:






2.4GHz

Gain: 1.88dBi

Efficiency:84.5%







2.5GHz

Gain:1.86dBi



Efficiency:85.3%



5.15GHz

Gain: 1.52dBi

Efficiency: 73.7%



5.85GHz

Gain: 1.34dBi

Efficiency: 75.8%