


Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz

Horizontal

115 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	24.69	33.06	57.75	74.00	-16.25	Peak	
2	2390.0000	14.23	33.06	47.29	54.00	-6.71	AVG	
3 *	2405.2000	56.80	33.11	89.91	54.00	35.91	AVG	No Limit
4	2407.4000	66.26	33.12	99.38	74.00	25.38	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz

Horizontal


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4823.9600	40.21	6.32	46.53	54.00	-7.47	AVG	
2	4825.3000	51.33	6.32	57.65	74.00	-16.35	Peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2434.4000	69.07	33.22	102.29	54.00	48.29	AVG	No Limit
2	2434.5000	78.60	33.22	111.82	74.00	37.82	Peak	No Limit
3	2483.5000	27.35	33.41	60.76	74.00	-13.24	Peak	
4	2483.5000	14.91	33.41	48.32	54.00	-5.68	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4874. 0299	46. 53	6. 44	52. 97	54. 00	-1. 03	AVG	
2	4875. 1700	59. 13	6. 45	65. 58	74. 00	-8. 42	Peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz

Horizontal


115 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2439.7000	69.56	33.24	102.80	74.00	28.80	Peak	No Limit
2 *	2443.6000	60.54	33.26	93.80	54.00	39.80	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4873.9400	40.96	6.44	47.40	54.00	-6.60	AVG	
2	4875.2799	51.83	6.45	58.28	74.00	-15.72	Peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2460.6000	74.45	33.32	107.77	74.00	33.77	Peak	No Limit
2 *	2468.1000	65.28	33.35	98.63	54.00	44.63	AVG	No Limit
3	2483.5000	31.46	33.41	64.87	74.00	-9.13	Peak	
4	2483.5000	17.15	33.41	50.56	54.00	-3.44	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4923. 9700	45. 53	6. 57	52. 10	54. 00	-1. 90	AVG	
2	4925. 0500	57. 23	6. 57	63. 80	74. 00	-10. 20	Peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz

Horizontal


115 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2454.9000	56.54	33.30	89.84	54.00	35.84	AVG	No Limit
2	2455.5000	66.09	33.30	99.39	74.00	25.39	Peak	No Limit
3	2483.5000	23.58	33.41	56.99	74.00	-17.01	Peak	
4	2483.5000	13.78	33.41	47.19	54.00	-6.81	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4923.9400	40.01	6.57	46.58	54.00	-7.42	AVG	
2	4925.1400	50.08	6.57	56.65	74.00	-17.35	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	29.90	33.06	62.96	74.00	-11.04	Peak	
2	2390.0000	17.45	33.06	50.51	54.00	-3.49	AVG	
3	2419.2000	73.86	33.17	107.03	74.00	33.03	Peak	No Limit
4 *	2419.4000	63.84	33.17	97.01	54.00	43.01	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4823.9000	45.86	6.32	52.18	54.00	-1.82	AVG	
2	4827.7000	55.97	6.33	62.30	74.00	-11.70	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	24.84	33.06	57.90	74.00	-16.10	Peak	
2	2390.0000	14.04	33.06	47.10	54.00	-6.90	AVG	
3 *	2405.1000	55.08	33.11	88.19	54.00	34.19	AVG	No Limit
4	2409.6000	65.98	33.13	99.11	74.00	25.11	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz

Horizontal


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4823.0200	46.64	6.31	52.95	74.00	-21.05	Peak	
2 *	4824.0400	37.07	6.32	43.39	54.00	-10.61	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2429.6000	69.06	33.21	102.27	54.00	48.27	AVG	No Limit
2	2433.9000	79.78	33.22	113.00	74.00	39.00	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4873.9000	46.18	6.44	52.62	54.00	-1.38	AVG	
2	4877.2000	57.49	6.45	63.94	74.00	-10.06	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal

115 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2442.8000	70.71	33.25	103.96	74.00	29.96	Peak	No Limit
2 *	2443.6000	60.35	33.26	93.61	54.00	39.61	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4874.0200	39.93	6.44	46.37	54.00	-7.63	AVG	
2	4876.6000	51.18	6.45	57.63	74.00	-16.37	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical

115 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2468.5000	74.92	33.35	108.27	74.00	34.27	Peak	No Limit
2 *	2469.3000	64.79	33.35	98.14	54.00	44.14	AVG	No Limit
3	2483.5000	30.90	33.41	64.31	74.00	-9.69	Peak	
4	2483.5000	17.42	33.41	50.83	54.00	-3.17	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4923.9000	46.18	6.57	52.75	54.00	-1.25	AVG	
2	4926.1500	58.27	6.57	64.84	74.00	-9.16	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2454.6000	56.26	33.30	89.56	54.00	35.56	AVG	No Limit
2	2459.0000	66.42	33.32	99.74	74.00	25.74	Peak	No Limit
3	2483.5000	24.25	33.41	57.66	74.00	-16.34	Peak	
4	2483.5000	13.87	33.41	47.28	54.00	-6.72	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4923.9600	41.74	6.57	48.31	54.00	-5.69	AVG	
2	4926.6000	52.58	6.57	59.15	74.00	-14.85	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	28.43	33.06	61.49	74.00	-12.51	Peak	
2	2390.0000	17.22	33.06	50.28	54.00	-3.72	AVG	
3 *	2425.4000	58.59	33.19	91.78	54.00	37.78	AVG	No Limit
4	2426.0000	69.35	33.19	102.54	74.00	28.54	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4844.0500	43.45	6.37	49.82	54.00	-4.18	AVG	
2	4844.3500	52.08	6.37	58.45	74.00	-15.55	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal

115 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	26.16	33.06	59.22	74.00	-14.78	Peak	
2	2390.0000	13.84	33.06	46.90	54.00	-7.10	AVG	
3	2430.0000	59.48	33.21	92.69	74.00	18.69	Peak	No Limit
4 *	2435.6000	49.25	33.23	82.48	54.00	28.48	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal


80 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	4843.9500	36.49	6.37	42.86	54.00	-11.14	AVG	
2	4844.0000	45.10	6.37	51.47	74.00	-22.53	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	30.44	33.06	63.50	74.00	-10.50	Peak	
2	2390.0000	17.04	33.06	50.10	54.00	-3.90	AVG	
3	2425.2000	73.83	33.19	107.02	74.00	33.02	Peak	No Limit
4 *	2432.2000	62.65	33.21	95.86	54.00	41.86	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4874.0000	43.79	6.44	50.23	54.00	-3.77	AVG	
2	4885.6000	52.87	6.47	59.34	74.00	-14.66	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2440.8000	64.67	33.25	97.92	74.00	23.92	Peak	No Limit
2 *	2442.2000	53.53	33.25	86.78	54.00	32.78	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4873.9500	45.53	6.44	51.97	74.00	-22.03	Peak	
2 *	4874.0500	37.26	6.44	43.70	54.00	-10.30	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2436.0000	71.24	33.23	104.47	74.00	30.47	Peak	No Limit
2 *	2444.4000	60.51	33.26	93.77	54.00	39.77	AVG	No Limit
3	2483.5000	29.35	33.41	62.76	74.00	-11.24	Peak	
4	2483.5000	17.43	33.41	50.84	54.00	-3.16	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4903.9000	44.46	6.52	50.98	54.00	-3.02	AVG	
2	4904.2500	53.40	6.52	59.92	74.00	-14.08	Peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2449.0000	52.58	33.28	85.86	54.00	31.86	AVG	No Limit
2	2455.8000	63.45	33.30	96.75	74.00	22.75	Peak	No Limit
3	2483.5000	25.23	33.41	58.64	74.00	-15.36	Peak	
4	2483.5000	13.41	33.41	46.82	54.00	-7.18	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	4903.8500	46.26	6.52	52.78	74.00	-21.22	Peak	
2 *	4903.9000	37.65	6.52	44.17	54.00	-9.83	AVG	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	10.10	15.20	500	Complies
2437	9.59	15.36	500	Complies
2462	10.06	15.24	500	Complies

TX CH01




Date: 11.JUL.2017 17:03:17

TX CH06



Date: 11.JUL.2017 17:04:46

TX CH11




Date: 11.JUL.2017 17:05:57

Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	16.42	16.52	500	Complies
2437	16.44	16.52	500	Complies
2462	16.42	16.52	500	Complies




TX CH06



Date: 11.JUL.2017 17:16:50

TX CH11




Date: 11.JUL.2017 17:17:49

Test Mode : TX N-20MHz Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	17.62	17.72	500	Complies
2437	17.62	17.68	500	Complies
2462	17.62	17.68	500	Complies

TX CH01




Date: 11.JUL.2017 17:26:37

TX CH06



Date: 11.JUL.2017 17:27:58

TX CH11




Date: 11.JUL.2017 17:29:34

Test Mode : TX N-40MHz Mode_CH03/06/09


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422	35.92	36.08	500	Complies
2437	36.12	36.16	500	Complies
2452	36.12	36.16	500	Complies

TX CH03




Date: 11.JUL.2017 17:38:07

TX CH06



Date: 11.JUL.2017 17:41:38

TX CH09



Date: 11.JUL.2017 17:42:54

ATTACHMENT F – MAXIMUM PEAK CONDUCTED OUTPUT POWER

Test Mode :TX B Mode_CH01/06/11_ANT 1					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	15.23	0.03	30.00	1.00	Complies
2437	17.24	0.05	30.00	1.00	Complies
2462	17.38	0.05	30.00	1.00	Complies

Test Mode :TX B Mode_CH01/06/11_ANT 2					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	16.34	0.04	30.00	1.00	Complies
2437	17.64	0.06	30.00	1.00	Complies
2462	19.21	0.08	30.00	1.00	Complies

Test Mode :TX B Mode_CH01/06/11_Total					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	18.83	0.08	30.00	1.00	Complies
2437	20.45	0.11	30.00	1.00	Complies
2462	21.40	0.14	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11_ANT 1					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	25.25	0.33	30.00	1.00	Complies
2437	25.80	0.38	30.00	1.00	Complies
2462	24.81	0.30	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11_ANT 2					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	26.67	0.46	30.00	1.00	Complies
2437	26.89	0.49	30.00	1.00	Complies
2462	26.46	0.44	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11_Total					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	29.03	0.80	30.00	1.00	Complies
2437	29.39	0.87	30.00	1.00	Complies
2462	28.72	0.75	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11_ANT 1					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	24.36	0.27	30.00	1.00	Complies
2437	26.09	0.41	30.00	1.00	Complies
2462	23.22	0.21	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11_ANT 2					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	26.01	0.40	30.00	1.00	Complies
2437	26.86	0.49	30.00	1.00	Complies
2462	26.03	0.40	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11_Total					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	28.27	0.67	30.00	1.00	Complies
2437	29.50	0.89	30.00	1.00	Complies
2462	27.86	0.61	30.00	1.00	Complies

Test Mode :TX N40 Mode_CH03/06/09_ANT 1					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	22.30	0.17	30.00	1.00	Complies
2437	24.63	0.29	30.00	1.00	Complies
2452	24.21	0.26	30.00	1.00	Complies


Test Mode :TX N40 Mode_CH03/06/09_ANT 2					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	23.42	0.22	30.00	1.00	Complies
2437	25.72	0.37	30.00	1.00	Complies
2452	25.33	0.34	30.00	1.00	Complies

Test Mode :TX N40 Mode_CH03/06/09_Total					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	25.91	0.39	30.00	1.00	Complies
2437	28.22	0.66	30.00	1.00	Complies
2452	27.82	0.60	30.00	1.00	Complies

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode : TX B Mode_ANT 1

TX B mode CH01




Date: 11.JUL.2017 17:03:51

TX B mode CH11




Date: 11.JUL.2017 17:06:31


TX B mode CH01 (10 Harmonic of the frequency)



Date: 11.JUL.2017 17:03:30




Date: 11.JUL.2017 17:03:37




Date: 11.JUL.2017 17:03:44


TX B mode CH06 (10 Harmonic of the frequency)



Date: 11.JUL.2017 17:04:59




Date: 11.JUL.2017 17:05:06




Date: 11.JUL.2017 17:05:13


TX B mode CH11 (10 Harmonic of the frequency)



Date: 11.JUL.2017 17:06:10




Date: 11.JUL.2017 17:06:17



Date: 11.JUL.2017 17:06:24


Test Mode : TX B Mode_ANT 2

TX B mode CH01




Date: 11.JUL.2017 17:08:08

TX B mode CH11




Date: 11.JUL.2017 17:10:58


TX B mode CH01 (10 Harmonic of the frequency)



Date: 11.JUL.2017 17:07:47




Date: 11.JUL.2017 17:07:55




Date: 11.JUL.2017 17:08:01


TX B mode CH06 (10 Harmonic of the frequency)



Date: 11.JUL.2017 17:09:19



Date: 11.JUL.2017 17:09:26



Date: 11.JUL.2017 17:09:33