








































































































Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-0.98	-0.000529	±2.5	PASS
Band2	9262	VL	NT	-2.24	-0.001209	±2.5	PASS
Band2	9262	VH	NT	-1.64	-0.000885	±2.5	PASS
Band2	9400	VN	NT	-1.07	-0.000569	±2.5	PASS
Band2	9400	VL	NT	-2.30	-0.001223	±2.5	PASS
Band2	9400	VH	NT	-0.65	-0.000346	±2.5	PASS
Band2	9538	VN	NT	-1.42	-0.000744	±2.5	PASS
Band2	9538	VL	NT	0.44	0.000231	±2.5	PASS
Band2	9538	VH	NT	-1.62	-0.000849	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-0.32	-0.000173	±2.5	PASS
Band2	9262	NV	-20	-0.71	-0.000383	±2.5	PASS
Band2	9262	NV	-10	-2.19	-0.001182	±2.5	PASS
Band2	9262	NV	0	-1.16	-0.000626	±2.5	PASS
Band2	9262	NV	10	-2.22	-0.001198	±2.5	PASS
Band2	9262	NV	20	-1.24	-0.000669	±2.5	PASS
Band2	9262	NV	30	-0.17	-0.000092	±2.5	PASS
Band2	9262	NV	40	-2.12	-0.001144	±2.5	PASS
Band2	9262	NV	50	-0.66	-0.000356	±2.5	PASS
Band2	9400	NV	-30	-2.59	-0.001378	±2.5	PASS
Band2	9400	NV	-20	-1.34	-0.000713	±2.5	PASS
Band2	9400	NV	-10	-1.74	-0.000926	±2.5	PASS
Band2	9400	NV	0	-2.42	-0.001287	±2.5	PASS
Band2	9400	NV	10	-0.68	-0.000362	±2.5	PASS
Band2	9400	NV	20	-0.97	-0.000516	±2.5	PASS
Band2	9400	NV	30	-0.42	-0.000223	±2.5	PASS
Band2	9400	NV	40	0.08	0.000043	±2.5	PASS
Band2	9400	NV	50	-1.46	-0.000777	±2.5	PASS
Band2	9538	NV	-30	-1.34	-0.000702	±2.5	PASS
Band2	9538	NV	-20	-1.43	-0.000750	±2.5	PASS
Band2	9538	NV	-10	-1.83	-0.000959	±2.5	PASS
Band2	9538	NV	0	-0.62	-0.000325	±2.5	PASS
Band2	9538	NV	10	-1.99	-0.001043	±2.5	PASS

Band2	9538	NV	20	-1.97	-0.001033	±2.5	PASS
Band2	9538	NV	30	0.96	0.000503	±2.5	PASS
Band2	9538	NV	40	-0.96	-0.000503	±2.5	PASS
Band2	9538	NV	50	-0.78	-0.000409	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-2.72	-0.001468	±2.5	PASS
Band2	9262	1	VL	NT	-2.39	-0.001290	±2.5	PASS
Band2	9262	1	VH	NT	-1.13	-0.000610	±2.5	PASS
Band2	9262	2	VN	NT	-2.15	-0.001161	±2.5	PASS
Band2	9262	2	VL	NT	-0.48	-0.000259	±2.5	PASS
Band2	9262	2	VH	NT	-2.61	-0.001409	±2.5	PASS
Band2	9262	3	VN	NT	-1.36	-0.000734	±2.5	PASS
Band2	9262	3	VL	NT	-1.60	-0.000864	±2.5	PASS
Band2	9262	3	VH	NT	0.68	0.000367	±2.5	PASS
Band2	9262	4	VN	NT	-2.17	-0.001171	±2.5	PASS
Band2	9262	4	VL	NT	-2.78	-0.001501	±2.5	PASS
Band2	9262	4	VH	NT	-1.67	-0.000902	±2.5	PASS
Band2	9400	1	VN	NT	-0.33	-0.000176	±2.5	PASS
Band2	9400	1	VL	NT	-0.41	-0.000218	±2.5	PASS
Band2	9400	1	VH	NT	2.16	0.001149	±2.5	PASS
Band2	9400	2	VN	NT	-1.90	-0.001011	±2.5	PASS
Band2	9400	2	VL	NT	-0.19	-0.000101	±2.5	PASS
Band2	9400	2	VH	NT	-0.06	-0.000032	±2.5	PASS
Band2	9400	3	VN	NT	-1.04	-0.000553	±2.5	PASS
Band2	9400	3	VL	NT	-2.80	-0.001489	±2.5	PASS
Band2	9400	3	VH	NT	-2.01	-0.001069	±2.5	PASS
Band2	9400	4	VN	NT	-1.13	-0.000601	±2.5	PASS
Band2	9400	4	VL	NT	0.69	0.000367	±2.5	PASS
Band2	9400	4	VH	NT	-0.31	-0.000165	±2.5	PASS
Band2	9538	1	VN	NT	-1.69	-0.000886	±2.5	PASS
Band2	9538	1	VL	NT	-1.42	-0.000744	±2.5	PASS
Band2	9538	1	VH	NT	-0.44	-0.000231	±2.5	PASS
Band2	9538	2	VN	NT	1.47	0.000771	±2.5	PASS
Band2	9538	2	VL	NT	-0.22	-0.000115	±2.5	PASS
Band2	9538	2	VH	NT	-1.58	-0.000828	±2.5	PASS
Band2	9538	3	VN	NT	0.38	0.000199	±2.5	PASS
Band2	9538	3	VL	NT	-0.99	-0.000519	±2.5	PASS
Band2	9538	3	VH	NT	-0.54	-0.000283	±2.5	PASS
Band2	9538	4	VN	NT	-0.20	-0.000105	±2.5	PASS

Band2	9538	4	VL	NT	0.00	0.000000	±2.5	PASS
Band2	9538	4	VH	NT	1.59	0.000834	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-1.37	-0.000740	±2.5	PASS
Band2	9262	1	NV	-20	-0.24	-0.000130	±2.5	PASS
Band2	9262	1	NV	-10	-1.37	-0.000740	±2.5	PASS
Band2	9262	1	NV	0	-2.97	-0.001603	±2.5	PASS
Band2	9262	1	NV	10	-1.90	-0.001026	±2.5	PASS
Band2	9262	1	NV	20	-0.19	-0.000103	±2.5	PASS
Band2	9262	1	NV	30	-0.01	-0.000005	±2.5	PASS
Band2	9262	1	NV	40	0.57	0.000308	±2.5	PASS
Band2	9262	1	NV	50	-0.77	-0.000416	±2.5	PASS
Band2	9262	2	NV	-30	-1.38	-0.000745	±2.5	PASS
Band2	9262	2	NV	-20	-0.73	-0.000394	±2.5	PASS
Band2	9262	2	NV	-10	-2.03	-0.001096	±2.5	PASS
Band2	9262	2	NV	0	-1.20	-0.000648	±2.5	PASS
Band2	9262	2	NV	10	-0.93	-0.000502	±2.5	PASS
Band2	9262	2	NV	20	-0.04	-0.000022	±2.5	PASS
Band2	9262	2	NV	30	-2.16	-0.001166	±2.5	PASS
Band2	9262	2	NV	40	-0.57	-0.000308	±2.5	PASS
Band2	9262	2	NV	50	0.23	0.000124	±2.5	PASS
Band2	9262	3	NV	-30	-1.08	-0.000583	±2.5	PASS
Band2	9262	3	NV	-20	-1.27	-0.000686	±2.5	PASS
Band2	9262	3	NV	-10	-1.22	-0.000659	±2.5	PASS
Band2	9262	3	NV	0	-0.53	-0.000286	±2.5	PASS
Band2	9262	3	NV	10	-2.16	-0.001166	±2.5	PASS
Band2	9262	3	NV	20	-2.38	-0.001285	±2.5	PASS
Band2	9262	3	NV	30	1.00	0.000540	±2.5	PASS
Band2	9262	3	NV	40	-0.75	-0.000405	±2.5	PASS
Band2	9262	3	NV	50	-0.36	-0.000194	±2.5	PASS
Band2	9262	4	NV	-30	-1.22	-0.000659	±2.5	PASS
Band2	9262	4	NV	-20	-2.70	-0.001458	±2.5	PASS
Band2	9262	4	NV	-10	-1.43	-0.000772	±2.5	PASS
Band2	9262	4	NV	0	0.42	0.000227	±2.5	PASS
Band2	9262	4	NV	10	-0.70	-0.000378	±2.5	PASS
Band2	9262	4	NV	20	-1.00	-0.000540	±2.5	PASS
Band2	9262	4	NV	30	-1.60	-0.000864	±2.5	PASS
Band2	9262	4	NV	40	-1.32	-0.000713	±2.5	PASS
Band2	9262	4	NV	50	-1.80	-0.000972	±2.5	PASS

Band2	9400	1	NV	-30	-1.60	-0.000851	±2.5	PASS
Band2	9400	1	NV	-20	-1.37	-0.000729	±2.5	PASS
Band2	9400	1	NV	-10	-0.29	-0.000154	±2.5	PASS
Band2	9400	1	NV	0	0.17	0.000090	±2.5	PASS
Band2	9400	1	NV	10	-0.49	-0.000261	±2.5	PASS
Band2	9400	1	NV	20	-0.94	-0.000500	±2.5	PASS
Band2	9400	1	NV	30	-0.55	-0.000293	±2.5	PASS
Band2	9400	1	NV	40	0.18	0.000096	±2.5	PASS
Band2	9400	1	NV	50	0.84	0.000447	±2.5	PASS
Band2	9400	2	NV	-30	-0.95	-0.000505	±2.5	PASS
Band2	9400	2	NV	-20	1.57	0.000835	±2.5	PASS
Band2	9400	2	NV	-10	-0.52	-0.000277	±2.5	PASS
Band2	9400	2	NV	0	-1.21	-0.000644	±2.5	PASS
Band2	9400	2	NV	10	-1.53	-0.000814	±2.5	PASS
Band2	9400	2	NV	20	0.55	0.000293	±2.5	PASS
Band2	9400	2	NV	30	-0.84	-0.000447	±2.5	PASS
Band2	9400	2	NV	40	-1.79	-0.000952	±2.5	PASS
Band2	9400	2	NV	50	-2.22	-0.001181	±2.5	PASS
Band2	9400	3	NV	-30	0.83	0.000441	±2.5	PASS
Band2	9400	3	NV	-20	-0.56	-0.000298	±2.5	PASS
Band2	9400	3	NV	-10	-1.09	-0.000580	±2.5	PASS
Band2	9400	3	NV	0	-1.19	-0.000633	±2.5	PASS
Band2	9400	3	NV	10	0.13	0.000069	±2.5	PASS
Band2	9400	3	NV	20	0.86	0.000457	±2.5	PASS
Band2	9400	3	NV	30	-1.17	-0.000622	±2.5	PASS
Band2	9400	3	NV	40	-0.67	-0.000356	±2.5	PASS
Band2	9400	3	NV	50	-1.57	-0.000835	±2.5	PASS
Band2	9400	4	NV	-30	-0.35	-0.000186	±2.5	PASS
Band2	9400	4	NV	-20	0.59	0.000314	±2.5	PASS
Band2	9400	4	NV	-10	-2.12	-0.001128	±2.5	PASS
Band2	9400	4	NV	0	-0.01	-0.000005	±2.5	PASS
Band2	9400	4	NV	10	0.54	0.000287	±2.5	PASS
Band2	9400	4	NV	20	-0.47	-0.000250	±2.5	PASS
Band2	9400	4	NV	30	-0.38	-0.000202	±2.5	PASS
Band2	9400	4	NV	40	-1.27	-0.000676	±2.5	PASS
Band2	9400	4	NV	50	-0.76	-0.000404	±2.5	PASS
Band2	9538	1	NV	-30	-2.14	-0.001122	±2.5	PASS
Band2	9538	1	NV	-20	-0.66	-0.000346	±2.5	PASS
Band2	9538	1	NV	-10	0.51	0.000267	±2.5	PASS
Band2	9538	1	NV	0	-0.70	-0.000367	±2.5	PASS
Band2	9538	1	NV	10	0.70	0.000367	±2.5	PASS

Band2	9538	1	NV	20	-0.23	-0.000121	±2.5	PASS
Band2	9538	1	NV	30	0.34	0.000178	±2.5	PASS
Band2	9538	1	NV	40	-0.11	-0.000058	±2.5	PASS
Band2	9538	1	NV	50	0.43	0.000225	±2.5	PASS
Band2	9538	2	NV	-30	0.31	0.000163	±2.5	PASS
Band2	9538	2	NV	-20	1.24	0.000650	±2.5	PASS
Band2	9538	2	NV	-10	0.95	0.000498	±2.5	PASS
Band2	9538	2	NV	0	0.17	0.000089	±2.5	PASS
Band2	9538	2	NV	10	-0.33	-0.000173	±2.5	PASS
Band2	9538	2	NV	20	-0.25	-0.000131	±2.5	PASS
Band2	9538	2	NV	30	1.28	0.000671	±2.5	PASS
Band2	9538	2	NV	40	-0.60	-0.000315	±2.5	PASS
Band2	9538	2	NV	50	0.50	0.000262	±2.5	PASS
Band2	9538	3	NV	-30	-0.07	-0.000037	±2.5	PASS
Band2	9538	3	NV	-20	-0.87	-0.000456	±2.5	PASS
Band2	9538	3	NV	-10	0.00	0.000000	±2.5	PASS
Band2	9538	3	NV	0	0.68	0.000356	±2.5	PASS
Band2	9538	3	NV	10	1.22	0.000640	±2.5	PASS
Band2	9538	3	NV	20	-0.67	-0.000351	±2.5	PASS
Band2	9538	3	NV	30	1.85	0.000970	±2.5	PASS
Band2	9538	3	NV	40	-0.26	-0.000136	±2.5	PASS
Band2	9538	3	NV	50	0.25	0.000131	±2.5	PASS
Band2	9538	4	NV	-30	1.38	0.000723	±2.5	PASS
Band2	9538	4	NV	-20	0.85	0.000446	±2.5	PASS
Band2	9538	4	NV	-10	1.21	0.000634	±2.5	PASS
Band2	9538	4	NV	0	-0.91	-0.000477	±2.5	PASS
Band2	9538	4	NV	10	0.57	0.000299	±2.5	PASS
Band2	9538	4	NV	20	-0.03	-0.000016	±2.5	PASS
Band2	9538	4	NV	30	0.25	0.000131	±2.5	PASS
Band2	9538	4	NV	40	0.48	0.000252	±2.5	PASS
Band2	9538	4	NV	50	0.34	0.000178	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-1.68	-0.000907	±2.5	PASS
Band2	9262	1	VL	NT	-5.55	-0.002996	±2.5	PASS
Band2	9262	1	VH	NT	-3.15	-0.001700	±2.5	PASS
Band2	9262	2	VN	NT	-1.62	-0.000875	±2.5	PASS
Band2	9262	2	VL	NT	-2.31	-0.001247	±2.5	PASS
Band2	9262	2	VH	NT	-1.72	-0.000929	±2.5	PASS
Band2	9262	3	VN	NT	-0.71	-0.000383	±2.5	PASS

Band2	9262	3	VL	NT	-1.95	-0.001053	±2.5	PASS
Band2	9262	3	VH	NT	-1.73	-0.000934	±2.5	PASS
Band2	9262	4	VN	NT	-1.40	-0.000756	±2.5	PASS
Band2	9262	4	VL	NT	-2.59	-0.001398	±2.5	PASS
Band2	9262	4	VH	NT	-1.30	-0.000702	±2.5	PASS
Band2	9262	5	VN	NT	-2.10	-0.001134	±2.5	PASS
Band2	9262	5	VL	NT	-2.16	-0.001166	±2.5	PASS
Band2	9262	5	VH	NT	-2.53	-0.001366	±2.5	PASS
Band2	9400	1	VN	NT	1.19	0.000633	±2.5	PASS
Band2	9400	1	VL	NT	-1.03	-0.000548	±2.5	PASS
Band2	9400	1	VH	NT	-1.26	-0.000670	±2.5	PASS
Band2	9400	2	VN	NT	-1.34	-0.000713	±2.5	PASS
Band2	9400	2	VL	NT	-0.15	-0.000080	±2.5	PASS
Band2	9400	2	VH	NT	-1.68	-0.000894	±2.5	PASS
Band2	9400	3	VN	NT	-1.17	-0.000622	±2.5	PASS
Band2	9400	3	VL	NT	-0.29	-0.000154	±2.5	PASS
Band2	9400	3	VH	NT	0.13	0.000069	±2.5	PASS
Band2	9400	4	VN	NT	0.69	0.000367	±2.5	PASS
Band2	9400	4	VL	NT	-1.92	-0.001021	±2.5	PASS
Band2	9400	4	VH	NT	1.53	0.000814	±2.5	PASS
Band2	9400	5	VN	NT	-0.95	-0.000505	±2.5	PASS
Band2	9400	5	VL	NT	-1.58	-0.000840	±2.5	PASS
Band2	9400	5	VH	NT	-0.76	-0.000404	±2.5	PASS
Band2	9538	1	VN	NT	-0.54	-0.000283	±2.5	PASS
Band2	9538	1	VL	NT	1.40	0.000734	±2.5	PASS
Band2	9538	1	VH	NT	0.14	0.000073	±2.5	PASS
Band2	9538	2	VN	NT	0.25	0.000131	±2.5	PASS
Band2	9538	2	VL	NT	0.14	0.000073	±2.5	PASS
Band2	9538	2	VH	NT	1.40	0.000734	±2.5	PASS
Band2	9538	3	VN	NT	-0.97	-0.000508	±2.5	PASS
Band2	9538	3	VL	NT	-1.37	-0.000718	±2.5	PASS
Band2	9538	3	VH	NT	-0.19	-0.000100	±2.5	PASS
Band2	9538	4	VN	NT	1.47	0.000771	±2.5	PASS
Band2	9538	4	VL	NT	-0.27	-0.000142	±2.5	PASS
Band2	9538	4	VH	NT	-0.39	-0.000204	±2.5	PASS
Band2	9538	5	VN	NT	1.06	0.000556	±2.5	PASS
Band2	9538	5	VL	NT	-1.35	-0.000708	±2.5	PASS
Band2	9538	5	VH	NT	-0.71	-0.000372	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band2	9262	1	NV	-30	-1.56	-0.000842	±2.5	PASS
Band2	9262	1	NV	-20	-2.82	-0.001522	±2.5	PASS
Band2	9262	1	NV	-10	-3.40	-0.001835	±2.5	PASS
Band2	9262	1	NV	0	-2.98	-0.001609	±2.5	PASS
Band2	9262	1	NV	10	-3.21	-0.001733	±2.5	PASS
Band2	9262	1	NV	20	-2.09	-0.001128	±2.5	PASS
Band2	9262	1	NV	30	-3.94	-0.002127	±2.5	PASS
Band2	9262	1	NV	40	-1.20	-0.000648	±2.5	PASS
Band2	9262	1	NV	50	-2.87	-0.001549	±2.5	PASS
Band2	9262	2	NV	-30	-1.25	-0.000675	±2.5	PASS
Band2	9262	2	NV	-20	-1.87	-0.001010	±2.5	PASS
Band2	9262	2	NV	-10	-2.70	-0.001458	±2.5	PASS
Band2	9262	2	NV	0	-2.84	-0.001533	±2.5	PASS
Band2	9262	2	NV	10	-1.52	-0.000821	±2.5	PASS
Band2	9262	2	NV	20	-2.80	-0.001512	±2.5	PASS
Band2	9262	2	NV	30	-3.25	-0.001754	±2.5	PASS
Band2	9262	2	NV	40	-2.46	-0.001328	±2.5	PASS
Band2	9262	2	NV	50	-0.94	-0.000507	±2.5	PASS
Band2	9262	3	NV	-30	-1.75	-0.000945	±2.5	PASS
Band2	9262	3	NV	-20	-1.52	-0.000821	±2.5	PASS
Band2	9262	3	NV	-10	-3.04	-0.001641	±2.5	PASS
Band2	9262	3	NV	0	-0.95	-0.000513	±2.5	PASS
Band2	9262	3	NV	10	-1.29	-0.000696	±2.5	PASS
Band2	9262	3	NV	20	-2.67	-0.001441	±2.5	PASS
Band2	9262	3	NV	30	-1.56	-0.000842	±2.5	PASS
Band2	9262	3	NV	40	-1.49	-0.000804	±2.5	PASS
Band2	9262	3	NV	50	-1.70	-0.000918	±2.5	PASS
Band2	9262	4	NV	-30	-2.53	-0.001366	±2.5	PASS
Band2	9262	4	NV	-20	-1.63	-0.000880	±2.5	PASS
Band2	9262	4	NV	-10	-1.18	-0.000637	±2.5	PASS
Band2	9262	4	NV	0	-2.51	-0.001355	±2.5	PASS
Band2	9262	4	NV	10	-1.85	-0.000999	±2.5	PASS
Band2	9262	4	NV	20	-2.44	-0.001317	±2.5	PASS
Band2	9262	4	NV	30	-1.96	-0.001058	±2.5	PASS
Band2	9262	4	NV	40	-2.07	-0.001117	±2.5	PASS
Band2	9262	4	NV	50	-0.68	-0.000367	±2.5	PASS
Band2	9262	5	NV	-30	-2.23	-0.001204	±2.5	PASS
Band2	9262	5	NV	-20	-1.87	-0.001010	±2.5	PASS
Band2	9262	5	NV	-10	-1.49	-0.000804	±2.5	PASS
Band2	9262	5	NV	0	-0.78	-0.000421	±2.5	PASS
Band2	9262	5	NV	10	-0.24	-0.000130	±2.5	PASS

Band2	9262	5	NV	20	-0.54	-0.000292	±2.5	PASS
Band2	9262	5	NV	30	-2.57	-0.001387	±2.5	PASS
Band2	9262	5	NV	40	-3.66	-0.001976	±2.5	PASS
Band2	9262	5	NV	50	0.00	0.000000	±2.5	PASS
Band2	9400	1	NV	-30	-1.82	-0.000968	±2.5	PASS
Band2	9400	1	NV	-20	-0.36	-0.000191	±2.5	PASS
Band2	9400	1	NV	-10	0.04	0.000021	±2.5	PASS
Band2	9400	1	NV	0	-1.95	-0.001037	±2.5	PASS
Band2	9400	1	NV	10	-1.56	-0.000830	±2.5	PASS
Band2	9400	1	NV	20	-2.98	-0.001585	±2.5	PASS
Band2	9400	1	NV	30	-0.88	-0.000468	±2.5	PASS
Band2	9400	1	NV	40	0.64	0.000340	±2.5	PASS
Band2	9400	1	NV	50	-2.46	-0.001309	±2.5	PASS
Band2	9400	2	NV	-30	-0.10	-0.000053	±2.5	PASS
Band2	9400	2	NV	-20	-1.80	-0.000957	±2.5	PASS
Band2	9400	2	NV	-10	-1.25	-0.000665	±2.5	PASS
Band2	9400	2	NV	0	-1.08	-0.000574	±2.5	PASS
Band2	9400	2	NV	10	-0.67	-0.000356	±2.5	PASS
Band2	9400	2	NV	20	-2.21	-0.001176	±2.5	PASS
Band2	9400	2	NV	30	-0.27	-0.000144	±2.5	PASS
Band2	9400	2	NV	40	-0.69	-0.000367	±2.5	PASS
Band2	9400	2	NV	50	0.46	0.000245	±2.5	PASS
Band2	9400	3	NV	-30	-0.84	-0.000447	±2.5	PASS
Band2	9400	3	NV	-20	-0.10	-0.000053	±2.5	PASS
Band2	9400	3	NV	-10	0.57	0.000303	±2.5	PASS
Band2	9400	3	NV	0	-2.60	-0.001383	±2.5	PASS
Band2	9400	3	NV	10	-0.68	-0.000362	±2.5	PASS
Band2	9400	3	NV	20	-0.32	-0.000170	±2.5	PASS
Band2	9400	3	NV	30	0.21	0.000112	±2.5	PASS
Band2	9400	3	NV	40	-0.16	-0.000085	±2.5	PASS
Band2	9400	3	NV	50	-1.37	-0.000729	±2.5	PASS
Band2	9400	4	NV	-30	-1.03	-0.000548	±2.5	PASS
Band2	9400	4	NV	-20	-0.24	-0.000128	±2.5	PASS
Band2	9400	4	NV	-10	-0.75	-0.000399	±2.5	PASS
Band2	9400	4	NV	0	-0.76	-0.000404	±2.5	PASS
Band2	9400	4	NV	10	-0.12	-0.000064	±2.5	PASS
Band2	9400	4	NV	20	-0.98	-0.000521	±2.5	PASS
Band2	9400	4	NV	30	1.02	0.000543	±2.5	PASS
Band2	9400	4	NV	40	1.69	0.000899	±2.5	PASS
Band2	9400	4	NV	50	-1.31	-0.000697	±2.5	PASS
Band2	9400	5	NV	-30	0.41	0.000218	±2.5	PASS

Band2	9400	5	NV	-20	-1.56	-0.000830	±2.5	PASS
Band2	9400	5	NV	-10	-1.19	-0.000633	±2.5	PASS
Band2	9400	5	NV	0	-1.39	-0.000739	±2.5	PASS
Band2	9400	5	NV	10	1.14	0.000606	±2.5	PASS
Band2	9400	5	NV	20	0.03	0.000016	±2.5	PASS
Band2	9400	5	NV	30	-1.62	-0.000862	±2.5	PASS
Band2	9400	5	NV	40	-0.90	-0.000479	±2.5	PASS
Band2	9400	5	NV	50	-0.49	-0.000261	±2.5	PASS
Band2	9538	1	NV	-30	-0.14	-0.000073	±2.5	PASS
Band2	9538	1	NV	-20	0.19	0.000100	±2.5	PASS
Band2	9538	1	NV	-10	-1.30	-0.000681	±2.5	PASS
Band2	9538	1	NV	0	-2.22	-0.001164	±2.5	PASS
Band2	9538	1	NV	10	-0.53	-0.000278	±2.5	PASS
Band2	9538	1	NV	20	-0.51	-0.000267	±2.5	PASS
Band2	9538	1	NV	30	-2.62	-0.001373	±2.5	PASS
Band2	9538	1	NV	40	-0.56	-0.000294	±2.5	PASS
Band2	9538	1	NV	50	1.11	0.000582	±2.5	PASS
Band2	9538	2	NV	-30	-1.05	-0.000550	±2.5	PASS
Band2	9538	2	NV	-20	0.14	0.000073	±2.5	PASS
Band2	9538	2	NV	-10	-0.81	-0.000425	±2.5	PASS
Band2	9538	2	NV	0	1.76	0.000923	±2.5	PASS
Band2	9538	2	NV	10	-0.49	-0.000257	±2.5	PASS
Band2	9538	2	NV	20	0.27	0.000142	±2.5	PASS
Band2	9538	2	NV	30	1.57	0.000823	±2.5	PASS
Band2	9538	2	NV	40	0.62	0.000325	±2.5	PASS
Band2	9538	2	NV	50	0.56	0.000294	±2.5	PASS
Band2	9538	3	NV	-30	-1.06	-0.000556	±2.5	PASS
Band2	9538	3	NV	-20	0.54	0.000283	±2.5	PASS
Band2	9538	3	NV	-10	0.37	0.000194	±2.5	PASS
Band2	9538	3	NV	0	1.46	0.000765	±2.5	PASS
Band2	9538	3	NV	10	0.98	0.000514	±2.5	PASS
Band2	9538	3	NV	20	1.22	0.000640	±2.5	PASS
Band2	9538	3	NV	30	1.10	0.000577	±2.5	PASS
Band2	9538	3	NV	40	-0.07	-0.000037	±2.5	PASS
Band2	9538	3	NV	50	0.16	0.000084	±2.5	PASS
Band2	9538	4	NV	-30	0.12	0.000063	±2.5	PASS
Band2	9538	4	NV	-20	-0.24	-0.000126	±2.5	PASS
Band2	9538	4	NV	-10	1.23	0.000645	±2.5	PASS
Band2	9538	4	NV	0	0.22	0.000115	±2.5	PASS
Band2	9538	4	NV	10	1.02	0.000535	±2.5	PASS
Band2	9538	4	NV	20	1.61	0.000844	±2.5	PASS

Band2	9538	4	NV	30	-1.16	-0.000608	±2.5	PASS
Band2	9538	4	NV	40	3.24	0.001698	±2.5	PASS
Band2	9538	4	NV	50	-1.34	-0.000702	±2.5	PASS
Band2	9538	5	NV	-30	1.19	0.000624	±2.5	PASS
Band2	9538	5	NV	-20	-1.33	-0.000697	±2.5	PASS
Band2	9538	5	NV	-10	-0.76	-0.000398	±2.5	PASS
Band2	9538	5	NV	0	0.45	0.000236	±2.5	PASS
Band2	9538	5	NV	10	0.51	0.000267	±2.5	PASS
Band2	9538	5	NV	20	0.66	0.000346	±2.5	PASS
Band2	9538	5	NV	30	-0.29	-0.000152	±2.5	PASS
Band2	9538	5	NV	40	0.23	0.000121	±2.5	PASS
Band2	9538	5	NV	50	-1.65	-0.000865	±2.5	PASS

----- THE END -----