Test Laboratory: Sporton International Inc.

Device Under Test Properties

Device Under Test Pro	operties					
Manufacturer	Dir	mensions [mm]	IMEI	DUT Type		
	70.0 x 50.0 x 8.0			5G Verification Source		
Exposure Conditions						
Phantom Section	Position, Test Distance [mm]		Free	quency [MHz]	Conversion Factor	
5G	FRONT, 10.00		100	00.0	1.0	
Hardware Setup						
Phantom	Medium Probe, Calibration Date				DAE, Calibration Date	
mmWave - 1044	Air –	r – EUmmWV3 – SN9424_F1–55GF		-23	DAE4 Sn699, 2021-02-16	
Scans Setup			Measurem	ent Results		
Grid Extents [mm]		120.0 x 120.0	Date		2021-11-05, 0	4:58
Grid Steps [lambda]		0.25 x 0.25	Avg. Area	[cm ²]		4.00
Sensor Surface [mm]		10.0	Savg inc [W/m ²]		41.1
				2.		41 3

Measurement Results				
Date	2021-11-05, 04:58			
Avg. Area [cm ²]	4.00			
Savg inc [W/m ²]	41.1			
Savg tot [W/m ²]	41.3			
Speak [W/m ²]	54.4			
E _{peak} [V/m]	138			
H _{peak} [A/m]	0.396			
Power Drift [dB]	0.06			

