

Radio test report 99544231

based on: FCC part 15; subpart C; section 15.227 (10-1-03 edition)

Cordless Numpad Logitech Cordless Numpad Y-RX43









Report number:

99544231

MA	IN MODULE	3
1	INTRODUCTION	3
2	Product	
23	Test schedule	
4	PRODUCT DOCUMENTATION	
4	OBSERVATIONS AND COMMENTS	
5	MODIFICATIONS TO THE SAMPLE	
6	MODIFICATIONS TO THE SAMPLE	
/	SUMMARY	0 ר
8	CONCLUSIONS	/
TES	T RESULTS MODULE	8
1	GENERAL INFORMATION	Q
1	1.1 Equipment information	
2	EMISSION TESTS	
Z		
	2.1 Field strength of intentional signal	9
	2.2 Field strength of unwanted emissions	10
USE	D TEST EQUIPMENT MODULE	11

This report comprises of three modules. The total number of pages is: 11





Page: 3 of 11 Report number: 99544231

Main module

1 Introduction

This report contains the result of tests performed by:

Telefication bv Edisonstraat 12a 6902 PK Zevenaar The Netherlands

Telefication complies with the accreditation criteria for test laboratories as laid down in ISO/IEC 17025:1999. The accreditation covers the quality system of the laboratory as well as the specific activities as described in the authorized annex bearing the accreditation number L021 and is granted on 30 November 1990 by the Dutch Council For Accreditation (RvA: Raad voor Accreditatie). The contents of this test report, if reproduced, shall be copied in full, unless special consent in writing for reproduction in part is granted by Telefication. Copyright of this test report is reserved to Telefication.

Ordering party:

Company name	:	Logitech Europe S.A.
Address	:	Z.I. Moulin du Choc D
Zipcode	:	CH-1122
City/town	:	Romanel sur Morges
Country	:	Switzerland
Date of order	:	5 July 2004
Date of order	•	5 July 2004





Main module

Page: 4 of 11 Report number: 99544231

Product

A sample of the following product was submitted for testing:

: Cordless Numpad
: Logitech Europe S.A.
: Logitech Cordless Numpad
: Y-RX43
: DZL201824
:
: Odonus LITE-PB2-174
: Beta1.0

3 Test schedule

Tests were carried out in accordance with the specification detailed in chapter 7 "Summary" of this report.

Tests were carried out at the following location:

 TNO Electronic Products & Services (EPS) B.V Smidshornerweg 18
9822 TL Niekerk The Netherlands

FCC listed	: 90828
Industry Canada	: IC3501

The samples of the product were received on:

• 15 July 2004

Tests were carried out on:

• 21 July 2004





Page: 5 of 11 Report number: 99544231

Product documentation

For production of this report the following product documentation was used:

Description:	Date:	Identification:
Testing indications	July 2004	Cordless Numpad Y-RX43
Product Description	July 2004	Y-RX43
Block diagram	9 July 2004	Odonus Lite : Y-RX43
PCB lay out	28 June 2004	ODONUS LITE Y-RX43 REV A0
Circuit diagram	3 June 2004	Y-RX43 ODONUS LITE
Parts list	8 July 2004	Y-RX43 ODONUS LITE

The above-mentioned documentation will be filed at Telefication for a period of 10 years following the issue of this test report.





Page: 6 of 11 Report number: 99544231

5 Observations and comments

None.

6 Modifications to the sample

No modifications were made to the sample.

7 Summary

The product is intended for use in the following application area(s):

INDUCTIVE DATA TRANSMISSION APPLICATION IN THE 27 MHz BAND

The samples were tested according to the following specification(s):

FCC part 15; subpart C; section 15.227 (10-1-03 edition)





Page: 7 of 11 Report number: 99544231

Conclusions

The samples of the product showed **NO NON-COMPLIANCES** to the specification stated in chapter 7 of this report.

The results of the tests as stated in this report, are exclusively applicable to the product items as identified in this test report. Telefication does not accept any responsibility for the results stated in this test report, with respect to the properties of product items not involved in these tests.

All tests are performed by:

name	: J.P. van de Poll
function	: Co-ordinator Test Group
signature	: Se
Review of t	est report by:
name	: ing. P.A. Suringa
function	: Senior engineer Radio/EMC
signature	:
	PK/usig
The above of	conclusions have been verified by the following signatory:
Date	: 23 July 2004
name	: drs. ir. W.B.A. Blom
function	: Managing Director
signature	(1)



Test results module

1 General information

1.1 Equipment information

Rated RF output power	n.a., integral antenna
Rated radiated RF power	400 nW
Operating frequencies	27.095 MHz; 27.145 MHz
Modulation	FSK
Modulation bit rate	2400 bit/s
ITU emission class	7K00F7D
FCC ID	DZL201824



2 Emission tests

2.1 Field strength of intentional signal

:

Compliance standard	:	FCC part 15, subpart C, section 15.227 (a).
Method of test	:	ANSI C63.4-2003, sections 5.3 & 8.2.1

Test results

Radiated emissions (dBµV/m) (AV)					
	27.095 MHz channel	27.145 MHz channel			
Orthogonal plane Test result		Test result	Limit		
@ 3 m distance		@ 3 m distance	@ 3 m distance		
X 43.2		44.0	80.0		
Y 58.1		58.7	80.0		
Z	57.6	58.4	80.0		

Measurement uncertainty: -2.4 dB / +1.6 dB



2.2 Field strength of unwanted emissions

Compliance standard	:	FCC part 15, subpart C, section 15.227 (b).
Method of test	:	ANSI C63.4-2003, sections 5.4, 8.2.3 & 8.3.1.2; FCC part 15,
		subpart A, section 15.31(m), 15.33, 15.35.

EUT condition:27.095 MHz channelTest results:

Frequency	Test result	Polarisation	Limit
(MHz)	@ 3 m distance (dBµV/m) (QP)		(dBµV/m)
40.645	28.1	Н	40.0
67.736	21.1	Н	40.0
81.284	21.1	Н	40.0
95.200	< 25.0 (masked by ambient)	Н	43.5
108.369	23.9	Н	43.5
121.938	21.2	Н	43.5
135.485	17.8	H	43.5
149.010	21.3	Н	43.5
162.556	20.9	Н	43.5
176.104	19.1	Н	43.5
203.195	18.4	Н	43.5
243.875	27.0	Н	46.0
257.467	31.9	Н	46.0
271.020	32.3	Н	46.0
284.600	31.7	Н	46.0
298.155	34.0	H	46.0
311.720	32.8	H	46.0
325.275	29.5	Н	46.0
338.860	25.4	<u> </u>	46.0
352.395	25.5	Н	46.0

Measurement uncertainty: -2.4 dB / +1.6 dB



Used test equipment module

The following measurement equipment was used:

Description	ID / SN	Manufacturer	Model
Plastic measurement room	12636	Polyforce	-
Open Area Test Site	13886	Comtest	-
Antenna mast 4m	14277	Heinrich Deisel	MA240
Controller OATS	14278	Heinrich Deisel	HD100
Loop Antenna	1107	Chase	HLA6120
Biconilog antenna 30MHz – 1000MHz	15633	Chase	CBL6111B
EMI test receiver	15667	Rohde & Schwarz	ESCS 30
Turntable OATS	99108	Heinrich Deisel	HD050