
Table of Contents

Component Introduction	
Loading Battery & Charging	. ;
Using a Memory Card	(
• Photo	. 4
• Video	
• PlayBack	. (
System Settings	
• APP	. 8
• Q&A	
• Faults And Solution	
Technical Specifications	






<u> </u>		IPS Touch Panel	Screen preview and video/photo playback
2		Microphone	Recording sound
	<u> </u>	Hot Shoe Interface	Mount hot shoe products
	9	Speaker	Play soun
⑤		State Light	Green light always on: Standby; Green light continuously flashing: In the recording; Green light flashes once: take a photo; Red light always on: During charging, it turns off when fully charged
6		POWER Button	Power On/Off
9		DISP Button	Press to switch screen display mode
	3	VIDEO Button	START/STOP recording
9		T/W Zoom Button	In video/Photo Mode, pull left/right to zoom in/out; In playback, pull left to switch to grid preview
(10)		PHOTO Button	Two-stage button, tap to focus and press to photo in photo mode
0	D	MODE Button	Call up Shooting Modes list
10		Adjusting knob	In P (Program Auto) mode: Adjust exposure; In A (Aperture Priority) mode: adjust the aperture; In S (Shutter Priority) mode: adjust the shutter speed; In M (Manual Exposure) mode: Adjust the shutter speed and aperture (switch between the exposure button) In Video mode: adjust exposure; In SCN (Scene Selection) mode: select the scene; In Macro mode: Adjust exposure
	A	Drive Mode Button	In standby : enter the burst/self-timer option; In the function menu: Select the function upwards
	В	AE-L Button	In standby: Lock the current exposure value; In the function menu: Select function to the left
(3)	С	Exposure Button	In standby: enter the exposure value option; In the function menu: Select the function downwards
(P)	D	AFL Button	In standby: lock the current focus; In the function menu: select the function to the right
	E	Confirm Button	In standby : enter the effects, contrast, saturation, and sharpness options; In the function menu: Confirm the selection of functions; In playback mode: start/pause playback
- 0	40	Delete Button	Delete recent files.
-	5	PLAYBACK Button	Enter the playback mode
(b) (f) (f) (g)		Fn shortcut function Button	Enter the shortcut function menu
		MENU Button	In standby: enter the function menu; playing a video: stop playing
		Lens	Framing
		Strap Mounting Hole	Install adjustable strap
0		1/4 Tripod Socket	Tripod installation
	F	MIC Interface	Access to external microphones
20	G	TYPE-C USB Interface	External USB cable
	Н	HD interface	External HDMI cable
22)	1	Battery Compartment	Load Battery
		SD slot	Insert the SD Card
@	3)	Manual focusing wheel	Manually focus in MF mode
(2	90	IR Night Vision Button	Switch night vision
25		AF auxiliary light	Auxiliary focusing

Loading Battery &Charging

Loading the battery



[Install the battery into the camera in the direction shown in the diagram]



Using a Memory Card



[Insert the memory card straight in the direction shown in the diagram]

•When using the memory card for the first time, please be formatting on the camera.

 A U3 512GB memory card is recommended, and any memory card below U3 may not function properly.

3

Photo



[Press the *MODE Button* to select the Shooting Modes]

Photo function menu

[Hold the camera firmly, lightly press (half press)*Photo*button to focus, then hardly press (full press) the

Photo button again to take a photo]



[Press the MENU Button to enter the function menu]

	thress the mane author to enter the fanction ment 1
Shooting Modes	Intelligent Auto/Program Auto/Aperture Priority/Shutter Priority/Manual Exposure/Video/Scene Selection/Macro/Infrared Night Vision/
Resolution	64M/56M/48M/36M/30M/20M/14M/10M/8M/5M/3M/2M
Quality	SF/F/N
Photo Ratio	4:3/16:9
Date Stamp	Off/Date/Date&Time
Focus Modes	AF/MF/AF+MF/AF+MF2
Real time focusing	Off/On
Face tracking	Off/On
AF Assist Lamp	Off/Auto
White Balance	Auto/Daylight/Cloudy/Tungsten Light/Fluorescent(H)/Fluorescent(L)/Color Temperature
Filter Style	Standard/Natural//viid/Monotone/High Contrast B&W/Negative/High Contrast/Retro/CCD/Warm Colors/Cold Colors/Red Tone/Green Tone/Blue Tone/Yellow Tone/
Soft Skin Effect	Off/Low/High
WDR	Off/On
Exposure Compensation	-3.0 ~ +3.0
ISO	Auto/100/200/400/800/1600/3200
Metering Modes	Average/Center/Spot
Flash Mode	Off/On (External flash is required before use)
Drive Modes	Single Shootings/Continue Shootings:3/Continue Shootings:5/Continue Shootings:7/Self-timer:2 sec/Self-timer:5 sec/Self-timer:10 sec
Interval Timer Shooting	Off/3 Sec/5 Sec/10 Sec/30 Sec/1Min
Interval Mode Duration	Unlimited/5 Min/10 Min/15 Min/20 Min/30 Min/60 Min
Image Stabilization	Off/On

Video



[Press the VIDEO Button to start/stop recording]

Video function menu



[Press the *MENU Button* to enter the function menu in Video mode]

Resolution	5K30/4K60/4K30/2.7K60/2.7K30/1080P60/1080P30/720P60/720P30
Image Stabilization	Off/On
Pre-record	Off/On
Date Stamp	Off/Date/Date&Time
Mic	1~20
Slow Motion	Off/1080P 2X/720P 2X
Loop Record	Off/1 Min/3 Min/5 Min
Time-Lapse Video	Off/1 Sec/3 Sec/5 Sec/10 Sec/30 Sec/1 Min
Duration	Unlimited/5 Min/10 Min/15 Min/20 Min/30 Min/60 Min

PlayBack



[Press the PLAYBACK Button while in standby]

[Press CONFIRM Button to play the video]



[Press the *AEL* and *AFL Buttons* to switch file browsing; Press the *MENU Button* to enter the function menu]

Delete	Single/All
Protect	Protect this file/Unprotect this file/Protect all/Unprotect all
Slide Show	2 Sec/5 Sec

System settings



[Press the *MENU Button* to enter the function menu]



[Press the EXPOSURE Button+AFL Button to adjust and enter the system settings menu]



Wi-Fi	Off/On
Grid Line	Off/White Line/Yellow Line/Red Line
Hybrid zoom	Off/On
Sounds	Shutter/Boot-up/Beep/Volume
Date&Time Setup	Date&Time Settings
Time Style	YYMMDD/MMDDYY/DDMMYY
Language	13 Language
Screen Brightness	Low/Middle/High
Screen Saver	Off/1 Min/2 Min/3 Min
Auto Power Off	Off/5 Min/10 Min
Light Frequency	50HZ/60HZ
Format Card	Yes/No
Factory Reset	Yes/No
Version	Current software version

APP

- Download And Install The App
- Scan the QR code below to download and install directly on the phone.
- 2 Search and install "OD CAM" directly through the App Store or mobile app store.







Connect Wi-Fi





[Turn on the Wi-Fi function in the system settings menu and wait for the phone to connect]







[Click on OD CAM to enter]

[Find G730-XXXX in your phone's Wi-Fi settings And enter the password to connect]

- •For Android users, please select 『Yes』 for all possible questions like 『Allow the App to obtain the permission?』
- The Wi-Fi function is point-to-point wireless connection within effective distance. The maximum distance is about 6m. Please use the function within the effective distance.
- Because of various phone brands or configurations, the process to enter the main interface may be slow or the connection may fail. Please try the connection process again.

Q&A

- Q1: A video may be automatically divided into several files. How can I combine them into one?
- A1: You can combine them by using a video combiner in your computer. You may search [Boilsoft Video Joiner] on Google.com to download it.
- Q2: Which operating systems or mobile phones is the App compatible with?
- A2: The App is compatible with the following operating systems:

Android: Android 5.0. Android 6.0. Android 7.0. Android 8.0.

Android 9.0, Android 10.0, and Android 11.0;

iOS: iOS 9, iOS 10, iOS 11, iOS 12, iOS 13, , iOS 14 and iOS 15;

Regardless of the systems it is compatible with, the stability of the App depends on the configurations of the phone as well as network conditions. The App is not Applicable to computers.

- Q3: Why does my Android phone always fail in connecting to the App?
- A3: After successfully connecting your phone to the Wi-Fi, please select [Yes] in case it prompts [Wi-Fi is not connected to the Internet. Will you continue using it?]

Faults And Solution

Fault	Possible Cause and Solution
Failure to	The Camera has low battery. Please recharge it immediately.
switch on	 Check whether the operating environment temperature is within 0~40°C.
Failure to	•If the ambient temperature is high or the Camera is used for an extended period, it
switch off	may have excessively high temperature. Please wait a moment .
Automatic	 It's normal that the Camera automatically shuts down after standing by for three minutes.
	Check whether the operating environment temperature is within 0~40°C.
shutdown	olf the Camera is used for an extended period, it may have excessively high
	temperature. Please wait a moment and switch it on after it cools down.
Rapid	Battery performance degrades in low temperature. Please use it after it is preheated.
battery drain	The battery is not fully charged. Please recharge it.
drain	The battery is reaching the end of its usable life, please buy a new battery.
	The distance is too long. Please use it within 6m (effective distance).
Wi-Fi	The Camera has low battery. Please recharge it immediately.
signals are	The wireless signals are interfered because the Camera is placed on a metal table
unstable	or stand. Keep it away from metal.
	The Wi-Fi signals of the phone are weak. Please use another phone.
Video voice is	 The sound equipment is poor or the volume is not properly adjusted. Please use other equipment or adjust the volume.
too low	 The distance to the sound source is too long. Please record your videos within 5m (effective distance).

Technical Specifications

Sensor	Sony 8.0MP CMOS sensor
Aperture and focal	F.no 1.8 ~ 2.6 f: 5.76mm~69.12mm
Lens thread diameter	49mm
Screen	3.2"IPS High -Definition touch screen
Zoom	12X Optical zoom
Photographing distance	wide: 0.15m~INF Tele: 0.4m~INF
File format	Video: MP4 Photo: JPEG
Video Resolution	5K30/4K60/4K30/2.7K60/2.7K30/1080P60/1080P30/720P60/720P30
Photo Pixel	64M/56M/48M/36M/30M/20M/14M/10M/8M/5M/3M/2M
Memory medium	SDHC memory card/SDXC memory card
	UHS-III,512GB (maximum)
IR Night Vision	Built-in
Microphone	Built-in
Speaker	Built-in
Wi-Fi	Built-in
USB	Type-C USB 2.0
HDMI	Built-in
Hot Shoe	Built-in
Computer OS	Windows 7/8/10/11 Mac OSX10.5 and above
Mobile OS	Android 5.0 and above; iOS 9.0 and above
Power input	DC5V/2A Type-C USB
Dimensions	L 117mm W 84mm H 66mm
Weight	360±5g(Excluding battery)
Working temperature	0~40℃

Safety	Warning	
1 Do not use the product in case it has any	Prevent dust or dirt from entering the slot and	
damage, fault, or unusual conditions like	USB port. Promptly wipe off or remove them	
smoke, abnormal sound, peculiar smell.	in case of such condition to avoid conditions	
2 Do not expose it to anywhere with high or	like poor contact.	
low temperature, humidity, or strong	Keep the product, accessories, and packing	
vibration, for this may result in any fault or	materials out of the reach of children to avoid	
fire.	possible suffocations.	
3 Do not use any corrosive chemicals or	Do not use any USB cable other than the	
solvent to clean the product.	accessories. Use the USB cable specified	
Do not disassemble, repair, or transform the	only and pay attention to the followings:	
product without authorization.	Do not damage or process the USB cable.	
6 Do not operate it for a long time while it's	· Do not heat, pull, or bend the USB cable to	
being charged.	avoid possible fire or electric shock.	
Do not let magnetic objects such as magnets		
Approach the product to avoid faults and		

The pictures in the manual are for your reference only. The actual product may vary.

data loss.

We reserve the ultimate power of interpretation. Any changes to the data and parameters herein may be made without further notice.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction

