

## FCC ID LABEL & LOCATION


### LABELING REQUIREMENTS PER §2.925

The label shall be permanently affixed at a conspicuous location on the device.



**SEE NEXT PAGE(S) FOR  
PART 15(B) FCC DoC LABEL**

**SEE NEXT PAGE(S) FOR  
PART 24(E) FCC ID LABEL**



NOTES:(UNLESS OTHERWISE SPECIFIED).

- 1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
- 2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
- 3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

This product contains an FCC  
and Industry Canada transmitter.  
FCC ID: KBCIX100XA750WLBT  
IC: 1943A-IX100Xa

RI.0 4 PL


-	3	MH	JMD	CHANGED FONT ON DRAWING			
C6	2	MH	JMD	IX100Xa WAS IX100A			
-	1	MH	JMD	PROTOTYPE RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER J. DERTING		DATE 2-12-04		DESCRIPTION  LBL, IX100X,BT,WLAN,AC750			
CHECKER		DATE					
ELEC. ENG		DATE		SIZE B			
MECH. ENG		DATE					
MFG. ENG		DATE		SCALE 4.000			
				SHEET		REV	
				1 OF 1		3	

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS  
DO NOT SCALE DRAWING


NOTICE OF PROPRIETARY INFORMATION  
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND  
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED  
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT  
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED  
TO A CUSTOMER IT SHALL BE USED SOLELY FOR  
PURPOSES OF INSPECTION INSTALLATION, OR  
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT  
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE  
WORK CONTRACTED FOR BY THIS COMPANY. THE  
INFORMATION SHALL NOT BE USED OR DISCLOSED BY  
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

TOL. EXCEPT AS NOTED  
X ± 0.5 MM  
X.X ± 0.25 MM  
X.XX ± 0.125 MM  
ANG. = 1.0°

THIRD ANGLE  
PROJECTION



**ITRONIX**  
S.801 STEVENS, P.O. BOX 179  
SPOKANE, WA 99210



NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE  
W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE  
PACKAGED FOR SHIPMENT AND/OR STORAGE  
IN A CLEAN PROTECTIVE CONTAINER PER  
ITRONIX PACKAGING AND SHIPPING SPEC.  
QE3-002. IF A BAG IS USED IT MUST BE  
NON-STATIC GENERATING.