




802.11b\_20MHz\_Chain0\_2412MHz




802.11b\_20MHz\_Chain1\_2462MHz




802.11b\_20MHz\_Chain0\_2462MHz




802.11g\_20MHz\_Chain0\_2412MHz



802.11b\_20MHz\_Chain1\_2412MHz



802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11g\_20MHz\_Chain1\_2412MHz



802.11be\_20MHz\_Chain0\_2462MHz




802.11g\_20MHz\_Chain1\_2462MHz



802.11be\_20MHz\_Chain1\_2412MHz



802.11be\_20MHz\_Chain0\_2412MHz



802.11be\_20MHz\_Chain1\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

802.11be\_40MHz\_Chain0\_2422MHz




802.11be\_40MHz\_Chain1\_2452MHz



802.11be\_40MHz\_Chain0\_2452MHz



802.11be\_40MHz\_Chain1\_2422MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group


802.11b\_20MHz\_Chain0\_2412MHz




802.11b\_20MHz\_Chain1\_2412MHz




802.11b\_20MHz\_Chain0\_2437MHz




802.11b\_20MHz\_Chain1\_2437MHz



802.11b\_20MHz\_Chain0\_2462MHz



802.11b\_20MHz\_Chain1\_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11g\_20MHz\_Chain0\_2412MHz




802.11g\_20MHz\_Chain1\_2412MHz




802.11g\_20MHz\_Chain0\_2437MHz




802.11g\_20MHz\_Chain1\_2437MHz



802.11g\_20MHz\_Chain0\_2462MHz



802.11g\_20MHz\_Chain1\_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be\_20MHz\_Chain0\_2412MHz




802.11be\_20MHz\_Chain1\_2412MHz




802.11be\_20MHz\_Chain0\_2437MHz




802.11be\_20MHz\_Chain1\_2437MHz



802.11be\_20MHz\_Chain0\_2462MHz



802.11be\_20MHz\_Chain1\_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be 40MHz Chain0 2422MHz




802.11be 40MHz Chain1 2422MHz



802.11be 40MHz Chain0 2437MHz



802.11be 40MHz Chain1 2437MHz



802.11be 40MHz Chain0 2452MHz



802.11be 40MHz Chain1 2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

### 11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|-----------------|-----------------------------------|-------------------|
| 0.009-0.490     | 2400/F(kHz)                       | 300               |
| 0.490-1.705     | 24000/F(kHz)                      | 30                |
| 1.705-30        | 30                                | 30                |
| 30-88           | 100                               | 3                 |
| 88-216          | 150                               | 3                 |
| 216-960         | 200                               | 3                 |
| Above 960       | 500                               | 3                 |

**Note:**

1. The lower limit shall apply at the transition frequencies.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




## 11.2 Test Setup


(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



(C) Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 11.3 Measurement Procedure

1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
5. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz.
6. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Maximum Emission Measurements at frequency above 1 GHz.
8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Emission Measurements at frequency above 1 GHz.
9. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.
10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.4 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

**Where** *FS = Field Strength*

*CL = Cable Attenuation Factor (Cable Loss)*

*RA = Reading Amplitude*

*AG = Amplifier Gain*

*AF = Antenna Factor*

*The limit of the emission level is expressed in dBuV/m, which converts  $20 \cdot \log(uV/m)$*

*Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)*

*Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)*

## 11.5 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

## 11.6 Measurement Result

### Note:

1. Refer to next page spectrum analyzer data chart and tabular data sheets.
2. Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.6.1 Radiated Band Edge Measurement Result

Report Number :TERF2404001034ER

Operation Mode :802.11b

Test Frequency :2412 MHz

Test Mode :Bandedge

EUT Pol :E2 Plane


Test Site :SAC 3

Test Date :2024-05-08

Temp./Humi. :22.9°C/62%

Antenna Pol. :Vertical

Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2380.23 | Peak     | 54.26         | -4.60  | 49.66  | 74.00  | -24.34 |
| 2389.48 | Average  | 43.94         | -4.62  | 39.32  | 54.00  | -14.68 |
| 2412.00 | Peak     | 103.11        | -4.70  | 98.41  | -      | -      |
| 2412.00 | Average  | 100.16        | -4.70  | 95.46  | -      | -      |
| 2483.52 | Average  | 44.36         | -4.85  | 39.51  | 54.00  | -14.49 |
| 2486.27 | Peak     | 54.91         | -4.84  | 50.07  | 74.00  | -23.93 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.87 | Peak     | 54.97         | -4.63  | 50.34  | 74.00  | -23.66 |
| 2389.87 | Average  | 43.84         | -4.63  | 39.21  | 54.00  | -14.79 |
| 2412.00 | Peak     | 108.37        | -4.70  | 103.67 | -      | -      |
| 2412.00 | Average  | 105.51        | -4.70  | 100.81 | -      | -      |
| 2483.52 | Average  | 44.54         | -4.85  | 39.69  | 54.00  | -14.31 |
| 2490.99 | Peak     | 55.24         | -4.84  | 50.40  | 74.00  | -23.60 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2314.72 | Average  | 43.88         | -4.49  | 39.39        | 54.00        | -14.61 |
| 2373.35 | Peak     | 54.40         | -4.60  | 49.80        | 74.00        | -24.20 |
| 2462.00 | Peak     | 99.43         | -4.87  | 94.56        | -            | -      |
| 2462.00 | Average  | 96.55         | -4.87  | 91.68        | -            | -      |
| 2487.06 | Peak     | 54.00         | -4.84  | 49.16        | 74.00        | -24.84 |
| 2491.19 | Average  | 43.96         | -4.84  | 39.12        | 54.00        | -14.88 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2354.66 | Peak     | 54.74         | -4.56  | 50.18        | 74.00        | -23.82 |
| 2389.68 | Average  | 44.42         | -4.62  | 39.80        | 54.00        | -14.20 |
| 2462.00 | Peak     | 108.90        | -4.87  | 104.03       | -            | -      |
| 2462.00 | Average  | 106.20        | -4.87  | 101.33       | -            | -      |
| 2483.52 | Peak     | 54.70         | -4.85  | 49.85        | 74.00        | -24.15 |
| 2484.11 | Average  | 45.27         | -4.85  | 40.42        | 54.00        | -13.58 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.68 | Peak     | 56.73         | -4.62  | 52.11  | 74.00  | -21.89 |
| 2389.87 | Average  | 45.53         | -4.63  | 40.90  | 54.00  | -13.10 |
| 2412.00 | Peak     | 106.80        | -4.70  | 102.10 | -      | -      |
| 2412.00 | Average  | 99.15         | -4.70  | 94.45  | -      | -      |
| 2492.37 | Average  | 44.61         | -4.84  | 39.77  | 54.00  | -14.23 |
| 2496.11 | Peak     | 55.11         | -4.83  | 50.28  | 74.00  | -23.72 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2389.68 | Peak     | 58.29         | -4.62  | 53.67        | 74.00        | -20.33 |
| 2389.87 | Average  | 46.69         | -4.63  | 42.06        | 54.00        | -11.94 |
| 2412.00 | Peak     | 109.79        | -4.70  | 105.09       | -            | -      |
| 2412.00 | Average  | 102.21        | -4.70  | 97.51        | -            | -      |
| 2484.50 | Peak     | 54.71         | -4.85  | 49.86        | 74.00        | -24.14 |
| 2484.50 | Average  | 44.99         | -4.85  | 40.14        | 54.00        | -13.86 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2321.21 | Peak     | 54.24         | -4.49  | 49.75  | 74.00  | -24.25 |
| 2362.33 | Average  | 43.79         | -4.57  | 39.22  | 54.00  | -14.78 |
| 2462.00 | Peak     | 107.85        | -4.87  | 102.98 | -      | -      |
| 2462.00 | Average  | 100.23        | -4.87  | 95.36  | -      | -      |
| 2483.52 | Average  | 46.86         | -4.85  | 42.01  | 54.00  | -11.99 |
| 2484.90 | Peak     | 60.05         | -4.84  | 55.21  | 74.00  | -18.79 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2359.18 | Peak     | 54.53         | -4.57  | 49.96        | 74.00        | -24.04 |
| 2389.28 | Average  | 44.31         | -4.62  | 39.69        | 54.00        | -14.31 |
| 2462.00 | Peak     | 110.29        | -4.87  | 105.42       | -            | -      |
| 2462.00 | Average  | 102.67        | -4.87  | 97.80        | -            | -      |
| 2483.52 | Average  | 49.56         | -4.85  | 44.71        | 54.00        | -9.29  |
| 2483.72 | Peak     | 63.79         | -4.85  | 58.94        | 74.00        | -15.06 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.28 | Average  | 47.27         | -4.62  | 42.65  | 54.00  | -11.35 |
| 2389.87 | Peak     | 58.79         | -4.63  | 54.16  | 74.00  | -19.84 |
| 2412.00 | Peak     | 110.00        | -4.70  | 105.30 | -      | -      |
| 2412.00 | Average  | 99.90         | -4.70  | 95.20  | -      | -      |
| 2483.52 | Average  | 44.37         | -4.85  | 39.52  | 54.00  | -14.48 |
| 2488.63 | Peak     | 54.49         | -4.84  | 49.65  | 74.00  | -24.35 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2387.91 | Peak     | 61.11         | -4.62  | 56.49  | 74.00  | -17.51 |
| 2389.68 | Average  | 49.21         | -4.62  | 44.59  | 54.00  | -9.41  |
| 2412.00 | Peak     | 111.72        | -4.70  | 107.02 | -      | -      |
| 2412.00 | Average  | 101.94        | -4.70  | 97.24  | -      | -      |
| 2483.52 | Average  | 45.00         | -4.85  | 40.15  | 54.00  | -13.85 |
| 2485.49 | Peak     | 54.71         | -4.84  | 49.87  | 74.00  | -24.13 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 26\_0  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2311.77 | Peak     | 54.56         | -4.48  | 50.08        | 74.00        | -23.92 |
| 2352.89 | Average  | 43.81         | -4.56  | 39.25        | 54.00        | -14.75 |
| 2412.00 | Peak     | 102.64        | -4.70  | 97.94        | -            | -      |
| 2412.00 | Average  | 93.90         | -4.70  | 89.20        | -            | -      |
| 2492.17 | Peak     | 54.80         | -4.84  | 49.96        | 74.00        | -24.04 |
| 2499.45 | Average  | 44.04         | -4.83  | 39.21        | 54.00        | -14.79 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 26\_0  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.87 | Peak     | 58.58         | -4.63  | 53.95  | 74.00  | -20.05 |
| 2389.87 | Average  | 46.61         | -4.63  | 41.98  | 54.00  | -12.02 |
| 2412.00 | Peak     | 111.69        | -4.70  | 106.99 | -      | -      |
| 2412.00 | Average  | 103.54        | -4.70  | 98.84  | -      | -      |
| 2483.52 | Peak     | 53.85         | -4.85  | 49.00  | 74.00  | -25.00 |
| 2484.50 | Average  | 44.43         | -4.85  | 39.58  | 54.00  | -14.42 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 52\_37  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2311.18 | Average  | 43.75         | -4.48  | 39.27  | 54.00  | -14.73 |
| 2313.54 | Peak     | 54.59         | -4.49  | 50.10  | 74.00  | -23.90 |
| 2412.00 | Peak     | 101.16        | -4.70  | 96.46  | -      | -      |
| 2412.00 | Average  | 91.21         | -4.70  | 86.51  | -      | -      |
| 2488.04 | Peak     | 54.47         | -4.84  | 49.63  | 74.00  | -24.37 |
| 2497.68 | Average  | 44.06         | -4.83  | 39.23  | 54.00  | -14.77 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 52\_37  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2387.51 | Average  | 44.93         | -4.62  | 40.31  | 54.00  | -13.69 |
| 2389.87 | Peak     | 62.40         | -4.63  | 57.77  | 74.00  | -16.23 |
| 2412.00 | Peak     | 111.20        | -4.70  | 106.50 | -      | -      |
| 2412.00 | Average  | 101.17        | -4.70  | 96.47  | -      | -      |
| 2486.08 | Average  | 44.08         | -4.84  | 39.24  | 54.00  | -14.76 |
| 2494.73 | Peak     | 54.29         | -4.84  | 49.45  | 74.00  | -24.55 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106\_53  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2314.92 | Average  | 43.72         | -4.49  | 39.23  | 54.00  | -14.77 |
| 2337.35 | Peak     | 54.89         | -4.52  | 50.37  | 74.00  | -23.63 |
| 2412.00 | Peak     | 98.71         | -4.70  | 94.01  | -      | -      |
| 2412.00 | Average  | 88.28         | -4.70  | 83.58  | -      | -      |
| 2493.95 | Average  | 44.03         | -4.84  | 39.19  | 54.00  | -14.81 |
| 2499.06 | Peak     | 54.83         | -4.83  | 50.00  | 74.00  | -24.00 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106\_53  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.87 | Peak     | 60.50         | -4.63  | 55.87  | 74.00  | -18.13 |
| 2389.87 | Average  | 47.50         | -4.63  | 42.87  | 54.00  | -11.13 |
| 2412.00 | Peak     | 109.65        | -4.70  | 104.95 | -      | -      |
| 2412.00 | Average  | 99.00         | -4.70  | 94.30  | -      | -      |
| 2484.90 | Peak     | 54.82         | -4.84  | 49.98  | 74.00  | -24.02 |
| 2485.68 | Average  | 44.11         | -4.84  | 39.27  | 54.00  | -14.73 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2389.68 | Peak     | 56.58         | -4.62  | 51.96        | 74.00        | -22.04 |
| 2389.87 | Average  | 44.69         | -4.63  | 40.06        | 54.00        | -13.94 |
| 2412.00 | Peak     | 102.60        | -4.70  | 97.90        | -            | -      |
| 2412.00 | Average  | 91.44         | -4.70  | 86.74        | -            | -      |
| 2496.31 | Average  | 44.20         | -4.83  | 39.37        | 54.00        | -14.63 |
| 2499.06 | Peak     | 54.76         | -4.83  | 49.93        | 74.00        | -24.07 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2388.10 | Average  | 46.92         | -4.62  | 42.30  | 54.00  | -11.70 |
| 2389.87 | Peak     | 64.73         | -4.63  | 60.10  | 74.00  | -13.90 |
| 2412.00 | Peak     | 109.95        | -4.70  | 105.25 | -      | -      |
| 2412.00 | Average  | 99.62         | -4.70  | 94.92  | -      | -      |
| 2484.50 | Average  | 44.41         | -4.85  | 39.56  | 54.00  | -14.44 |
| 2485.09 | Peak     | 54.72         | -4.84  | 49.88  | 74.00  | -24.12 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2320.03 | Average  | 43.77         | -4.50  | 39.27        | 54.00        | -14.73 |
| 2389.68 | Peak     | 54.99         | -4.62  | 50.37        | 74.00        | -23.63 |
| 2412.00 | Peak     | 99.68         | -4.70  | 94.98        | -            | -      |
| 2412.00 | Average  | 89.40         | -4.70  | 84.70        | -            | -      |
| 2493.95 | Peak     | 54.60         | -4.84  | 49.76        | 74.00        | -24.24 |
| 2494.34 | Average  | 44.24         | -4.84  | 39.40        | 54.00        | -14.60 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :2412 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.87 | Peak     | 60.26         | -4.63  | 55.63  | 74.00  | -18.37 |
| 2389.87 | Average  | 46.79         | -4.63  | 42.16  | 54.00  | -11.84 |
| 2412.00 | Peak     | 109.80        | -4.70  | 105.10 | -      | -      |
| 2412.00 | Average  | 98.71         | -4.70  | 94.01  | -      | -      |
| 2484.70 | Average  | 44.60         | -4.85  | 39.75  | 54.00  | -14.25 |
| 2487.85 | Peak     | 54.56         | -4.84  | 49.72  | 74.00  | -24.28 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2315.71 | Peak     | 54.24         | -4.49  | 49.75  | 74.00  | -24.25 |
| 2358.59 | Average  | 43.95         | -4.57  | 39.38  | 54.00  | -14.62 |
| 2462.00 | Peak     | 108.80        | -4.87  | 103.93 | -      | -      |
| 2462.00 | Average  | 99.22         | -4.87  | 94.35  | -      | -      |
| 2483.52 | Peak     | 58.03         | -4.85  | 53.18  | 74.00  | -20.82 |
| 2483.52 | Average  | 47.49         | -4.85  | 42.64  | 54.00  | -11.36 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2364.50 | Peak     | 54.92         | -4.57  | 50.35        | 74.00        | -23.65 |
| 2389.68 | Average  | 44.40         | -4.62  | 39.78        | 54.00        | -14.22 |
| 2462.00 | Peak     | 111.19        | -4.87  | 106.32       | -            | -      |
| 2462.00 | Average  | 102.04        | -4.87  | 97.17        | -            | -      |
| 2483.52 | Average  | 51.91         | -4.85  | 47.06        | 54.00        | -6.94  |
| 2484.50 | Peak     | 63.62         | -4.85  | 58.77        | 74.00        | -15.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 26\_8  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2333.81 | Average  | 43.72         | -4.53  | 39.19        | 54.00        | -14.81 |
| 2350.33 | Peak     | 54.88         | -4.55  | 50.33        | 74.00        | -23.67 |
| 2462.00 | Peak     | 114.16        | -4.87  | 109.29       | -            | -      |
| 2462.00 | Average  | 104.82        | -4.87  | 99.95        | -            | -      |
| 2483.72 | Peak     | 61.14         | -4.85  | 56.29        | 74.00        | -17.71 |
| 2485.29 | Average  | 44.77         | -4.84  | 39.93        | 54.00        | -14.07 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 26\_8  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2328.89 | Average  | 43.82         | -4.51  | 39.31  | 54.00  | -14.69 |
| 2362.33 | Peak     | 54.46         | -4.57  | 49.89  | 74.00  | -24.11 |
| 2462.00 | Peak     | 114.48        | -4.87  | 109.61 | -      | -      |
| 2462.00 | Average  | 105.31        | -4.87  | 100.44 | -      | -      |
| 2483.72 | Peak     | 61.56         | -4.85  | 56.71  | 74.00  | -17.29 |
| 2483.91 | Average  | 46.87         | -4.85  | 42.02  | 54.00  | -11.98 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 52\_40  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2339.90 | Average  | 43.75         | -4.53  | 39.22  | 54.00  | -14.78 |
| 2371.38 | Peak     | 55.61         | -4.59  | 51.02  | 74.00  | -22.98 |
| 2462.00 | Peak     | 111.54        | -4.87  | 106.67 | -      | -      |
| 2462.00 | Average  | 102.11        | -4.87  | 97.24  | -      | -      |
| 2484.31 | Average  | 46.62         | -4.85  | 41.77  | 54.00  | -12.23 |
| 2484.90 | Peak     | 60.05         | -4.84  | 55.21  | 74.00  | -18.79 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
 Operation Mode :802.11be20 RU 52\_40  
 Test Frequency :2462 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC 3  
 Test Date :2024-05-08  
 Temp./Humi. :22.9°C/62%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2310.98 | Peak     | 54.25         | -4.48  | 49.77        | 74.00        | -24.23 |
| 2316.10 | Average  | 43.79         | -4.49  | 39.30        | 54.00        | -14.70 |
| 2462.00 | Peak     | 111.11        | -4.87  | 106.24       | -            | -      |
| 2462.00 | Average  | 102.26        | -4.87  | 97.39        | -            | -      |
| 2484.50 | Average  | 46.60         | -4.85  | 41.75        | 54.00        | -12.25 |
| 2484.70 | Peak     | 60.80         | -4.85  | 55.95        | 74.00        | -18.05 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106\_54  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2347.18 | Average  | 43.82         | -4.54  | 39.28  | 54.00  | -14.72 |
| 2377.09 | Peak     | 54.43         | -4.60  | 49.83  | 74.00  | -24.17 |
| 2462.00 | Peak     | 109.29        | -4.87  | 104.42 | -      | -      |
| 2462.00 | Average  | 99.03         | -4.87  | 94.16  | -      | -      |
| 2483.52 | Average  | 45.69         | -4.85  | 40.84  | 54.00  | -13.16 |
| 2485.49 | Peak     | 60.75         | -4.84  | 55.91  | 74.00  | -18.09 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106\_54  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2319.84 | Peak     | 54.37         | -4.50  | 49.87        | 74.00        | -24.13 |
| 2387.71 | Average  | 44.11         | -4.62  | 39.49        | 54.00        | -14.51 |
| 2462.00 | Peak     | 110.40        | -4.87  | 105.53       | -            | -      |
| 2462.00 | Average  | 99.73         | -4.87  | 94.86        | -            | -      |
| 2484.70 | Average  | 46.75         | -4.85  | 41.90        | 54.00        | -12.10 |
| 2485.29 | Peak     | 61.69         | -4.84  | 56.85        | 74.00        | -17.15 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2329.28 | Peak     | 54.23         | -4.51  | 49.72        | 74.00        | -24.28 |
| 2389.87 | Average  | 43.91         | -4.63  | 39.28        | 54.00        | -14.72 |
| 2462.00 | Peak     | 103.72        | -4.87  | 98.85        | -            | -      |
| 2462.00 | Average  | 93.45         | -4.87  | 88.58        | -            | -      |
| 2483.52 | Average  | 45.51         | -4.85  | 40.66        | 54.00        | -13.34 |
| 2484.11 | Peak     | 61.28         | -4.85  | 56.43        | 74.00        | -17.57 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2388.69 | Peak     | 54.89         | -4.62  | 50.27        | 74.00        | -23.73 |
| 2389.48 | Average  | 43.96         | -4.62  | 39.34        | 54.00        | -14.66 |
| 2462.00 | Peak     | 111.66        | -4.87  | 106.79       | -            | -      |
| 2462.00 | Average  | 101.34        | -4.87  | 96.47        | -            | -      |
| 2483.91 | Peak     | 68.37         | -4.85  | 63.52        | 74.00        | -10.48 |
| 2486.08 | Average  | 44.64         | -4.84  | 39.80        | 54.00        | -14.20 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106+26MRU2  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2323.77 | Average  | 43.67         | -4.50  | 39.17  | 54.00  | -14.83 |
| 2377.68 | Peak     | 54.56         | -4.61  | 49.95  | 74.00  | -24.05 |
| 2462.00 | Peak     | 109.74        | -4.87  | 104.87 | -      | -      |
| 2462.00 | Average  | 98.09         | -4.87  | 93.22  | -      | -      |
| 2483.52 | Average  | 48.32         | -4.85  | 43.47  | 54.00  | -10.53 |
| 2483.91 | Peak     | 65.39         | -4.85  | 60.54  | 74.00  | -13.46 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU 106+26MRU2  
Test Frequency :2462 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2339.12 | Peak     | 54.58         | -4.53  | 50.05  | 74.00  | -23.95 |
| 2349.15 | Average  | 45.87         | -4.55  | 41.32  | 54.00  | -12.68 |
| 2462.00 | Peak     | 109.42        | -4.87  | 104.55 | -      | -      |
| 2462.00 | Average  | 101.32        | -4.87  | 96.45  | -      | -      |
| 2483.52 | Average  | 51.18         | -4.85  | 46.33  | 54.00  | -7.67  |
| 2483.91 | Peak     | 63.95         | -4.85  | 59.10  | 74.00  | -14.90 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.09 | Peak     | 60.70         | -4.62  | 56.08  | 74.00  | -17.92 |
| 2389.68 | Average  | 50.18         | -4.62  | 45.56  | 54.00  | -8.44  |
| 2422.00 | Peak     | 107.40        | -4.75  | 102.65 | -      | -      |
| 2422.00 | Average  | 97.31         | -4.75  | 92.56  | -      | -      |
| 2483.52 | Peak     | 55.40         | -4.85  | 50.55  | 74.00  | -23.45 |
| 2483.52 | Average  | 44.79         | -4.85  | 39.94  | 54.00  | -14.06 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2387.91 | Peak     | 59.86         | -4.62  | 55.24        | 74.00        | -18.76 |
| 2387.91 | Average  | 49.44         | -4.62  | 44.82        | 54.00        | -9.18  |
| 2422.00 | Peak     | 108.29        | -4.75  | 103.54       | -            | -      |
| 2422.00 | Average  | 98.18         | -4.75  | 93.43        | -            | -      |
| 2484.70 | Peak     | 56.13         | -4.85  | 51.28        | 74.00        | -22.72 |
| 2484.90 | Average  | 45.69         | -4.84  | 40.85        | 54.00        | -13.15 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 242\_61  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site : SAC 3  
Test Date : 2024-05-08  
Temp./Humi. : 22.9°C / 62%  
Antenna Pol. : Vertical  
Engineer : Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBµV          | dB     | dBµV/m | dBµV/m | dB     |
| 2389.87 | Peak     | 68.24         | -4.63  | 63.61  | 74.00  | -10.39 |
| 2389.87 | Average  | 54.68         | -4.63  | 50.05  | 54.00  | -3.95  |
| 2422.00 | Peak     | 105.52        | -4.75  | 100.77 | -      | -      |
| 2422.00 | Average  | 95.16         | -4.75  | 90.41  | -      | -      |
| 2489.22 | Average  | 44.02         | -4.84  | 39.18  | 54.00  | -14.82 |
| 2493.16 | Peak     | 54.18         | -4.84  | 49.34  | 74.00  | -24.66 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 242\_61  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.87 | Peak     | 65.35         | -4.63  | 60.72  | 74.00  | -13.28 |
| 2389.87 | Average  | 53.10         | -4.63  | 48.47  | 54.00  | -5.53  |
| 2422.00 | Peak     | 106.67        | -4.75  | 101.92 | -      | -      |
| 2422.00 | Average  | 97.20         | -4.75  | 92.45  | -      | -      |
| 2483.52 | Average  | 44.22         | -4.85  | 39.37  | 54.00  | -14.63 |
| 2483.91 | Peak     | 54.66         | -4.85  | 49.81  | 74.00  | -24.19 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 52+26MRU1  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2389.28 | Average  | 47.15         | -4.62  | 42.53        | 54.00        | -11.47 |
| 2389.68 | Peak     | 61.77         | -4.62  | 57.15        | 74.00        | -16.85 |
| 2422.00 | Peak     | 110.44        | -4.75  | 105.69       | -            | -      |
| 2422.00 | Average  | 100.16        | -4.75  | 95.41        | -            | -      |
| 2484.90 | Average  | 43.92         | -4.84  | 39.08        | 54.00        | -14.92 |
| 2493.35 | Peak     | 54.50         | -4.84  | 49.66        | 74.00        | -24.34 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 52+26MRU1  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2389.28 | Average  | 49.35         | -4.62  | 44.73        | 54.00        | -9.27  |
| 2389.87 | Peak     | 65.68         | -4.63  | 61.05        | 74.00        | -12.95 |
| 2422.00 | Peak     | 111.98        | -4.75  | 107.23       | -            | -      |
| 2422.00 | Average  | 101.95        | -4.75  | 97.20        | -            | -      |
| 2483.72 | Average  | 44.03         | -4.85  | 39.18        | 54.00        | -14.82 |
| 2484.31 | Peak     | 54.23         | -4.85  | 49.38        | 74.00        | -24.62 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 106+26MRU1  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2389.68 | Peak     | 61.14         | -4.62  | 56.52        | 74.00        | -17.48 |
| 2389.68 | Average  | 45.73         | -4.62  | 41.11        | 54.00        | -12.89 |
| 2422.00 | Peak     | 108.31        | -4.75  | 103.56       | -            | -      |
| 2422.00 | Average  | 97.90         | -4.75  | 93.15        | -            | -      |
| 2485.88 | Average  | 43.90         | -4.84  | 39.06        | 54.00        | -14.94 |
| 2499.26 | Peak     | 54.10         | -4.83  | 49.27        | 74.00        | -24.73 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 106+26MRU1  
Test Frequency :2422 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2389.87 | Peak     | 64.42         | -4.63  | 59.79  | 74.00  | -14.21 |
| 2389.87 | Average  | 46.86         | -4.63  | 42.23  | 54.00  | -11.77 |
| 2422.00 | Peak     | 111.16        | -4.75  | 106.41 | -      | -      |
| 2422.00 | Average  | 100.03        | -4.75  | 95.28  | -      | -      |
| 2484.11 | Average  | 43.94         | -4.85  | 39.09  | 54.00  | -14.91 |
| 2485.68 | Peak     | 53.66         | -4.84  | 48.82  | 74.00  | -25.18 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
|         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2322.39 | Peak     | 54.21         | -4.49  | 49.72  | 74.00  | -24.28 |
| 2389.87 | Average  | 44.78         | -4.63  | 40.15  | 54.00  | -13.85 |
| 2452.00 | Peak     | 107.73        | -4.88  | 102.85 | -      | -      |
| 2452.00 | Average  | 97.26         | -4.88  | 92.38  | -      | -      |
| 2483.52 | Average  | 49.14         | -4.85  | 44.29  | 54.00  | -9.71  |
| 2483.91 | Peak     | 59.41         | -4.85  | 54.56  | 74.00  | -19.44 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2389.28 | Peak     | 54.54         | -4.62  | 49.92        | 74.00        | -24.08 |
| 2389.87 | Average  | 44.97         | -4.63  | 40.34        | 54.00        | -13.66 |
| 2452.00 | Peak     | 108.58        | -4.88  | 103.70       | -            | -      |
| 2452.00 | Average  | 98.64         | -4.88  | 93.76        | -            | -      |
| 2484.31 | Average  | 49.07         | -4.85  | 44.22        | 54.00        | -9.78  |
| 2487.65 | Peak     | 61.45         | -4.84  | 56.61        | 74.00        | -17.39 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 242\_62  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2352.30 | Average  | 43.72         | -4.55  | 39.17  | 54.00  | -14.83 |
| 2360.56 | Peak     | 55.21         | -4.57  | 50.64  | 74.00  | -23.36 |
| 2452.00 | Peak     | 106.46        | -4.88  | 101.58 | -      | -      |
| 2452.00 | Average  | 96.12         | -4.88  | 91.24  | -      | -      |
| 2483.52 | Peak     | 67.55         | -4.85  | 62.70  | 74.00  | -11.30 |
| 2483.52 | Average  | 54.69         | -4.85  | 49.84  | 54.00  | -4.16  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 242\_62  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2383.18 | Peak     | 54.62         | -4.61  | 50.01  | 74.00  | -23.99 |
| 2388.89 | Average  | 44.01         | -4.62  | 39.39  | 54.00  | -14.61 |
| 2452.00 | Peak     | 107.54        | -4.88  | 102.66 | -      | -      |
| 2452.00 | Average  | 97.53         | -4.88  | 92.65  | -      | -      |
| 2483.52 | Peak     | 68.87         | -4.85  | 64.02  | 74.00  | -9.98  |
| 2483.72 | Average  | 56.83         | -4.85  | 51.98  | 54.00  | -2.02  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 52+26MRU6  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2319.64 | Peak     | 54.67         | -4.50  | 50.17        | 74.00        | -23.83 |
| 2350.72 | Average  | 43.87         | -4.55  | 39.32        | 54.00        | -14.68 |
| 2452.00 | Peak     | 111.67        | -4.88  | 106.79       | -            | -      |
| 2452.00 | Average  | 101.24        | -4.88  | 96.36        | -            | -      |
| 2483.91 | Average  | 49.87         | -4.85  | 45.02        | 54.00        | -8.98  |
| 2484.11 | Peak     | 68.22         | -4.85  | 63.37        | 74.00        | -10.63 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 52+26MRU6  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2326.53 | Peak     | 54.97         | -4.50  | 50.47        | 74.00        | -23.53 |
| 2362.33 | Average  | 43.82         | -4.57  | 39.25        | 54.00        | -14.75 |
| 2452.00 | Peak     | 111.38        | -4.88  | 106.50       | -            | -      |
| 2452.00 | Average  | 101.34        | -4.88  | 96.46        | -            | -      |
| 2483.91 | Average  | 50.78         | -4.85  | 45.93        | 54.00        | -8.07  |
| 2484.50 | Peak     | 67.87         | -4.85  | 63.02        | 74.00        | -10.98 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 106+26MRU4  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2312.75 | Average  | 43.67         | -4.49  | 39.18        | 54.00        | -14.82 |
| 2316.89 | Peak     | 54.62         | -4.49  | 50.13        | 74.00        | -23.87 |
| 2452.00 | Peak     | 107.08        | -4.88  | 102.20       | -            | -      |
| 2452.00 | Average  | 97.73         | -4.88  | 92.85        | -            | -      |
| 2483.52 | Average  | 46.05         | -4.85  | 41.20        | 54.00        | -12.80 |
| 2483.72 | Peak     | 61.99         | -4.85  | 57.14        | 74.00        | -16.86 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU 106+26MRU4  
Test Frequency :2452 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
|         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2355.25 | Peak     | 54.72         | -4.56  | 50.16        | 74.00        | -23.84 |
| 2389.48 | Average  | 44.02         | -4.62  | 39.40        | 54.00        | -14.60 |
| 2452.00 | Peak     | 111.48        | -4.88  | 106.60       | -            | -      |
| 2452.00 | Average  | 100.49        | -4.88  | 95.61        | -            | -      |
| 2483.52 | Peak     | 61.51         | -4.85  | 56.66        | 74.00        | -17.34 |
| 2483.72 | Average  | 47.02         | -4.85  | 42.17        | 54.00        | -11.83 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.6.2 Spurious Emission:

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.  | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|--------|----------|---------------|--------|--------|--------|--------|
| MHz    | Mode     | Reading Level |        | FS     | @3m    |        |
|        | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 66.55  | Peak     | 31.47         | -10.53 | 20.94  | 40.00  | -19.06 |
| 157.44 | Peak     | 27.60         | -8.03  | 19.57  | 43.50  | -23.93 |
| 273.88 | Peak     | 31.22         | -7.80  | 23.42  | 46.00  | -22.58 |
| 311.39 | Peak     | 38.66         | -6.72  | 31.94  | 46.00  | -14.06 |
| 326.27 | Peak     | 38.71         | -6.48  | 32.23  | 46.00  | -13.77 |
| 475.06 | Peak     | 28.49         | -3.53  | 24.96  | 46.00  | -21.04 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.  | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|--------|----------|---------------|--------|--------|--------|--------|
| MHz    | Mode     | Reading Level |        | FS     | @3m    |        |
|        | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 52.96  | Peak     | 27.82         | -8.68  | 19.14  | 40.00  | -20.86 |
| 147.09 | Peak     | 27.60         | -8.27  | 19.33  | 43.50  | -24.17 |
| 157.44 | Peak     | 27.38         | -8.03  | 19.35  | 43.50  | -24.15 |
| 212.74 | Peak     | 28.06         | -10.32 | 17.74  | 43.50  | -25.76 |
| 345.68 | Peak     | 27.50         | -6.17  | 21.33  | 46.00  | -24.67 |
| 453.71 | Peak     | 28.43         | -3.70  | 24.73  | 46.00  | -21.27 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2412 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4824.00 | Peak     | 42.77         | -0.10  | 42.67        | 74.00        | -31.33 |
| 4824.00 | Average  | 32.84         | -0.10  | 32.74        | 54.00        | -21.26 |
| 7236.00 | Peak     | 41.18         | 5.31   | 46.49        | 74.00        | -27.51 |
| 7236.00 | Average  | 30.79         | 5.31   | 36.10        | 54.00        | -17.90 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2412 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4824.00 | Peak     | 43.57         | -0.10  | 43.47  | 74.00  | -30.53 |
| 4824.00 | Average  | 32.85         | -0.10  | 32.75  | 54.00  | -21.25 |
| 7236.00 | Peak     | 40.32         | 5.31   | 45.63  | 74.00  | -28.37 |
| 7236.00 | Average  | 30.75         | 5.31   | 36.06  | 54.00  | -17.94 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4874.00 | Peak     | 41.26         | -0.51  | 40.75        | 74.00        | -33.25 |
| 4874.00 | Average  | 32.02         | -0.51  | 31.51        | 54.00        | -22.49 |
| 7311.00 | Peak     | 39.61         | 5.29   | 44.90        | 74.00        | -29.10 |
| 7311.00 | Average  | 30.87         | 5.29   | 36.16        | 54.00        | -17.84 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4874.00 | Peak     | 41.51         | -0.51  | 41.00        | 74.00        | -33.00 |
| 4874.00 | Average  | 31.98         | -0.51  | 31.47        | 54.00        | -22.53 |
| 7311.00 | Peak     | 38.86         | 5.29   | 44.15        | 74.00        | -29.85 |
| 7311.00 | Average  | 30.75         | 5.29   | 36.04        | 54.00        | -17.96 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2462 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4924.00 | Peak     | 41.26         | -0.37  | 40.89  | 74.00  | -33.11 |
| 4924.00 | Average  | 31.32         | -0.37  | 30.95  | 54.00  | -23.05 |
| 7386.00 | Peak     | 39.73         | 4.98   | 44.71  | 74.00  | -29.29 |
| 7386.00 | Average  | 30.62         | 4.98   | 35.60  | 54.00  | -18.40 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11b  
Test Frequency :2462 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4924.00 | Peak     | 40.82         | -0.37  | 40.45        | 74.00        | -33.55 |
| 4924.00 | Average  | 31.44         | -0.37  | 31.07        | 54.00        | -22.93 |
| 7386.00 | Peak     | 39.60         | 4.98   | 44.58        | 74.00        | -29.42 |
| 7386.00 | Average  | 30.64         | 4.98   | 35.62        | 54.00        | -18.38 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2412 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4824.00 | Peak     | 41.93         | -0.54  | 41.39  | 74.00  | -32.61 |
| 4824.00 | Average  | 32.83         | -0.54  | 32.29  | 54.00  | -21.71 |
| 7236.00 | Peak     | 39.57         | 5.19   | 44.76  | 74.00  | -29.24 |
| 7236.00 | Average  | 30.82         | 5.19   | 36.01  | 54.00  | -17.99 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2412 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4824.00 | Peak     | 42.52         | -0.54  | 41.98        | 74.00        | -32.02 |
| 4824.00 | Average  | 32.83         | -0.54  | 32.29        | 54.00        | -21.71 |
| 7236.00 | Peak     | 40.21         | 5.19   | 45.40        | 74.00        | -28.60 |
| 7236.00 | Average  | 30.83         | 5.19   | 36.02        | 54.00        | -17.98 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4874.00 | Peak     | 41.03         | -0.51  | 40.52        | 74.00        | -33.48 |
| 4874.00 | Average  | 31.82         | -0.51  | 31.31        | 54.00        | -22.69 |
| 7311.00 | Peak     | 39.77         | 5.29   | 45.06        | 74.00        | -28.94 |
| 7311.00 | Average  | 30.81         | 5.29   | 36.10        | 54.00        | -17.90 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4874.00 | Peak     | 41.43         | -0.51  | 40.92  | 74.00  | -33.08 |
| 4874.00 | Average  | 31.78         | -0.51  | 31.27  | 54.00  | -22.73 |
| 7311.00 | Peak     | 40.91         | 5.29   | 46.20  | 74.00  | -27.80 |
| 7311.00 | Average  | 30.80         | 5.29   | 36.09  | 54.00  | -17.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2462 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4924.00 | Peak     | 40.97         | -0.37  | 40.60  | 74.00  | -33.40 |
| 4924.00 | Average  | 31.57         | -0.37  | 31.20  | 54.00  | -22.80 |
| 7386.00 | Peak     | 39.09         | 4.98   | 44.07  | 74.00  | -29.93 |
| 7386.00 | Average  | 30.72         | 4.98   | 35.70  | 54.00  | -18.30 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11g  
Test Frequency :2462 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4924.00 | Peak     | 39.63         | -0.37  | 39.26  | 74.00  | -34.74 |
| 4924.00 | Average  | 31.47         | -0.37  | 31.10  | 54.00  | -22.90 |
| 7386.00 | Peak     | 41.02         | 4.98   | 46.00  | 74.00  | -28.00 |
| 7386.00 | Average  | 30.75         | 4.98   | 35.73  | 54.00  | -18.27 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2412 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4824.00 | Peak     | 42.54         | -0.54  | 42.00  | 74.00  | -32.00 |
| 4824.00 | Average  | 32.81         | -0.54  | 32.27  | 54.00  | -21.73 |
| 7236.00 | Peak     | 41.00         | 5.19   | 46.19  | 74.00  | -27.81 |
| 7236.00 | Average  | 30.81         | 5.19   | 36.00  | 54.00  | -18.00 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2412 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector      | Spectrum | Factor | Actual | Limit  | Margin |
|---------|---------------|----------|--------|--------|--------|--------|
| Mode    | Reading Level |          |        | FS     | @3m    |        |
| MHz     | PK/QP/AV      | dBuV     | dB     | dBuV/m | dBuV/m | dB     |
| 4824.00 | Peak          | 43.83    | -0.54  | 43.29  | 74.00  | -30.71 |
| 4824.00 | Average       | 32.79    | -0.54  | 32.25  | 54.00  | -21.75 |
| 7236.00 | Peak          | 39.82    | 5.19   | 45.01  | 74.00  | -28.99 |
| 7236.00 | Average       | 30.78    | 5.19   | 35.97  | 54.00  | -18.03 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :2437 MHz  
 Test Mode :Tx  
 EUT Pol :E2 Plane

Test Site :SAC 3  
 Test Date :2024-05-08  
 Temp./Humi. :22.9°C/62%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| MHz     | Mode     | Reading Level |        | FS     | @3m    |        |
|         | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4874.00 | Peak     | 40.60         | -0.51  | 40.09  | 74.00  | -33.91 |
| 4874.00 | Average  | 31.76         | -0.51  | 31.25  | 54.00  | -22.75 |
| 7311.00 | Peak     | 40.08         | 5.29   | 45.37  | 74.00  | -28.63 |
| 7311.00 | Average  | 30.75         | 5.29   | 36.04  | 54.00  | -17.96 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 4874.00 | Peak     | 41.10         | -0.51  | 40.59  | 74.00  | -33.41 |
| 4874.00 | Average  | 31.71         | -0.51  | 31.20  | 54.00  | -22.80 |
| 7311.00 | Peak     | 39.40         | 5.29   | 44.69  | 74.00  | -29.31 |
| 7311.00 | Average  | 30.74         | 5.29   | 36.03  | 54.00  | -17.97 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2462 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4924.00 | Peak     | 41.65         | -0.37  | 41.28  | 74.00  | -32.72 |
| 4924.00 | Average  | 30.93         | -0.37  | 30.56  | 54.00  | -23.44 |
| 7386.00 | Peak     | 40.60         | 4.98   | 45.58  | 74.00  | -28.42 |
| 7386.00 | Average  | 30.73         | 4.98   | 35.71  | 54.00  | -18.29 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :2462 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4924.00 | Peak     | 41.27         | -0.37  | 40.90        | 74.00        | -33.10 |
| 4924.00 | Average  | 30.84         | -0.37  | 30.47        | 54.00        | -23.53 |
| 7386.00 | Peak     | 39.70         | 4.98   | 44.68        | 74.00        | -29.32 |
| 7386.00 | Average  | 30.74         | 4.98   | 35.72        | 54.00        | -18.28 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2422 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4844.00 | Peak     | 41.49         | -0.50  | 40.99  | 74.00  | -33.01 |
| 4844.00 | Average  | 32.84         | -0.50  | 32.34  | 54.00  | -21.66 |
| 7266.00 | Peak     | 39.80         | 5.27   | 45.07  | 74.00  | -28.93 |
| 7266.00 | Average  | 30.62         | 5.27   | 35.89  | 54.00  | -18.11 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2422 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector      | Spectrum | Factor | Actual | Limit  | Margin |
|---------|---------------|----------|--------|--------|--------|--------|
| Mode    | Reading Level |          |        | FS     | @3m    |        |
| MHz     | PK/QP/AV      | dBuV     | dB     | dBuV/m | dBuV/m | dB     |
| 4844.00 | Peak          | 42.30    | -0.50  | 41.80  | 74.00  | -32.20 |
| 4844.00 | Average       | 32.83    | -0.50  | 32.33  | 54.00  | -21.67 |
| 7266.00 | Peak          | 39.45    | 5.27   | 44.72  | 74.00  | -29.28 |
| 7266.00 | Average       | 30.60    | 5.27   | 35.87  | 54.00  | -18.13 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| Mode    |          | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | dBuV          | dB     | dBuV/m | dBuV/m | dB     |
| 4874.00 | Peak     | 42.17         | -0.51  | 41.66  | 74.00  | -32.34 |
| 4874.00 | Average  | 32.27         | -0.51  | 31.76  | 54.00  | -22.24 |
| 7311.00 | Peak     | 39.34         | 5.29   | 44.63  | 74.00  | -29.37 |
| 7311.00 | Average  | 30.85         | 5.29   | 36.14  | 54.00  | -17.86 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2437 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4874.00 | Peak     | 40.62         | -0.51  | 40.11        | 74.00        | -33.89 |
| 4874.00 | Average  | 32.33         | -0.51  | 31.82        | 54.00        | -22.18 |
| 7311.00 | Peak     | 39.56         | 5.29   | 44.85        | 74.00        | -29.15 |
| 7311.00 | Average  | 30.83         | 5.29   | 36.12        | 54.00        | -17.88 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2452 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| Mode    |          | Reading Level |        | FS           | @3m          |        |
| MHz     | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4904.00 | Peak     | 40.42         | -0.49  | 39.93        | 74.00        | -34.07 |
| 4904.00 | Average  | 30.91         | -0.49  | 30.42        | 54.00        | -23.58 |
| 7356.00 | Peak     | 39.90         | 5.09   | 44.99        | 74.00        | -29.01 |
| 7356.00 | Average  | 30.72         | 5.09   | 35.81        | 54.00        | -18.19 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001034ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :2452 MHz  
Test Mode :Tx  
EUT Pol :E2 Plane

Test Site :SAC 3  
Test Date :2024-05-08  
Temp./Humi. :22.9°C/62%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.   | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|----------|---------------|--------|--------------|--------------|--------|
| MHz     | Mode     | Reading Level |        | FS           | @3m          |        |
|         | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 4904.00 | Peak     | 39.53         | -0.49  | 39.04        | 74.00        | -34.96 |
| 4904.00 | Average  | 30.90         | -0.49  | 30.41        | 54.00        | -23.59 |
| 7356.00 | Peak     | 39.29         | 5.09   | 44.38        | 74.00        | -29.62 |
| 7356.00 | Average  | 30.73         | 5.09   | 35.82        | 54.00        | -18.18 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


## 12 POWER SPECTRAL DENSITY

### 12.1 Standard Applicable

Per Part 15.247 (e)

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

### 12.2 Test Setup



### 12.3 Measurement Procedure

1. Set analyzer center frequency to DTS channel center frequency.
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Set the span to 1.5 times the DTS channel bandwidth.
4. Set the RBW = 3 kHz & VBW = 10 kHz.
5. Detector = peak.
6. Sweep time = auto couple.
7. Trace mode = max hold.
8. Allow trace to fully stabilize.
9. Use the peak marker function to determine the maximum amplitude level.

#### Note:

*For the test of MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 12.4 As per FCC KDB 662911 D01

As per section F. 2). e). (ii) of FCC KDB 662911 D01 If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$DirectionalGain = 10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream; NSS = the number of independent spatial streams of data; NANT = the total number of antennas  $g_{j,k} = 10 \log G_k$  if the kth antenna is being fed by spatial stream j, or zero if it is not;  $G_k$  is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

## 12.5 Power spectral density

| POWER DENSITY 802.11b |            |            |                   |                     |        |
|-----------------------|------------|------------|-------------------|---------------------|--------|
| Freq.<br>(MHz)        | Ch0<br>PSD | Ch1<br>PSD | PSD<br>(dBm/3kHz) | Limit<br>(dBm/3kHz) | Result |
| 2412                  | -10.34     | -10.93     | -7.61             | 8.00                | PASS   |
| 2437                  | -11.78     | -11.06     | -8.40             | 8.00                | PASS   |
| 2462                  | -11.86     | -11.15     | -8.48             | 8.00                | PASS   |

| POWER DENSITY 802.11g |            |            |                   |                     |        |
|-----------------------|------------|------------|-------------------|---------------------|--------|
| Freq.<br>(MHz)        | Ch0<br>PSD | Ch1<br>PSD | PSD<br>(dBm/3kHz) | Limit<br>(dBm/3kHz) | Result |
| 2412                  | -12.42     | -10.78     | -8.51             | 8.00                | PASS   |
| 2437                  | -13.4      | -11.29     | -9.20             | 8.00                | PASS   |
| 2462                  | -13.32     | -12.85     | -10.07            | 8.00                | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group


| POWER DENSITY 802.11be EHT20 |             |            |            |                   |                     |        |
|------------------------------|-------------|------------|------------|-------------------|---------------------|--------|
| Freq.<br>(MHz)               | RU Config   | Ch0<br>PSD | Ch1<br>PSD | PSD<br>(dBm/3kHz) | Limit<br>(dBm/3kHz) | Result |
| 2412                         | full        | -13.26     | -12.39     | -9.79             | 8.00                | PASS   |
|                              | 26/0        | -12.36     | -14.14     | -10.15            | 8.00                | PASS   |
|                              | 52/37       | -13.06     | -13.37     | -10.20            | 8.00                | PASS   |
|                              | 106/53      | -16.15     | -15.45     | -12.77            | 8.00                | PASS   |
|                              | 52+26 MRU1  | -13.84     | -13.61     | -10.71            | 8.00                | PASS   |
|                              | 106+26 MRU1 | -17.23     | -16.86     | -14.03            | 8.00                | PASS   |
| 2437                         | full        | -14.83     | -13.26     | -10.96            | 8.00                | PASS   |
| 2462                         | full        | -14.18     | -14.01     | -11.08            | 8.00                | PASS   |
|                              | 26/8        | -15.94     | -13.05     | -11.25            | 8.00                | PASS   |
|                              | 52/40       | -14.66     | -13.87     | -11.23            | 8.00                | PASS   |
|                              | 106/54      | -15.31     | -13.81     | -11.48            | 8.00                | PASS   |
|                              | 52+26 MRU3  | -14.81     | -14.44     | -11.61            | 8.00                | PASS   |
|                              | 106+26 MRU2 | -16.26     | -15.74     | -12.98            | 8.00                | PASS   |

| POWER DENSITY 802.11be EHT40 |             |            |            |                   |                     |        |
|------------------------------|-------------|------------|------------|-------------------|---------------------|--------|
| Freq.<br>(MHz)               | RU Config   | Ch0<br>PSD | Ch1<br>PSD | PSD<br>(dBm/3kHz) | Limit<br>(dBm/3kHz) | Result |
| 2422                         | full        | -17.67     | -15.98     | -13.73            | 8.00                | PASS   |
|                              | 242/61      | -17.17     | -17.8      | -14.47            | 8.00                | PASS   |
|                              | 52+26 MRU1  | -17.03     | -16.66     | -13.83            | 8.00                | PASS   |
|                              | 106+26 MRU1 | -16.2      | -18.01     | -14.00            | 8.00                | PASS   |
| 2437                         | full        | -17.33     | -16.63     | -13.96            | 8.00                | PASS   |
| 2452                         | full        | -17.35     | -16.33     | -13.80            | 8.00                | PASS   |
|                              | 242/62      | -19.21     | -18.28     | -15.71            | 8.00                | PASS   |
|                              | 52+26 MRU6  | -17.04     | -17.5      | -14.25            | 8.00                | PASS   |
|                              | 106+26 MRU4 | -16.8      | -18.19     | -14.43            | 8.00                | PASS   |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11b\_20MHz\_Chain0\_2412MHz




802.11b\_20MHz\_Chain1\_2412MHz




802.11b\_20MHz\_Chain0\_2437MHz




802.11b\_20MHz\_Chain1\_2437MHz



802.11b\_20MHz\_Chain0\_2462MHz



802.11b\_20MHz\_Chain1\_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11g\_20MHz\_Chain0\_2412MHz




802.11g\_20MHz\_Chain1\_2412MHz




802.11g\_20MHz\_Chain0\_2437MHz




802.11g\_20MHz\_Chain1\_2437MHz



802.11g\_20MHz\_Chain0\_2462MHz



802.11g\_20MHz\_Chain1\_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be\_20MHz\_Chain0\_2412MHz




802.11be\_20MHz\_Chain0\_2412MHz\_RU106\_53




802.11be\_20MHz\_Chain0\_2412MHz\_106+26\_MRUI




802.11be\_20MHz\_Chain0\_2412MHz\_RU26\_0



802.11be\_20MHz\_Chain0\_2412MHz\_52+26\_MRUI



802.11be\_20MHz\_Chain0\_2412MHz\_RU52\_37



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wukr District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group