



C2000

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7: SAR (1g): 0.730 mW/g, SAR (10g): 0.437 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.10 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: in
 Mode: PCS CDMA / Channel: 25 (1851.25MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004




C2000

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.462 mW/g, SAR (10g): 0.259 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.24 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: out
 Mode: PCS CDMA / Channel: 25 (1851.25MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004




C2000

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 1.02 mW/g, SAR (10g): 0.576 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.06 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : August 4, 2004




C2000

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.763 mW/g, SAR (10g): 0.433 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.01 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: out
 Mode: PCS CDMA / Channel: 600 (1880.00MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004




C2000

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.836 mW/g, SAR (10g): 0.478 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.26 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : August 4, 2004




C2000

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.670 mW/g, SAR (10g): 0.376 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.19 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: out
 Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004




C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.823 mW/g, SAR (10g): 0.429 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.23 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: in
 Mode: PCS CDMA / Channel: 25 (1851.25MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004




C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5,20,5,20,5,20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.807 mW/g, SAR (10g): 0.437 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.27 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: out
 Mode: PCS CDMA / Channel: 25 (1851.25MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004



C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.930 mW/g, SAR (10g): 0.487 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.04 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: m
 Mode: PCS CDMA / Channel: 600 (1880.00MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004



C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$

mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.514 mW/g, SAR (10g): 0.274 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.03 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Right Touch / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm


Liquid Temperature : 21.7°C

Date Tested : August 4, 2004




C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 1.06 mW/g, SAR (10g): 0.560 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.18 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: in
 Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004




C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.856 mW/g, SAR (10g): 0.475 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.04 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Touch / Antenna: out
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : August 4, 2004




C2000

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.148 mW/g, SAR (10g): 0.0881 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.02 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Left Tilt 15° / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : August 4, 2004




C2000

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.203 mW/g, SAR (10g): 0.123 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.05 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Tilt 15° / Antenna: out
 Mode: PCS CDMA / Channel: 600 (1880.00MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004




C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.151 mW/g, SAR (10g): 0.0934 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.26 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Tilt 15° / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.7°C
Date Tested : August 4, 2004



C2000

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.297 mW/g, SAR (10g): 0.174 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.11 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Tilt 15° / Antenna: out
 Mode: PCS CDMA / Channel: 600 (1880.00MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.7°C
 Date Tested : August 4, 2004



C2000 (Body)

SAM I Phantom: Flat Section: Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30, 6.30, 6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$ mho/m $\epsilon_r = 55.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.629 mW/g, SAR (10g): 0.442 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.23 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Body / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 27.0 dBm

Liquid Temperature: 21.7°C

Date Tested : August 2, 2004



C2000 (Body)

SAM 1 Phantom: Flat Section: Position: (90°, 90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$ mho/m $\epsilon_r = 55.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.777 mW/g, SAR (10g): 0.549 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.03 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Body / Antenna: out

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 27.0 dBm

Liquid Temperature: 21.7°C

Date Tested : August 2, 2004



C2000 (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$ mho/m $\epsilon_r = 55.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.483 mW/g, SAR (10g): 0.339 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.26 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.4°C

Date Tested : August 3, 2004



C2000 (Body)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$

mho/m $\epsilon_r = 55.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.471 mW/g, SAR (10g): 0.329 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.11 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Body / Antenna: out

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.0 dBm

Liquid Temperature: 21.4°C

Date Tested : August 3, 2004



C2000 (Body)

SAM II Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70, 4.70, 4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.209 mW/g, SAR (10g): 0.126 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.03 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position : Body / Antenna: m

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : August 4, 2004



C2000 (Body)

SAM II Phantom: Flat Section: Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(4.70, 4.70, 4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$

mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.412 mW/g, SAR (10g): 0.244 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.14 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position : Body / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : August 4, 2004



C2000

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Right Touch / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 27.0 dBm

Liquid Temperature: 21.7°C

Date Tested : August 2, 2004



C2000

SAM I Phantom; Section; Position; ; Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Right Touch / Antenna: in

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.4°C

Date Tested : August 3, 2004



C2000

SAM II Phantom; Section: Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.40$ mho/m $\epsilon_s = 40.3$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Right Touch / Antenna: in

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : August 4, 2004



C2000 (Body)

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.97$ mho/m $\epsilon_r = 55.8$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0; Dy = 0.0; Dz = 5.0

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Body / Antenna: out

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 27.0 dBm

Liquid Temperature: 21.7°C

Date Tested : August 2, 2004



C2000 (Body)

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.30,6.30,6.30); Crest factor: 1.0; Body 835 MHz; $\sigma = 0.97$ mho/m $\epsilon_s = 55.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.4°C

Date Tested : August 3, 2004



C2000 (Body)

SAM II Phantom; Section: Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvP(4.70,4.70,4.70); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

MODEL: C2000

Company : UTStarcom Inc.

Test Position : Body / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.7°C

Date Tested : August 4, 2004

