



TESTING LABORATORY
CERTIFICATE #4820.01



FCC PART 22H, PART 24E
FCC PART 27
MEASUREMENT AND TEST REPORT

For

Telecell Mobile (H.K) Ltd.

RM 801 Metro Ctr II, 21 Lam Hing Street, Kln Bay, Hong Kong

FCC ID: 2ADX3-M50L

Report Type: Original Report	Product Type: Mobile Phone
Report Number: RDG180929003-00C	
Report Date: 2018-10-25	
Reviewed By:	Jerry Zhang EMC Manager
Test Laboratory: Bay Area Compliance Laboratories Corp. (Dongguan) No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China Tel: +86-769-86858888 Fax: +86-769-86858891 www.baclcorp.com.cn	

Note: This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Dongguan). This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. * This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “*”.

TABLE OF CONTENTS

GENERAL INFORMATION.....	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY	4
MEASUREMENT UNCERTAINTY	5
TEST FACILITY	5
SYSTEM TEST CONFIGURATION.....	6
JUSTIFICATION	6
EQUIPMENT MODIFICATIONS	6
SUPPORT EQUIPMENT LIST AND DETAILS	6
CONFIGURATION OF TEST SETUP	6
BLOCK DIAGRAM OF TEST SETUP	7
SUMMARY OF TEST RESULTS	8
FCC §1.1310 & §2.1093- RF EXPOSURE	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C) & § 27.50 - RF OUTPUT POWER.....	11
APPLICABLE STANDARD	11
TEST PROCEDURE	12
TEST EQUIPMENT LIST AND DETAILS.....	17
TEST DATA	17
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH.....	36
APPLICABLE STANDARD	36
TEST PROCEDURE	36
TEST EQUIPMENT LIST AND DETAILS.....	36
TEST DATA	37
FCC §2.1051, §22.917(A) & §24.238(A) & §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS ..	72
APPLICABLE STANDARD	72
TEST PROCEDURE	72
TEST EQUIPMENT LIST AND DETAILS.....	72
TEST DATA	72
FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS	112
APPLICABLE STANDARD	112
TEST PROCEDURE	112
TEST EQUIPMENT LIST AND DETAILS.....	113
TEST DATA	114
FCC §22.917(A) & §24.238(A) & §27.53 - BAND EDGES.....	118
APPLICABLE STANDARD	118
TEST PROCEDURE	118
TEST EQUIPMENT LIST AND DETAILS.....	118
TEST DATA	119
FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY.....	185

APPLICABLE STANDARD185

TEST PROCEDURE185

TEST EQUIPMENT LIST AND DETAILS.....186

TEST DATA186

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

EUT Name:		Mobile Phone
EUT Model:		M50L
Multiple Model:		ICON
FCC ID:		2ADX3-M50L
Rated Input Voltage:		DC3.8V from Battery or DC5V from adapter
Adapter Information	Model Name:	M50L
	Input:	AC100-240V 50/60Hz 200mA
	Output:	DC5.0V, 1500mA
External Dimension:		Length (146.3 mm)*Width (70 mm)*High (10.4 mm)
Serial Number:		180929003
EUT Received Date:		2018.09.29

Note: The series product, models M50L, ICON are electrically identical, The difference between them please refer to the declaration letter for details. For marketing purpose, we selected M50L for fully test.

Objective

This report is prepared on behalf of **Telecell Mobile (H.K) Ltd.** in accordance with: Part 2-Subpart J, Part 22-Subpart H, and Part 24-Subpart E of the Federal Communications Commission's rules. Part 2, Part 27 of the Federal Communication Commissions rules.

The objective is to determine compliance with FCC Rules for output power, modulation characteristic, occupied bandwidth, spurious emissions at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15C DTS submissions with FCC ID: 2ADX3-M50L.
FCC Part 15C DSS submissions with FCC ID: 2ADX3-M50L.
FCC Part 15B JBP submissions with FCC ID: 2ADX3-M50L.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
Part 24 Subpart E - Personal Communication Services
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D-2010.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp.(Dongguan).

Measurement Uncertainty

Parameter	Measurement Uncertainty
Occupied Channel Bandwidth	±5 %
RF output power, conducted	±0.61dB
Unwanted Emissions, radiated	30MHz ~ 1GHz: 5.85 dB 1G~26.5GHz: 5.23 dB
Unwanted Emissions, conducted	±1.5 dB
Temperature	±1 °C
Humidity	±5%
DC and low frequency voltages	±0.4%
Duty Cycle	1%

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Dongguan) to collect test data is located on the No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No. : 897218, the FCC Designation No. : CN1220.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062D.

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to TIA/EIA-603-D 2010.

The test items were performed with the EUT operating at testing mode. The device support GSM/GPRS/EDGE 850/1900 band, WCDMA/HSUPA/HPDPA/ HSPA+/DC-HSDPA band 2/4/5, LTE band 2/4/5/7/12/17. Other bands were shielded by software.


Equipment Modifications

No modification was made to the EUT.


Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
R&S	Universal Radio Communication Tester	CMU200	106 891
R&S	Wideband Radio Communication Tester	CMW500	147473
N/A	ANTENNA	N/A	N/A

Configuration of Test Setup



Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1310, §2.1093	RF Exposure	Compliance
§2.1046; § 22.913 (a); § 24.232 (c); §27.50	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905 § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051, § 22.917 (a); § 24.238 (a); §27.53	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053 § 22.917 (a); § 24.238 (a); §27.53	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53	Out of band emission, Band Edge	Compliance
§ 2.1055 § 22.355; § 24.235; §27.54	Frequency stability vs. temperature Frequency stability vs. voltage	Compliance

FCC §1.1310 & §2.1093- RF EXPOSURE

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliant, please refer to the SAR report: RDG180929003-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c) & § 27.50 - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to §24.232 (d) Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

According to §27.50

(b)(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

(c) (10) Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

(d), (4) Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

(h),(2) Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

Test Procedure

GSM/GPRS/EGPRS

Function: Menu select > GSM Mobile Station > GSM 850/1900

Press Connection control to choose the different menus

Press RESET > choose all the reset all settings

Connection Press Signal Off to turn off the signal and change settings

Network Support > GSM + GPRS or GSM + EGSM

Main Service > Packet Data

Service selection > Test Mode A – Auto Slot Config. off

MS Signal Press Slot Config Bottom on the right twice to select and change the number of time slots and power setting

> Slot configuration > Uplink/Gamma

> 33 dBm for GPRS 850

> 30 dBm for GPRS 1900

> 27 dBm for EGPRS 850

> 26 dBm for EGPRS 1900

BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel

Frequency Offset > + 0 Hz

Mode > BCCH and TCH

BCCH Level > -85 dBm (May need to adjust if link is not stable)

BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]

Channel Type > Off

P0 > 4 dB

Slot Config > Unchanged (if already set under MS signal)

TCH > choose desired test channel

Hopping > Off

Main Timeslot > 3

Network Coding Scheme > CS4 (GPRS) and MCS5 (EGPRS)

Bit Stream > 2E9-1 PSR Bit Stream

AF/Rf Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input

Connection Press Signal on to turn on the signal and change settings

WCDMA-Release 99

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification. The EUT has a nominal maximum output power of 24dBm (+1.7/-3.7).

WCDMA General Settings	Loopback Mode	Test Mode 1
	Rel99 RMC	12.2kbps RMC
	Power Control Algorithm	Algorithm2
	β_c / β_d	8/15

WCDMA HSDPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSDPA	HSDPA	HSDPA	HSDPA
	Subset	1	2	3	4
WCDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set1			
	Power Control Algorithm	Algorithm2			
	β_c	2/15	12/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	β_d (SF)	64			
	β_c / β_d	2/15	12/15	15/8	15/4
	β_{hs}	4/15	24/15	30/15	30/15
	MPR(dB)	0	0	0.5	0.5
HSDPA Specific Settings	DACK	8			
	DNAK	8			
	DCQI	8			
	Ack-Nack repetition factor	3			
	CQI Feedback	4ms			
	CQI Repetition Factor	2			
	$A_{hs} = \beta_{hs} / \beta_c$	30/15			

WCDMA HSUPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSUPA	HSUPA	HSUPA	HSUPA	HSUPA
	Subset	1	2	3	4	5
WCDMA General Settings	Loopback Mode	Test Mode 1				
	Rel99 RMC	12.2kbps RMC				
	HSDPA FRC	H-Set1				
	HSUPA Test	HSUPA Loopback				
	Power Control Algorithm	Algorithm2				
	β_c	11/15	6/15	15/15	2/15	15/15
	β_d	15/15	15/15	9/15	15/15	0
	β_{ec}	209/225	12/15	30/15	2/15	5/15
	β_c/β_d	11/15	6/15	15/9	2/15	-
	β_{hs}	22/15	12/15	30/15	4/15	5/15
	CM(dB)	1.0	3.0	2.0	3.0	1.0
	MPR(dB)	0	2	1	2	0
HSDPA Specific Settings	DACK	8				
	DNAK	8				
	DCQI	8				
	Ack-Nack repetition factor	3				
	CQI Feedback	4ms				
	CQI Repetition Factor	2				
	$A_{hs}=\beta_{hs}/\beta_c$	30/15				
HSUPA Specific Settings	DE-DPCCH	6	8	8	5	7
	DHARQ	0	0	0	0	0
	AG Index	20	12	15	17	21
	ETFCI	75	67	92	71	81
	Associated Max UL Data Rate kbps	242.1	174.9	482.8	205.8	308.9
	Reference E_FCI	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E-TFCI PO4 E-TFCI 92 E-TFCI PO 18	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27

HSPA+

The following tests were conducted according to the test requirements in Table C.11.1.4 of 3GPP TS 34.121-1

Sub-test	β_c (Note 3)	β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$.

Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).

Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default.

Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value.

Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.

DC-HSDPA

The following tests were conducted according to the test requirements in Table C.8.1.12 of 3GPP TS 34.121-1

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.		
Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.		

LTE (FDD):

The following tests were conducted according to the test requirements in 3GPP TS36.101

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4.-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N_{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
			20	>10	≤ 1
NS_04	6.6.2.2.2	41	5	>6	≤ 1
			10, 15, 20	See Table 6.2.4-4	
NS_05	6.6.3.3.1	1	10,15,20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3	13	10	Table 6.2.4-2	Table 6.2.4-2
	6.6.3.3.2				
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

Radiated method:

ANSI/TIA-603-D section 2.2.17

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESCI	100224	2017-12-11	2018-12-11
Sunol Sciences	Antenna	JB3	A060611-1	2017-11-10	2020-11-10
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0075-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-1000-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
R&S	Universal Radio Communication Tester	CMU200	106 891	2017-12-14	2018-12-14
R&S	Wideband Radio Communication Tester	CMW500	147473	2018-08-03	2019-08-03
Agilent	Spectrum Analyzer	E4440A	SG43360054	2018-01-04	2019-01-04
TDK RF	Horn Antenna	HRN-0118	130 084	2016-01-05	2019-01-04
ETS-Lindgren	Horn Antenna	3115	000 527 35	2016-01-05	2019-01-04
Unknown	Coaxial Cable	C-SJSJ-50	C-0800-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
Agilent	Signal Generator	E8247C	MY43321350	2017-12-11	2018-12-11

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	24.8~27.3 °C
Relative Humidity:	31~62 %
ATM Pressure:	100.3~101.1 kPa

* The testing was performed by Elena Lei, Tyler Pan, Sunny Cen from 2018-10-09 to 2018-10-12.

Conducted Output Power**Cellular Band & PCS Band**

Band	Channel No.	Conducted Peak Output Power (dBm)								
		GSM	GPRS 1 TX Slot	GPRS 2 TX Slot	GPRS 3 TX Slot	GPRS 4 TX Slot	EDGE 1 TX Slot	EDGE 2 TX Slot	EDGE 3 TX Slot	EDGE 4 TX Slot
Cellular	128	32.24	32.17	31.47	29.80	28.84	27.14	26.42	24.44	23.38
	190	32.31	32.19	31.49	29.83	28.96	27.20	26.50	24.53	23.31
	251	32.32	32.18	31.51	29.86	29.03	27.21	26.59	24.55	23.55
PCS	512	30.40	30.42	29.60	27.84	26.88	26.34	25.21	23.30	22.12
	661	30.40	30.37	29.56	27.79	26.81	26.44	25.39	23.45	22.36
	810	30.20	30.32	29.49	27.66	26.63	26.72	25.75	23.73	22.58

WCDMA Band II

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	23.86	3.11	23.70	3.08	23.38	3.24
HSDPA	1	22.71	4.13	22.58	4.13	22.51	4.52
	2	22.27	4.11	22.05	4.12	22.07	4.51
	3	22.45	4.12	22.10	4.10	21.94	4.49
	4	21.88	4.09	21.90	4.09	22.31	4.46
HSUPA	1	22.46	4.07	22.30	3.27	22.28	4.52
	2	22.37	4.06	22.53	3.22	22.31	4.51
	3	21.82	4.05	22.30	3.26	22.15	4.23
	4	22.61	4.13	22.51	3.24	22.01	4.36
	5	22.41	4.12	22.29	3.25	21.78	4.39
DC-HSDPA	1	21.98	4.15	22.42	3.21	22.39	4.29
	2	21.71	4.08	22.52	3.21	21.71	4.38
	3	21.85	4.03	22.40	3.25	22.31	4.44
	4	21.86	4.11	22.45	3.24	21.90	4.41
HSPA+ (16QAM)	1	21.79	4.09	22.57	3.19	22.06	4.46

WCDMA Band IV

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	24.37	2.50	24.38	2.82	24.36	2.79
HSDPA	1	23.21	3.65	23.18	4.01	23.17	3.69
	2	23.09	3.61	22.86	3.99	23.09	3.65
	3	23.00	3.64	23.05	3.98	22.46	3.68
	4	22.73	3.66	22.96	3.99	22.91	3.67
HSUPA	1	23.08	3.01	23.07	3.11	23.28	4.01
	2	22.90	2.98	22.97	2.09	22.93	3.99
	3	22.97	2.96	23.23	2.10	23.32	3.98
	4	22.71	2.97	23.36	2.11	23.57	3.97
	5	22.74	2.98	23.27	2.08	22.74	3.96
DC-HSDPA	1	22.83	2.96	23.08	2.06	22.86	3.99
	2	23.09	2.99	23.01	2.04	22.37	3.98
	3	23.08	2.98	23.00	2.11	22.89	3.89
	4	22.93	2.89	22.96	2.09	23.59	3.94
HSPA+ (16QAM)	1	22.82	2.87	23.57	2.13	22.31	3.96

WCDMA Band V

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	23.50	2.53	23.56	2.66	23.54	2.50
HSDPA	1	22.37	3.85	22.43	3.78	22.43	3.59
	2	22.67	3.84	22.25	3.77	22.18	3.54
	3	21.88	3.82	21.94	3.75	21.97	3.55
	4	22.25	3.80	21.75	3.74	22.33	3.52
HSUPA	1	22.07	2.95	22.19	4.04	22.22	4.04
	2	21.98	2.93	22.49	4.01	21.92	4.01
	3	21.89	2.95	21.90	4.03	21.86	4.03
	4	22.23	2.94	21.71	4.02	22.50	4.00
	5	21.99	2.91	22.05	3.99	22.07	3.99
DC-HSDPA	1	22.13	2.78	21.87	4.02	22.21	3.98
	2	22.57	2.89	22.42	3.05	21.99	4.01
	3	22.11	2.93	21.74	4.06	22.09	3.99
	4	21.77	2.91	22.58	3.89	22.40	4.00
HSPA+ (16QAM)	1	22.70	2.93	22.43	3.95	22.25	4.02

LTE Band 2

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	22.06	22.05	22.04
		1#3	22.27	22.20	22.26
		1#5	22.10	22.07	22.10
		3#0	22.22	22.16	22.19
		3#3	22.19	22.11	22.19
		6#0	21.22	21.16	21.19
	16QAM	1#0	21.11	21.20	21.21
		1#3	21.29	21.39	21.37
		1#5	21.13	21.20	21.18
		3#0	22.26	22.17	22.19
		3#3	22.19	22.15	22.22
		6#0	20.19	20.20	20.14
3MHz	QPSK	1#0	22.23	22.17	22.11
		1#8	22.22	22.15	22.16
		1#14	22.16	22.16	22.18
		6#0	21.22	21.17	21.08
		6#9	21.23	21.14	21.13
		15#0	21.25	21.21	21.15
	16QAM	1#0	21.77	21.30	21.16
		1#8	21.72	21.31	21.16
		1#14	21.67	21.33	21.14
		6#0	20.31	20.18	20.08
		6#9	20.27	20.20	20.06
		15#0	20.29	20.16	20.25
5MHz	QPSK	1#0	22.13	22.09	22.06
		1#13	22.23	22.27	22.24
		1#24	22.11	22.10	22.10
		15#0	21.30	21.21	21.31
		15#10	21.23	21.18	21.07
		25#0	21.26	21.15	21.20
	16QAM	1#0	21.11	21.39	21.36
		1#13	21.21	21.50	21.47
		1#24	21.14	21.41	21.30
		15#0	21.28	21.20	21.34
		15#10	21.22	21.16	21.11
		25#0	20.30	20.28	20.32

10MHz	QPSK	1#0	22.15	22.12	22.14
		1#25	22.28	22.26	22.24
		1#49	22.12	22.14	22.14
		25#0	21.34	21.27	21.28
		25#25	21.25	21.20	21.00
		50#0	21.27	21.23	21.17
	16QAM	1#0	21.68	21.27	21.14
		1#25	21.87	21.44	21.28
		1#49	21.69	21.29	21.11
		25#0	21.33	21.28	21.25
		25#25	21.26	21.17	21.02
		50#0	20.30	20.22	20.20
15MHz	QPSK	1#0	22.12	22.09	22.10
		1#38	22.16	22.14	22.15
		1#74	22.05	22.03	22.01
		36#0	21.30	21.20	21.14
		36#39	21.26	21.13	21.06
		75#0	21.31	21.21	21.13
	16QAM	1#0	21.67	21.21	21.27
		1#38	21.73	21.33	21.31
		1#74	21.62	21.22	21.18
		36#0	21.33	21.22	21.18
		36#39	21.26	21.14	21.04
		75#0	20.27	20.18	20.13
20MHz	QPSK	1#0	22.01	21.98	21.90
		1#50	22.31	22.34	22.22
		1#99	21.92	21.99	21.85
		50#0	21.31	21.23	21.17
		50#50	21.32	21.02	20.90
		100#0	21.29	21.13	20.99
	16QAM	1#0	21.28	21.13	21.52
		1#50	21.62	21.51	21.80
		1#99	21.23	21.19	21.42
		50#0	21.31	21.22	21.15
		50#50	21.30	21.03	20.90
		100#0	20.33	20.13	20.01

LTE Band 4

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	22.27	22.26	22.22
		1#3	22.46	22.42	22.42
		1#5	22.25	22.21	22.19
		3#0	22.32	22.31	22.25
		3#3	22.29	22.31	22.32
		6#0	21.34	21.30	21.29
	16QAM	1#0	21.25	21.35	21.19
		1#3	21.42	21.51	21.39
		1#5	21.24	21.31	21.20
		3#0	22.33	22.31	22.28
		3#3	22.31	22.27	22.30
		6#0	20.33	20.33	20.21
3MHz	QPSK	1#0	22.37	22.28	22.32
		1#8	22.31	22.33	22.33
		1#14	22.30	22.28	22.31
		6#0	21.31	21.27	21.25
		6#9	21.30	21.26	21.28
		15#0	21.34	21.30	21.31
	16QAM	1#0	21.83	21.41	21.30
		1#8	21.77	21.40	21.24
		1#14	21.75	21.40	21.26
		6#0	20.36	20.24	20.21
		6#9	20.32	20.30	20.14
		15#0	20.34	20.23	20.34
5MHz	QPSK	1#0	22.24	22.25	22.20
		1#13	22.36	22.38	22.35
		1#24	22.24	22.26	22.21
		15#0	21.34	21.29	21.33
		15#10	21.37	21.36	21.22
		25#0	21.30	21.28	21.24
	16QAM	1#0	21.17	21.52	21.30
		1#13	21.31	21.63	21.41
		1#24	21.19	21.53	21.31
		15#0	21.29	21.32	21.32
		15#10	21.35	21.34	21.23
		25#0	20.35	20.20	20.20

10MHz	QPSK	1#0	22.27	22.24	22.26
		1#25	22.51	22.38	22.45
		1#49	22.27	22.30	22.22
		25#0	21.28	21.29	21.30
		25#25	21.33	21.36	21.19
		50#0	21.28	21.31	21.27
	16QAM	1#0	21.76	21.39	21.20
		1#25	21.96	21.51	21.37
		1#49	21.81	21.40	21.21
		25#0	21.26	21.28	21.28
		25#25	21.33	21.34	21.19
		50#0	20.28	20.29	20.26
15MHz	QPSK	1#0	22.21	22.19	22.23
		1#38	22.27	22.29	22.34
		1#74	22.20	22.23	22.18
		36#0	21.28	21.32	21.34
		36#39	21.36	21.40	21.33
		75#0	21.35	21.36	21.37
	16QAM	1#0	21.71	21.29	21.52
		1#38	21.81	21.39	21.62
		1#74	21.78	21.32	21.55
		36#0	21.28	21.35	21.33
		36#39	21.35	21.40	21.30
		75#0	20.30	20.33	20.28
20MHz	QPSK	1#0	22.06	22.09	21.97
		1#50	22.43	22.43	22.39
		1#99	22.05	22.13	22.03
		50#0	21.19	21.31	21.21
		50#50	21.24	21.36	21.20
		100#0	21.29	21.33	21.27
	16QAM	1#0	21.32	21.22	21.54
		1#50	21.74	21.61	21.89
		1#99	21.33	21.24	21.57
		50#0	21.21	21.31	21.21
		50#50	21.24	21.34	21.19
		100#0	20.28	20.32	20.26

LTE Band 5

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	23.06	23.04	22.90
		1#3	23.22	23.24	23.14
		1#5	23.00	23.04	22.95
		3#0	23.09	22.96	22.91
		3#3	23.00	22.94	22.91
		6#0	22.05	22.13	22.05
	16QAM	1#0	21.92	21.99	21.92
		1#3	22.11	22.21	22.14
		1#5	21.88	21.98	21.91
		3#0	23.07	22.97	22.90
		3#3	23.04	22.88	22.88
3MHz	QPSK	1#0	23.07	23.06	22.95
		1#8	23.01	23.09	22.99
		1#14	23.05	23.04	23.00
		6#0	21.98	22.01	21.91
		6#9	21.98	22.05	21.91
		15#0	21.96	22.01	21.90
	16QAM	1#0	22.45	22.00	21.83
		1#8	22.42	22.02	21.84
		1#14	22.38	22.01	21.80
		6#0	21.02	20.97	20.82
		6#9	21.00	21.00	20.82
5MHz	QPSK	1#0	23.02	23.01	22.94
		1#13	23.09	23.12	23.02
		1#24	22.97	22.99	22.90
		15#0	21.95	21.94	21.90
		15#0	22.00	21.96	21.93
		25#0	21.94	21.92	21.86
	16QAM	1#0	21.87	22.06	22.06
		1#13	21.93	22.16	22.15
		1#24	21.84	22.07	22.01
		15#0	21.92	22.46	21.89
		15#10	21.99	22.46	21.90
10MHz	QPSK	25#0	21.05	21.29	20.94
		1#0	23.03	23.02	23.06
		1#25	23.21	23.16	23.17
		1#49	23.07	22.99	23.00
		25#0	22.01	21.94	22.03
		25#25	22.06	22.03	21.93
	16QAM	50#0	22.02	21.95	21.97
		1#0	22.42	22.00	21.91
		1#25	22.55	22.19	22.01
		1#49	22.39	22.00	21.80
		25#0	21.98	21.97	22.05
		25#25	22.05	22.04	21.98
		50#0	21.04	20.92	21.00

LTE Band 7

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5MHz	QPSK	1#0	21.56	21.69	21.63
		1#13	21.65	21.75	21.73
		1#24	21.58	21.71	21.67
		15#0	20.70	20.73	20.82
		15#10	20.77	20.82	20.80
		25#0	20.70	20.79	20.77
	16QAM	1#0	20.57	20.93	20.78
		1#13	20.58	20.99	20.86
		1#24	20.59	20.92	20.75
		15#0	20.70	20.74	20.80
		15#0	20.77	20.81	20.77
10MHz	QPSK	1#0	21.67	21.50	21.39
		1#24	21.76	21.65	21.52
		1#49	21.61	21.49	21.40
		25#0	20.69	20.54	20.60
		25#25	20.81	20.63	20.54
		50#0	20.79	20.57	20.59
	16QAM	1#0	20.92	20.60	20.57
		1#24	21.10	21.55	20.70
		1#49	20.98	21.13	20.60
		25#0	20.49	20.47	20.61
		25#25	20.58	20.57	20.55
15MHz	QPSK	1#0	21.38	21.40	21.35
		1#38	21.40	21.44	21.46
		1#74	21.28	21.36	21.38
		36#0	20.49	20.54	20.61
		36#39	20.54	20.64	20.62
		75#0	20.55	20.64	20.66
	16QAM	1#0	20.86	20.55	20.72
		1#38	20.93	20.58	20.86
		1#74	20.93	20.50	20.74
		36#0	20.51	20.58	20.62
		36#39	20.54	20.66	20.63
20MHz	QPSK	75#0	19.58	19.68	19.63
	QPSK	1#0	21.21	21.27	21.19
		1#49	21.56	21.66	21.50
		1#99	21.21	21.27	21.19
		50#0	20.42	20.45	20.56
		50#50	20.48	20.56	20.49
	16QAM	100#0	20.47	20.50	20.55
		1#0	20.49	20.45	20.77
		1#49	20.85	20.78	21.10
		1#99	20.57	20.43	20.79
		50#0	20.38	20.43	20.60
		50#50	20.49	20.57	20.50
		100#0	19.52	19.58	19.61

LTE Band 12

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	22.72	22.64	22.60
		1#3	22.85	22.81	22.80
		1#5	22.67	22.61	22.62
		3#0	22.80	22.71	22.68
		3#3	22.74	22.78	22.69
		6#0	21.78	21.78	21.77
	16QAM	1#0	21.72	21.79	21.56
		1#3	21.92	21.99	21.85
		1#5	21.68	21.79	21.66
		3#0	22.76	22.76	22.68
		3#3	22.72	22.75	22.70
		6#0	20.79	20.76	20.63
3MHz	QPSK	1#0	22.71	22.64	22.61
		1#8	22.67	22.66	22.63
		1#14	22.58	22.63	22.68
		10#0	21.67	21.64	21.62
		10#5	21.65	21.68	21.64
		15#0	21.67	21.69	21.67
	16QAM	1#0	22.23	21.87	21.63
		1#8	22.23	21.84	21.66
		1#14	22.16	21.80	21.63
		10#0	20.79	20.70	20.61
		10#5	20.69	20.69	20.59
		15#0	20.72	20.66	20.70
5MHz	QPSK	1#0	22.62	22.62	22.51
		1#13	22.65	22.68	22.66
		1#24	22.61	22.56	22.61
		10#0	21.69	21.70	21.70
		10#15	21.71	21.79	21.64
		25#0	21.62	21.70	21.66
	16QAM	1#0	21.66	21.98	21.75
		1#13	21.71	22.11	21.81
		1#24	21.69	21.94	21.76
		10#0	21.65	21.67	22.15
		10#15	21.71	21.76	22.15
		25#0	20.76	20.66	21.20
10MHz	QPSK	1#0	23.14	22.62	22.63
		1#25	23.23	22.73	22.72
		1#49	22.71	22.59	22.65
		25#0	21.68	21.75	21.61
		25#25	21.78	21.81	21.61
		50#0	21.79	21.78	21.60
	16QAM	1#0	22.21	21.80	21.82
		1#25	22.37	22.02	21.91
		1#49	22.22	21.79	21.79
		25#0	21.69	22.16	21.61
		25#25	21.76	21.80	21.59
		50#0	20.76	20.78	20.63

LTE Band 17

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5MHz	QPSK	1#0	22.56	22.63	22.60
		1#13	22.70	22.72	22.68
		1#24	22.54	22.62	22.63
		15#0	21.78	21.66	21.67
		15#10	21.78	21.77	21.60
		25#0	21.75	21.69	21.58
	16QAM	1#0	21.64	22.00	21.90
		1#13	21.74	22.04	21.99
		1#24	21.61	21.87	21.91
		15#0	21.79	21.66	21.67
		15#10	21.76	22.24	21.58
		25#0	20.84	20.76	20.56
10MHz	QPSK	1#0	22.95	22.65	22.62
		1#25	22.71	22.77	22.77
		1#49	22.67	22.62	22.67
		25#0	21.75	21.72	21.68
		25#25	21.80	21.73	21.61
		50#0	21.80	21.74	21.67
	16QAM	1#0	22.28	21.87	21.75
		1#25	22.36	21.98	21.83
		1#49	22.20	21.79	21.63
		25#0	21.76	21.74	21.69
		25#25	21.80	21.71	21.64
		50#0	20.79	20.73	20.72

PAR, Band 2

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.94	4.01	4.36	13
	100 RB		6.38	6.47	6.67	13
16QAM	1 RB	20 MHz	5.19	4.55	4.81	13
	100 RB		7.02	7.15	7.34	13

PAR, Band 4

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.23	4.90	3.91	13
	100 RB		6.31	6.44	6.41	13
16QAM	1 RB	20 MHz	5.87	5.35	4.71	13
	100 RB		7.05	7.12	7.02	13

PAR, Band 5

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	3.27	3.59	3.33	13
	50 RB		4.97	5.22	5.00	13
16QAM	1 RB	10 MHz	4.23	4.55	4.49	13
	50 RB		5.67	5.96	5.80	13

PAR, Band 7

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.33	4.20	3.81	13
	100 RB		6.44	6.47	6.38	13
16QAM	1 RB	20 MHz	5.58	4.94	4.62	13
	100 RB		7.21	7.12	7.12	13

PAR, Band 12

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	4.20	5.22	4.01	13
	50 RB		5.48	5.67	5.35	13
16QAM	1 RB	10 MHz	5.26	5.77	4.84	13
	50 RB		6.35	6.60	6.38	13

PAR, Band 17

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	4.07	4.39	4.23	13
	50 RB		5.58	5.38	5.45	13
16QAM	1 RB	10 MHz	5.06	5.61	5.96	13
	50 RB		6.51	6.35	6.31	13

Note: peak-to-average ratio (PAR) <13 dB.

ERP & EIRP

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM 850 Middle Channel								
836.60	H	89.92	15.00	0.00	0.97	14.03	38.45	24.42
836.60	V	101.52	29.73	0.00	0.97	28.76	38.45	9.69
EDGE 850 Middle Channel								
836.60	H	86.95	12.03	0.00	0.97	11.06	38.45	27.39
836.60	V	98.40	26.61	0.00	0.97	25.64	38.45	12.81
WCDMA Band V Middle Channel								
836.60	H	82.17	7.25	0.00	0.97	6.28	38.45	32.17
836.60	V	91.91	20.12	0.00	0.97	19.15	38.45	19.30
GSM 1900 Middle Channel								
1880.00	H	89.14	16.53	11.66	2.66	25.53	33.00	7.47
1880.00	V	93.24	20.77	11.66	2.66	29.77	33.00	3.23
EDGE 1900 Middle Channel								
1880.00	H	85.67	13.06	11.66	2.66	22.06	33.00	10.94
1880.00	V	88.88	16.41	11.66	2.66	25.41	33.00	7.59
WCDMA Band II Middle Channel								
1880.00	H	83.10	10.49	11.66	2.66	19.49	33.00	13.51
1880.00	V	85.97	13.50	11.66	2.66	22.50	33.00	10.50
WCDMA Band IV Middle Channel								
1732.60	H	87.03	12.98	10.90	2.51	21.37	30.00	8.63
1732.60	V	85.88	11.51	10.90	2.51	19.90	30.00	10.10

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

LTE Band 2

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1880.00	1.4	QPSK	H	82.66	10.05	11.66	2.66	19.05	33.00	13.95
1880.00			V	78.01	5.54	11.66	2.66	14.54	33.00	18.46
1880.00	3		H	82.34	9.73	11.66	2.66	18.73	33.00	14.27
1880.00			V	77.82	5.35	11.66	2.66	14.35	33.00	18.65
1880.00	5		H	82.03	9.42	11.66	2.66	18.42	33.00	14.58
1880.00			V	77.45	4.98	11.66	2.66	13.98	33.00	19.02
1880.00	10		H	82.12	9.51	11.66	2.66	18.51	33.00	14.49
1880.00			V	77.25	4.78	11.66	2.66	13.78	33.00	19.22
1880.00	15		H	82.41	9.80	11.66	2.66	18.80	33.00	14.20
1880.00			V	77.69	5.22	11.66	2.66	14.22	33.00	18.78
1880.00	20		H	81.87	9.26	11.66	2.66	18.26	33.00	14.74
1880.00			V	77.11	4.64	11.66	2.66	13.64	33.00	19.36
1880.00	1.4	16QAM	H	82.41	9.80	11.66	2.66	18.80	33.00	14.20
1880.00			V	77.82	5.35	11.66	2.66	14.35	33.00	18.65
1880.00	3		H	82.05	9.44	11.66	2.66	18.44	33.00	14.56
1880.00			V	77.25	4.78	11.66	2.66	13.78	33.00	19.22
1880.00	5		H	81.71	9.10	11.66	2.66	18.10	33.00	14.90
1880.00			V	76.59	4.12	11.66	2.66	13.12	33.00	19.88
1880.00	10		H	82.05	9.44	11.66	2.66	18.44	33.00	14.56
1880.00			V	77.13	4.66	11.66	2.66	13.66	33.00	19.34
1880.00	15		H	82.32	9.71	11.66	2.66	18.71	33.00	14.29
1880.00			V	76.71	4.24	11.66	2.66	13.24	33.00	19.76
1880.00	20		H	81.86	9.25	11.66	2.66	18.25	33.00	14.75
1880.00			V	76.26	3.79	11.66	2.66	12.79	33.00	20.21

LTE Band 4

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1732.500	1.4	QPSK	H	83.37	9.32	10.90	2.51	17.71	30.00	12.29
1732.500			V	78.57	4.20	10.90	2.51	12.59	30.00	17.41
1732.500	3		H	83.11	9.06	10.90	2.51	17.45	30.00	12.55
1732.500			V	78.43	4.06	10.90	2.51	12.45	30.00	17.55
1732.500	5		H	82.77	8.72	10.90	2.51	17.11	30.00	12.89
1732.500			V	78.24	3.87	10.90	2.51	12.26	30.00	17.74
1732.500	10		H	83.06	9.01	10.90	2.51	17.40	30.00	12.60
1732.500			V	77.86	3.49	10.90	2.51	11.88	30.00	18.12
1732.500	15		H	83.34	9.29	10.90	2.51	17.68	30.00	12.32
1732.500			V	77.24	2.87	10.90	2.51	11.26	30.00	18.74
1732.500	20		H	82.42	8.37	10.90	2.51	16.76	30.00	13.24
1732.500			V	76.47	2.10	10.90	2.51	10.49	30.00	19.51
1732.500	1.4	16QAM	H	83.79	9.74	10.90	2.51	18.13	30.00	11.87
1732.500			V	78.34	3.97	10.90	2.51	12.36	30.00	17.64
1732.500	3		H	82.78	8.73	10.90	2.51	17.12	30.00	12.88
1732.500			V	78.10	3.73	10.90	2.51	12.12	30.00	17.88
1732.500	5		H	83.60	9.55	10.90	2.51	17.94	30.00	12.06
1732.500			V	77.89	3.52	10.90	2.51	11.91	30.00	18.09
1732.500	10		H	83.16	9.11	10.90	2.51	17.50	30.00	12.50
1732.500			V	77.13	2.76	10.90	2.51	11.15	30.00	18.85
1732.500	15		H	83.16	9.11	10.90	2.51	17.50	30.00	12.50
1732.500			V	77.89	3.52	10.90	2.51	11.91	30.00	18.09
1732.500	20		H	83.42	9.37	10.90	2.51	17.76	30.00	12.24
1732.500			V	77.28	2.91	10.90	2.51	11.30	30.00	18.70

LTE Band 5

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
836.50	1.4	QPSK	H	84.58	9.65	0.00	0.97	8.68	38.45	29.77
836.50			V	94.13	22.34	0.00	0.97	21.37	38.45	17.08
836.50	3		H	84.25	9.32	0.00	0.97	8.35	38.45	30.10
836.50			V	93.82	22.03	0.00	0.97	21.06	38.45	17.39
836.50	5		H	83.87	8.94	0.00	0.97	7.97	38.45	30.48
836.50			V	93.64	21.85	0.00	0.97	20.88	38.45	17.57
836.50	10		H	83.64	8.71	0.00	0.97	7.74	38.45	30.71
836.50			V	92.95	21.16	0.00	0.97	20.19	38.45	18.26
836.50	1.4	16QAM	H	84.21	9.28	0.00	0.97	8.31	38.45	30.14
836.50			V	93.76	21.97	0.00	0.97	21.00	38.45	17.45
836.50	3		H	83.89	8.96	0.00	0.97	7.99	38.45	30.46
836.50			V	93.42	21.63	0.00	0.97	20.66	38.45	17.79
836.50	5		H	83.57	8.64	0.00	0.97	7.67	38.45	30.78
836.50			V	93.26	21.47	0.00	0.97	20.50	38.45	17.95
836.50	10		H	82.69	7.76	0.00	0.97	6.79	38.45	31.66
836.50			V	92.89	21.10	0.00	0.97	20.13	38.45	18.32

LTE Band 7

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
2535.00	5	QPSK	H	81.75	9.14	13.14	3.10	19.18	33.00	13.82
2535.00			V	76.69	5.54	13.14	3.10	15.58	33.00	17.42
2535.00	10		H	81.24	8.63	13.14	3.10	18.67	33.00	14.33
2535.00			V	76.12	4.97	13.14	3.10	15.01	33.00	17.99
2535.00	15		H	81.56	8.95	13.14	3.10	18.99	33.00	14.01
2535.00			V	76.54	5.39	13.14	3.10	15.43	33.00	17.57
2535.00	20		H	81.92	9.31	13.14	3.10	19.35	33.00	13.65
2535.00			V	76.12	4.97	13.14	3.10	15.01	33.00	17.99
2535.00	5	16QAM	H	81.34	8.73	13.14	3.10	18.77	33.00	14.23
2535.00			V	76.35	5.20	13.14	3.10	15.24	33.00	17.76
2535.00	10		H	81.02	8.41	13.14	3.10	18.45	33.00	14.55
2535.00			V	75.89	4.74	13.14	3.10	14.78	33.00	18.22
2535.00	15		H	81.33	8.72	13.14	3.10	18.76	33.00	14.24
2535.00			V	76.41	5.26	13.14	3.10	15.30	33.00	17.70
2535.00	20		H	81.45	8.84	13.14	3.10	18.88	33.00	14.12
2535.00			V	76.04	4.89	13.14	3.10	14.93	33.00	18.07

LTE Band 12

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
707.50	1.4	QPSK	H	84.10	7.24	0.00	0.94	6.30	34.77	28.47
707.50			V	94.08	19.66	0.00	0.94	18.72	34.77	16.05
707.50	3		H	83.64	6.78	0.00	0.94	5.84	34.77	28.93
707.50			V	93.79	19.37	0.00	0.94	18.43	34.77	16.34
707.50	5		H	83.22	6.36	0.00	0.94	5.42	34.77	29.35
707.50			V	93.52	19.10	0.00	0.94	18.16	34.77	16.61
707.50	10		H	82.76	5.90	0.00	0.94	4.96	34.77	29.81
707.50			V	93.14	18.72	0.00	0.94	17.78	34.77	16.99
707.50	1.4	16QAM	H	83.88	7.02	0.00	0.94	6.08	34.77	28.69
707.50			V	93.96	19.54	0.00	0.94	18.60	34.77	16.17
707.50	3		H	83.45	6.59	0.00	0.94	5.65	34.77	29.12
707.50			V	93.57	19.15	0.00	0.94	18.21	34.77	16.56
707.50	5		H	83.04	6.18	0.00	0.94	5.24	34.77	29.53
707.50			V	93.18	18.76	0.00	0.94	17.82	34.77	16.95
707.50	10		H	82.54	5.68	0.00	0.94	4.74	34.77	30.03
707.50			V	92.97	18.55	0.00	0.94	17.61	34.77	17.16

LTE Band 17

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
710.00	5	QPSK	H	84.46	7.65	0.00	0.94	6.71	34.77	28.06
710.00			V	94.26	19.90	0.00	0.94	18.96	34.77	15.81
710.00	10		H	83.86	7.05	0.00	0.94	6.11	34.77	28.66
710.00			V	93.58	19.22	0.00	0.94	18.28	34.77	16.49
710.00	5	16QAM	H	84.23	7.42	0.00	0.94	6.48	34.77	28.29
710.00			V	93.95	19.59	0.00	0.94	18.65	34.77	16.12
710.00	10		H	83.47	6.66	0.00	0.94	5.72	34.77	29.05
710.00			V	93.26	18.90	0.00	0.94	17.96	34.77	16.81

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level


FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH**Applicable Standard**

FCC §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The 26 dB & 99% bandwidth was recorded.

**Test Equipment List and Details**

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2018-01-04	2019-01-04
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41005012.000000	2018-09-05	2019-09-05
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	27.2~27.6 °C
Relative Humidity:	54~58 %
ATM Pressure:	100.5~100.6 kPa

The testing was performed by Elena Lei from 2018-10-01 to 2018-10-23.

Test Mode: Transmitting

Test Result: Compliant. Please refer to the following table and plots.


Band	Mode	99% Occupied Bandwidth (MHz)	26 dB Occupied Bandwidth (MHz)
Cellular	GSM	0.25	0.32
	EDGE	0.25	0.32
PCS	GSM	0.24	0.32
	EDGE	0.25	0.32
WCDMA Band II	Rel 99	4.18	4.75
	HSDPA	4.18	4.75
	HSUPA	4.18	4.75
WCDMA Band IV	Rel 99	4.18	4.76
	HSDPA	4.20	4.76
	HSUPA	4.21	4.92
WCDMA Band V	Rel 99	4.18	4.74
	HSDPA	4.20	4.76
	HSUPA	4.18	4.75

Band	Bandwidth	Modulation	99% occupied bandwidth (MHz)	26 dB bandwidth (MHz)
LTE Band 2	1.4 MHz	QPSK	1.106	1.327
		16QAM	1.110	1.326
	3 MHz	QPSK	2.748	3.031
		16QAM	2.724	3.040
	5 MHz	QPSK	4.540	5.223
		16QAM	4.540	5.212
	10 MHz	QPSK	8.960	10.175
		16QAM	8.960	9.783
	15 MHz	QPSK	13.560	15.263
		16QAM	13.560	15.236
	20 MHz	QPSK	17.920	19.712
		16QAM	18.000	19.775

Band	Bandwidth	Modulation	99% occupied bandwidth (MHz)	26 dB bandwidth (MHz)
LTE Band 4	1.4 MHz	QPSK	1.110	1.334
		16QAM	1.104	1.313
	3 MHz	QPSK	2.736	3.024
		16QAM	2.724	3.037
	5 MHz	QPSK	4.540	5.195
		16QAM	4.540	5.257
	10 MHz	QPSK	9.000	10.061
		16QAM	9.000	9.853
	15 MHz	QPSK	13.680	15.421
		16QAM	13.560	15.309
LTE Band 5	1.4 MHz	QPSK	1.104	1.350
		16QAM	1.110	1.336
	3 MHz	QPSK	2.736	3.051
		16QAM	2.724	3.035
	5 MHz	QPSK	4.540	5.277
		16QAM	4.540	5.299
	10 MHz	QPSK	9.000	10.147
		16QAM	8.960	9.831
LTE Band 7	5 MHz	QPSK	4.540	5.224
		16QAM	4.540	5.298
	10 MHz	QPSK	9.000	10.099
		16QAM	9.000	9.859
	15 MHz	QPSK	13.620	15.306
		16QAM	13.560	15.220
	20 MHz	QPSK	18.000	19.874
		16QAM	18.080	19.902
LTE Band 12	1.4 MHz	QPSK	1.104	1.317
		16QAM	1.110	1.347
	3 MHz	QPSK	2.736	3.020
		16QAM	2.724	3.040
	5 MHz	QPSK	4.540	5.247
		16QAM	4.560	5.317
	10 MHz	QPSK	9.040	10.057
		16QAM	9.000	9.817
LTE Band 17	5 MHz	QPSK	4.540	5.173
		16QAM	4.520	5.212
	10 MHz	QPSK	8.960	9.908
		16QAM	8.960	9.759


26dB bandwidth:

GSM 850




Date: 1.OCT.2018 14:02:44

GSM1900




Date: 1.OCT.2018 13:58:03

EDGE 850




Date: 1.OCT.2018 14:06:25

EDGE PCS1900




Date: 1.OCT.2018 14:14:38

WCDMA Band II, Rel 99




Date: 1.OCT.2018 11:25:34

WCDMA Band II, HSUPA




Date: 1.OCT.2018 11:23:44

WCDMA Band II, HSDPA




Date: 1.OCT.2018 11:17:16

WCDMA Band IV, Rel 99




Date: 23.OCT.2018 17:51:38

WCDMA Band IV, HSUPA




Date: 23.OCT.2018 17:57:34

WCDMA Band IV, HSDPA




Date: 23.OCT.2018 17:52:53

WCDMA Band V, Rel 99




Date: 1.OCT.2018 11:10:48

WCDMA Band V, HSUPA



Date: 1.OCT.2018 11:12:27


WCDMA Band V, HSDPA



Date: 1.OCT.2018 11:14:27


LTE Band 2

QPSK_1.4 MHz




Date: 7.OCT.2018 17:13:17

QPSK_3 MHz




Date: 7.OCT.2018 17:17:37

QPSK_5 MHz




Date: 7.OCT.2018 17:22:18

QPSK_10 MHz




Date: 7.OCT.2018 17:25:52

QPSK_15 MHz




Date: 7.OCT.2018 17:29:23

QPSK_20 MHz




Date: 7.OCT.2018 17:32:05

16QAM_1.4 MHz




Date: 7.OCT.2018 17:15:36

16QAM_3 MHz




Date: 7.OCT.2018 17:19:36

16QAM_5 MHz




Date: 7.OCT.2018 17:20:53

16QAM_10 MHz




Date: 7.OCT.2018 17:26:56

16QAM_15 MHz



Date: 7.OCT.2018 17:28:11


16QAM_20 MHz



Date: 7.OCT.2018 17:33:07


LTE Band 4:

QPSK_1.4 MHz




Date: 8.OCT.2018 10:23:37

QPSK_3 MHz




Date: 8.OCT.2018 10:27:21

QPSK_5 MHz




Date: 8.OCT.2018 10:28:41

QPSK_10 MHz




Date: 8.OCT.2018 10:32:41

QPSK_15 MHz




Date: 8.OCT.2018 10:36:42

QPSK_20 MHz




Date: 8.OCT.2018 10:38:02

16QAM_1.4 MHz




Date: 8.OCT.2018 10:21:50

16QAM_3 MHz




Date: 8.OCT.2018 10:25:30

16QAM_5 MHz




Date: 8.OCT.2018 10:30:02

16QAM_10 MHz




Date: 8.OCT.2018 10:31:05

16QAM_15 MHz



Date: 8.OCT.2018 10:35:19


16QAM_20 MHz



Date: 8.OCT.2018 10:38:58


LTE Band 5:

QPSK_1.4 MHz




Date: 8.OCT.2018 10:42:38

QPSK_3 MHz




Date: 8.OCT.2018 10:46:38

QPSK_5 MHz




Date: 8.OCT.2018 10:50:50

QPSK_10 MHz




Date: 8.OCT.2018 10:52:50

16QAM_1.4 MHz




Date: 8.OCT.2018 10:44:58

16QAM_3 MHz




Date: 8.OCT.2018 10:48:37

16QAM_5 MHz



Date: 8.OCT.2018 10:49:48


16QAM_10 MHz



Date: 8.OCT.2018 10:53:57


LTE Band 7:

QPSK_5 MHz




Date: 8.OCT.2018 10:55:41

QPSK_10 MHz




Date: 8.OCT.2018 10:59:08

QPSK_15 MHz




Date: 8.OCT.2018 11:09:08

QPSK_20 MHz




Date: 8.OCT.2018 11:06:37

16QAM_5 MHz




Date: 8.OCT.2018 10:56:32

16QAM_10 MHz




Date: 8.OCT.2018 10:58:10

16QAM_15 MHz



Date: 8.OCT.2018 11:07:49


16QAM_20 MHz



Date: 8.OCT.2018 11:04:53


LTE Band 12,

QPSK_1.4 MHz




Date: 8.OCT.2018 11:14:19

QPSK_3 MHz




Date: 8.OCT.2018 11:17:28

QPSK_5 MHz




Date: 8.OCT.2018 11:19:59

QPSK_10 MHz




Date: 8.OCT.2018 11:21:24

16QAM_1.4 MHz




Date: 8.OCT.2018 11:13:27

16QAM_3 MHz



Date: 8.OCT.2018 11:16:17

16QAM_5 MHz



Date: 8.OCT.2018 11:19:06

The screenshot displays a spectrum analyzer interface with the following details:

- Top Bar:**
 - RBW: 100 kHz
 - VBW: 300 kHz
 - SWT: 10 ms
 - Delta 1 [T1]: 0.95 dB
- Left Panel:**
 - Ref: 34.5 dBm
 - * Att: 30 dB
 - 1 PK MAXH (blue box)
- Right Panel:**
 - 9.816923077 MHz
 - OBW: 9.000000000 MHz
 - Marker 1 [T1]: -11.14 dBm, 762.574102564 MHz
 - Temp 1 [T1 OBW]: 10.36 dBm, 763.020000000 MHz
 - Delta 2 [T1 OBW]: 9.22 dBm, 773.020000000 MHz
 - 3dB (bottom right)
- Main Plot:**
 - Offset: 4.5 dB
 - Center: 707.5 MHz
 - Span: 20 MHz
 - Scale: -60 to -30 dBm
 - Signal: Blue trace showing two peaks, T1 and T2.
 - Horizontal Reference Lines:
 - D1: 15.87 dBm (red)
 - D2: -10.12 dBm (red)

LTE Band 17:

Ref 34.5 dBm *Att 30 dB RBW 100 kHz VBW 300 kHz SWT 5 ms Delta 1 [T1] 1.51 dB
5.172820513 MHz

Offset 4.5 dB

D1 17.12 dBm T1 T2 1

D2 -8.88 dBm

OBW 4.540000000 MHz Marker 1 [T1] -10.52 dBm 767.416666667 MHz Temp 1 [T1 OBW] 10.75 dBm 767.760000000 MHz Temp 2 [T1 OBW] 10.59 dBm 772.300000000 MHz

Center 710 MHz **Span** 10 MHz


1 PK MAXH

LVL

3DB


Page 69 of 195

QPSK_10 MHz




Date: 7.OCT.2018 17:38:24

16QAM_5 MHz



Date: 7.OCT.2018 17:36:14

16QAM_10 MHz



Date: 7.OCT.2018 17:39:21

FCC §2.1051, §22.917(a) & §24.238(a) & §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) , §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2018-01-04	2019-01-04
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41005012.000000	2018-09-05	2019-09-05
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data


Environmental Conditions

Temperature:	27.2~27.6 °C
Relative Humidity:	54~58 %
ATM Pressure:	100.5~100.6 kPa


The testing was performed by Elena Lei from 2018-10-01 to 2018-10-23.

Please refer to the following plots.

GSM850_Middle Channel




Date: 1.OCT.2018 11:49:44




Date: 1.OCT.2018 11:57:14

PCS 1900_ Middle Channel




Date: 1.OCT.2018 11:58:45

Fundamental




Date: 1.OCT.2018 11:54:40

WCDMA Band II,Rel99




Date: 1.OCT.2018 11:06:22

Fundamental




Date: 1.OCT.2018 11:05:59

WCDMA Band IV,Rel99




Date: 23.OCT.2018 17:20:46

Fundamental




Date: 23.OCT.2018 17:27:23

WCDMA Band V,Rel99




Date: 1.OCT.2018 11:03:40




Date: 1.OCT.2018 11:04:39

LTE Band 2 (Middle Channel)




Date: 8.OCT.2018 13:34:46




Fundamental

Date: 8.OCT.2018 13:36:00




Date: 8.OCT.2018 13:45:27


QPSK_3 MHz



Date: 8.OCT.2018 13:37:45



Date: 8.OCT.2018 13:41:07



Date: 8.OCT.2018 13:44:46

15

1 PK
MAXH

Ref 34.5 dBm * Att 30 dB * RBW 100 kHz * VBW 300 kHz * SWT 100 ms Marker 1 [T1]
-41.53 dBm
970.90000000 MHz

Offset 4.5 dB

D1 -13 dBm

1

Start 30 MHz 97 MHz/ Stop 1 GHz

MARKER 1
1.216 GHz
Ref 34.5 dBm
Att 30 dB

* RBW 1 MHz
* VBW 3 MHz
SWT 2.5 ms

Marker 1 [T1]
-41.13 dBm
1.21600000 GHz

Offset 4.5 dB


1 PK MAXH

D1 -13 dBm

1


Start 1 GHz
100 MHz/
Stop 2 GHz

Fundamental




Date: 8.OCT.2018 13:44:29


QPSK_10 MHz



Date: 8.OCT.2018 13:38:26




Date: 8.OCT.2018 13:42:17




Date: 8.OCT.2018 13:44:06


QPSK_15 MHz



Date: 8.OCT.2018 13:38:44




Date: 8.OCT.2018 13:42:50




Date: 8.OCT.2018 13:43:30


QPSK_20 MHz



Date: 8.OCT.2018 13:39:02




Date: 8.OCT.2018 13:40:31




Date: 8.OCT.2018 13:43:46

LTE Band 4 (Middle Channel)


QPSK_1.4 MHz



Date: 8.OCT.2018 13:51:37




Date: 8.OCT.2018 13:52:10




Date: 8.OCT.2018 13:46:59


QPSK_3 MHz



Date: 8.OCT.2018 13:51:21




Date: 8.OCT.2018 13:52:39




Date: 8.OCT.2018 13:47:14


QPSK_5 MHz



Date: 8.OCT.2018 13:51:05




Date: 8.OCT.2018 13:53:07




Date: 8.OCT.2018 13:47:29


QPSK_10 MHz



Date: 8.OCT.2018 13:50:48




Date: 8.OCT.2018 13:53:41




Date: 8.OCT.2018 13:47:45

QPSK_15 MHz




Date: 8.OCT.2018 13:50:33




Fundamental

Date: 8.OCT.2018 13:57:44




Date: 8.OCT.2018 13:48:01


QPSK_20 MHz



Date: 8.OCT.2018 13:50:21




Date: 8.OCT.2018 13:58:15




Date: 8.OCT.2018 13:48:27

LTE Band 5 (Middle Channel)

QPSK_1.4 MHz




Date: 8.OCT.2018 14:05:25




Date: 8.OCT.2018 14:08:46

QPSK_3 MHz




Date: 8.OCT.2018 14:05:53




Date: 8.OCT.2018 14:08:12

QPSK_5 MHz




Date: 8.OCT.2018 14:06:14




Date: 8.OCT.2018 14:07:52

QPSK_10 MHz




Date: 8.OCT.2018 14:06:53




Date: 8.OCT.2018 14:07:36

LTE Band 7 (Middle Channel)


QPSK_5 MHz



Date: 8.OCT.2018 14:46:42




Date: 8.OCT.2018 14:42:38




Date: 8.OCT.2018 14:45:55


QPSK_10 MHz



Date: 8.OCT.2018 14:46:55




Date: 8.OCT.2018 14:43:22




Date: 8.OCT.2018 14:45:39


QPSK_15 MHz



Date: 8.OCT.2018 14:47:12




Date: 8.OCT.2018 14:43:50




Date: 8.OCT.2018 14:45:26


QPSK_20 MHz



Date: 8.OCT.2018 14:47:28




Date: 8.OCT.2018 14:44:17




Date: 8.OCT.2018 14:45:11

LTE Band 12 (Middle Channel)

QPSK_1.4 MHz




Date: 8.OCT.2018 14:32:53




Date: 8.OCT.2018 14:23:46

QPSK_3 MHz




Date: 8.OCT.2018 14:32:24




Date: 8.OCT.2018 14:24:16

QPSK_5 MHz




Date: 8.OCT.2018 14:33:36




Date: 8.OCT.2018 14:29:31

QPSK_10 MHz




Date: 8.OCT.2018 14:34:07




Date: 8.OCT.2018 14:28:56

LTE Band 17 (Middle Channel)

QPSK_5 MHz




Date: 8.OCT.2018 14:36:16




Date: 8.OCT.2018 14:37:32

QPSK_10 MHz



Date: 8.OCT.2018 14:36:41



Date: 8.OCT.2018 14:37:13

FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB = $10 \lg (\text{TXpwr in Watts}/0.001)$ – the absolute level

Spurious attenuation limit in dB = $43 + 10 \text{Log}_{10} (\text{power out in Watts})$

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESCI	100224	2017-12-11	2018-12-11
Sunol Sciences	Antenna	JB3	A060611-1	2017-11-10	2020-11-10
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0075-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-1000-01	2018-09-05	2019-09-05
HP	Amplifier	8447D	2727A05902	2018-09-05	2019-09-05
Sinoscite	Band-stop filter	BSF824-862MS-1438-001	1438001	2018-06-16	2019-06-16
R&S	Universal Radio Communication Tester	CMU200	106 891	2017-12-14	2018-12-14
R&S	Wideband Radio Communication Tester	CMW500	147473	2018-08-03	2019-08-03
Agilent	Spectrum Analyzer	E4440A	SG43360054	2018-01-04	2019-01-04
TDK RF	Horn Antenna	HRN-0118	130 084	2016-01-05	2019-01-04
ETS-Lindgren	Horn Antenna	3115	000 527 35	2016-01-05	2019-01-04
Unknown	Coaxial Cable	C-SJSJ-50	C-0800-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
MITEQ	Amplifier	AFS42-00101800-25-S-42	2001271	2018-09-05	2019-09-05
Sinoscite	Band-stop filter	BSF1710-1785MN-0383-003	383003	2018-06-16	2019-06-16
Sinoscite	Band-stop filter	BSF1850-1910MS-0935V2	0935V2	2018-06-16	2019-06-16
R&S	Universal Radio Communication Tester	CMU200	110 822	2017-12-14	2018-12-14
R&S	Wideband Radio Communication Tester	CMW500	149216	2017-12-11	2018-12-11
Agilent	Signal Generator	E8247C	MY43321350	2017-12-11	2018-12-11

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	24.8~26.6 °C
Relative Humidity:	32~37 %
ATM Pressure:	100.1~101.1 kPa

* The testing was performed by Tyler Pan & Sunny Cen on 2018-10-10~2018-10-12.

EUT Operation Mode: Transmitting

Cellular Band (PART 22H)**30 MHz-10 GHz:**

836 MHz To 850 MHz

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM850, Frequency:836.600 MHz								
1673.200	H	54.68	-59.53	10.6	0.73	-49.7	-13.0	36.7
1673.200	V	60.75	-54.06	10.6	0.73	-44.2	-13.0	31.2
2509.800	H	68.02	-45	13.1	1.25	-33.1	-13.0	20.1
2509.800	V	62.99	-50.06	13.1	1.25	-38.2	-13.0	25.2
3346.400	H	50.22	-60.44	13.8	1.61	-48.2	-13.0	35.2
3346.400	V	50.84	-59.87	13.8	1.61	-47.7	-13.0	34.7
488.000	H	45.52	-58.78	0.0	0.7	-59.5	-13.0	46.5
488.000	V	46.98	-60.39	0.0	0.7	-61.1	-13.0	48.1
WCDMA Band V R99,Frequency:836.600 MHz								
1673.200	H	48.77	-65.44	10.6	0.73	-55.6	-13.0	42.6
1673.200	V	49.94	-64.87	10.6	0.73	-55.0	-13.0	42.0
2509.800	H	55.13	-57.89	13.1	1.25	-46.0	-13.0	33.0
2509.800	V	56.25	-56.8	13.1	1.25	-44.9	-13.0	31.9
3346.400	H	45.36	-65.3	13.8	1.61	-53.1	-13.0	40.1
3346.400	V	46.32	-64.39	13.8	1.61	-52.2	-13.0	39.2
328.000	H	47.58	-59.99	0.0	0.55	-60.5	-13.0	47.5
328.000	V	49.95	-59.52	0.0	0.55	-60.1	-13.0	47.1

30 MHz-20 GHz:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM1900, Frequency:1880.000 MHz								
3760.000	H	57.02	-51.78	13.8	1.63	-39.7	-13.0	26.7
3760.000	V	58.78	-49.89	13.8	1.63	-37.8	-13.0	24.8
5640.000	H	59.76	-46.27	14.0	1.31	-33.6	-13.0	20.6
5640.000	V	65.10	-40.81	14.0	1.31	-28.1	-13.0	15.1
375.000	H	45.57	-60.2	0.0	0.59	-60.8	-13.0	47.8
375.000	V	46.88	-61.74	0.0	0.59	-62.3	-13.0	49.3
WCDMA Band II, R99, Frequency:1880.000 MHz								
3760.000	H	46.39	-62.41	13.8	1.63	-50.3	-13.0	37.3
3760.000	V	46.79	-61.88	13.8	1.63	-49.8	-13.0	36.8
5640.000	H	46.12	-59.91	14.0	1.31	-47.2	-13.0	34.2
5640.000	V	46.47	-59.44	14.0	1.31	-46.7	-13.0	33.7
672.000	H	45.83	-55.8	0.0	0.89	-56.7	-13.0	43.7
672.000	V	48.77	-55.55	0.0	0.89	-56.4	-13.0	43.4

30 MHz-20 GHz:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA Band IV, R99, Frequency: 1732.600 MHz								
3465.200	H	53.78	-56.46	13.9	1.62	-44.2	-13.0	31.2
3465.200	V	52.47	-57.81	13.9	1.62	-45.5	-13.0	32.5
5197.800	H	57.64	-48.78	14.0	1.52	-36.3	-13.0	23.3
5197.800	V	54.89	-51.6	14.0	1.52	-39.1	-13.0	26.1
524.000	H	47.58	-56.15	0.0	0.72	-56.9	-13.0	43.9
524.000	V	46.55	-60.26	0.0	0.72	-61.0	-13.0	48

LTE Band 2 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK,Frequency:1880.000 MHz								
3760.00	H	49.57	-59.23	13.76	1.63	-47.10	-13.00	34.10
3760.00	V	48.55	-60.12	13.76	1.63	-47.99	-13.00	34.99
5640.00	H	47.12	-58.91	14.02	1.31	-46.20	-13.00	33.20
5640.00	V	46.78	-59.13	14.02	1.31	-46.42	-13.00	33.42
438.00	H	45.38	-59.21	0.00	0.65	-59.86	-13.00	46.86
438.00	V	47.82	-60.00	0.00	0.65	-60.65	-13.00	47.65

LTE Band 4 (30MHz-20GHz):

EME Data 1 (30 MHz to 3 GHz):								
Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 1732.500 MHz								
3465.00	H	47.10	-63.14	13.91	1.62	-50.85	-13.00	37.85
3465.00	V	46.89	-63.39	13.91	1.62	-51.10	-13.00	38.10
5197.50	H	45.68	-60.74	14.00	1.52	-48.26	-13.00	35.26
5197.50	V	46.38	-60.11	14.00	1.52	-47.63	-13.00	34.63
368.00	H	43.62	-62.42	0.00	0.58	-63.00	-13.00	50.00
368.00	V	48.75	-60.00	0.00	0.58	-60.58	-13.00	47.58

LTE Band 5 (30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 836.500 MHz								
1673.00	H	50.68	-63.54	10.61	0.73	-53.66	-13.00	40.66
1673.00	V	50.14	-64.68	10.61	0.73	-54.80	-13.00	41.80
2509.50	H	48.27	-64.75	13.11	1.25	-52.89	-13.00	39.89
2509.50	V	47.86	-65.19	13.11	1.25	-53.33	-13.00	40.33
3346.00	H	47.62	-63.04	13.83	1.61	-50.82	-13.00	37.82
3346.00	V	47.25	-63.46	13.83	1.61	-51.24	-13.00	38.24
589.00	H	44.87	-57.49	0.00	0.75	-58.24	-13.00	45.24
589.00	V	48.62	-56.98	0.00	0.75	-57.73	-13.00	44.73

LTE Band 7 (30MHz-26.5GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2535.000 MHz								
5070.00	H	47.59	-59.21	13.93	1.34	-46.62	-25.00	21.62
5070.00	V	47.51	-59.10	13.93	1.34	-46.51	-25.00	21.51
7605.00	H	46.29	-54.07	13.21	1.40	-42.26	-25.00	17.26
7605.00	V	46.37	-54.39	13.21	1.40	-42.58	-25.00	17.58
471.00	H	46.83	-57.57	0.00	0.68	-58.25	-25.00	33.25
471.00	V	52.37	-55.15	0.00	0.68	-55.83	-25.00	30.83

LTE Band 12 (30MHz-10GHz):

ETB Band 12 (50MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK,Frequency:707.500 MHz								
1415.00	H	47.76	-65.74	9.08	1.22	-57.88	-13.00	44.88
1415.00	V	47.55	-66.48	9.08	1.22	-58.62	-13.00	45.62
2122.50	H	47.10	-65.69	11.27	1.11	-55.53	-13.00	42.53
2122.50	V	47.35	-65.42	11.27	1.11	-55.26	-13.00	42.26
2830.00	H	47.02	-65.06	13.34	1.36	-53.08	-13.00	40.08
2830.00	V	47.11	-65.20	13.34	1.36	-53.22	-13.00	40.22
634.00	H	45.58	-56.31	0.00	0.82	-57.13	-13.00	44.13
634.00	V	48.67	-56.21	0.00	0.82	-57.03	-13.00	44.03

LTE Band 17 (30MHz-10GHz)

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 710.000 MHz								
1420.00	H	47.10	-66.50	9.10	1.23	-58.63	-13.00	45.63
1420.00	V	47.23	-66.87	9.10	1.23	-59.00	-13.00	46.00
2130.00	H	46.88	-65.87	11.22	1.11	-55.76	-13.00	42.76
2130.00	V	46.67	-66.05	11.22	1.11	-55.94	-13.00	42.94
2840.00	H	46.38	-65.66	13.42	1.36	-53.60	-13.00	40.60
2840.00	V	46.59	-65.69	13.42	1.36	-53.63	-13.00	40.63
357.00	H	46.33	-60.13	0.00	0.57	-60.70	-13.00	47.70
357.00	V	48.56	-60.39	0.00	0.57	-60.96	-13.00	47.96

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit - Absolute Level

FCC §22.917(a) & §24.238(a) & §27.53 - BAND EDGES


Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2018-01-04	2019-01-04
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41005012	2018-09-05	2019-09-05
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A
Unknown	Attenuator	UNAT-3+	15529	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**


Temperature:	27.2~27.3 °C
Relative Humidity:	54~62 %
ATM Pressure:	100.3~100.6 kPa

The testing was performed by Elena Lei from 2018-10-01 to 2018-10-09.

Test Mode: Transmitting


Test Result: Compliant. Please refer to the following plots.

GSM 850, Left Band Edge




Date: 1.OCT.2018 13:41:27

GSM 850, Right Band Edge




Date: 1.OCT.2018 13:42:01

GSM 1900, Left Band Edge




Date: 1.OCT.2018 13:59:36

GSM 1900, Right Band Edge




Date: 1.OCT.2018 14:00:05

EDGE 850, Left Band Edge




Date: 1.OCT.2018 14:08:14

EDGE 850, Right Band Edge




Date: 1.OCT.2018 14:08:54

EDGE 1900, Left Band Edge



Date: 1.OCT.2018 14:12:00

EDGE 1900, Right Band Edge



Date: 1.OCT.2018 14:13:20

Marker 1
1.85 GHz
-16.96 dBm

Ref 34.5 dBm Att 30 dB

RBW 100 kHz
VBW 300 kHz
SWT 5 ms

Offset 4.5 dB


D1 -8.5 dBm

Center 1.85 GHz 1 MHz/ Span 10 MHz


1 RM
MAXH

A
LVL
3dB

WCDMA Band II Rel 99, Right Band Edge




WCDMA Band II HSUPA, Left Band Edge




Date: 1.OCT.2018 10:59:00

WCDMA Band II HSUPA, Right Band Edge




Date: 1.OCT.2018 10:57:00

WCDMA Band II HSDPA, Left Band Edge




Date: 1.OCT.2018 10:54:40

WCDMA Band II HSDPA, Right Band Edge




Date: 1.OCT.2018 10:54:10

WCDMA Band IV Rel 99, Left Band Edge




Date: 1.OCT.2018 10:49:20

WCDMA Band IV Rel 99, Right Band Edge




Date: 1.OCT.2018 10:49:50

WCDMA Band IV HSUPA, Left Band Edge




Date: 1.OCT.2018 10:59:49

WCDMA Band IV HSUPA, Right Band Edge




Date: 1.OCT.2018 11:00:14

WCDMA Band IV HSDPA, Left Band Edge




Date: 1.OCT.2018 10:53:35

WCDMA Band IV HSDPA, Right Band Edge




Date: 1.OCT.2018 10:53:10

WCDMA Band V Rel 99, Left Band Edge




Date: 1.OCT.2018 10:51:27

WCDMA Band V Rel 99, Right Band Edge




Date: 1.OCT.2018 10:51:01

WCDMA Band V HSUPA, Left Band Edge




Date: 1.OCT.2018 11:01:37

WCDMA Band V HSUPA, Right Band Edge




Date: 1.OCT.2018 11:01:56

WCDMA Band V HSDPA, Left Band Edge



Date: 1.OCT.2018 10:52:22


WCDMA Band V HSDPA, Right Band Edge



Date: 1.OCT.2018 10:52:39


LTE Band 2

QPSK_1.4MHz_6 RB_ Left




Date: 8.OCT.2018 15:25:29

QPSK_1.4MHz_6 RB_ Right




Date: 8.OCT.2018 15:27:24

QPSK_3MHz_15 RB_ Left




Date: 8.OCT.2018 15:31:36

QPSK_3MHz_15 RB_ Right




Date: 8.OCT.2018 15:29:05

QPSK_5MHz_25 RB_ Left




Date: 8.OCT.2018 15:43:46

QPSK_5MHz_25 RB_ Right




Date: 8.OCT.2018 15:41:59

QPSK_10MHz_50 RB_ Left




Date: 8.OCT.2018 15:45:03

QPSK_10MHz_50 RB_ Right




Date: 8.OCT.2018 15:46:36

QPSK_15MHz_ 75 RB_ Left




Date: 8.OCT.2018 15:50:44

QPSK_15MHz_ 75 RB_ Right




Date: 8.OCT.2018 15:48:55

QPSK_20MHz_FULL RB_Left




Date: 8.OCT.2018 15:51:55


QPSK_20MHz_FULL RB_Right



Date: 8.OCT.2018 15:53:48




Date: 8.OCT.2018 15:24:49




Date: 8.OCT.2018 15:27:57

16QAM_3MHz_15 RB_ Left




Date: 8.OCT.2018 15:31:05


16QAM_3MHz_15 RB_ Right




Date: 8.OCT.2018 15:29:53




Date: 8.OCT.2018 15:43:21




Date: 8.OCT.2018 15:42:37




Date: 8.OCT.2018 15:45:27



Date: 8.OCT.2018 15:46:09




Date: 8.OCT.2018 15:50:22




Date: 8.OCT.2018 15:49:29

16QAM_20MHz_FULL RB_Left



Date: 8.OCT.2018 15:52:23


16QAM_20MHz_FULL RB_Right



Date: 8.OCT.2018 15:53:13


LTE Band 4

QPSK_1.4MHz_6 RB_ Left




Date: 8.OCT.2018 15:56:09

QPSK_1.4MHz_6 RB_ Right




Date: 8.OCT.2018 15:57:42

QPSK_3MHz_15 RB_ Left




Date: 8.OCT.2018 16:07:00

QPSK_3MHz_15 RB_ Right




Date: 8.OCT.2018 16:06:09

QPSK_5MHz_25 RB_ Left




Date: 8.OCT.2018 16:09:20

QPSK_5MHz_25 RB_ Right




Date: 8.OCT.2018 16:11:09

QPSK_10MHz_50 RB_ Left




Date: 8.OCT.2018 16:14:07

QPSK_10MHz_50 RB_ Right




Date: 8.OCT.2018 16:12:19

QPSK_15MHz_ 75 RB_ Left




Date: 8.OCT.2018 16:20:59

QPSK_15MHz_ 75 RB_ Right




Date: 8.OCT.2018 16:22:18

QPSK_20MHz_FULL RB_Left




Date: 8.OCT.2018 16:26:53


QPSK_20MHz_FULL RB_Right




Date: 8.OCT.2018 16:24:17




Date: 8.OCT.2018 15:55:31




Date: 8.OCT.2018 16:03:55




Date: 8.OCT.2018 16:07:33




Date: 8.OCT.2018 16:05:43




Date: 8.OCT.2018 16:09:52




Date: 8.OCT.2018 16:10:31




Date: 8.OCT.2018 16:13:24



Date: 8.OCT.2018 16:12:38




Date: 8.OCT.2018 16:19:31




Date: 8.OCT.2018 16:22:48

16QAM_20MHz_ FULL RB_ Left



Date: 8.OCT.2018 16:26:24


16QAM_20MHz_ FULL RB_ Right



Date: 8.OCT.2018 16:25:04


LTE Band 5

QPSK_1.4MHz_6 RB_ Left




Date: 9.OCT.2018 08:48:25

QPSK_1.4MHz_6 RB_ Right




Date: 9.OCT.2018 08:52:58

QPSK_3MHz_15 RB_Left




Date: 9.OCT.2018 08:56:46

QPSK_3MHz_15 RB_Right




Date: 9.OCT.2018 08:56:05

QPSK_5MHz_25 RB_ Left




Date: 9.OCT.2018 08:59:29

QPSK_5MHz_25 RB_ Right




Date: 9.OCT.2018 09:01:41

QPSK_10MHz_50 RB_ Left




Date: 9.OCT.2018 09:06:53


QPSK_10MHz_50 RB_ Right



Date: 9.OCT.2018 09:04:24




Date: 9.OCT.2018 08:47:22




Date: 9.OCT.2018 08:52:18

16QAM_3MHz_15 RB_ Left




Date: 9.OCT.2018 08:57:30


16QAM_3MHz_15 RB_ Right




Date: 9.OCT.2018 08:55:34




Date: 9.OCT.2018 09:00:06



Date: 9.OCT.2018 09:00:42




Date: 9.OCT.2018 09:06:17



Date: 9.OCT.2018 09:04:54


LTE Band 7

QPSK_5MHz_25 RB_Left




Date: 9.OCT.2018 09:09:24

QPSK_5MHz_25 RB_Right




Date: 9.OCT.2018 09:12:29

QPSK_10MHz_50 RB_ Left




Date: 9.OCT.2018 09:16:35

QPSK_10MHz_50 RB_ Right




Date: 9.OCT.2018 09:13:39

QPSK_15MHz_75 RB_Left




Date: 9.OCT.2018 09:25:37

QPSK_15MHz_75 RB_Right




Date: 9.OCT.2018 09:26:45

QPSK_20MHz_FULL RB_Left




Date: 9.OCT.2018 09:35:51

QPSK_20MHz_FULL RB_Right




Date: 9.OCT.2018 09:32:34

16QAM_5MHz_25 RB_ Left



Date: 9.OCT.2018 09:10:25

16QAM_5MHz_25 RB_ Right



Date: 9.OCT.2018 09:11:54

MARKER 1
 2.5 GHz
 Ref 34.5 dBm

RBW 100 kHz
 VBW 300 kHz
 SWT 10 ms

Marker 1 [T1]
 -23.38 dBm
 2.500000000 GHz

Offset 4.5 dB
 Att 30 dB

1 RM
 MAXH

D1 -13 dBm

A
 LVL
 30B

Center 2.5 GHz
 2 MHz/
 Span 20 MHz

Ref 34.5 dBm Att 30 dB RBW 100 kHz VBW 300 kHz SWT 10 ms Marker 1 [T1] -24.81 dBm 2.57000000 GHz


Offset 4.5 dB

1 RM MAXH


D1 -13 dBm

Center 2.57 GHz Span 20 MHz

Page 170 of 195




Date: 9.OCT.2018 09:24:53




Date: 9.OCT.2018 09:27:36

16QAM_20MHz_FULL RB_Left



Date: 9.OCT.2018 09:35:06


16QAM_20MHz_FULL RB_Right



Date: 9.OCT.2018 09:33:32


LTE Band 12

QPSK_1.4MHz_6 RB_ Left




Date: 9.OCT.2018 09:39:16

QPSK_1.4MHz_6 RB_ Right




Date: 9.OCT.2018 09:41:38

QPSK_3MHz_15 RB_ Left




Date: 9.OCT.2018 09:43:57

QPSK_3MHz_15 RB_ Right




Date: 9.OCT.2018 09:42:51

QPSK_5MHz_25 RB_ Left




Date: 9.OCT.2018 09:50:06

QPSK_5MHz_25 RB_ Right




Date: 9.OCT.2018 09:51:35

QPSK_10MHz_50 RB_ Left




Date: 9.OCT.2018 09:54:24


QPSK_10MHz_50 RB_ Right




Date: 9.OCT.2018 09:52:24




Date: 9.OCT.2018 09:40:20



Date: 9.OCT.2018 09:41:05




Date: 9.OCT.2018 09:44:34




Date: 9.OCT.2018 09:42:27

16QAM_5MHz_25 RB_ Left




Date: 9.OCT.2018 09:50:30


16QAM_5MHz_25 RB_ Right



Date: 9.OCT.2018 09:50:59




Date: 9.OCT.2018 09:53:53



Date: 9.OCT.2018 09:53:15


LTE Band 17

QPSK_5MHz_25 RB_Left




Date: 8.OCT.2018 16:36:00

QPSK_5MHz_25 RB_Right




Date: 8.OCT.2018 16:38:16

QPSK_10MHz_50 RB_ Left




Date: 8.OCT.2018 16:48:46

QPSK_10MHz_50 RB_ Right




Date: 8.OCT.2018 16:50:20

16QAM_5MHz_25 RB_ Left




Date: 8.OCT.2018 16:36:38


16QAM_5MHz_25 RB_ Right



Date: 8.OCT.2018 16:37:41



Date: 8.OCT.2018 16:49:09



Date: 8.OCT.2018 16:49:57

FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY**Applicable Standard**

FCC § 2.1055 (a), § 2.1055 (d), §22.355, §24.235, §27.54

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile > 3 watts (ppm)	Mobile ≤ 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: An external variable DC power supply was connected to the battery terminals of the equipment under test. The voltage was set from 85% to 115% of the nominal value and was then decreased until the transmitter light no longer illuminated; i.e., the battery end point. The output frequency was recorded for each battery voltage.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Dongzhixu	High Temperature Test Chamber	DP1000	201105083-4	2018-08-25	2019-08-25
R&S	Universal Radio Communication Tester	CMU200	106 891	2017-12-14	2018-12-14
R&S	Wideband Radio Communication Tester	CMW500	147473	2018-08-03	2019-08-03
UNI-T	Multimeter	UT39A	M130199938	2018-05-09	2019-05-09
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
Pro instrument	DC Power Supply	pps3300	3300012	N/A	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	27.2~27.3 °C
Relative Humidity:	54~62 %
ATM Pressure:	100.3~100.6 kPa

The testing was performed by Elena Lei from 2018-10-01 to 2018-10-09.

Cellular Band (Part 22H)

GMSK, Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	6	0.00717189	2.5
-20		3	0.00358594	
-10		2	0.00239063	
0		8	0.00956251	
10		-1	-0.00119531	
20		8	0.00956251	
30		5	0.00597657	
40		4	0.00478126	
50		-3	-0.00358594	
25	3.6	-1	-0.00119531	
25	4.35	1	0.00119531	

8PSK, Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	-2	-0.00239063	2.5
-20		3	0.00358594	
-10		4	0.00478126	
0		10	0.01195314	
10		12	0.01434377	
20		16	0.01912503	
30		18	0.02151566	
40		13	0.01553909	
50		9	0.01075783	
25	3.6	6	0.00717189	
25	4.35	10	0.01195314	

PCS Band (Part 24E)

GMSK, Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V_{DC}	Hz	ppm	
-30	3.8	6	0.00319149	Pass
-20		8	0.00425532	
-10		12	0.00638298	
0		9	0.00478723	
10		8	0.00425532	
20		10	0.00531915	
30		15	0.00797872	
40		13	0.00691489	
50		18	0.00957447	
25	3.6	15	0.00797872	
25	4.35	12	0.00638298	

8PSK, Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V_{DC}	Hz	ppm	
-30	3.8	13	0.00691489	Pass
-20		15	0.00797872	
-10		14	0.00744681	
0		20	0.0106383	
10		22	0.01170213	
20		25	0.01329787	
30		23	0.01223404	
40		21	0.01117021	
50		24	0.01276596	
25	3.6	22	0.01170213	
25	4.35	19	0.01010638	

WCDMA Band II: R99

Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V _{DC}	Hz	ppm	
-30	3.8	-12	-0.00638298	Pass
-20		-15	-0.00797872	
-10		-15	-0.00797872	
0		-14	-0.00744681	
10		-19	-0.01010638	
20		-19	-0.01010638	
30		-14	-0.00744681	
40		-12	-0.00638298	
50		-16	-0.00851064	
25	3.6	-15	-0.00797872	
25	4.35	-12	-0.00638298	

WCDMA Band IV: R99

Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	1710.09	1754.96	1710	1755
-20		1710.61	1754.47	1710	1755
-10		1710.14	1754.73	1710	1755
0		1710.38	1754.47	1710	1755
10		1710.47	1754.81	1710	1755
20		1710.32	1754.68	1710	1755
30		1710.11	1754.57	1710	1755
40		1710.20	1754.39	1710	1755
50		1710.03	1754.57	1710	1755
25	3.6	1710.32	1754.55	1710	1755
25	4.35	1710.57	1754.67	1710	1755

WCDMA Band V: R99

Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	-3	-0.00358594	2.5
-20		-7	-0.0083672	
-10		-10	-0.01195314	
0		-15	-0.01792972	
10		-9	-0.01075783	
20		-15	-0.01792972	
30		-8	-0.00956251	
40		-6	-0.00717189	
50		-10	-0.01195314	
25	3.6	-9	-0.01075783	
25	4.35	-7	-0.0083672	

LTE Band 2:

QPSK, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V _{DC}	Hz	ppm	
-30	3.8	-5.12	-0.0027	Pass
-20		-5.33	-0.0028	
-10		-4.36	-0.0023	
0		-3.55	-0.0019	
10		-3.55	-0.0019	
20		-5.46	-0.0029	
30		-5.14	-0.0027	
40		-6.89	-0.0037	
50		-5.45	-0.0029	
25	3.6	-6.35	-0.0034	
25	4.35	-5.36	-0.0029	

16QAM, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V _{DC}	Hz	ppm	
-30	3.8	-5.12	-0.0027	Pass
-20		-5.03	-0.0027	
-10		-5.69	-0.003	
0		-6.21	-0.0033	
10		-6.22	-0.0033	
20		-5.14	-0.0027	
30		-5.01	-0.0027	
40		-4.36	-0.0023	
50		-4.99	-0.0027	
25	3.6	-3.58	-0.0019	
25	4.35	-3.55	-0.0019	

LTE Band 4:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	1710.23	1754.38	1710	1755
-20		1710.51	1754.29	1710	1755
-10		1710.28	1754.59	1710	1755
0		1710.38	1754.20	1710	1755
10		1710.41	1754.22	1710	1755
20		1710.52	1754.48	1710	1755
30		1710.61	1754.67	1710	1755
40		1710.34	1754.23	1710	1755
50		1710.76	1754.39	1710	1755
25	3.6	1710.57	1754.48	1710	1755
25	4.35	1710.52	1754.44	1710	1755

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	1710.61	1754.78	1710	1755
-20		1710.72	1754.71	1710	1755
-10		1710.63	1754.52	1710	1755
0		1710.50	1754.25	1710	1755
10		1710.40	1754.38	1710	1755
20		1710.52	1754.49	1710	1755
30		1710.41	1754.75	1710	1755
40		1710.31	1754.27	1710	1755
50		1710.41	1754.61	1710	1755
25	3.6	1710.59	1754.56	1710	1755
25	4.35	1710.71	1754.54	1710	1755

LTE Band 5:

QPSK, Channel Bandwidth:10MHz Middle Channel, $f_c = 836.5$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
℃	V _{DC}	Hz	ppm	ppm
-30	3.8	-7.12	-0.0085	2.5
-20		-7.36	-0.0088	
-10		-6.89	-0.0082	
0		-6.88	-0.0082	
10		-6.12	-0.0073	
20		-7.77	-0.0093	
30		-6.56	-0.0078	
40		-6.04	-0.0072	
50		-7.01	-0.0084	
25	3.6	-8.12	-0.0097	
25	4.35	-7.11	-0.0085	

16QAM, Channel Bandwidth:10MHz Middle Channel, $f_c = 836.5$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	-6.25	-0.0075	2.5
-20		-5.29	-0.0063	
-10		-5.99	-0.0072	
0		-6.12	-0.0073	
10		-6.23	-0.0074	
20		-6.29	-0.0075	
30		-7.24	-0.0087	
40		-7.36	-0.0088	
50		-7.25	-0.0087	
25	3.6	-7.66	-0.0092	
25	4.35	-7.14	-0.0085	

LTE Band 7:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	2500.50	2569.78	2500	2570
-20		2500.61	2569.21	2500	2570
-10		2500.67	2569.20	2500	2570
0		2500.32	2569.21	2500	2570
10		2500.81	2569.54	2500	2570
20		2500.52	2569.48	2500	2570
30		2500.38	2569.77	2500	2570
40		2500.51	2569.19	2500	2570
50		2500.82	2569.57	2500	2570
25	3.6	2500.45	2569.54	2500	2570
25	4.35	2500.81	2569.32	2500	2570

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	2500.33	2569.72	2500	2570
-20		2500.32	2569.19	2500	2570
-10		2500.48	2569.63	2500	2570
0		2500.60	2569.40	2500	2570
10		2500.59	2569.50	2500	2570
20		2500.52	2569.48	2500	2570
30		2500.59	2569.48	2500	2570
40		2500.73	2569.35	2500	2570
50		2500.80	2569.34	2500	2570
25	3.6	2500.70	2569.30	2500	2570
25	4.35	2500.73	2569.68	2500	2570

LTE Band 12:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	699.71	715.63	699	716
-20		699.43	715.21	699	716
-10		699.44	715.72	699	716
0		699.49	715.29	699	716
10		699.44	715.54	699	716
20		699.52	715.48	699	716
30		699.81	715.27	699	716
40		699.47	715.39	699	716
50		699.38	715.31	699	716
25	3.6	699.59	715.65	699	716
25	4.35	699.28	715.24	699	716

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	699.45	715.51	699	716
-20		699.44	715.52	699	716
-10		699.24	715.52	699	716
0		699.82	715.37	699	716
10		699.47	715.40	699	716
20		699.52	715.48	699	716
30		699.72	715.30	699	716
40		699.31	715.33	699	716
50		699.62	715.19	699	716
25	3.6	699.71	715.39	699	716
25	4.35	699.42	715.68	699	716

LTE Band 17:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	704.65	715.78	704	716
-20		704.64	715.66	704	716
-10		704.33	715.36	704	716
0		704.40	715.56	704	716
10		704.50	715.40	704	716
20		704.52	715.48	704	716
30		704.58	715.22	704	716
40		704.59	715.28	704	716
50		704.64	715.71	704	716
25	3.6	704.48	715.48	704	716
25	4.35	704.73	715.56	704	716

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.8	704.68	715.56	704	716
-20		704.27	715.45	704	716
-10		704.43	715.77	704	716
0		704.66	715.68	704	716
10		704.27	715.77	704	716
20		704.52	715.48	704	716
30		704.38	715.48	704	716
40		704.64	715.61	704	716
50		704.76	715.47	704	716
25	3.6	704.38	715.20	704	716
25	4.35	704.58	715.64	704	716

Note: The fundamental emissions stay within the authorized bands of operation based on the frequency deviation measured is small, the extreme voltage was declared by applicant.

******* END OF REPORT *******