






















Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	AntA	100	0	0
NVNT	a	5600	AntA	100	0	0
NVNT	a	5700	AntA	100	0	0
NVNT	n20	5500	AntA	100	0	0
NVNT	n20	5600	AntA	100	0	0
NVNT	n20	5700	AntA	100	0	0
NVNT	n40	5510	AntA	100	0	0
NVNT	n40	5590	AntA	100	0	0
NVNT	n40	5670	AntA	100	0	0
NVNT	ac20	5500	AntA	100	0	0
NVNT	ac20	5600	AntA	100	0	0
NVNT	ac20	5700	AntA	100	0	0
NVNT	ac40	5510	AntA	100	0	0
NVNT	ac40	5590	AntA	100	0	0
NVNT	ac40	5670	AntA	100	0	0
NVNT	ac80	5530	AntA	100	0	0
NVNT	ac80	5610	AntA	100	0	0








































Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	AntB	100	0	0
NVNT	a	5600	AntB	100	0	0
NVNT	a	5700	AntB	100	0	0
NVNT	n20	5500	AntB	100	0	0
NVNT	n20	5600	AntB	100	0	0
NVNT	n20	5700	AntB	100	0	0
NVNT	n40	5510	AntB	100	0	0
NVNT	n40	5590	AntB	100	0	0
NVNT	n40	5670	AntB	100	0	0
NVNT	ac20	5500	AntB	100	0	0
NVNT	ac20	5600	AntB	100	0	0
NVNT	ac20	5700	AntB	100	0	0
NVNT	ac40	5510	AntB	100	0	0
NVNT	ac40	5590	AntB	100	0	0
NVNT	ac40	5670	AntB	100	0	0
NVNT	ac80	5530	AntB	100	0	0
NVNT	ac80	5610	AntB	100	0	0




































Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	AntA	100	0	0
NVNT	a	5785	AntA	100	0	0
NVNT	a	5825	AntA	100	0	0
NVNT	n20	5745	AntA	100	0	0
NVNT	n20	5785	AntA	100	0	0
NVNT	n20	5825	AntA	100	0	0
NVNT	n40	5755	AntA	100	0	0
NVNT	n40	5795	AntA	100	0	0
NVNT	ac20	5745	AntA	100	0	0
NVNT	ac20	5785	AntA	100	0	0
NVNT	ac20	5825	AntA	100	0	0
NVNT	ac40	5755	AntA	100	0	0
NVNT	ac40	5795	AntA	100	0	0
NVNT	ac80	5775	AntA	100	0	0


























Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	AntB	100	0	0
NVNT	a	5785	AntB	100	0	0
NVNT	a	5825	AntB	100	0	0
NVNT	n20	5745	AntB	100	0	0
NVNT	n20	5785	AntB	100	0	0
NVNT	n20	5825	AntB	100	0	0
NVNT	n40	5755	AntB	100	0	0
NVNT	n40	5795	AntB	100	0	0
NVNT	ac20	5745	AntB	100	0	0
NVNT	ac20	5785	AntB	100	0	0
NVNT	ac20	5825	AntB	100	0	0
NVNT	ac40	5755	AntB	100	0	0
NVNT	ac40	5795	AntB	100	0	0
NVNT	ac80	5775	AntB	100	0	0















Duty Cycle NVNT n40 5755MHz AntB





Duty Cycle NVNT n40 5795MHz AntB










15. Antenna Requirement

15.1 Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

15.2 Test Result

The EUT antenna is External antenna (antenna gain (A): 2.89dBi; antenna gain (B) : 2.89dBi). It comply with the standard requirement.



16. EUT Photographs

EUT Photo




NOTE: Appendix-Photographs Of EUT Constructional Details

17. EUT Test Setup Photographs

Conducted emissions



Radiated Measurement Photos



STATEMENT

- 1.The equipment lists are traceable to the national reference standards.
- 2.The test report can not be partially copied unless prior written approval is issued from our lab.
- 3.The test report is invalid without stamp of laboratory.
- 4.The test report is invalid without signature of person(s) testing and authorizing.
- 5.The test process and test result is only related to the Unit Under Test.
- 6.The quality system of our laboratory is in accordance with ISO/IEC17025.
- 7.If there is any objection to report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Tangwei, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: <http://www.chnbctc.com>

E-Mail: bctc@bctc-lab.com.cn

***** END *****