

Appendix D: Test Results of Radiation Spurious Emissions

<Beamforming>

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	55.39	14.04	41.35	74.00	-18.61	257	91	Peak	Horizontal	
2 *	5180.00	109.25	67.68	41.57	68.20	41.05	257	91	Peak	Horizontal	
3	5411.00	56.32	13.92	42.40	74.00	-17.68	257	91	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	57.89	16.47	41.42	74.00	-16.11	100	141	Peak	Vertical	
2 *	5180.00	116.42	74.85	41.57	68.20	48.22	100	141	Peak	Vertical	
3	5388.00	57.59	15.28	42.31	74.00	-16.41	100	141	Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	44.93	3.51	41.42	54.00	-9.07	257	91	Average	Horizontal	
2 *	5180.00	99.41	57.84	41.57	54.00	45.41	257	91	Average	Horizontal	
3	5414.50	45.64	3.26	42.38	54.00	-8.36	257	91	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	46.23	4.82	41.41	54.00	-7.77	100	141	Average	Vertical	
2 *	5180.00	104.91	63.34	41.57	54.00	50.91	100	141	Average	Vertical	
3	5420.00	45.63	3.29	42.34	54.00	-8.37	100	141	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.50	57.36	16.02	41.34	74.00	-16.64	350	311	Peak	Horizontal	
2 *	5200.00	114.30	72.64	41.66	68.20	46.10	350	311	Peak	Horizontal	
3	5364.50	57.81	15.84	41.97	74.00	-16.19	350	311	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5089.00	59.29	17.99	41.30	74.00	-14.71	114	6	Peak	Vertical	
2 *	5200.00	121.97	80.31	41.66	68.20	53.77	114	6	Peak	Vertical	
3	5357.00	58.54	16.68	41.86	74.00	-15.46	114	6	Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.50	45.10	3.73	41.37	54.00	-8.90	350	311	Average	Horizontal	
2 *	5200.00	102.74	61.08	41.66	54.00	48.74	350	311	Average	Horizontal	
3	5440.00	46.51	4.32	42.19	54.00	-7.49	350	311	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4950.50	48.90	7.79	41.11	54.00	-5.10	114	6	Average	Vertical	
2 *	5200.00	109.60	67.94	41.66	54.00	55.60	114	6	Average	Vertical	
3	5440.00	48.63	6.44	42.19	54.00	-5.37	114	6	Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Average

CH 48 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	44.93	3.58	41.35	54.00	-9.07	100	135 Average	Horizontal	
2	5240.00	96.48	54.87	41.61	54.00	42.48	100	135 Average	Horizontal	
3	5402.00	45.24	2.77	42.47	54.00	-8.76	100	135 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5001.00	46.23	4.04	41.20	54.00	-7.77	113	1 Average	Vertical	
2	5240.00	100.34	66.73	41.61	54.00	54.34	113	1 Average	Vertical	
3	5401.00	46.70	4.22	42.48	54.00	-7.30	113	1 Average	Vertical	


802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	61.62	18.72	42.90	68.20	-6.58	386	308	Peak	Horizontal	
2 *	5190.00	111.78	68.77	43.01	68.20	43.58	386	308	Peak	Horizontal	
3	5351.00	56.86	13.89	42.97	74.00	-17.14	386	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	62.39	19.49	42.90	68.20	-5.81	100	303	Peak	Vertical	
2 *	5190.00	116.15	73.14	43.01	68.20	47.95	100	303	Peak	Vertical	
3	5399.50	57.13	13.92	43.21	74.00	-16.87	100	303	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	48.08	5.18	42.90	54.00	-5.92	386	308	Average	Horizontal	
2	5190.00	100.71	57.70	43.01	54.00	46.71	386	308	Average	Horizontal	
3	5430.00	48.77	5.53	43.24	54.00	-5.23	386	308	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5190.00	52.11	9.21	42.90	54.00	-1.89	100	303	Average	Vertical	
2	5190.00	104.48	61.47	43.01	54.00	50.48	100	303	Average	Vertical	
3	5430.00	46.35	3.11	43.24	54.00	-7.65	100	303	Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5095.50	57.39	14.83	42.56	74.00	-16.61	361	314	Peak	Horizontal	
2 *	5230.00	114.32	71.31	43.01	68.20	46.12	361	314	Peak	Horizontal	
3	5379.50	57.26	14.15	43.11	74.00	-16.74	361	314	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	58.40	15.55	42.85	74.00	-15.60	100	360	Peak	Vertical	
2 *	5230.00	116.69	73.68	43.01	68.20	48.49	100	360	Peak	Vertical	
3	5441.50	58.30	15.05	43.25	74.00	-15.70	100	360	Peak	Vertical	

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4990.00	47.44	5.00	42.44	54.00	-6.56	361	314	Average	Horizontal	
2 *	5230.00	103.66	60.65	43.01	54.00	49.66	361	314	Average	Horizontal	
3	5372.00	44.63	1.55	43.08	54.00	-9.37	361	314	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4990.00	49.63	7.19	42.44	54.00	-4.37	100	360	Average	Vertical	
2 *	5230.00	105.47	62.46	43.01	54.00	51.47	100	360	Average	Vertical	
3	5390.00	46.15	2.99	43.16	54.00	-7.85	100	360	Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	61.20	19.77	41.43	68.20	-7.00	339	310	Peak	Horizontal	
2 *	5210.00	108.15	66.50	41.65	68.20	39.95	339	310	Peak	Horizontal	
3	5411.00	56.44	14.04	42.40	74.00	-17.56	339	310	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	63.73	22.30	41.43	68.20	-4.47	100	102	Peak	Vertical	
2 *	5210.00	110.49	68.84	41.65	68.20	42.29	100	102	Peak	Vertical	
3	5400.50	56.09	13.60	42.49	74.00	-17.91	100	102	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	50.25	8.82	41.43	54.00	-3.75	339	310	Average	Horizontal	
2 *	5210.00	96.11	56.46	41.65	54.00	44.11	339	310	Average	Horizontal	
3	5402.50	43.79	1.32	42.47	54.00	-10.21	339	310	Average	Horizontal	

CH 42 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	51.89	10.46	41.43	54.00	-2.11	100	102	Average	Vertical	
2 *	5210.00	99.19	57.54	41.65	54.00	45.19	100	102	Average	Vertical	
3	5402.50	44.24	1.77	42.47	54.00	-9.76	100	102	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A




802.11ax HE20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5819.59	46.72	5.53	41.19	54.00	-7.28	329	293	Average	Horizontal	
2 *	5260.00	101.68	60.00	41.68	54.00	47.68	329	293	Average	Horizontal	
3	5392.00	45.31	2.94	42.37	54.00	-8.69	329	293	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5819.59	48.64	7.45	41.19	54.00	-5.36	100	2	Average	Vertical	
2 *	5260.00	110.45	68.78	41.68	54.00	56.45	100	2	Average	Vertical	
3	5421.00	47.46	5.13	42.33	54.00	-6.54	100	2	Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5060.00	57.92	16.64	41.28	74.00	-16.08	100	299	Peak	Horizontal	
2 *	5368.00	112.70	79.67	42.03	68.20	44.50	100	299	Peak	Horizontal	
3	5368.00	57.44	15.42	42.02	74.00	-16.56	100	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	58.89	17.46	41.43	74.00	-15.11	100	7	Peak	Vertical	
2 *	5360.00	121.77	79.74	42.03	68.20	53.57	100	7	Peak	Vertical	
3	5365.50	58.82	16.83	41.99	74.00	-15.18	100	7	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5060.00	49.63	8.35	41.28	54.00	-4.37	100	299	Average	Horizontal	
2 *	5388.00	101.91	59.88	42.03	54.00	47.91	100	299	Average	Horizontal	
3	5388.00	45.45	3.14	42.31	54.00	-8.55	100	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5060.00	47.16	5.88	41.28	54.00	-6.84	100	7	Average	Vertical	
2 *	5388.00	110.00	67.97	42.03	54.00	56.00	100	7	Average	Vertical	
3	5420.00	46.83	4.49	42.34	54.00	-7.17	100	7	Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4953.00	57.65	16.54	41.11	74.00	-16.35	224	314	Peak	Horizontal	
2 *	5320.00	114.62	72.70	41.92	68.20	46.42	224	314	Peak	Horizontal	
3	5418.50	57.62	15.27	42.35	74.00	-16.38	224	314	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5000.00	58.14	16.85	41.29	74.00	-15.86	100	2	Peak	Vertical	
2 *	5320.00	121.72	79.80	41.92	68.20	53.52	100	2	Peak	Vertical	
3	5353.50	60.34	18.53	41.81	74.00	-13.66	100	2	Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5080.00	45.59	4.30	41.29	54.00	-8.41	224	314	Average	Horizontal	
2 *	5320.00	104.92	62.10	41.92	54.00	50.92	224	314	Average	Horizontal	
3	5399.00	45.49	3.01	42.48	54.00	-8.51	224	314	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5080.00	48.24	6.95	41.29	54.00	-5.76	100	2	Average	Vertical	
2 *	5320.00	110.52	68.68	41.92	54.00	56.52	100	2	Average	Vertical	
3	5360.00	48.86	6.96	41.90	54.00	-5.14	100	2	Average	Vertical	


802.11ax HE40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5186.00	56.69	14.09	42.60	74.00	-17.31	347	277	Peak	Horizontal	
2 *	5270.00	114.25	71.29	42.96	68.28	46.05	347	277	Peak	Horizontal	
3	5358.00	57.26	14.26	43.00	74.00	-16.74	347	277	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5186.00	58.85	16.29	42.56	74.00	-15.15	100	360	Peak	Vertical	
2 *	5270.00	120.52	77.56	42.96	68.28	52.32	100	360	Peak	Vertical	
3	5351.00	59.92	16.95	42.97	74.00	-14.08	100	360	Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5030.00	46.26	3.70	42.56	54.00	-7.74	347	277	Average	Horizontal	
2 *	5270.00	102.29	59.33	42.96	54.00	48.29	347	277	Average	Horizontal	
3	5388.50	44.86	1.71	43.15	54.00	-9.14	347	277	Average	Horizontal	

CH 54 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5030.00	50.09	7.53	42.56	54.00	-3.91	100	360	Average	Vertical	
2 *	5270.00	100.24	65.28	42.96	54.00	54.24	100	360	Average	Vertical	
3	5388.00	47.59	4.62	42.97	54.00	-6.41	100	360	Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5090.00	57.66	15.09	42.57	74.00	-16.34	100	299	Peak	Horizontal	
2 *	5318.00	112.72	69.79	42.93	68.28	44.52	100	299	Peak	Horizontal	
3	5364.00	57.37	14.33	43.04	74.00	-16.63	100	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	58.56	15.70	42.86	74.00	-15.44	100	360	Peak	Vertical	
2 *	5318.00	120.49	77.56	42.93	68.28	52.29	100	360	Peak	Vertical	
3	5351.50	62.11	19.13	42.98	74.00	-11.89	100	360	Peak	Vertical	

802.11ax HE40

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5070.00	47.88	5.29	42.59	54.00	-6.12	100	299	Average	Horizontal	
2 *	5318.00	100.13	57.20	42.93	54.00	46.13	100	299	Average	Horizontal	
3	5350.00	45.78	2.81	42.97	54.00	-8.22	100	299	Average	Horizontal	

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5070.00	48.40	5.81	42.59	54.00	-5.60	100	360	Average	Vertical	
2 *	5318.00	100.81	66.88	42.93	54.00	55.81	100	360	Average	Vertical	
3	5350.00	51.97	9.00	42.97	54.00	-2.03	100	360	Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5181.00	55.42	14.12	41.30	74.00	-18.58	243	316	Peak	Horizontal	
2 *	5290.00	105.43	63.49	41.94	68.20	37.23	243	316	Peak	Horizontal	
3	5355.00	56.46	14.63	41.83	74.00	-17.54	243	316	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4925.00	57.73	16.69	41.04	74.00	-16.27	100	114	Peak	Vertical	
2 *	5290.00	114.78	72.76	41.94	68.20	46.58	100	114	Peak	Vertical	
3	5355.00	66.17	24.34	41.83	74.00	-7.83	100	114	Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	45.21	3.79	41.42	54.00	-8.79	243	316	Average	Horizontal	
2 *	5290.00	95.38	53.44	41.94	54.00	41.38	243	316	Average	Horizontal	
3 !	5350.00	48.23	6.47	41.76	54.00	-5.77	243	316	Average	Horizontal	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	44.32	3.20	41.12	54.00	-9.68	100	114	Average	Vertical	
2 *	5290.00	98.53	56.59	41.94	54.00	44.53	100	114	Average	Vertical	
3 !	5350.00	52.20	10.44	41.76	54.00	-1.80	100	114	Average	Vertical	


802.11ax HE160

CH 50 (Horizontal) Peak

CH 50 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	58.53	15.66	42.87	74.00	-15.47	100	314	Peak	HORIZONTAL	
2 *	5250.00	102.07	59.09	42.98	68.20	33.87	100	314	Peak	HORIZONTAL	
3	5386.50	58.45	15.30	43.15	74.00	-15.55	100	314	Peak	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5115.00	65.42	22.76	42.66	74.00	-8.58	100	360	Peak	Vertical	
2 *	5250.00	109.56	66.58	42.98	68.20	41.36	100	360	Peak	Vertical	
3	5391.50	65.15	21.98	43.17	74.00	-8.85	100	360	Peak	Vertical	

802.11ax HE160

CH 50 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	47.04	4.18	42.86	54.00	-6.96	100	314	Average	HORIZONTAL	
2 *	5250.00	91.87	48.89	42.98	54.00	37.87	100	314	Average	HORIZONTAL	
3	5370.50	45.89	2.83	43.06	54.00	-8.11	100	314	Average	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	51.72	8.97	42.75	54.00	-2.28	100	360	Average	Vertical	
2 *	5250.00	98.49	55.51	42.98	54.00	44.49	100	360	Average	Vertical	
3	5354.50	51.69	8.70	42.99	54.00	-2.31	100	360	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5434.50	57.66	15.43	42.23	74.00	-16.34	100	296	Peak	Horizontal	
2	5470.00	57.30	15.09	42.21	68.20	-10.90	100	296	Peak	Horizontal	
3 *	5500.00	116.12	73.77	42.35	68.20	47.92	100	296	Peak	Horizontal	
4	6919.00	61.36	17.63	43.73	68.20	-6.84	100	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	61.19	19.03	42.16	74.00	-12.81	105	2	Peak	Vertical	
2	5467.00	62.07	19.87	42.20	68.20	-6.13	105	2	Peak	Vertical	
3 *	5500.00	121.34	78.99	42.35	68.20	53.14	105	2	Peak	Vertical	
4	6786.50	61.02	17.25	43.77	68.20	-7.18	105	2	Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.50	57.00	15.44	42.36	74.00	-16.20	100	290 Peak	Horizontal	
2	5461.50	56.72	14.54	42.18	68.20	-11.48	100	290 Peak	Horizontal	
3 *	5580.00	117.52	75.28	42.24	68.20	49.32	100	290 Peak	Horizontal	
4	6918.00	61.37	17.64	43.73	68.20	-6.83	100	290 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5417.50	61.05	18.69	42.36	74.00	-12.95	100	3 Peak	Vertical	
2	5470.00	59.78	17.57	42.21	68.20	-8.42	100	3 Peak	Vertical	
3 *	5580.00	125.90	83.66	42.24	68.20	57.70	100	3 Peak	Vertical	
4	5737.00	61.45	18.90	42.55	68.20	-6.75	100	3 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.59	45.41	3.07	42.34	54.00	-8.59	100	290	Average	Horizontal	
2 *	5580.00	105.38	63.14	42.24	54.00	51.38	100	290	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5414.00	49.65	7.26	42.39	54.00	-4.35	100	3	Average	Vertical	
2 *	5580.00	113.44	71.20	42.24	54.00	59.44	100	3	Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	5419.59	55.22	12.88	42.34	74.00	-18.78	264	342 Peak	Horizontal	
2	5469.00	55.20	13.03	42.17	68.20	-13.00	264	342 Peak	Horizontal	
3 *	5700.00	114.70	72.33	42.37	68.20	46.50	264	342 Peak	Horizontal	
4	5725.00	60.06	17.57	42.49	68.20	-8.14	264	342 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	5449.00	57.16	15.03	42.13	74.00	-16.84	100	102 Peak	Vertical	
2	5463.50	57.90	15.72	42.18	68.20	-10.30	100	102 Peak	Vertical	
3 *	5700.00	119.74	77.37	42.37	68.20	51.54	100	102 Peak	Vertical	
4 !	5725.00	66.38	23.89	42.49	68.20	-1.82	100	102 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	45.84	3.67	42.17	54.00	-8.16	264	342	Average	Horizontal	
2 *	5700.00	105.49	63.12	42.37	54.00	51.49	264	342	Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	47.14	4.97	42.17	54.00	-6.86	100	102	Average	Vertical	
2 *	5700.00	100.99	66.62	42.37	54.00	56.99	100	102	Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5354.00	58.04	15.05	42.99	74.00	-15.96	100	296	Peak	Horizontal	
2	5469.50	59.93	16.66	43.27	68.20	-8.27	100	296	Peak	Horizontal	
3 *	5510.00	111.66	68.34	43.32	68.20	43.46	100	296	Peak	Horizontal	
4	6876.00	61.09	15.92	45.17	68.20	-7.11	100	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.50	65.77	22.51	43.26	74.00	-8.23	100	360	Peak	Vertical	
2 !	5460.50	65.22	21.96	43.26	68.20	-2.98	100	360	Peak	Vertical	
3 *	5510.00	118.66	75.34	43.32	68.20	50.46	100	360	Peak	Vertical	
4	6915.50	61.43	16.19	45.24	68.20	-6.77	100	360	Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.59	45.52	2.26	43.26	54.00	-8.48	100	296	Average	Horizontal	
2 *	5510.00	100.23	56.91	43.32	54.00	46.23	100	296	Average	Horizontal	

CH 102 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.59	52.40	9.14	43.26	54.00	-1.60	100	360	Average	Vertical	
2 *	5510.00	106.88	63.56	43.32	54.00	52.88	100	360	Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.50	58.12	15.02	43.10	74.00	-15.88	100	299	Peak	Horizontal	
2	5464.50	59.67	16.41	43.26	68.20	-8.53	100	299	Peak	Horizontal	
3 *	5550.00	115.04	71.60	43.44	68.20	46.84	100	299	Peak	Horizontal	
4	6934.50	61.47	16.21	45.26	68.20	-6.73	100	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5452.50	61.57	18.32	43.25	74.00	-12.43	114	360	Peak	VERTICAL	
2 !	5465.00	64.89	21.62	43.27	68.20	-3.31	114	360	Peak	VERTICAL	
3 *	5550.00	120.25	76.81	43.44	68.20	52.05	114	360	Peak	VERTICAL	
4	6931.00	61.35	16.10	45.25	68.20	-6.85	114	360	Peak	VERTICAL	


802.11ax HE40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	45.09	1.83	43.26	54.00	-8.91	100	299	Average	Horizontal	
2 *	5550.00	103.18	59.74	43.44	54.00	49.18	100	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.00	48.94	5.70	43.24	54.00	-5.06	114	360	Average	VERTICAL	
2 *	5550.00	100.63	65.19	43.44	54.00	54.63	114	360	Average	VERTICAL	

802.11ax HE40

CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.00	46.03	2.79	43.24	54.00	-7.97	257	172	Average	Horizontal	
2 *	5670.00	105.05	61.53	43.52	54.00	51.05	257	172	Average	Horizontal	

CH 134 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.00	48.47	5.23	43.24	54.00	-5.53	100	4	Average	Vertical	
2 *	5670.00	108.37	64.85	43.52	54.00	54.37	100	4	Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5438.50	58.28	16.08	42.20	74.00	-15.72	100	294 Peak	Horizontal	
2	5466.50	58.17	15.97	42.20	68.20	-10.03	100	294 Peak	Horizontal	
3 *	5530.00	105.79	63.48	42.31	68.20	37.59	100	294 Peak	Horizontal	
4	6960.00	59.98	16.18	43.80	68.20	-8.22	100	294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.50	67.53	25.38	42.15	74.00	-6.47	100	117 Peak	Vertical	
2 !	5470.00	66.68	24.39	42.21	68.20	-1.60	100	117 Peak	Vertical	
3 *	5530.00	112.22	69.91	42.31	68.20	44.82	100	117 Peak	Vertical	
4	6781.50	60.86	17.12	43.74	68.20	-7.34	100	117 Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal) Average

CH 106 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.00	47.33	5.18	42.15	54.00	-6.67	100	294	Average	Horizontal	
2	5530.00	93.90	51.59	42.31	54.00	39.90	100	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.50	52.34	10.21	42.13	54.00	-1.66	100	117	Average	Vertical	
2	5530.00	99.19	56.88	42.31	54.00	45.19	100	117	Average	Vertical	


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5383.00	59.17	16.93	42.24	74.00	-14.83	100	154 Peak	Horizontal	
2	5469.00	58.93	16.72	42.21	68.20	-9.27	100	154 Peak	Horizontal	
3 *	5610.00	107.58	65.32	42.26	68.20	39.38	100	154 Peak	Horizontal	
4 !	5743.50	65.28	22.71	42.57	68.20	-2.92	100	154 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.00	61.32	19.17	42.15	74.00	-12.68	100	101 Peak	Vertical	
2 !	5465.50	63.05	20.86	42.19	68.20	-5.15	100	101 Peak	Vertical	
3 *	5610.00	117.36	75.10	42.26	68.20	49.16	100	101 Peak	Vertical	
4 !	5725.50	64.67	22.18	42.49	68.20	-3.53	100	101 Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	46.46	4.29	42.17	54.00	-7.54	100	154	Average	Horizontal	
2 *	5610.00	97.57	55.31	42.26	54.00	43.57	100	154	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	48.60	6.45	42.15	54.00	-5.40	100	101	Average	Vertical	
2 *	5610.00	105.39	63.13	42.26	54.00	51.39	100	101	Average	Vertical	


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.00	58.72	15.47	43.25	74.00	-15.28	100	297 Peak	Horizontal	
2	5465.00	58.15	14.88	43.27	68.20	-10.05	100	297 Peak	Horizontal	
3 *	5570.00	102.58	59.17	43.41	68.20	34.38	100	297 Peak	Horizontal	
4	6056.50	61.58	16.62	44.96	68.20	-6.62	100	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.50	67.32	24.07	43.25	74.00	-6.68	100	360 Peak	Vertical	
2	5464.50	64.20	20.94	43.26	68.20	-4.00	100	360 Peak	Vertical	
3 *	5570.00	108.68	65.27	43.41	68.20	40.48	100	360 Peak	Vertical	
4	5807.50	61.74	17.86	43.88	68.20	-6.46	100	360 Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5449.59	46.87	3.62	43.25	54.00	-7.13	100	297	Average	Horizontal	
2 *	5570.00	91.50	48.09	43.41	54.00	37.50	100	297	Average	Horizontal	

CH 114 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5450.00	52.30	9.04	43.26	54.00	-1.70	100	360	Average	Vertical	
2 *	5570.00	98.00	54.59	43.41	54.00	44.00	100	360	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5561.50	57.89	15.62	42.27	68.20	-10.31	303	333 Peak	Horizontal	
2	5694.00	58.56	16.18	42.38	100.78	-42.22	303	333 Peak	Horizontal	
3	5720.00	67.69	25.22	42.47	110.80	-43.11	303	333 Peak	Horizontal	
4	5725.00	69.50	27.01	42.49	122.20	-52.70	303	333 Peak	Horizontal	
5	5745.00	115.97	73.39	42.58	122.20	-6.23	303	333 Peak	Horizontal	
6	5851.50	57.49	14.02	42.67	118.78	-61.29	303	333 Peak	Horizontal	
7	5861.50	58.08	15.41	42.67	108.98	-50.90	303	333 Peak	Horizontal	
8	5878.00	57.64	14.96	42.68	102.97	-45.33	303	333 Peak	Horizontal	
9	5981.00	58.49	15.48	43.01	68.20	-9.71	303	333 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5641.50	59.72	17.31	42.41	68.20	-8.48	100	155 Peak	Vertical	
2	5670.00	60.69	18.27	42.42	83.04	-22.35	100	155 Peak	Vertical	
3	5720.00	71.22	28.75	42.47	110.80	-39.58	100	155 Peak	Vertical	
4	5724.50	74.86	32.37	42.49	121.06	-46.20	100	155 Peak	Vertical	
5	5745.00	121.89	79.31	42.58	122.20	-0.31	100	155 Peak	Vertical	
6	5850.00	58.73	16.06	42.67	122.20	-63.47	100	155 Peak	Vertical	
7	5866.50	58.99	16.31	42.68	107.58	-48.59	100	155 Peak	Vertical	
8	5881.00	58.95	16.26	42.69	100.74	-41.79	100	155 Peak	Vertical	
9	5934.50	59.17	16.31	42.86	68.20	-9.03	100	155 Peak	Vertical	