

TEST REPORT

Product : Hunting Camera
Trade mark : BROWNING
Model/Type reference : BTC-DWPS-ATT,BTC-DWPS-VZW
Serial Number : N/A
Report Number : EED32M00186503
FCC ID : 2ALGTBTC-DWPS-AV
Date of Issue : Jul. 02, 2020
Test Standards : 47 CFR Part 2
47 CFR Part 22 subpart H
Test result : PASS

Prepared for:

Prometheus Group LLC
P.O. Box 130100 Birmingham, Alabama 35213-0100 USA

Prepared by:

Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Compiled by:

Sunlight Sun

Reviewed by:

Ware Xin

Sunlight Sun

Ware Xin

Approved by:

Sam Chuang

Date:

Jul. 02, 2020

Sam Chuang

Check No.:2447635447



2 Version

Version No.	Date	Description
00	Jul. 02, 2020	Original

3 Test Summary

LTE band 2			
Test Item	Test Requirement	Test method	Result
Effective Radiated Power of Transmitter(EIRP)	Part 2.1046(a) / Part 24.232(c)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 2.1057/ Part 24.238(a)(b)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS

Remark:

The tested samples and the sample information are provided by the client.

Tx: In this whole report Tx (or tx) means Transmitter.

Rx: In this whole report Rx (or rx) means Receiver.

RF: In this whole report RF means Radiated Frequency.

CH: In this whole report CH means channel.

Volt: In this whole report Volt means Voltage.

Temp: In this whole report Temp means Temperature.

Humid: In this whole report Humid means humidity.

Press: In this whole report Press means Pressure.

N/A: In this whole report not application

Model No.:BTC-DWPS-ATT, BTC-DWPS-VZW

Only the model BTC-DWPS-ATT was tested, since the electrical circuit design, layout, components used and internal wiring were identical for the above models, with only model number is different for the marketing requirement.

The marketing requirement is as below,

BTC-DWPS-ATT operates on the ATT Network

BTC-DWPS-VZW operates on the Verizon Network

The certified module ID is FCC ID: R17LE910NAV2, and report numbers of this certified module are 1506FR21-01 and RF exposure analysis dated on 04/14/2016.

This certified module will be integrated into a host that is a hunting camera. Therefore, it is the same mobile condition as the original filling.

In this report, this certified module is same as the original filling. We have verified the power and test for new radiated emission/exposure evaluation to demonstrate full compliance.

4 Content

1 COVER PAGE	1
2 VERSION	2
3 TEST SUMMARY	3
4 CONTENT	4
5 TEST REQUIREMENT	5
5.1 TEST SETUP	5
5.1.1 For Radiated Emissions test setup	5
5.2 TEST ENVIRONMENT	5
5.3 TEST CONDITION	5
6 GENERAL INFORMATION	6
6.1 CLIENT INFORMATION	6
6.2 GENERAL DESCRIPTION OF EUT	6
6.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD	6
6.4 DESCRIPTION OF SUPPORT UNITS	7
6.5 TEST LOCATION	7
6.6 DEVIATION FROM STANDARDS	7
6.7 ABNORMALITIES FROM STANDARD CONDITIONS	7
6.8 OTHER INFORMATION REQUESTED BY THE CUSTOMER	7
6.9 MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	7
7 EQUIPMENT LIST	8
8 RADIO TECHNICAL REQUIREMENTS SPECIFICATION	9
Appendix A) Effective Radiated Power of Transmitter (ERP/EIRP)	10
APPENDIX B): FIELD STRENGTH OF SPURIOUS RADIATION	12
PHOTOGRAPHS OF TEST SETUP	45
PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS	47

5 Test Requirement

5.1 Test setup

5.1.1 For Radiated Emissions test setup

Radiated Emissions setup:




Figure 1.30MHz to 1GHz




Figure 2. above 1GHz




Figure 1. 30MHz to 1GHz




Figure 2. above 1GHz

5.2 Test Environment

Operating Environment:

Temperature:	23°C
Humidity:	54% RH
Atmospheric Pressure:	1010mbar

5.3 Test Condition

Test channel:

LTE

Test Mode	Test Frequency ID	Bandwidth (MHz)	Number [UL]	Frequency of Uplink(MHz)	Number [DL]	Frequency of Downlink(MHz)
LTE band 5 TX:824-849 MHz RX: 869-894MHz	Low Range	1.4	20407	824.7	2407	869.7
		3	20415	825.5	2415	870.5
		5	20425	826.5	2425	871.5
		10	20450	829	2450	874
	Mid Range	1.4/3/5/10	20525	836.5	2525	881.5
		1.4	20643	848.3	2643	893.3
	High Range	3	20635	847.5	2635	892.5
		5	20625	846.5	2625	891.5
		10	20600	844	2600	889

6 General Information

6.1 Client Information

Applicant:	Prometheus Group LLC
Address of Applicant:	P.O. Box 130100 Birmingham, Alabama 35213-0100 USA
Manufacturer:	Hooray Innovation Limited
Address of Manufacturer:	Flat 3, 15/F, Wah Yiu Industrial Building, 30-32 Au Pui Wan Street, Shatin, HK.
Factory:	Hooray Innovation Limited
Address of Factory:	Flat 3, 15/F, Wah Yiu Industrial Building, 30-32 Au Pui Wan Street, Shatin, HK.

6.2 General Description of EUT

Product Name:	Hunting Camera
Model No.(EUT):	BTC-DWPS-ATT, BTC-DWPS-VZW
Test Model No.:	BTC-DWPS-ATT
Trade mark:	BROWNING
EUT Supports Radios application:	LTE Band 2: Tx: 1850-1910MHz, Rx: 1930-1990MHz LTE Band 4: Tx: 1710-1755 MHz, Rx: 2110-2155 MHz LTE Band 5: Tx: 824-849 MHz, Rx: 869-894MHz LTE Band 12: Tx: 699-716 MHz, Rx: 729-746 MHz LTE Band 13: Tx: 777-787 MHz, Rx: 746-756 MHz
Test Power Grade:	Default
Test Software of EUT:	Default
Power Supply:	Battery AA 1.5V*8
Firmware version:	N/A
Hardware version:	N/A
Sample Received Date:	Jun. 28, 2020
Sample tested Date:	Jun. 28, 2020 to Jun. 30, 2020

6.3 Product Specification subjective to this standard

Frequency Band:	LTE Band 5: Tx: 824 MHz – 849 MHz, Rx: 869 MHz – 894MHz
Modulation Type:	QPSK, 16QAM
Antenna Type:	Dipole Antenna
Antenna Gain:	1.42 dBi
Test Voltage:	DC 12V

6.4 Description of Support Units

The EUT has been tested with associated equipment below

Associated equipment name		Manufacture	model	S/N serial number	Supplied by	Certification
AE1	Notebook	DELL	DELL 3490	D245DX2	DELL	CE&FCC

6.5 Test Location

All tests were performed at:

Centre Testing International Group Co., Ltd

Building C, Hongwei Industrial Park Block 70, Bao'an District, Shenzhen, China

Telephone: +86 (0) 755 33683668 Fax: +86 (0) 755 33683385

No tests were sub-contracted.

FCC Designation No.: CN1164

6.6 Deviation from Standards

None.

6.7 Abnormalities from Standard Conditions

None.

6.8 Other Information Requested by the Customer

None.

6.9 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	7.9×10^{-8}
2	RF power, conducted	0.46dB (30MHz-1GHz)
		0.55dB (1GHz-18GHz)
3	Radiated Spurious emission test	4.3dB (30MHz-1GHz)
		4.5dB (1GHz-12.75GHz)
4	Conduction emission	3.5dB (9kHz to 150kHz)
		3.1dB (150kHz to 30MHz)
5	Temperature test	0.64°C
6	Humidity test	3.8%
7	DC power voltages	0.026%

7 Equipment List

3M full-anechoic Chamber					
Equipment	Manufacturer	Model No.	Serial Number	Cal. date (mm-dd-yyyy)	Cal. Due date (mm-dd-yyyy)
RSE Automatic test software	JS Tonscend	JS36-RSE	10166	---	---
Receiver	Keysight	N9038A	MY57290136	03-05-2020	03-04-2021
Spectrum Analyzer	Keysight	N9020B	MY57111112	03-05-2020	03-04-2021
Spectrum Analyzer	Keysight	N9030B	MY57140871	03-05-2020	03-04-2021
TRILOG Broadband Antenna	Schwarzbeck	VULB 9163	9163-1148	04-25-2018	04-24-2021
Horn Antenna	Schwarzbeck	BBHA 9170	9170-832	04-25-2018	04-24-2021
Communication Antenna	Schwarzbeck	CLSA 0110L	1014	---	---
Horn Antenna	ETS-LINDGREN	3117	00057407	07-10-2018	07-09-2021
Preamplifier	EMCI	EMC184055SE	980596	05-20-2020	05-19-2021
Communication test set	R&S	CMW500	102898	01-14-2020	01-13-2021
Preamplifier	EMCI	EMC001330	980563	04-22-2020	04-21-2021
Preamplifier	JS Tonscend	980380	EMC051845 SE	01-09-2020	01-08-2021
Temperature/ Humidity Indicator	biaozhi	GM1360	EE1186631	04-27-2020	04-26-2021
Fully Anechoic Chamber	TDK	FAC-3	---	01-17-2018	01-16-2021
Filter bank	JS Tonscend	JS0806-F	188060094	04-10-2018	04-09-2021
Cable line	Times	SFT205-NMSM-2.50M	394812-0001	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0002	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0003	---	---
Cable line	Times	SFT205-NMSM-2.50M	393495-0001	---	---
Cable line	Times	EMC104-NMNM-1000	SN160710	---	---
Cable line	Times	SFT205-NMSM-3.00M	394813-0001	---	---
Cable line	Times	SFT205-NMNM-1.50M	381964-0001	---	---
Cable line	Times	SFT205-NMSM-7.00M	394815-0001	---	---
Cable line	Times	HF160-KMKM-3.00M	393493-0001	---	---

8 Radio Technical Requirements Specification

Reference documents for testing:

No.	Identity	Document Title
1	PART 22	PART 22 – PUBLIC MOBILE SERVICES Subpart H – Cellular Radiotelephone Service
2	PART 24	PART 24 – PERSONAL COMMUNICATIONS SERVICES Subpart E – Broadband PCS
3	PART 27	PART 27 – MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES
3	PART 2	Frequency allocations and radio treaty matters; general rules and regulations
4	TIA-603-E-2016	Land Mobile FM or PM -Communications Equipment -Measurement and Performance Standards
5	KDB971168 D01	KDB971168 D01 Power Meas License Digital Systems v03r01

Test Results List:

Test Requirement	Test method	Test item	Verdict	Note
Part 2.1046(a)/ Part 24.232(c)	TIA-603-E-2016& KDB 971168 D01v03r01	Effective Radiated Power of Transmitter(ERP)	PASS	Appendix A)
Part 2.1051/ Part 2.1057/ Part 24.238(a)(b)	TIA-603-E-2016& KDB 971168 D01v03r012	Spurious emissions at antenna terminals	PASS	Appendix B)

Appendix A) Effective Radiated Power of Transmitter (ERP/EIRP)

Receiver Setup:	<table><tr><td>Frequency</td><td>Detector</td><td>RBW</td><td>VBW</td><td>Remark</td></tr><tr><td>30MHz-1GHz</td><td>peak</td><td>120kHz</td><td>300kHz</td><td>Peak</td></tr><tr><td>Above 1GHz</td><td>Peak</td><td>1MHz</td><td>3MHz</td><td>Peak</td></tr></table>	Frequency	Detector	RBW	VBW	Remark	30MHz-1GHz	peak	120kHz	300kHz	Peak	Above 1GHz	Peak	1MHz	3MHz	Peak
Frequency	Detector	RBW	VBW	Remark												
30MHz-1GHz	peak	120kHz	300kHz	Peak												
Above 1GHz	Peak	1MHz	3MHz	Peak												
Measurement Procedure:	Test procedure as below: 1) The EUT was powered ON and placed on a 0.8m high table at a 3 meter fully Anechoic Chamber. The antenna of the transmitter was extended to its maximum length. modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test. 2) The EUT was set 3 meters(above 18GHz the distance is 1 meter) away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. 3) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. 4) Steps 1) to 3) were performed with the EUT and the receive antenna in both vertical and horizontal polarization. 5) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter. 6) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 3) is obtained for this set of conditions. 7) The output power into the substitution antenna was then measured. 8) Steps 6) and 7)were repeated with both antennas polarized. 9) Calculate power in dBm by the following formula: E.I.R.P = Output power level of S.G - TX cable lose + Antenna gain of substitution horn E.R.P=E.I.R.P-2.15dB where: Pg is the generator output power into the substitution antenna. 10) Test the EUT in the lowest channel, the middle channel the Highest channel 11) The radiation measurements are performed in X, Y, Z axis positioning for EUT operation mode,And found the X axis positioning which it is worse case. 12) Repeat above procedures until all frequencies measured was complete.															
Limit:	<table><tr><td>Mode</td><td>LTE Band 5</td></tr><tr><td>Limit</td><td>38.45dBm (7W)</td></tr></table>	Mode	LTE Band 5	Limit	38.45dBm (7W)											
Mode	LTE Band 5															
Limit	38.45dBm (7W)															

Measurement Data

LTE Band 5										
Channel Bandwidth	Modulation	CH	Frequency (MHz)	RB Configuration		Average Power (dBm)	Antenna Gain (dBi)	E.R.P		Limit (W)
				Size	Offset			(dBm)	(W)	
1.4M	QPSK	20407	824.4249	1	0	17.59	1.42	16.44	0.04406	<7
3MHz	QPSK	20525	836.8274	1	0	13.41	1.42	12.26	0.01683	<7
5MHz	QPSK	20625	846.9494	1	0	10.21	1.42	9.06	0.00805	<7
10MHz	QPSK	20600	845.8892	1	0	7.64	1.42	6.49	0.00446	<7

Note:TX cable lose=0.42dB


Appendix B): Field strength of spurious radiation

Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	0.009MHz-30MHz	Peak	10kHz	30kHz	Peak
	30MHz-1GHz	Peak	120kHz	300kHz	Peak
	Above 1GHz	Peak	1MHz	3MHz	Peak
Measurement Procedure:	1. Scan up to 10th harmonic, find the maximum radiation frequency to measure. 2. The technique used to find the Spurious Emissions of the transmitter was the antenna substitution method. Substitution method was performed to determine the actual ERP/EIRP emission levels of the EUT. Test procedure as below: 1) The EUT was powered ON and placed on a 1.5m high table at a 3 meter fully Anechoic Chamber. The antenna of the transmitter was extended to its maximum length. modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test. 2) The EUT was set 3 meters(above 18GHz the distance is 1 meter) away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. 3) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. 4) Steps 1) to 3) were performed with the EUT and the receive antenna in both vertical and horizontal polarization. 5) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter. 6) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 3) is obtained for this set of conditions. 7) The output power into the substitution antenna was then measured. 8) Steps 6) and 7) were repeated with both antennas polarized. 9) Calculate power in dBm by the following formula: $\text{ERP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBd)}$ $\text{EIRP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBi)}$ $\text{EIRP} = \text{ERP} + 2.15\text{dB}$ where: Pg is the generator output power into the substitution antenna. 10) Test the EUT in the lowest channel, the middle channel the Highest channel 11) The radiation measurements are performed in X, Y, Z axis positioning for EUT operation mode, And found the X axis positioning which it is worse case. 12) Repeat above procedures until all frequencies measured was complete.				
Limit:	Attenuated at least 43+10log(P)				

Test Data:


QPSK:

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20407




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	357	-64.56	-13.00	51.56	PASS	Horizontal
2	64.9270	150	1	-66.99	-13.00	53.99	PASS	Horizontal
3	120.0340	150	357	-65.26	-13.00	52.26	PASS	Horizontal
4	239.9500	150	1	-66.13	-13.00	53.13	PASS	Horizontal
5	303.9828	150	46	-62.12	-13.00	49.12	PASS	Horizontal
6	479.9760	150	46	-68.77	-13.00	55.77	PASS	Horizontal
7	1649.2649	150	46	-43.45	-13.00	30.45	PASS	Horizontal
8	2473.9474	150	309	-46.71	-13.00	33.71	PASS	Horizontal
9	5025.1013	150	144	-46.25	-13.00	33.25	PASS	Horizontal
10	8576.5288	150	346	-42.56	-13.00	29.56	PASS	Horizontal
11	14373.5687	150	230	-38.16	-13.00	25.16	PASS	Horizontal
12	17557.4779	150	230	-36.99	-13.00	23.99	PASS	Horizontal
13	18209.2884	150	256	-52.54	-13.00	39.54	PASS	Horizontal
14	18771.8709	150	256	-53.09	-13.00	40.09	PASS	Horizontal
15	20658.6663	150	1	-53.12	-13.00	40.12	PASS	Horizontal
16	21778.0711	150	309	-51.42	-13.00	38.42	PASS	Horizontal
17	23637.9855	150	256	-51.24	-13.00	38.24	PASS	Horizontal
18	24987.4795	150	309	-51.63	-13.00	38.63	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20407




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	255	-61.49	-13.00	48.49	PASS	Vertical
2	64.9270	150	97	-67.78	-13.00	54.78	PASS	Vertical
3	129.9300	150	44	-68.61	-13.00	55.61	PASS	Vertical
4	194.9330	150	97	-61.79	-13.00	48.79	PASS	Vertical
5	303.9828	150	357	-62.68	-13.00	49.68	PASS	Vertical
6	714.9570	150	255	-65.03	-13.00	52.03	PASS	Vertical
7	1285.6286	150	1	-52.51	-13.00	39.51	PASS	Vertical
8	1649.2649	150	308	-53.07	-13.00	40.07	PASS	Vertical
9	3051.7526	150	317	-48.88	-13.00	35.88	PASS	Vertical
10	5010.8505	150	288	-46.28	-13.00	33.28	PASS	Vertical
11	10203.3602	150	28	-40.91	-13.00	27.91	PASS	Vertical
12	15904.3952	150	86	-37.98	-13.00	24.98	PASS	Vertical
13	18794.9118	150	1	-53.02	-13.00	40.02	PASS	Vertical
14	19852.8741	150	308	-53.06	-13.00	40.06	PASS	Vertical
15	20442.0177	150	202	-52.55	-13.00	39.55	PASS	Vertical
16	21785.7514	150	308	-52.39	-13.00	39.39	PASS	Vertical
17	22956.0382	150	1	-52.42	-13.00	39.42	PASS	Vertical
18	25126.3651	150	308	-50.80	-13.00	37.80	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	357	-63.83	-13.00	50.83	PASS	Horizontal
2	64.9270	150	33	-70.95	-13.00	57.95	PASS	Horizontal
3	124.4969	150	308	-65.13	-13.00	52.13	PASS	Horizontal
4	239.9500	150	33	-65.89	-13.00	52.89	PASS	Horizontal
5	303.9828	150	254	-62.74	-13.00	49.74	PASS	Horizontal
6	600.0860	150	357	-65.98	-13.00	52.98	PASS	Horizontal
7	1673.2673	150	33	-39.61	-13.00	26.61	PASS	Horizontal
8	2509.5510	150	308	-47.56	-13.00	34.56	PASS	Horizontal
9	5004.8502	150	3	-45.94	-13.00	32.94	PASS	Horizontal
10	9769.0885	150	56	-40.49	-13.00	27.49	PASS	Horizontal
11	14563.3282	150	86	-37.88	-13.00	24.88	PASS	Horizontal
12	17560.4780	150	115	-37.23	-13.00	24.23	PASS	Horizontal
13	19074.9230	150	143	-53.23	-13.00	40.23	PASS	Horizontal
14	20564.9026	150	308	-52.54	-13.00	39.54	PASS	Horizontal
15	21811.9925	150	199	-51.34	-13.00	38.34	PASS	Horizontal
16	22813.3125	150	33	-53.07	-13.00	40.07	PASS	Horizontal
17	23697.8279	150	33	-51.99	-13.00	38.99	PASS	Horizontal
18	25175.3270	150	143	-51.61	-13.00	38.61	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	256	-61.73	-13.00	48.73	PASS	Vertical
2	59.4939	150	47	-63.38	-13.00	50.38	PASS	Vertical
3	124.4969	150	47	-66.50	-13.00	53.50	PASS	Vertical
4	194.9330	150	309	-63.20	-13.00	50.20	PASS	Vertical
5	303.9828	150	357	-62.38	-13.00	49.38	PASS	Vertical
6	750.0780	150	152	-66.07	-13.00	53.07	PASS	Vertical
7	1672.6673	150	309	-47.36	-13.00	34.36	PASS	Vertical
8	3054.0027	150	28	-48.54	-13.00	35.54	PASS	Vertical
9	5010.8505	150	202	-46.58	-13.00	33.58	PASS	Vertical
10	10204.8602	150	86	-39.46	-13.00	26.46	PASS	Vertical
11	15057.6029	150	347	-38.83	-13.00	25.83	PASS	Vertical
12	17903.9952	150	115	-37.33	-13.00	24.33	PASS	Vertical
13	18670.4268	150	2	-53.05	-13.00	40.05	PASS	Vertical
14	20474.0190	150	99	-52.55	-13.00	39.55	PASS	Vertical
15	21755.9902	150	47	-52.68	-13.00	39.68	PASS	Vertical
16	22996.6799	150	309	-52.97	-13.00	39.97	PASS	Vertical
17	23714.7886	150	2	-51.02	-13.00	38.02	PASS	Vertical
18	25149.4060	150	2	-51.07	-13.00	38.07	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20643




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	32	-63.47	-13.00	50.47	PASS	Horizontal
2	60.6581	150	32	-71.24	-13.00	58.24	PASS	Horizontal
3	120.0340	150	256	-64.11	-13.00	51.11	PASS	Horizontal
4	194.9330	150	357	-65.95	-13.00	52.95	PASS	Horizontal
5	303.9828	150	309	-61.83	-13.00	48.83	PASS	Horizontal
6	479.9760	150	32	-68.64	-13.00	55.64	PASS	Horizontal
7	1696.8697	150	32	-35.20	-13.00	22.20	PASS	Horizontal
8	2545.1545	150	32	-45.13	-13.00	32.13	PASS	Horizontal
9	5025.1013	150	360	-46.38	-13.00	33.38	PASS	Horizontal
10	8881.7941	150	259	-42.30	-13.00	29.30	PASS	Horizontal
11	14465.0733	150	115	-38.62	-13.00	25.62	PASS	Horizontal
12	17021.9511	150	230	-37.36	-13.00	24.36	PASS	Horizontal
13	18273.9310	150	309	-53.45	-13.00	40.45	PASS	Horizontal
14	19205.4882	150	32	-53.66	-13.00	40.66	PASS	Horizontal
15	20802.0321	150	309	-53.26	-13.00	40.26	PASS	Horizontal
16	22212.6485	150	139	-52.01	-13.00	39.01	PASS	Horizontal
17	23605.3442	150	85	-51.74	-13.00	38.74	PASS	Horizontal
18	25030.3612	150	139	-51.63	-13.00	38.63	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20643




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	152	-59.90	-13.00	46.90	PASS	Vertical
2	57.1654	150	48	-65.52	-13.00	52.52	PASS	Vertical
3	124.4969	150	256	-67.59	-13.00	54.59	PASS	Vertical
4	194.9330	150	309	-62.08	-13.00	49.08	PASS	Vertical
5	303.9828	150	2	-63.26	-13.00	50.26	PASS	Vertical
6	600.0860	150	99	-67.09	-13.00	54.09	PASS	Vertical
7	1696.4696	150	2	-43.62	-13.00	30.62	PASS	Vertical
8	3033.7517	150	85	-48.75	-13.00	35.75	PASS	Vertical
9	5055.8528	150	201	-45.61	-13.00	32.61	PASS	Vertical
10	7634.4817	150	316	-42.72	-13.00	29.72	PASS	Vertical
11	10322.6161	150	360	-41.18	-13.00	28.18	PASS	Vertical
12	13940.0470	150	56	-38.04	-13.00	25.04	PASS	Vertical
13	18592.9837	150	152	-53.13	-13.00	40.13	PASS	Vertical
14	19537.6615	150	2	-53.29	-13.00	40.29	PASS	Vertical
15	21203.0081	150	357	-52.83	-13.00	39.83	PASS	Vertical
16	22918.5967	150	2	-53.43	-13.00	40.43	PASS	Vertical
17	24516.4207	150	256	-52.10	-13.00	39.10	PASS	Vertical
18	25208.2883	150	204	-51.39	-13.00	38.39	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20415




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	0	-62.24	-13.00	49.24	PASS	Horizontal
2	57.1654	150	0	-68.05	-13.00	55.05	PASS	Horizontal
3	120.0340	150	41	-64.93	-13.00	51.93	PASS	Horizontal
4	239.9500	150	94	-65.24	-13.00	52.24	PASS	Horizontal
5	303.9828	150	308	-63.31	-13.00	50.31	PASS	Horizontal
6	600.0860	150	202	-67.02	-13.00	54.02	PASS	Horizontal
7	1650.8651	150	41	-42.95	-13.00	29.95	PASS	Horizontal
8	2474.5475	150	308	-46.47	-13.00	33.47	PASS	Horizontal
9	5019.8510	150	321	-46.33	-13.00	33.33	PASS	Horizontal
10	10280.6140	150	321	-40.57	-13.00	27.57	PASS	Horizontal
11	14367.5684	150	233	-37.98	-13.00	24.98	PASS	Horizontal
12	17555.2278	150	28	-36.77	-13.00	23.77	PASS	Horizontal
13	18225.9290	150	255	-52.75	-13.00	39.75	PASS	Horizontal
14	19798.7920	150	0	-53.35	-13.00	40.35	PASS	Horizontal
15	21306.6923	150	308	-52.53	-13.00	39.53	PASS	Horizontal
16	22182.5673	150	41	-52.06	-13.00	39.06	PASS	Horizontal
17	23665.8266	150	0	-51.94	-13.00	38.94	PASS	Horizontal
18	25191.9677	150	357	-51.02	-13.00	38.02	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20415




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	309	-60.37	-13.00	47.37	PASS	Vertical
2	59.4939	150	309	-62.99	-13.00	49.99	PASS	Vertical
3	120.0340	150	0	-67.40	-13.00	54.40	PASS	Vertical
4	194.9330	150	0	-61.56	-13.00	48.56	PASS	Vertical
5	303.9828	150	254	-63.42	-13.00	50.42	PASS	Vertical
6	600.0860	150	202	-66.65	-13.00	53.65	PASS	Vertical
7	1649.4649	150	0	-52.98	-13.00	39.98	PASS	Vertical
8	3057.7529	150	145	-48.37	-13.00	35.37	PASS	Vertical
9	5002.6001	150	296	-46.75	-13.00	33.75	PASS	Vertical
10	7578.2289	150	267	-44.13	-13.00	31.13	PASS	Vertical
11	10262.6131	150	145	-40.84	-13.00	27.84	PASS	Vertical
12	17574.7287	150	174	-37.29	-13.00	24.29	PASS	Vertical
13	19038.4415	150	42	-52.02	-13.00	39.02	PASS	Vertical
14	20851.9541	150	309	-53.28	-13.00	40.28	PASS	Vertical
15	21622.5449	150	202	-52.39	-13.00	39.39	PASS	Vertical
16	23591.2637	150	254	-50.88	-13.00	37.88	PASS	Vertical
17	24431.2973	150	0	-52.00	-13.00	39.00	PASS	Vertical
18	25763.8306	150	357	-50.92	-13.00	37.92	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	255	-63.28	-13.00	50.28	PASS	Horizontal
2	64.9270	150	149	-72.04	-13.00	59.04	PASS	Horizontal
3	120.0340	150	255	-61.13	-13.00	48.13	PASS	Horizontal
4	239.9500	150	43	-64.88	-13.00	51.88	PASS	Horizontal
5	303.9828	150	1	-62.92	-13.00	49.92	PASS	Horizontal
6	599.8920	150	149	-66.99	-13.00	53.99	PASS	Horizontal
7	1672.6673	150	43	-43.40	-13.00	30.40	PASS	Horizontal
8	2509.5510	150	308	-48.05	-13.00	35.05	PASS	Horizontal
9	5016.8508	150	174	-45.95	-13.00	32.95	PASS	Horizontal
10	10201.1101	150	86	-40.88	-13.00	27.88	PASS	Horizontal
11	14947.3474	150	28	-38.34	-13.00	25.34	PASS	Horizontal
12	17549.9775	150	145	-37.46	-13.00	24.46	PASS	Horizontal
13	18201.2881	150	43	-53.32	-13.00	40.32	PASS	Horizontal
14	19715.9086	150	97	-53.83	-13.00	40.83	PASS	Horizontal
15	20862.8345	150	149	-53.62	-13.00	40.62	PASS	Horizontal
16	22143.8458	150	255	-51.92	-13.00	38.92	PASS	Horizontal
17	23620.3848	150	97	-52.06	-13.00	39.06	PASS	Horizontal
18	25194.2078	150	308	-50.85	-13.00	37.85	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	96	-60.12	-13.00	47.12	PASS	Vertical
2	59.4939	150	309	-64.29	-13.00	51.29	PASS	Vertical
3	120.0340	150	0	-66.41	-13.00	53.41	PASS	Vertical
4	194.9330	150	149	-61.75	-13.00	48.75	PASS	Vertical
5	303.9828	150	0	-62.55	-13.00	49.55	PASS	Vertical
6	600.0860	150	44	-66.12	-13.00	53.12	PASS	Vertical
7	1672.8673	150	0	-50.93	-13.00	37.93	PASS	Vertical
8	3024.0012	150	3	-48.72	-13.00	35.72	PASS	Vertical
9	5013.8507	150	233	-45.89	-13.00	32.89	PASS	Vertical
10	8194.0097	150	3	-44.37	-13.00	31.37	PASS	Vertical
11	10964.6482	150	145	-40.68	-13.00	27.68	PASS	Vertical
12	17575.4788	150	291	-37.37	-13.00	24.37	PASS	Vertical
13	18650.5860	150	96	-53.05	-13.00	40.05	PASS	Vertical
14	20428.2571	150	96	-52.62	-13.00	39.62	PASS	Vertical
15	21149.8860	150	44	-52.34	-13.00	39.34	PASS	Vertical
16	22627.7051	150	255	-52.75	-13.00	39.75	PASS	Vertical
17	23604.0642	150	255	-51.48	-13.00	38.48	PASS	Vertical
18	25734.3894	150	357	-51.51	-13.00	38.51	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20635




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	96	-62.52	-13.00	49.52	PASS	Horizontal
2	59.4939	150	96	-66.88	-13.00	53.88	PASS	Horizontal
3	120.0340	150	149	-63.85	-13.00	50.85	PASS	Horizontal
4	194.9330	150	43	-67.16	-13.00	54.16	PASS	Horizontal
5	303.9828	150	96	-63.30	-13.00	50.30	PASS	Horizontal
6	600.0860	150	202	-67.07	-13.00	54.07	PASS	Horizontal
7	1695.2695	150	43	-40.66	-13.00	27.66	PASS	Horizontal
8	2542.3542	150	0	-45.46	-13.00	32.46	PASS	Horizontal
9	3951.0476	150	57	-48.50	-13.00	35.50	PASS	Horizontal
10	5031.1016	150	174	-45.92	-13.00	32.92	PASS	Horizontal
11	8784.2892	150	349	-42.38	-13.00	29.38	PASS	Horizontal
12	12952.2476	150	87	-40.04	-13.00	27.04	PASS	Horizontal
13	19094.7638	150	0	-53.50	-13.00	40.50	PASS	Horizontal
14	20394.6558	150	357	-53.49	-13.00	40.49	PASS	Horizontal
15	21395.9758	150	357	-51.67	-13.00	38.67	PASS	Horizontal
16	22492.0197	150	0	-53.08	-13.00	40.08	PASS	Horizontal
17	23672.5469	150	149	-52.23	-13.00	39.23	PASS	Horizontal
18	25172.4469	150	308	-51.63	-13.00	38.63	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20635




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	308	-57.85	-13.00	44.85	PASS	Vertical
2	59.2999	150	202	-68.11	-13.00	55.11	PASS	Vertical
3	120.0340	150	37	-68.10	-13.00	55.10	PASS	Vertical
4	194.9330	150	357	-63.49	-13.00	50.49	PASS	Vertical
5	303.9828	150	96	-62.72	-13.00	49.72	PASS	Vertical
6	600.0860	150	308	-66.42	-13.00	53.42	PASS	Vertical
7	1696.6697	150	37	-47.89	-13.00	34.89	PASS	Vertical
8	3053.2527	150	65	-47.95	-13.00	34.95	PASS	Vertical
9	5003.3502	150	175	-45.94	-13.00	32.94	PASS	Vertical
10	11369.6685	150	65	-40.62	-13.00	27.62	PASS	Vertical
11	14998.3499	150	233	-38.54	-13.00	25.54	PASS	Vertical
12	16537.4269	150	65	-37.40	-13.00	24.40	PASS	Vertical
13	18665.9466	150	308	-52.74	-13.00	39.74	PASS	Vertical
14	19738.6295	150	255	-53.60	-13.00	40.60	PASS	Vertical
15	21201.4081	150	357	-52.91	-13.00	39.91	PASS	Vertical
16	22993.7998	150	37	-52.21	-13.00	39.21	PASS	Vertical
17	24783.9514	150	149	-51.88	-13.00	38.88	PASS	Vertical
18	25954.8782	150	96	-51.34	-13.00	38.34	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20425




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	96	-62.72	-13.00	49.72	PASS	Horizontal
2	59.4939	150	96	-64.19	-13.00	51.19	PASS	Horizontal
3	120.0340	150	256	-62.83	-13.00	49.83	PASS	Horizontal
4	239.9500	150	1	-65.10	-13.00	52.10	PASS	Horizontal
5	303.9828	150	1	-61.35	-13.00	48.35	PASS	Horizontal
6	600.0860	150	150	-65.98	-13.00	52.98	PASS	Horizontal
7	1653.2653	150	43	-45.03	-13.00	32.03	PASS	Horizontal
8	2475.9476	150	256	-47.62	-13.00	34.62	PASS	Horizontal
9	3839.2920	150	115	-48.23	-13.00	35.23	PASS	Horizontal
10	5023.6012	150	320	-46.16	-13.00	33.16	PASS	Horizontal
11	10114.1057	150	57	-41.20	-13.00	28.20	PASS	Horizontal
12	16573.4287	150	173	-38.23	-13.00	25.23	PASS	Horizontal
13	18666.2667	150	203	-53.58	-13.00	40.58	PASS	Horizontal
14	19395.2558	150	1	-54.23	-13.00	41.23	PASS	Horizontal
15	21243.6497	150	1	-52.03	-13.00	39.03	PASS	Horizontal
16	22235.3694	150	96	-51.26	-13.00	38.26	PASS	Horizontal
17	23686.6275	150	43	-51.81	-13.00	38.81	PASS	Horizontal
18	25086.0434	150	1	-51.76	-13.00	38.76	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20425




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	44.5529	150	255	-65.37	-13.00	52.37	PASS	Vertical
2	57.1654	150	308	-64.36	-13.00	51.36	PASS	Vertical
3	120.0340	150	308	-67.78	-13.00	54.78	PASS	Vertical
4	194.9330	150	149	-61.23	-13.00	48.23	PASS	Vertical
5	303.9828	150	357	-60.98	-13.00	47.98	PASS	Vertical
6	600.0860	150	0	-64.94	-13.00	51.94	PASS	Vertical
7	1520.0520	150	255	-54.63	-13.00	41.63	PASS	Vertical
8	3081.0041	150	174	-49.00	-13.00	36.00	PASS	Vertical
9	4980.8490	150	320	-46.73	-13.00	33.73	PASS	Vertical
10	9152.5576	150	291	-40.49	-13.00	27.49	PASS	Vertical
11	12648.4824	150	174	-39.96	-13.00	26.96	PASS	Vertical
12	16010.9005	150	29	-37.77	-13.00	24.77	PASS	Vertical
13	19067.2427	150	0	-53.44	-13.00	40.44	PASS	Vertical
14	20988.5995	150	255	-53.20	-13.00	40.20	PASS	Vertical
15	21779.0312	150	0	-52.89	-13.00	39.89	PASS	Vertical
16	22604.0242	150	0	-52.91	-13.00	39.91	PASS	Vertical
17	23615.2646	150	42	-51.97	-13.00	38.97	PASS	Vertical
18	25162.5265	150	255	-50.03	-13.00	37.03	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	0	-63.64	-13.00	50.64	PASS	Horizontal
2	64.9270	150	0	-70.72	-13.00	57.72	PASS	Horizontal
3	120.0340	150	254	-65.98	-13.00	52.98	PASS	Horizontal
4	239.9500	150	308	-65.32	-13.00	52.32	PASS	Horizontal
5	303.9828	150	357	-63.65	-13.00	50.65	PASS	Horizontal
6	600.0860	150	357	-66.28	-13.00	53.28	PASS	Horizontal
7	1673.0673	150	42	-44.40	-13.00	31.40	PASS	Horizontal
8	2509.3509	150	308	-49.20	-13.00	36.20	PASS	Horizontal
9	5053.6027	150	350	-45.60	-13.00	32.60	PASS	Horizontal
10	7635.9818	150	146	-44.50	-13.00	31.50	PASS	Horizontal
11	10208.6104	150	117	-40.75	-13.00	27.75	PASS	Horizontal
12	16626.6813	150	204	-37.88	-13.00	24.88	PASS	Horizontal
13	18228.4891	150	308	-53.14	-13.00	40.14	PASS	Horizontal
14	19750.7900	150	0	-53.81	-13.00	40.81	PASS	Horizontal
15	21393.0957	150	0	-51.77	-13.00	38.77	PASS	Horizontal
16	22174.2470	150	0	-52.49	-13.00	39.49	PASS	Horizontal
17	23601.8241	150	149	-51.84	-13.00	38.84	PASS	Horizontal
18	25094.0438	150	0	-51.59	-13.00	38.59	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	0	-57.90	-13.00	44.90	PASS	Vertical
2	57.1654	150	0	-64.55	-13.00	51.55	PASS	Vertical
3	120.0340	150	357	-65.82	-13.00	52.82	PASS	Vertical
4	194.9330	150	0	-62.29	-13.00	49.29	PASS	Vertical
5	303.9828	150	357	-62.38	-13.00	49.38	PASS	Vertical
6	600.0860	150	357	-66.55	-13.00	53.55	PASS	Vertical
7	1675.8676	150	308	-52.76	-13.00	39.76	PASS	Vertical
8	3003.0002	150	145	-48.67	-13.00	35.67	PASS	Vertical
9	4990.5995	150	174	-46.76	-13.00	33.76	PASS	Vertical
10	7502.4751	150	233	-45.07	-13.00	32.07	PASS	Vertical
11	9709.8355	150	291	-41.21	-13.00	28.21	PASS	Vertical
12	13982.0491	150	57	-38.22	-13.00	25.22	PASS	Vertical
13	19075.2430	150	0	-52.22	-13.00	39.22	PASS	Vertical
14	19944.0778	150	96	-53.00	-13.00	40.00	PASS	Vertical
15	20668.9068	150	357	-52.61	-13.00	39.61	PASS	Vertical
16	22185.4474	150	202	-52.71	-13.00	39.71	PASS	Vertical
17	23640.8656	150	0	-52.20	-13.00	39.20	PASS	Vertical
18	25159.6464	150	96	-51.59	-13.00	38.59	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20625




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	96	-61.47	-13.00	48.47	PASS	Horizontal
2	59.4939	150	96	-66.77	-13.00	53.77	PASS	Horizontal
3	120.0340	150	1	-64.60	-13.00	51.60	PASS	Horizontal
4	239.9500	150	1	-65.68	-13.00	52.68	PASS	Horizontal
5	303.9828	150	357	-62.52	-13.00	49.52	PASS	Horizontal
6	600.0860	150	202	-66.04	-13.00	53.04	PASS	Horizontal
7	1696.0696	150	44	-44.37	-13.00	31.37	PASS	Horizontal
8	2539.1539	150	1	-47.18	-13.00	34.18	PASS	Horizontal
9	5067.8534	150	349	-46.19	-13.00	33.19	PASS	Horizontal
10	9745.0873	150	87	-40.76	-13.00	27.76	PASS	Horizontal
11	15066.6033	150	145	-37.46	-13.00	24.46	PASS	Horizontal
12	17572.4786	150	320	-37.14	-13.00	24.14	PASS	Horizontal
13	18928.0371	150	202	-52.85	-13.00	39.85	PASS	Horizontal
14	20760.4304	150	1	-52.97	-13.00	39.97	PASS	Horizontal
15	21400.4560	150	308	-51.82	-13.00	38.82	PASS	Horizontal
16	22176.4871	150	44	-51.27	-13.00	38.27	PASS	Horizontal
17	23602.1441	150	1	-52.09	-13.00	39.09	PASS	Horizontal
18	24935.3174	150	1	-51.68	-13.00	38.68	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20625




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	202	-60.37	-13.00	47.37	PASS	Vertical
2	57.1654	150	308	-65.89	-13.00	52.89	PASS	Vertical
3	124.4969	150	0	-65.24	-13.00	52.24	PASS	Vertical
4	194.9330	150	308	-62.40	-13.00	49.40	PASS	Vertical
5	303.9828	150	0	-63.21	-13.00	50.21	PASS	Vertical
6	600.0860	150	255	-66.23	-13.00	53.23	PASS	Vertical
7	1695.8696	150	0	-50.01	-13.00	37.01	PASS	Vertical
8	2698.9699	150	308	-48.89	-13.00	35.89	PASS	Vertical
9	5080.6040	150	115	-46.27	-13.00	33.27	PASS	Vertical
10	10187.6094	150	203	-41.19	-13.00	28.19	PASS	Vertical
11	14439.5720	150	262	-38.49	-13.00	25.49	PASS	Vertical
12	17582.9791	150	291	-37.13	-13.00	24.13	PASS	Vertical
13	18650.2660	150	0	-52.76	-13.00	39.76	PASS	Vertical
14	20385.3754	150	148	-52.16	-13.00	39.16	PASS	Vertical
15	21616.1446	150	0	-52.29	-13.00	39.29	PASS	Vertical
16	22918.5967	150	202	-52.73	-13.00	39.73	PASS	Vertical
17	23612.7045	150	42	-51.08	-13.00	38.08	PASS	Vertical
18	24709.0684	150	357	-51.07	-13.00	38.07	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20450




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	335	-73.95	-13.00	60.95	PASS	Horizontal
2	120.0340	150	169	-70.81	-13.00	57.81	PASS	Horizontal
3	205.7992	150	3	-69.35	-13.00	56.35	PASS	Horizontal
4	303.9828	150	69	-69.18	-13.00	56.18	PASS	Horizontal
5	433.2126	150	69	-68.95	-13.00	55.95	PASS	Horizontal
6	649.9540	150	236	-63.72	-13.00	50.72	PASS	Horizontal
7	1662.2662	150	69	-49.38	-13.00	36.38	PASS	Horizontal
8	2494.5495	150	335	-49.20	-13.00	36.20	PASS	Horizontal
9	3186.0093	150	0	-48.83	-13.00	35.83	PASS	Horizontal
10	5037.1019	150	357	-46.03	-13.00	33.03	PASS	Horizontal
11	11902.9451	150	339	-39.90	-13.00	26.90	PASS	Horizontal
12	17561.9781	150	357	-37.11	-13.00	24.11	PASS	Horizontal
13	18800.3520	150	236	-52.35	-13.00	39.35	PASS	Horizontal
14	20031.1212	150	36	-52.77	-13.00	39.77	PASS	Horizontal
15	21149.8860	150	335	-51.20	-13.00	38.20	PASS	Horizontal
16	21911.5165	150	236	-51.57	-13.00	38.57	PASS	Horizontal
17	23682.1473	150	236	-51.97	-13.00	38.97	PASS	Horizontal
18	25248.9300	150	236	-51.13	-13.00	38.13	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20450




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	336	-68.42	-13.00	55.42	PASS	Vertical
2	149.9160	150	3	-69.17	-13.00	56.17	PASS	Vertical
3	194.9330	150	36	-67.01	-13.00	54.01	PASS	Vertical
4	303.9828	150	102	-67.97	-13.00	54.97	PASS	Vertical
5	433.2126	150	269	-69.28	-13.00	56.28	PASS	Vertical
6	649.9540	150	169	-63.20	-13.00	50.20	PASS	Vertical
7	1299.8300	150	36	-52.74	-13.00	39.74	PASS	Vertical
8	2673.1673	150	3	-50.22	-13.00	37.22	PASS	Vertical
9	3047.2524	150	0	-48.24	-13.00	35.24	PASS	Vertical
10	5007.1004	150	248	-45.67	-13.00	32.67	PASS	Vertical
11	10705.8853	150	211	-40.23	-13.00	27.23	PASS	Vertical
12	17570.9785	150	174	-37.34	-13.00	24.34	PASS	Vertical
13	18682.2673	150	269	-52.08	-13.00	39.08	PASS	Vertical
14	19639.4256	150	269	-52.92	-13.00	39.92	PASS	Vertical
15	21196.2879	150	269	-52.05	-13.00	39.05	PASS	Vertical
16	22947.3979	150	269	-52.21	-13.00	39.21	PASS	Vertical
17	23604.0642	150	136	-51.61	-13.00	38.61	PASS	Vertical
18	24887.3155	150	136	-51.46	-13.00	38.46	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	360	-72.95	-13.00	59.95	PASS	Horizontal
2	120.0340	150	69	-73.69	-13.00	60.69	PASS	Horizontal
3	212.2024	150	3	-69.69	-13.00	56.69	PASS	Horizontal
4	324.9390	150	3	-66.78	-13.00	53.78	PASS	Horizontal
5	433.2126	150	168	-68.08	-13.00	55.08	PASS	Horizontal
6	649.9540	150	3	-64.53	-13.00	51.53	PASS	Horizontal
7	1666.8667	150	69	-50.20	-13.00	37.20	PASS	Horizontal
8	2513.7514	150	69	-49.27	-13.00	36.27	PASS	Horizontal
9	4998.8499	150	156	-45.98	-13.00	32.98	PASS	Horizontal
10	7630.7315	150	83	-43.31	-13.00	30.31	PASS	Horizontal
11	12571.9786	150	193	-39.25	-13.00	26.25	PASS	Horizontal
12	17579.9790	150	101	-37.49	-13.00	24.49	PASS	Horizontal
13	18239.0496	150	360	-52.00	-13.00	39.00	PASS	Horizontal
14	18976.6791	150	102	-52.24	-13.00	39.24	PASS	Horizontal
15	20407.1363	150	301	-52.66	-13.00	39.66	PASS	Horizontal
16	22202.0881	150	334	-51.26	-13.00	38.26	PASS	Horizontal
17	23625.1850	150	360	-50.98	-13.00	37.98	PASS	Horizontal
18	25124.1250	150	36	-50.50	-13.00	37.50	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	102	-67.38	-13.00	54.38	PASS	Vertical
2	149.9160	150	3	-69.21	-13.00	56.21	PASS	Vertical
3	194.9330	150	3	-66.39	-13.00	53.39	PASS	Vertical
4	324.9390	150	269	-68.63	-13.00	55.63	PASS	Vertical
5	433.2126	150	360	-68.47	-13.00	55.47	PASS	Vertical
6	649.9540	150	68	-65.03	-13.00	52.03	PASS	Vertical
7	1304.6305	150	269	-52.65	-13.00	39.65	PASS	Vertical
8	3034.5017	150	248	-49.21	-13.00	36.21	PASS	Vertical
9	4999.6000	150	119	-46.30	-13.00	33.30	PASS	Vertical
10	8056.7528	150	339	-43.36	-13.00	30.36	PASS	Vertical
11	11476.9238	150	339	-38.56	-13.00	25.56	PASS	Vertical
12	17560.4780	150	284	-37.55	-13.00	24.55	PASS	Vertical
13	18855.7142	150	302	-52.10	-13.00	39.10	PASS	Vertical
14	20397.5359	150	169	-52.69	-13.00	39.69	PASS	Vertical
15	21294.5318	150	102	-52.32	-13.00	39.32	PASS	Vertical
16	23032.2013	150	169	-52.31	-13.00	39.31	PASS	Vertical
17	23549.0220	150	360	-51.37	-13.00	38.37	PASS	Vertical
18	25115.8046	150	302	-50.85	-13.00	37.85	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20600



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	269	-73.45	-13.00	60.45	PASS	Horizontal
2	125.0790	150	269	-72.42	-13.00	59.42	PASS	Horizontal
3	239.9500	150	269	-69.35	-13.00	56.35	PASS	Horizontal
4	324.9390	150	336	-67.21	-13.00	54.21	PASS	Horizontal
5	440.0040	150	302	-68.58	-13.00	55.58	PASS	Horizontal
6	649.9540	150	102	-63.80	-13.00	50.80	PASS	Horizontal
7	1687.8688	150	69	-48.13	-13.00	35.13	PASS	Horizontal
8	2525.7526	150	336	-47.25	-13.00	34.25	PASS	Horizontal
9	5001.1001	150	302	-45.85	-13.00	32.85	PASS	Horizontal
10	10225.8613	150	211	-40.81	-13.00	27.81	PASS	Horizontal
11	13916.0458	150	229	-37.66	-13.00	24.66	PASS	Horizontal
12	17564.2282	150	211	-37.12	-13.00	24.12	PASS	Horizontal
13	18285.4514	150	269	-51.61	-13.00	38.61	PASS	Horizontal
14	19561.0224	150	336	-53.09	-13.00	40.09	PASS	Horizontal
15	21375.1750	150	3	-52.13	-13.00	39.13	PASS	Horizontal
16	21800.1520	150	302	-51.19	-13.00	38.19	PASS	Horizontal
17	23988.3995	150	336	-51.83	-13.00	38.83	PASS	Horizontal
18	25091.4837	150	336	-51.13	-13.00	38.13	PASS	Horizontal


Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20600



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.7914	150	302	-67.64	-13.00	54.64	PASS	Vertical
2	149.9160	150	3	-69.23	-13.00	56.23	PASS	Vertical
3	194.9330	150	36	-66.99	-13.00	53.99	PASS	Vertical
4	299.9080	150	169	-68.10	-13.00	55.10	PASS	Vertical
5	433.2126	150	36	-67.99	-13.00	54.99	PASS	Vertical
6	649.9540	150	302	-64.57	-13.00	51.57	PASS	Vertical
7	1347.6348	150	336	-52.88	-13.00	39.88	PASS	Vertical
8	3186.0093	150	138	-48.49	-13.00	35.49	PASS	Vertical
9	5001.1001	150	156	-45.49	-13.00	32.49	PASS	Vertical
10	10569.3785	150	321	-40.66	-13.00	27.66	PASS	Vertical
11	13977.5489	150	83	-38.90	-13.00	25.90	PASS	Vertical
12	17583.7292	150	9	-37.29	-13.00	24.29	PASS	Vertical
13	18646.4259	150	103	-52.66	-13.00	39.66	PASS	Vertical
14	19509.1804	150	203	-52.49	-13.00	39.49	PASS	Vertical
15	20387.6155	150	103	-52.18	-13.00	39.18	PASS	Vertical
16	21761.7505	150	302	-52.22	-13.00	39.22	PASS	Vertical
17	22996.3599	150	70	-51.98	-13.00	38.98	PASS	Vertical
18	23610.4644	150	302	-51.65	-13.00	38.65	PASS	Vertical


16-QAM

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	308	-58.46	-13.00	45.46	PASS	Horizontal
2	64.9270	150	0	-65.55	-13.00	52.55	PASS	Horizontal
3	120.0340	150	357	-61.92	-13.00	48.92	PASS	Horizontal
4	239.9500	150	0	-64.19	-13.00	51.19	PASS	Horizontal
5	303.9828	150	255	-62.13	-13.00	49.13	PASS	Horizontal
6	599.8920	150	43	-67.07	-13.00	54.07	PASS	Horizontal
7	1673.4673	150	43	-38.11	-13.00	25.11	PASS	Horizontal
8	2510.3510	150	308	-47.39	-13.00	34.39	PASS	Horizontal
9	5016.1008	150	175	-46.48	-13.00	33.48	PASS	Horizontal
10	11482.1741	150	351	-40.28	-13.00	27.28	PASS	Horizontal
11	14438.0719	150	116	-38.13	-13.00	25.13	PASS	Horizontal
12	17553.7277	150	293	-37.04	-13.00	24.04	PASS	Horizontal
13	18229.1292	150	202	-53.36	-13.00	40.36	PASS	Horizontal
14	20359.7744	150	43	-53.83	-13.00	40.83	PASS	Horizontal
15	21382.2153	150	0	-52.50	-13.00	39.50	PASS	Horizontal
16	22193.4477	150	43	-52.05	-13.00	39.05	PASS	Horizontal
17	23773.9910	150	43	-51.93	-13.00	38.93	PASS	Horizontal
18	25104.2842	150	0	-51.80	-13.00	38.80	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=1.4MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	309	-54.04	-13.00	41.04	PASS	Vertical
2	59.4939	150	309	-61.30	-13.00	48.30	PASS	Vertical
3	129.9300	150	309	-64.67	-13.00	51.67	PASS	Vertical
4	194.9330	150	149	-62.01	-13.00	49.01	PASS	Vertical
5	303.9828	150	0	-63.23	-13.00	50.23	PASS	Vertical
6	600.0860	150	42	-67.00	-13.00	54.00	PASS	Vertical
7	1672.8673	150	0	-44.80	-13.00	31.80	PASS	Vertical
8	3095.2548	150	262	-49.08	-13.00	36.08	PASS	Vertical
9	5028.8514	150	203	-46.31	-13.00	33.31	PASS	Vertical
10	7527.9764	150	320	-44.29	-13.00	31.29	PASS	Vertical
11	10364.6182	150	349	-40.26	-13.00	27.26	PASS	Vertical
12	15927.6464	150	115	-37.70	-13.00	24.70	PASS	Vertical
13	18748.1899	150	0	-52.84	-13.00	39.84	PASS	Vertical
14	20380.5752	150	255	-53.18	-13.00	40.18	PASS	Vertical
15	21595.6638	150	95	-52.04	-13.00	39.04	PASS	Vertical
16	22961.1584	150	0	-52.51	-13.00	39.51	PASS	Vertical
17	23704.2282	150	95	-52.04	-13.00	39.04	PASS	Vertical
18	25428.1371	150	255	-51.31	-13.00	38.31	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	0	-57.54	-13.00	44.54	PASS	Horizontal
2	64.9270	150	0	-68.54	-13.00	55.54	PASS	Horizontal
3	120.0340	150	149	-60.84	-13.00	47.84	PASS	Horizontal
4	239.9500	150	96	-64.72	-13.00	51.72	PASS	Horizontal
5	303.9828	150	0	-62.07	-13.00	49.07	PASS	Horizontal
6	600.0860	150	42	-66.97	-13.00	53.97	PASS	Horizontal
7	1672.8673	150	42	-41.82	-13.00	28.82	PASS	Horizontal
8	2508.1508	150	0	-48.38	-13.00	35.38	PASS	Horizontal
9	5001.8501	150	87	-46.35	-13.00	33.35	PASS	Horizontal
10	10363.1182	150	233	-40.64	-13.00	27.64	PASS	Horizontal
11	15066.6033	150	116	-38.26	-13.00	25.26	PASS	Horizontal
12	17580.7290	150	321	-36.88	-13.00	23.88	PASS	Horizontal
13	18277.1311	150	255	-52.82	-13.00	39.82	PASS	Horizontal
14	19613.8246	150	0	-53.79	-13.00	40.79	PASS	Horizontal
15	20791.1516	150	0	-53.09	-13.00	40.09	PASS	Horizontal
16	22189.6076	150	202	-52.27	-13.00	39.27	PASS	Horizontal
17	23599.9040	150	0	-51.89	-13.00	38.89	PASS	Horizontal
18	25059.4824	150	149	-51.38	-13.00	38.38	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=3MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	148	-56.19	-13.00	43.19	PASS	Vertical
2	59.2999	150	148	-60.80	-13.00	47.80	PASS	Vertical
3	120.0340	150	357	-62.43	-13.00	49.43	PASS	Vertical
4	194.9330	150	0	-62.33	-13.00	49.33	PASS	Vertical
5	303.9828	150	0	-63.01	-13.00	50.01	PASS	Vertical
6	600.0860	150	308	-66.80	-13.00	53.80	PASS	Vertical
7	1673.0673	150	0	-49.10	-13.00	36.10	PASS	Vertical
8	3031.5016	150	204	-49.01	-13.00	36.01	PASS	Vertical
9	5050.6025	150	292	-46.11	-13.00	33.11	PASS	Vertical
10	10378.8689	150	145	-40.73	-13.00	27.73	PASS	Vertical
11	14437.3219	150	86	-38.29	-13.00	25.29	PASS	Vertical
12	17545.4773	150	145	-37.70	-13.00	24.70	PASS	Vertical
13	18721.3089	150	0	-53.20	-13.00	40.20	PASS	Vertical
14	20468.2587	150	0	-53.38	-13.00	40.38	PASS	Vertical
15	21587.0235	150	42	-52.06	-13.00	39.06	PASS	Vertical
16	23013.9606	150	148	-53.16	-13.00	40.16	PASS	Vertical
17	23624.2250	150	42	-51.97	-13.00	38.97	PASS	Vertical
18	25223.3289	150	254	-51.78	-13.00	38.78	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	254	-58.45	-13.00	45.45	PASS	Horizontal
2	64.9270	150	254	-66.52	-13.00	53.52	PASS	Horizontal
3	120.0340	150	357	-60.00	-13.00	47.00	PASS	Horizontal
4	239.9500	150	95	-64.35	-13.00	51.35	PASS	Horizontal
5	303.9828	150	357	-62.24	-13.00	49.24	PASS	Horizontal
6	600.0860	150	201	-67.47	-13.00	54.47	PASS	Horizontal
7	1673.2673	150	41	-44.44	-13.00	31.44	PASS	Horizontal
8	2514.3514	150	0	-49.54	-13.00	36.54	PASS	Horizontal
9	3195.7598	150	292	-48.77	-13.00	35.77	PASS	Horizontal
10	5023.6012	150	87	-46.28	-13.00	33.28	PASS	Horizontal
11	10207.1104	150	87	-40.81	-13.00	27.81	PASS	Horizontal
12	17575.4788	150	117	-37.36	-13.00	24.36	PASS	Horizontal
13	18302.4121	150	95	-53.07	-13.00	40.07	PASS	Horizontal
14	19146.2859	150	148	-53.82	-13.00	40.82	PASS	Horizontal
15	20432.7373	150	0	-53.40	-13.00	40.40	PASS	Horizontal
16	22147.0459	150	357	-51.80	-13.00	38.80	PASS	Horizontal
17	23580.3832	150	95	-51.39	-13.00	38.39	PASS	Horizontal
18	25104.2842	150	254	-51.77	-13.00	38.77	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=5MHz	Channel:	20525




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	308	-54.61	-13.00	41.61	PASS	Vertical
2	129.9300	150	0	-64.92	-13.00	51.92	PASS	Vertical
3	194.9330	150	308	-61.65	-13.00	48.65	PASS	Vertical
4	303.9828	150	308	-61.29	-13.00	48.29	PASS	Vertical
5	411.4803	150	96	-68.39	-13.00	55.39	PASS	Vertical
6	600.0860	150	0	-66.62	-13.00	53.62	PASS	Vertical
7	1673.4673	150	0	-52.28	-13.00	39.28	PASS	Vertical
8	3069.7535	150	321	-48.94	-13.00	35.94	PASS	Vertical
9	4998.8499	150	145	-46.32	-13.00	33.32	PASS	Vertical
10	10298.6149	150	350	-40.91	-13.00	27.91	PASS	Vertical
11	14036.0518	150	321	-38.60	-13.00	25.60	PASS	Vertical
12	17951.2476	150	28	-37.49	-13.00	24.49	PASS	Vertical
13	18649.9460	150	43	-52.50	-13.00	39.50	PASS	Vertical
14	20388.8956	150	149	-53.09	-13.00	40.09	PASS	Vertical
15	21610.3844	150	149	-52.50	-13.00	39.50	PASS	Vertical
16	22997.3199	150	43	-53.15	-13.00	40.15	PASS	Vertical
17	23598.3039	150	255	-51.86	-13.00	38.86	PASS	Vertical
18	25116.4447	150	308	-51.61	-13.00	38.61	PASS	Vertical

Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20525



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	41	-58.52	-13.00	45.52	PASS	Horizontal
2	59.4939	150	0	-63.73	-13.00	50.73	PASS	Horizontal
3	120.0340	150	254	-62.10	-13.00	49.10	PASS	Horizontal
4	239.9500	150	148	-64.13	-13.00	51.13	PASS	Horizontal
5	303.9828	150	201	-62.35	-13.00	49.35	PASS	Horizontal
6	600.0860	150	201	-66.98	-13.00	53.98	PASS	Horizontal
7	1677.0677	150	41	-47.89	-13.00	34.89	PASS	Horizontal
8	3198.0099	150	145	-48.22	-13.00	35.22	PASS	Horizontal
9	5019.1010	150	292	-45.70	-13.00	32.70	PASS	Horizontal
10	11307.4154	150	87	-40.44	-13.00	27.44	PASS	Horizontal
11	14372.0686	150	87	-38.35	-13.00	25.35	PASS	Horizontal
12	17567.2284	150	350	-37.23	-13.00	24.23	PASS	Horizontal
13	18800.9920	150	0	-53.35	-13.00	40.35	PASS	Horizontal
14	19363.2545	150	0	-53.52	-13.00	40.52	PASS	Horizontal
15	21554.7022	150	201	-51.90	-13.00	38.90	PASS	Horizontal
16	22211.3685	150	254	-51.94	-13.00	38.94	PASS	Horizontal
17	23613.9846	150	0	-51.73	-13.00	38.73	PASS	Horizontal
18	25071.9629	150	41	-51.68	-13.00	38.68	PASS	Horizontal

Mode:	LTE		
Band:	Band=5 BW=10MHz	Channel:	20525



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	201	-57.40	-13.00	44.40	PASS	Vertical
2	59.4939	150	0	-60.84	-13.00	47.84	PASS	Vertical
3	124.4969	150	308	-63.73	-13.00	50.73	PASS	Vertical
4	194.9330	150	254	-62.03	-13.00	49.03	PASS	Vertical
5	303.9828	150	41	-59.80	-13.00	46.80	PASS	Vertical
6	600.0860	150	0	-66.22	-13.00	53.22	PASS	Vertical
7	1375.0375	150	0	-52.64	-13.00	39.64	PASS	Vertical
8	3183.0092	150	235	-48.36	-13.00	35.36	PASS	Vertical
9	5001.8501	150	205	-46.26	-13.00	33.26	PASS	Vertical
10	11931.4466	150	235	-39.92	-13.00	26.92	PASS	Vertical
11	14406.5703	150	322	-38.27	-13.00	25.27	PASS	Vertical
12	17570.2285	150	146	-37.70	-13.00	24.70	PASS	Vertical
13	18748.1899	150	254	-53.36	-13.00	40.36	PASS	Vertical
14	20344.7338	150	308	-53.30	-13.00	40.30	PASS	Vertical
15	21177.4071	150	41	-52.58	-13.00	39.58	PASS	Vertical
16	22567.2227	150	94	-53.16	-13.00	40.16	PASS	Vertical
17	23658.7864	150	148	-52.33	-13.00	39.33	PASS	Vertical
18	25221.0888	150	0	-51.28	-13.00	38.28	PASS	Vertical

Note:

Scan from 9kHz to 25GHz, the disturbance above 18GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

PHOTOGRAPHS OF EUT Constructional Details

Refer to Report No.EED32M00186501for EUT external and internal photos.

*** End of Report ***

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.