


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	5.403	30	Pass
NVNT	BLE	2442	Ant1	5.1	30	Pass
NVNT	BLE	2480	Ant1	4.485	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.664	0.5	Pass
NVNT	BLE	2480	Ant1	0.664	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.011	
NVNT	BLE	2442	Ant1	1.011	
NVNT	BLE	2480	Ant1	1.011	

Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2411033









Tel: +86-755-23118282, Fax: +86-755-23116366






Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.913	8	Pass
NVNT	BLE	2442	Ant1	-1.322	8	Pass
NVNT	BLE	2480	Ant1	-1.921	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.82	-20	Pass
NVNT	BLE	2480	Ant1	-58.92	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.39	-20	Pass
NVNT	BLE	2442	Ant1	-53.33	-20	Pass
NVNT	BLE	2480	Ant1	-51.51	-20	Pass







