

INTERTEK TESTING SERVICES

EXHIBIT 5

PRODUCT LABELLING

INTERTEK TESTING SERVICES

5.0 **Product Labelling**

The FCC ID label and label location are attached.

INTERTEK TESTING SERVICES

5.1 Label Artwork

Figure 5.1 FCC ID Label

An engineering drawing of the label which will be permanently affixed to the unit is shown below.


This label will be attached to the unit at the location shown in Exhibit 5.2.

FCC ID: NMTEMR899-01
 THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
 OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
 (1) THIS DEVICE MUST NOT CAUSE HARMFUL INTERFERENCE, AND
 (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
 INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

COLOR: BLACK ON WHITE B/G
 SIZE: 37 x 8MM

FCC ID: NMTEMR899-01
 THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
 OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
 (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
 (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
 INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

APPROVAL

A/W (PDD)	TEXT (ENG)	TRANS	MODEL: EMR899	CU:
DATE	DATE	DATE	TITLE: FCC ID LABEL	
A/W (CU)	TEXT (P MGR)	TEXT (SUP)	PREPARED BY: JAMES LEE	
DATE	DATE	DATE	DATE: 19 / 9 / 97	
DATE	DATE	DATE	F/O:	P/N:
 IDT TECHNOLOGY LTD.				

FCC ID: NMTEMR899-01

INTERTEK TESTING SERVICES

5.2 Label Location


Figure 5.2 Label Location

STD CAB REAR

7.0 mm

3.0 mm

FCC ID: NMTEMR001
THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND
2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.



MODEL NO. JTR168

STD BATTERY DOOR

13.0 mm

TEXT PMS 430C MID GREY ON

RS WHITE CAB

IDT IDT Technology Limited

FCC ID: NMTEMR899-01

AW (PDD)	TEXT (ENG)	TRANS	MODEL: JTR168
DATE	DATE	DATE	TITLE: REAR CAB. FCC
AW (CU)	TEXT (PMGR)	AW (SUP)	PREPARED BY: FRANKY TANG