


无线充电 Coil 天线规格书

1、天线参数:

Item	Specification
Operating Frequency(MHz)	0.1277
Operating temperature	-40°C ~ +105°C
Storage temperature	-40°C ~ +125°C
Modulation	FSK
Brand	Luxshare
Antenna Model	MP-A27
Manufacture	Luxshare-ICT
Address	THE intersection Between Xiyuan Road and Xigu Road,Songshuping village,Liujiaoting Sub-district,Enshi city,Hubei province, China

2、天线照片：



- NOTE:
- 1. L1=9.8UH ±10%;L2=10.2±10%(100KHz 1.0V) ;
 - 2. DCR1:60MΩ MAX;DCR2=65MΩ MAX;
 - 3. TURNS:L1=11TS Ø0.06X200P;L2=12TSØ0.06X200P;
 - 4. OPE. TEMP:-40° C TO 105° C, STORE:TEMP:-40° C TO 125° C;
 - 5. OTHER:Ø0.06X200P EQUIVALENT CROSS SECTION AREA:0.567MM² (REF)
 - 6. CORE 1=CORE 2, CORE MATERIAL:PC95;
 - 7. TEMPERATURE RESISTANCE:
COIL ADHESIVE:-55° C-180° C;
DOUBLE COATED TISSE TAPE:-55° C-120° C;


NFC 天线规格书

1、天线参数：

Item	Specification
Operating Frequency(MHz)	13.56
Operating temperature	-40°C ~ +85°C
Storage temperature	-40°C ~ +105°C
Modulation	FSK

Brand	Luxshare
Antenna Model	WPC032 antenna
Manufacture	Kinwong
Address	Chengxi Industrial Park Jishui County Ji'an City Jiangxi Province,P.R.China

2、天线照片：



Only radiated measurements are used to show compliance with FCC limits for fundamental and spurious emissions.