



Modular Approval Checklist
FCC ID: **N7NBX31A**

Item	Requirements	EUT
1	The radio elements must have the radio frequency circuitry shielded	Module RADIO elements are shielded. Please see submitted external photograph exhibits
2	The module must have buffered modulation/data inputs	Module chipset design incorporates integrated buffer circuitry
3	The module must contain power supply regulation on the module	Module chipset incorporates voltage regulation to transceiver circuitry
4	The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s)	EUT requires professional installation.
5	The module must demonstrate compliance in a stand-alone configuration	EUT conformance testing was performed in a standalone configuration
6	The module must have a FCC ID label on the module itself. That FCC ID label must be visible through a window on the final device or it must be visible when an access panel, door or cover is easily removed. If not, a second label must be placed on the outside of the final device that contains the following text: Contains "FCC ID: N7NBX31A"	Please refer to FCC ID label format. Labeling instruction has been provided in the user manual exhibit(s). Pursuant to FCC Rule §2.925, the FCC Identifier will be placed in the user manual and on the device packaging.
7	The module must comply with all specific rules applicable to the transmitter. The grantee must provide comprehensive instructions to explain compliance requirements	The Module is compliant with all applicable FCC rules. Compliance requirements are stated in the user manual exhibit(s).
8	The module must comply with RF exposure requirements	Compliance with RF exposure requirements is addressed in RF exposure report