




Appendix B.3: Test Results of 6dB Bandwidth

5.8GHz SDR, 1.4MHz BW

TestMode	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
1.4M	5728.5	1.120	5727.937	5729.057	0.5	PASS
	5786.5	1.109	5785.940	5787.049	0.5	PASS
	5846.5	1.112	5845.937	5847.049	0.5	PASS



5.8GHz SDR, 1.4MHz BW CA mode

TestMode	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
1.4M-CA	5730.12	1.123	5729.557	5730.680	0.5	PASS
	5788.12	1.109	5787.560	5788.669	0.5	PASS
	5848.12	1.112	5847.557	5848.669	0.5	PASS

1.4M-CA 5730.12



1.4M-CA 5788.12



1.4M-CA 5848.12



5.8GHz SDR, 3MHz BW

TestMode	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
3M	5727.5	2.184	5726.408	5728.592	0.5	PASS
	5784.5	2.196	5783.408	5785.604	0.5	PASS
	5844.5	2.196	5843.408	5845.604	0.5	PASS

3M 5727.5



3M 5784.5






3M 5844.5




5.8GHz SDR, 3MHz BW (CA Mode)

TestMode	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
3M	5727.5	2.184	5726.408	5728.592	0.5	PASS
	5784.5	2.196	5783.408	5785.604	0.5	PASS
	5844.5	2.196	5843.408	5845.604	0.5	PASS






5.8GHz SDR, 10MHz BW

TestMode	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
10M	5730.5	8.720	5726.200	5734.920	0.5	PASS
	5787.5	8.520	5783.200	5791.720	0.5	PASS
	5844.5	8.700	5840.120	5848.820	0.5	PASS






5.8GHz SDR, 20MHz BW

TestMode	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
20M	5735.5	17.760	5726.580	5744.340	0.5	PASS
	5787.5	17.680	5778.620	5796.300	0.5	PASS
	5839.5	17.160	5830.820	5847.980	0.5	PASS



5.8GHz SDR, 40MHz BW

TestMode	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
40M	5745.5	35.200	5727.660	5762.860	0.5	PASS
	5787.5	34.560	5770.220	5804.780	0.5	PASS
	5829.5	34.400	5811.660	5846.060	0.5	PASS



Appendix B.4: Test Results of Radiated Spurious Emissions


Note: Testing was carried out within frequency range 9kHz to the tenth harmonics.

The measurement results below 30MHz and above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M_5786.5MHz
Order No./Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
58.324000	21.17	40.00	18.83	100.0	H	138.0	-18.8
111.092000	18.68	43.50	24.82	100.0	H	12.0	-19.2
327.693000	23.19	46.00	22.81	100.0	H	355.0	-15.6
881.999500	33.84	46.00	12.17	100.0	H	6.0	-5.1

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5786.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
30.582000	21.61	40.00	18.39	100.0	V	183.0	-22.9
51.631000	23.95	40.00	16.05	100.0	V	94.0	-18.4
107.454500	17.57	43.50	25.93	100.0	V	251.0	-18.9
528.725500	27.64	46.00	18.36	100.0	V	110.0	-11.4
913.815500	34.59	46.00	11.41	100.0	V	68.0	-4.9

Final_Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---


Above 1GHz

Note: The highest waveform in the figure is 5.8GHz SDR Fundamental.

5.8GHzHz SDR, 1.4MHz BW

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M_5728.5MHz
Order No/Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5729.000000	108.18	---	74.00	-34.18	100.0	H	189.0	13.9
5728.500000	---	100.68	54.00	-46.68	100.0	H	202.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5728.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5728.500000	---	102.12	54.00	-48.12	100.0	V	278.0	13.9
5728.500000	109.33	---	74.00	-35.33	100.0	V	278.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M_5728.5MHz
Order No/Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11430.350000	46.83	---	74.00	27.17	100.0	H	354.0	13.1
11439.691667	---	38.13	54.00	15.87	100.0	H	0.0	13.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5728.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11475.583333	---	37.98	54.00	16.02	100.0	V	142.0	13.6
11493.283333	46.38	---	74.00	27.62	100.0	V	232.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M_5728.5MHz
Order No/Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5625.422222	55.34	68.20	12.86	100.0	H	341.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M_5728.5MHz
Order No/Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5619.983333	55.68	68.20	12.52	100.0	V	316.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5786.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.500000	---	99.96	54.00	-45.96	100.0	H	187.0	14.0
5787.000000	108.09	---	74.00	-34.09	100.0	H	187.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5786.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.500000	---	100.94	54.00	-46.94	100.0	V	278.0	14.0
5786.500000	110.72	---	74.00	-36.72	100.0	V	278.0	14.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5786.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11586.208333	---	38.11	54.00	15.89	100.0	H	62.0	13.3
11595.058333	47.47	---	74.00	26.53	100.0	H	299.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5786.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11558.675000	---	38.06	54.00	15.94	100.0	V	290.0	13.5
11588.666667	46.45	---	74.00	27.55	100.0	V	88.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5846.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.500000	---	98.25	54.00	-44.25	100.0	H	183.0	14.2
5846.500000	107.44	---	74.00	-33.44	100.0	H	183.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5846.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.500000	---	102.10	54.00	-48.10	100.0	V	280.0	14.2
5846.500000	111.53	---	74.00	-37.53	100.0	V	280.0	14.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5846.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11693.391667	---	38.05	54.00	15.95	100.0	H	356.0	13.3
11694.866667	47.56	---	74.00	26.44	100.0	H	224.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5846.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11689.458333	47.62	---	74.00	26.38	100.0	V	150.0	13.3
11693.883333	---	38.57	54.00	15.43	100.0	V	250.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5846.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5954.894445	56.86	68.20	11.34	100.0	H	166.0	14.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M_5846.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5928.955556	56.94	68.20	11.26	100.0	V	224.0	14.7


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHzHz SDR, 1.4MHz BW (CA Mode)

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M CA_5730.12MHz
Order No./Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	108.49	---	74.00	-34.49	100.0	H	181.0	13.9
5730.000000	---	99.17	54.00	-45.17	100.0	H	188.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5730.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	---	101.02	54.00	-47.02	100.0	V	280.0	13.9
5730.500000	110.48	---	74.00	-36.48	100.0	V	280.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5730.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11471.650000	---	37.92	54.00	16.08	100.0	H	218.0	13.6
11472.633333	47.25	---	74.00	26.75	100.0	H	2.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5730.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11446.083333	46.68	---	74.00	27.32	100.0	V	325.0	13.3
11480.008333	---	38.08	54.00	15.92	100.0	V	313.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M CA_5730.12MHz
Order No/Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5626.033333	55.65	68.20	12.55	100.0	H	110.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5730.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5641.494445	55.40	68.20	12.80	100.0	V	327.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5788.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5788.000000	---	97.76	54.00	-43.76	100.0	H	184.0	14.0
5788.500000	108.33	---	74.00	-34.33	100.0	H	184.0	14.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5788.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5788.500000	---	98.43	54.00	-44.43	100.0	V	276.0	14.0
5788.500000	108.18	---	74.00	-34.18	100.0	V	276.0	14.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5788.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11549.333333	---	37.89	54.00	16.11	100.0	H	100.0	13.5
11567.033333	46.37	---	74.00	27.63	100.0	H	74.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5788.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11546.875000	47.49	---	74.00	26.51	100.0	V	27.0	13.5
11563.100000	---	37.83	54.00	16.17	100.0	V	4.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5848.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5848.500000	---	98.51	54.00	-44.51	100.0	H	199.0	14.2
5848.500000	108.04	---	74.00	-34.04	100.0	H	199.0	14.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5848.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5848.500000	---	102.44	54.00	-48.44	100.0	V	283.0	14.2
5848.500000	111.30	---	74.00	-37.30	100.0	V	283.0	14.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5848.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11686.508333	47.14	---	74.00	26.86	100.0	H	146.0	13.3
11687.491667	---	38.24	54.00	15.76	100.0	H	170.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5848.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11668.808333	---	37.90	54.00	16.10	100.0	V	354.0	13.3
11700.766667	47.94	---	74.00	26.06	100.0	V	230.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 Pro
Model:	MT3M3VD
Test Mode:	SDR 5.8GHz_1.4M CA_5848.12MHz
Order No/Sample No:	168350223/A003205772-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5937.516667	57.33	68.20	10.87	100.0	H	155.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_1.4M CA_5848.12MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5943.330556	57.52	68.20	10.68	100.0	V	61.0	14.7


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHzHz SDR, 3MHz BW

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_3M_5727.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.500000	---	96.81	54.00	-42.81	100.0	H	185.0	13.9
5728.000000	106.07	---	74.00	-32.07	100.0	H	185.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_3M_5727.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.500000	---	98.66	54.00	-44.66	100.0	V	287.0	13.9
5727.500000	107.83	---	74.00	-33.83	100.0	V	287.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_3M_5727.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11457.883333	---	38.27	54.00	15.73	100.0	H	222.0	13.4
11460.341667	46.98	---	74.00	27.02	100.0	H	61.0	13.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 Pro
Model: MT3M3VD
Test Mode: SDR 5.8GHz_3M_5727.5MHz
Order No/Sample No: 168350223/A003205772-002
Test Voltage:: Battery
Remark: Temp 23 Humi:56%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11452.966667	---	38.27	54.00	15.73	100.0	V	141.0	13.4
11469.191667	47.16	---	74.00	26.84	100.0	V	21.0	13.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---