


|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11650.0000   | 34.34                      | 17.47                   | 51.81                     | 54.00           | -2.19        | AVG      |         |
| 2   | 11650.4000   | 44.64                      | 17.47                   | 62.11                     | 74.00           | -11.89       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5825.8560    | 84.08                      | 19.44                   | 103.52                    | 122.20          | -18.68       | Peak     |         |
| 2   | 5850.0000    | 42.05                      | 19.55                   | 61.60                     | 122.20          | -60.60       | Peak     |         |
| 3   | 5860.0000    | 37.49                      | 19.59                   | 57.08                     | 109.40          | -52.32       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11646.4000   | 37.61                      | 17.46                   | 55.07                     | 74.00           | -18.93       | Peak     |         |
| 2 * | 11652.1000   | 27.33                      | 17.47                   | 44.80                     | 54.00           | -9.20        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 37.34                      | 18.95                   | 56.29                     | 109.40          | -53.11       | Peak     |         |
| 2   | 5725.0000    | 48.26                      | 18.99                   | 67.25                     | 122.20          | -54.95       | Peak     |         |
| 3 * | 5743.7000    | 87.27                      | 19.07                   | 106.34                    | 122.20          | -15.86       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11489.8000   | 32.59                      | 17.20                   | 49.79                     | 54.00           | -4.21        | AVG      |         |
| 2   | 11490.9000   | 42.70                      | 17.21                   | 59.91                     | 74.00           | -14.09       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 43.26                      | 18.95                   | 62.21                     | 109.40          | -47.19       | Peak     |         |
| 2   | 5725.0000    | 55.26                      | 18.99                   | 74.25                     | 122.20          | -47.95       | Peak     |         |
| 3 * | 5747.7820    | 85.55                      | 19.09                   | 104.64                    | 122.20          | -17.56       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11485.8000   | 32.79                      | 17.19                   | 49.98                     | 74.00           | -24.02       | Peak     |         |
| 2 * | 11487.9000   | 23.63                      | 17.20                   | 40.83                     | 54.00           | -13.17       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5783.8000    | 90.11                      | 19.25                   | 109.36                    | 122.20          | -12.84       | Peak     |         |



|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11562.4000   | 44.71                      | 17.33                   | 62.04                     | 74.00           | -11.96       | Peak     |         |
| 2 * | 11569.9000   | 32.77                      | 17.34                   | 50.11                     | 54.00           | -3.89        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5786.6050    | 82.28                      | 19.26                   | 101.54                    | 122.20          | -20.66       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11569.9000   | 24.21                      | 17.34                   | 41.55                     | 54.00           | -12.45       | AVG      |         |
| 2   | 11574.8000   | 33.65                      | 17.35                   | 51.00                     | 74.00           | -23.00       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5823.8000    | 88.66                      | 19.43                   | 108.09                    | 122.20          | -14.11       | Peak     |         |
| 2   | 5850.0000    | 47.72                      | 19.55                   | 67.27                     | 122.20          | -54.93       | Peak     |         |
| 3   | 5860.0000    | 43.70                      | 19.59                   | 63.29                     | 109.40          | -46.11       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11649.3000   | 45.44                      | 17.47                   | 62.91                     | 74.00           | -11.09       | Peak     |         |
| 2 * | 11650.0000   | 33.50                      | 17.47                   | 50.97                     | 54.00           | -3.03        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5826.6050    | 84.15                      | 19.44                   | 103.59                    | 122.20          | -18.61       | Peak     |         |
| 2   | 5850.0000    | 44.54                      | 19.55                   | 64.09                     | 122.20          | -58.11       | Peak     |         |
| 3   | 5860.0000    | 37.76                      | 19.59                   | 57.35                     | 109.40          | -52.05       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11649.9000   | 26.87                      | 17.47                   | 44.34                     | 54.00           | -9.66        | AVG      |         |
| 2   | 11658.0000   | 35.49                      | 17.48                   | 52.97                     | 74.00           | -21.03       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 63.59                      | 18.95                   | 82.54                     | 109.40          | -26.86       | Peak     |         |
| 2   | 5725.0000    | 70.14                      | 18.99                   | 89.13                     | 122.20          | -33.07       | Peak     |         |
| 3 * | 5738.4000    | 91.44                      | 19.05                   | 110.49                    | 122.20          | -11.71       | Peak     |         |



|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11507.0000   | 40.52                      | 17.24                   | 57.76                     | 74.00           | -16.24       | Peak     |         |
| 2 * | 11510.0000   | 32.36                      | 17.25                   | 49.61                     | 54.00           | -4.39        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 56.10                      | 18.95                   | 75.05                     | 109.40          | -34.35       | Peak     |         |
| 2   | 5725.0000    | 61.01                      | 18.99                   | 80.00                     | 122.20          | -42.20       | Peak     |         |
| 3 * | 5753.8000    | 84.55                      | 19.12                   | 103.67                    | 122.20          | -18.53       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11509.9000   | 23.28                      | 17.25                   | 40.53                     | 54.00           | -13.47       | AVG      |         |
| 2   | 11510.2000   | 33.27                      | 17.25                   | 50.52                     | 74.00           | -23.48       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5791.8000    | 88.44                      | 19.29                   | 107.73                    | 122.20          | -14.47       | Peak     |         |
| 2   | 5850.0000    | 45.11                      | 19.55                   | 64.66                     | 122.20          | -57.54       | Peak     |         |
| 3   | 5860.0000    | 40.64                      | 19.59                   | 60.23                     | 109.40          | -49.17       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11589.8000   | 39.60                      | 17.37                   | 56.97                     | 74.00           | -17.03       | Peak     |         |
| 2 * | 11590.0000   | 31.30                      | 17.37                   | 48.67                     | 54.00           | -5.33        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5800.2000    | 75.63                      | 19.32                   | 94.95                     | 122.20          | -27.25       | Peak     |         |
| 2   | 5850.0000    | 40.64                      | 19.55                   | 60.19                     | 122.20          | -62.01       | Peak     |         |
| 3   | 5860.0000    | 35.37                      | 19.59                   | 54.96                     | 109.40          | -54.44       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11589.8000   | 23.38                      | 17.37                   | 40.75                     | 54.00           | -13.25       | AVG      |         |
| 2   | 11610.5000   | 32.93                      | 17.40                   | 50.33                     | 74.00           | -23.67       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 42.97                      | 16.76                   | 59.73                     | 74.00           | -14.27       | Peak     |          |
| 2   | 5150.0000    | 31.13                      | 16.76                   | 47.89                     | 54.00           | -6.11        | AVG      |          |
| 3 * | 5177.9000    | 92.03                      | 16.86                   | 108.89                    | 68.30           | 40.59        | Peak     | No Limit |
| 4   | 5183.0000    | 80.84                      | 16.88                   | 97.72                     | 999.00          | -901.28      | AVG      | No Limit |



|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10359.8000   | 38.93                      | 14.79                   | 53.72                     | 68.30           | -14.58       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 40.49                      | 16.76                   | 57.25                     | 74.00           | -16.75       | Peak     |          |
| 2   | 5150.0000    | 30.31                      | 16.76                   | 47.07                     | 54.00           | -6.93        | AVG      |          |
| 3   | 5182.6750    | 74.05                      | 16.87                   | 90.92                     | 999.00          | -908.08      | AVG      | No Limit |
| 4 * | 5183.3170    | 83.17                      | 16.88                   | 100.05                    | 68.30           | 31.75        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10355.6000   | 38.19                      | 14.79                   | 52.98                     | 68.30           | -15.32       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5198.4000    | 81.22                      | 16.93                   | 98.15                     | 999.00          | -900.85      | AVG      | No Limit |
| 2 * | 5203.5000    | 91.98                      | 16.95                   | 108.93                    | 68.30           | 40.63        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10402.6000   | 43.70                      | 14.86                   | 58.56                     | 68.30           | -9.74        | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5197.1110    | 83.97                      | 16.93                   | 100.90                    | 68.30           | 32.60        | Peak     | No Limit |
| 2   | 5198.3950    | 75.01                      | 16.93                   | 91.94                     | 999.00          | -907.06      | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10394.9500   | 41.20                      | 14.85                   | 56.05                     | 68.30           | -12.25       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5236.7000    | 91.75                      | 17.07                   | 108.82                    | 68.30           | 40.52        | Peak     | No Limit |
| 2   | 5237.4000    | 81.20                      | 17.07                   | 98.27                     | 999.00          | -900.73      | AVG      | No Limit |



|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |
| 1 * | 10482.6000 | 42.45         | 14.99          | 57.44       | 68.30  | -10.86 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5241.7120    | 75.65                      | 17.08                   | 92.73                     | 999.00          | -906.27      | AVG      | No Limit |
| 2 * | 5241.8190    | 84.94                      | 17.08                   | 102.02                    | 68.30           | 33.72        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Horizontal



| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 10469.9500 | 41.41         | 14.97          | 56.38       | 68.30  | -11.92 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 46.91                      | 16.76                   | 63.67                     | 74.00           | -10.33       | Peak     |          |
| 2   | 5150.0000    | 34.65                      | 16.76                   | 51.41                     | 54.00           | -2.59        | AVG      |          |
| 3 * | 5173.2000    | 86.39                      | 16.84                   | 103.23                    | 68.30           | 34.93        | Peak     | No Limit |
| 4   | 5173.6000    | 76.90                      | 16.84                   | 93.74                     | 999.00          | -905.26      | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |
| 1 * | 10380.4000 | 38.93         | 14.83          | 53.76       | 68.30  | -14.54 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

# Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 43.62                      | 16.76                   | 60.38                     | 74.00           | -13.62       | Peak     |          |
| 2   | 5150.0000    | 31.05                      | 16.76                   | 47.81                     | 54.00           | -6.19        | AVG      |          |
| 3   | 5191.6000    | 69.23                      | 16.91                   | 86.14                     | 999.00          | -912.86      | AVG      | No Limit |
| 4 * | 5193.2000    | 78.83                      | 16.91                   | 95.74                     | 68.30           | 27.44        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10376.1500   | 37.49                      | 14.82                   | 52.31                     | 68.30           | -15.99       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

# Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5234.4000    | 89.26                      | 17.06                   | 106.32                    | 68.30           | 38.02        | Peak     | No Limit |
| 2   | 5234.8000    | 79.59                      | 17.06                   | 96.65                     | 999.00          | -902.35      | AVG      | No Limit |



|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10461.0000   | 39.76                      | 14.96                   | 54.72                     | 68.30           | -13.58       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5231.6000    | 73.11                      | 17.05                   | 90.16                     | 999.00          | -908.84      | AVG      | No Limit |
| 2 * | 5235.8000    | 82.69                      | 17.06                   | 99.75                     | 68.30           | 31.45        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 10480.2000 | 36.58         | 14.99          | 51.57       | 68.30  | -16.73 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 48.57                      | 16.76                   | 65.33                     | 74.00           | -8.67        | Peak     |          |
| 2   | 5150.0000    | 35.83                      | 16.76                   | 52.59                     | 54.00           | -1.41        | AVG      |          |
| 3   | 5175.6000    | 72.73                      | 16.85                   | 89.58                     | 999.00          | -909.42      | AVG      | No Limit |
| 4 * | 5185.6000    | 82.16                      | 16.88                   | 99.04                     | 68.30           | 30.74        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10420.0000   | 42.01                      | 14.89                   | 56.90                     | 68.30           | -11.40       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

# Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 39.85                      | 16.76                   | 56.61                     | 74.00           | -17.39       | Peak     |          |
| 2   | 5150.0000    | 29.76                      | 16.76                   | 46.52                     | 54.00           | -7.48        | AVG      |          |
| 3   | 5174.8000    | 63.86                      | 16.85                   | 80.71                     | 999.00          | -918.29      | AVG      | No Limit |
| 4 * | 5175.6000    | 73.77                      | 16.85                   | 90.62                     | 68.30           | 22.32        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10420.2000   | 38.89                      | 14.89                   | 53.78                     | 68.30           | -14.52       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5258.4000    | 81.05                      | 17.14                   | 98.19                     | 999.00          | -900.81      | AVG      | No Limit |
| 2 * | 5258.8000    | 91.43                      | 17.14                   | 108.57                    | 68.30           | 40.27        | Peak     | No Limit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10512.0000   | 44.96                      | 15.04                   | 60.00                     | 68.30           | -8.30        | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5254.5430    | 74.85                      | 17.13                   | 91.98                     | 999.00          | -907.02      | AVG      | No Limit |
| 2 * | 5262.9960    | 83.72                      | 17.16                   | 100.88                    | 68.30           | 32.58        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10512.9000   | 38.82                      | 15.04                   | 53.86                     | 68.30           | -14.44       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5298.4000    | 91.55                      | 17.28                   | 108.83                    | 68.30           | 40.53        | Peak     | No Limit |
| 2   | 5298.4000    | 81.46                      | 17.28                   | 98.74                     | 999.00          | -900.26      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |


### Vertical



| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |
| 1 * | 10599.2000 | 42.52         | 15.21          | 57.73       | 68.30  | -10.57 | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5298.3950    | 70.70                      | 17.28                   | 87.98                     | 999.00          | -911.02      | AVG      | No Limit |
| 2 * | 5298.5019    | 80.03                      | 17.28                   | 97.31                     | 68.30           | 29.01        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10596.9000   | 32.60                      | 15.21                   | 47.81                     | 68.30           | -20.49       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5317.1000    | 81.16                      | 17.35                   | 98.51                     | 999.00          | -900.49      | AVG      | No Limit |
| 2 * | 5323.2000    | 90.50                      | 17.37                   | 107.87                    | 68.30           | 39.57        | Peak     | No Limit |
| 3   | 5350.0000    | 40.70                      | 17.47                   | 58.17                     | 68.30           | -10.13       | Peak     |          |
| 4   | 5350.0000    | 31.84                      | 17.47                   | 49.31                     | 999.00          | -949.69      | AVG      |          |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10638.0000   | 42.58                      | 15.28                   | 57.86                     | 74.00           | -16.14       | Peak     |         |
| 2 * | 10639.8000   | 29.70                      | 15.29                   | 44.99                     | 54.00           | -9.01        | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5318.2879    | 79.22                      | 17.35                   | 96.57                     | 68.30           | 28.27        | Peak     | No Limit |
| 2   | 5318.3950    | 69.81                      | 17.35                   | 87.16                     | 999.00          | -911.84      | AVG      | No Limit |
| 3   | 5350.0000    | 36.48                      | 17.47                   | 53.95                     | 68.30           | -14.35       | Peak     |          |
| 4   | 5350.0000    | 26.99                      | 17.47                   | 44.46                     | 999.00          | -954.54      | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10639.9500   | 25.47                      | 15.29                   | 40.76                     | 54.00           | -13.24       | AVG      |         |
| 2   | 10641.5500   | 39.30                      | 15.29                   | 54.59                     | 74.00           | -19.41       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5268.4000    | 79.31                      | 17.18                   | 96.49                     | 999.00          | -902.51      | AVG      | No Limit |
| 2 * | 5272.8000    | 88.98                      | 17.19                   | 106.17                    | 68.30           | 37.87        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10540.8000   | 38.94                      | 15.10                   | 54.04                     | 68.30           | -14.26       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5265.2000    | 78.27                      | 17.17                   | 95.44                     | 68.30           | 27.14        | Peak     | No Limit |
| 2   | 5268.2000    | 69.31                      | 17.18                   | 86.49                     | 999.00          | -912.51      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 10526.3000 | 38.56         | 15.07          | 53.63       | 68.30  | -14.67 | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5294.0000    | 75.34                      | 17.27                   | 92.61                     | 999.00          | -906.39      | AVG      | No Limit |
| 2 * | 5300.4000    | 84.53                      | 17.29                   | 101.82                    | 68.30           | 33.52        | Peak     | No Limit |
| 3   | 5350.0000    | 45.13                      | 17.47                   | 62.60                     | 68.30           | -5.70        | Peak     |          |
| 4   | 5350.0000    | 33.00                      | 17.47                   | 50.47                     | 999.00          | -948.53      | AVG      |          |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10619.8000   | 27.14                      | 15.25                   | 42.39                     | 54.00           | -11.61       | AVG      |         |
| 2   | 10624.2000   | 35.55                      | 15.26                   | 50.81                     | 74.00           | -23.19       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5315.0000    | 77.98                      | 17.34                   | 95.32                     | 68.30           | 27.02        | Peak     | No Limit |
| 2   | 5315.0000    | 68.15                      | 17.34                   | 85.49                     | 999.00          | -913.51      | AVG      | No Limit |
| 3   | 5350.0000    | 39.57                      | 17.47                   | 57.04                     | 68.30           | -11.26       | Peak     |          |
| 4   | 5350.0000    | 28.59                      | 17.47                   | 46.06                     | 999.00          | -952.94      | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10620.0000   | 21.89                      | 15.25                   | 37.14                     | 54.00           | -16.86       | AVG      |         |
| 2   | 10622.1000   | 33.88                      | 15.25                   | 49.13                     | 74.00           | -24.87       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5273.2000    | 80.34                      | 17.19                   | 97.53                     | 68.30           | 29.23        | Peak     | No Limit |
| 2   | 5278.0000    | 70.50                      | 17.21                   | 87.71                     | 999.00          | -911.29      | AVG      | No Limit |
| 3   | 5350.0000    | 46.41                      | 17.47                   | 63.88                     | 68.30           | -4.42        | Peak     |          |
| 4   | 5350.0000    | 31.32                      | 17.47                   | 48.79                     | 999.00          | -950.21      | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10555.0000   | 40.77                      | 15.13                   | 55.90                     | 68.30           | -12.40       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5296.0000    | 62.41                      | 17.27                   | 79.68                     | 999.00          | -919.32      | AVG      | No Limit |
| 2 * | 5297.2000    | 72.24                      | 17.28                   | 89.52                     | 68.30           | 21.22        | Peak     | No Limit |
| 3   | 5350.0000    | 38.58                      | 17.47                   | 56.05                     | 68.30           | -12.25       | Peak     |          |
| 4   | 5350.0000    | 28.08                      | 17.47                   | 45.55                     | 999.00          | -953.45      | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10575.0000   | 33.84                      | 15.16                   | 49.00                     | 68.30           | -19.30       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 43.36                      | 17.85                   | 61.21                     | 74.00           | -12.79       | Peak     |          |
| 2   | 5460.0000    | 28.31                      | 17.85                   | 46.16                     | 54.00           | -7.84        | AVG      |          |
| 3   | 5470.0000    | 44.82                      | 17.89                   | 62.71                     | 68.30           | -5.59        | Peak     |          |
| 4 * | 5498.3000    | 91.09                      | 17.99                   | 109.08                    | 68.30           | 40.78        | Peak     | No Limit |
| 5   | 5501.7000    | 81.40                      | 18.00                   | 99.40                     | 999.00          | -899.60      | AVG      | No Limit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10998.1000   | 49.61                      | 15.98                   | 65.59                     | 74.00           | -8.41        | Peak     |         |
| 2 * | 10999.7000   | 36.58                      | 15.98                   | 52.56                     | 54.00           | -1.44        | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 37.56                      | 17.85                   | 55.41                     | 74.00           | -18.59       | Peak     |          |
| 2   | 5460.0000    | 26.74                      | 17.85                   | 44.59                     | 54.00           | -9.41        | AVG      |          |
| 3   | 5470.0000    | 37.31                      | 17.89                   | 55.20                     | 68.30           | -13.10       | Peak     |          |
| 4   | 5502.0330    | 71.96                      | 18.00                   | 89.96                     | 999.00          | -909.04      | AVG      | No Limit |
| 5 * | 5504.0660    | 81.47                      | 18.01                   | 99.48                     | 68.30           | 31.18        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10998.6500   | 39.02                      | 15.98                   | 55.00                     | 74.00           | -19.00       | Peak     |         |
| 2 * | 10999.8000   | 26.19                      | 15.98                   | 42.17                     | 54.00           | -11.83       | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5575.3000    | 92.53                      | 18.33                   | 110.86                    | 68.30           | 42.56        | Peak     | No Limit |
| 2   | 5577.3000    | 82.78                      | 18.34                   | 101.12                    | 999.00          | -897.88      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11159.2000   | 46.48                      | 16.38                   | 62.86                     | 74.00           | -11.14       | Peak     |         |
| 2 * | 11159.9000   | 33.69                      | 16.38                   | 50.07                     | 54.00           | -3.93        | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5577.7530    | 80.34                      | 18.34                   | 98.68                     | 68.30           | 30.38        | Peak     | No Limit |
| 2   | 5581.9260    | 70.25                      | 18.36                   | 88.61                     | 999.00          | -910.39      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11159.6000   | 23.65                      | 16.38                   | 40.03                     | 54.00           | -13.97       | AVG      |         |
| 2   | 11161.4500   | 35.34                      | 16.38                   | 51.72                     | 74.00           | -22.28       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5702.4000    | 80.85                      | 18.89                   | 99.74                     | 999.00          | -899.26      | AVG      | No Limit |
| 2 * | 5703.8000    | 90.20                      | 18.90                   | 109.10                    | 68.30           | 40.80        | Peak     | No Limit |
| 3   | 5725.0000    | 47.63                      | 18.99                   | 66.62                     | 68.30           | -1.68        | Peak     |          |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11398.2000   | 41.66                      | 16.98                   | 58.64                     | 74.00           | -15.36       | Peak     |         |
| 2 * | 11399.8000   | 30.31                      | 16.98                   | 47.29                     | 54.00           | -6.71        | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5702.0330    | 80.96                      | 18.89                   | 99.85                     | 68.30           | 31.55        | Peak     | No Limit |
| 2   | 5702.5680    | 71.36                      | 18.89                   | 90.25                     | 999.00          | -908.75      | AVG      | No Limit |
| 3   | 5725.0000    | 42.77                      | 18.99                   | 61.76                     | 68.30           | -6.54        | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11396.8500   | 34.86                      | 16.97                   | 51.83                     | 74.00           | -22.17       | Peak     |         |
| 2 * | 11397.9500   | 24.17                      | 16.97                   | 41.14                     | 54.00           | -12.86       | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 44.86                      | 17.85                   | 62.71                     | 74.00           | -11.29       | Peak     |          |
| 2   | 5460.0000    | 32.95                      | 17.85                   | 50.80                     | 54.00           | -3.20        | AVG      |          |
| 3   | 5470.0000    | 48.28                      | 17.89                   | 66.17                     | 68.30           | -2.13        | Peak     |          |
| 4 * | 5507.6000    | 87.21                      | 18.03                   | 105.24                    | 68.30           | 36.94        | Peak     | No Limit |
| 5   | 5514.8000    | 76.56                      | 18.06                   | 94.62                     | 999.00          | -904.38      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10999.8000   | 41.52                      | 15.98                   | 57.50                     | 74.00           | -16.50       | Peak     |         |
| 2 * | 11020.0000   | 32.74                      | 16.03                   | 48.77                     | 54.00           | -5.23        | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 37.31                      | 17.85                   | 55.16                     | 74.00           | -18.84       | Peak     |          |
| 2   | 5460.0000    | 27.78                      | 17.85                   | 45.63                     | 54.00           | -8.37        | AVG      |          |
| 3   | 5470.0000    | 40.50                      | 17.89                   | 58.39                     | 68.30           | -9.91        | Peak     |          |
| 4 * | 5514.2000    | 79.43                      | 18.06                   | 97.49                     | 68.30           | 29.19        | Peak     | No Limit |
| 5   | 5515.0000    | 69.03                      | 18.06                   | 87.09                     | 999.00          | -911.91      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11019.9000   | 24.91                      | 16.03                   | 40.94                     | 54.00           | -13.06       | AVG      |         |
| 2   | 11022.6000   | 36.59                      | 16.04                   | 52.63                     | 74.00           | -21.37       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5552.4000    | 88.83                      | 18.23                   | 107.06                    | 68.30           | 38.76        | Peak     | No Limit |
| 2   | 5555.2000    | 78.51                      | 18.24                   | 96.75                     | 999.00          | -902.25      | AVG      | No Limit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11100.0000   | 32.82                      | 16.23                   | 49.05                     | 54.00           | -4.95        | AVG      |         |
| 2   | 11100.8000   | 42.97                      | 16.23                   | 59.20                     | 74.00           | -14.80       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5553.4000    | 70.92                      | 18.23                   | 89.15                     | 999.00          | -909.85      | AVG      | No Limit |
| 2 * | 5555.4000    | 81.09                      | 18.24                   | 99.33                     | 68.30           | 31.03        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11099.9000   | 36.65                      | 16.23                   | 52.88                     | 74.00           | -21.12       | Peak     |         |
| 2 * | 11100.0000   | 24.98                      | 16.23                   | 41.21                     | 54.00           | -12.79       | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5667.6000    | 88.67                      | 18.74                   | 107.41                    | 68.30           | 39.11        | Peak     | No Limit |
| 2   | 5671.8000    | 79.22                      | 18.76                   | 97.98                     | 999.00          | -901.02      | AVG      | No Limit |
| 3   | 5725.0000    | 45.54                      | 18.99                   | 64.53                     | 68.30           | -3.77        | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11340.0000   | 29.39                      | 16.83                   | 46.22                     | 54.00           | -7.78        | AVG      |         |
| 2   | 11340.2000   | 37.26                      | 16.83                   | 54.09                     | 74.00           | -19.91       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5673.0000    | 80.63                      | 18.76                   | 99.39                     | 68.30           | 31.09        | Peak     | No Limit |
| 2   | 5675.2000    | 70.40                      | 18.77                   | 89.17                     | 999.00          | -909.83      | AVG      | No Limit |
| 3   | 5725.0000    | 40.45                      | 18.99                   | 59.44                     | 68.30           | -8.86        | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11324.0000   | 34.51                      | 16.79                   | 51.30                     | 74.00           | -22.70       | Peak     |         |
| 2 * | 11339.8500   | 23.70                      | 16.83                   | 40.53                     | 54.00           | -13.47       | AVG      |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 44.11                      | 17.85                   | 61.96                     | 74.00           | -12.04       | Peak     |          |
| 2   | 5460.0000    | 32.83                      | 17.85                   | 50.68                     | 54.00           | -3.32        | AVG      |          |
| 3   | 5470.0000    | 46.48                      | 17.89                   | 64.37                     | 68.30           | -3.93        | Peak     |          |
| 4 * | 5552.8000    | 81.00                      | 18.23                   | 99.23                     | 68.30           | 30.93        | Peak     | No Limit |
| 5   | 5565.2000    | 69.84                      | 18.28                   | 88.12                     | 999.00          | -910.88      | AVG      | No Limit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11060.0000   | 29.08                      | 16.13                   | 45.21                     | 54.00           | -8.79        | AVG      |         |
| 2   | 11060.4000   | 39.54                      | 16.13                   | 55.67                     | 74.00           | -18.33       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 39.19                      | 17.85                   | 57.04                     | 74.00           | -16.96       | Peak     |          |
| 2   | 5460.0000    | 28.46                      | 17.85                   | 46.31                     | 54.00           | -7.69        | AVG      |          |
| 3   | 5470.0000    | 40.41                      | 17.89                   | 58.30                     | 68.30           | -10.00       | Peak     |          |
| 4 * | 5550.0000    | 72.34                      | 18.22                   | 90.56                     | 68.30           | 22.26        | Peak     | No Limit |
| 5   | 5565.2000    | 62.50                      | 18.28                   | 80.78                     | 999.00          | -918.22      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11059.7000   | 23.97                      | 16.13                   | 40.10                     | 54.00           | -13.90       | AVG      |         |
| 2   | 11067.1000   | 34.87                      | 16.15                   | 51.02                     | 74.00           | -22.98       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5575.2000    | 85.19                      | 18.33                   | 103.52                    | 68.30           | 35.22        | Peak     | No Limit |
| 2   | 5633.6000    | 75.34                      | 18.59                   | 93.93                     | 999.00          | -905.07      | AVG      | No Limit |
| 3   | 5725.0000    | 45.40                      | 18.99                   | 64.39                     | 68.30           | -3.91        | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11220.0000   | 26.13                      | 16.53                   | 42.66                     | 54.00           | -11.34       | AVG      |         |
| 2   | 11231.4000   | 35.59                      | 16.56                   | 52.15                     | 74.00           | -21.85       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5575.2000    | 78.02                      | 18.33                   | 96.35                     | 68.30           | 28.05        | Peak     | No Limit |
| 2   | 5603.6000    | 67.99                      | 18.45                   | 86.44                     | 999.00          | -912.56      | AVG      | No Limit |
| 3   | 5725.0000    | 39.36                      | 18.99                   | 58.35                     | 68.30           | -9.95        | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11219.2000   | 34.00                      | 16.53                   | 50.53                     | 74.00           | -23.47       | Peak     |         |
| 2 * | 11219.7000   | 23.53                      | 16.53                   | 40.06                     | 54.00           | -13.94       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 41.23                      | 18.95                   | 60.18                     | 109.40          | -49.22       | Peak     |         |
| 2   | 5725.0000    | 47.61                      | 18.99                   | 66.60                     | 122.20          | -55.60       | Peak     |         |
| 3 * | 5743.2000    | 87.01                      | 19.07                   | 106.08                    | 122.20          | -16.12       | Peak     |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11489.8000   | 32.84                      | 17.20                   | 50.04                     | 54.00           | -3.96        | AVG      |         |
| 2   | 11491.1000   | 43.42                      | 17.21                   | 60.63                     | 74.00           | -13.37       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 41.22                      | 18.95                   | 60.17                     | 109.40          | -49.23       | Peak     |         |
| 2   | 5725.0000    | 56.96                      | 18.99                   | 75.95                     | 122.20          | -46.25       | Peak     |         |
| 3 * | 5752.8110    | 85.58                      | 19.11                   | 104.69                    | 122.20          | -17.51       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11481.7000   | 32.51                      | 17.18                   | 49.69                     | 74.00           | -24.31       | Peak     |         |
| 2 * | 11488.3000   | 23.19                      | 17.20                   | 40.39                     | 54.00           | -13.61       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5784.2000    | 90.09                      | 19.25                   | 109.34                    | 122.20          | -12.86       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11566.3000   | 43.06                      | 17.33                   | 60.39                     | 74.00           | -13.61       | Peak     |         |
| 2 * | 11569.8000   | 32.90                      | 17.34                   | 50.24                     | 54.00           | -3.76        | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5782.8600    | 82.71                      | 19.25                   | 101.96                    | 122.20          | -20.24       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11568.2000   | 34.41                      | 17.34                   | 51.75                     | 74.00           | -22.25       | Peak     |         |
| 2 * | 11570.0000   | 24.32                      | 17.34                   | 41.66                     | 54.00           | -12.34       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5823.8000    | 88.65                      | 19.43                   | 108.08                    | 122.20          | -14.12       | Peak     |         |
| 2   | 5850.0000    | 47.62                      | 19.55                   | 67.17                     | 122.20          | -55.03       | Peak     |         |
| 3   | 5860.0000    | 45.50                      | 19.59                   | 65.09                     | 109.40          | -44.31       | Peak     |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11649.3000   | 45.24                      | 17.47                   | 62.71                     | 74.00           | -11.29       | Peak     |         |
| 2 * | 11649.8000   | 33.69                      | 17.47                   | 51.16                     | 54.00           | -2.84        | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5829.0660    | 83.87                      | 19.45                   | 103.32                    | 122.20          | -18.88       | Peak     |         |
| 2   | 5850.0000    | 46.57                      | 19.55                   | 66.12                     | 122.20          | -56.08       | Peak     |         |
| 3   | 5860.0000    | 43.48                      | 19.59                   | 63.07                     | 109.40          | -46.33       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11649.9000   | 26.52                      | 17.47                   | 43.99                     | 54.00           | -10.01       | AVG      |         |
| 2   | 11651.0000   | 36.26                      | 17.47                   | 53.73                     | 74.00           | -20.27       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 64.51                      | 18.95                   | 83.46                     | 109.40          | -25.94       | Peak     |         |
| 2   | 5725.0000    | 71.08                      | 18.99                   | 90.07                     | 122.20          | -32.13       | Peak     |         |
| 3 * | 5749.8000    | 90.79                      | 19.10                   | 109.89                    | 122.20          | -12.31       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11496.4000   | 39.60                      | 17.22                   | 56.82                     | 74.00           | -17.18       | Peak     |         |
| 2 * | 11510.0000   | 31.55                      | 17.25                   | 48.80                     | 54.00           | -5.20        | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


# Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 59.02                      | 18.95                   | 77.97                     | 109.40          | -31.43       | Peak     |         |
| 2   | 5725.0000    | 61.62                      | 18.99                   | 80.61                     | 122.20          | -41.59       | Peak     |         |
| 3 * | 5745.8000    | 84.74                      | 19.08                   | 103.82                    | 122.20          | -18.38       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11489.9000   | 32.12                      | 17.20                   | 49.32                     | 74.00           | -24.68       | Peak     |         |
| 2 * | 11509.9000   | 23.29                      | 17.25                   | 40.54                     | 54.00           | -13.46       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5791.8000    | 88.44                      | 19.29                   | 107.73                    | 122.20          | -14.47       | Peak     |         |
| 2   | 5850.0000    | 45.85                      | 19.55                   | 65.40                     | 122.20          | -56.80       | Peak     |         |
| 3   | 5860.0000    | 41.22                      | 19.59                   | 60.81                     | 109.40          | -48.59       | Peak     |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11589.8000   | 31.80                      | 17.37                   | 49.17                     | 54.00           | -4.83        | AVG      |         |
| 2   | 11596.4000   | 41.43                      | 17.38                   | 58.81                     | 74.00           | -15.19       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5800.2000    | 77.27                      | 19.32                   | 96.59                     | 122.20          | -25.61       | Peak     |         |
| 2   | 5850.0000    | 43.07                      | 19.55                   | 62.62                     | 122.20          | -59.58       | Peak     |         |
| 3   | 5860.0000    | 38.36                      | 19.59                   | 57.95                     | 109.40          | -51.45       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11588.3000   | 32.58                      | 17.37                   | 49.95                     | 74.00           | -24.05       | Peak     |         |
| 2 * | 11589.8000   | 23.42                      | 17.37                   | 40.79                     | 54.00           | -13.21       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

# Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 63.46                      | 18.95                   | 82.41                     | 109.40          | -26.99       | Peak     |         |
| 2   | 5725.0000    | 62.84                      | 18.99                   | 81.83                     | 122.20          | -40.37       | Peak     |         |
| 3 * | 5753.0000    | 86.08                      | 19.12                   | 105.20                    | 122.20          | -17.00       | Peak     |         |
| 4   | 5850.0000    | 62.18                      | 19.55                   | 81.73                     | 122.20          | -40.47       | Peak     |         |
| 5   | 5860.0000    | 54.58                      | 19.59                   | 74.17                     | 109.40          | -35.23       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11549.8000   | 28.53                      | 17.31                   | 45.84                     | 54.00           | -8.16        | AVG      |         |
| 2   | 11554.4000   | 38.07                      | 17.32                   | 55.39                     | 74.00           | -18.61       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 54.17                      | 18.95                   | 73.12                     | 109.40          | -36.28       | Peak     |         |
| 2   | 5725.0000    | 56.20                      | 18.99                   | 75.19                     | 122.20          | -47.01       | Peak     |         |
| 3 * | 5765.0000    | 80.44                      | 19.17                   | 99.61                     | 122.20          | -22.59       | Peak     |         |
| 4   | 5850.0000    | 49.44                      | 19.55                   | 68.99                     | 122.20          | -53.21       | Peak     |         |
| 5   | 5860.0000    | 46.92                      | 19.59                   | 66.51                     | 109.40          | -42.89       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11522.2000   | 32.04                      | 17.27                   | 49.31                     | 74.00           | -24.69       | Peak     |         |
| 2 * | 11549.7000   | 21.77                      | 17.31                   | 39.08                     | 54.00           | -14.92       | AVG      |         |

### TX A Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 15:51:50

Note: The EUT was programmed to be in countinuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducy factor  
Power Spectral Density = Measured density + Duty factor



### TX N20 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 15:51:57

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as  
 Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor

### TX N40 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 15:52:39

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
Power Spectral Density = Measured density + Duty factor

### TX AC20 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


$T_{\text{ON}}$ : 100000.00 msec

$T_{\text{Total}}$ : 100000.00 msec

Duty cycle: 100.00%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.00



Date: 6.FEB.2018 15:52:03

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as

Output Power = Measured power + Duty factor

Power Spectral Density = Measured density + Duty factor

## TX AC40 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 15:52:45

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor

## TX AC80 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T<sub>ON</sub>: 100000.00 msec

T<sub>Total</sub>: 100000.00 msec

Duty cycle: 100.00%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.00




Date: 6.FEB.2018 15:53:22

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
Power Spectral Density = Measured density + Duty factor

# ANT 2

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |


## Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 43.78                      | 16.76                   | 60.54                     | 74.00           | -13.46       | Peak     |          |
| 2   | 5150.0000    | 30.46                      | 16.76                   | 47.22                     | 54.00           | -6.78        | AVG      |          |
| 3 * | 5177.0000    | 92.08                      | 16.85                   | 108.93                    | 68.30           | 40.63        | Peak     | No Limit |
| 4   | 5181.6000    | 81.36                      | 16.87                   | 98.23                     | 999.00          | -900.77      | AVG      | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10362.6000   | 42.50                      | 14.58                   | 57.08                     | 68.30           | -11.22       | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 38.88                      | 16.76                   | 55.64                     | 74.00           | -18.36       | Peak     |          |
| 2   | 5150.0000    | 29.52                      | 16.76                   | 46.28                     | 54.00           | -7.72        | AVG      |          |
| 3 * | 5178.3000    | 89.04                      | 16.86                   | 105.90                    | 68.30           | 37.60        | Peak     | No Limit |
| 4   | 5179.0000    | 78.17                      | 16.86                   | 95.03                     | 999.00          | -903.97      | AVG      | No Limit |



|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10361.5500   | 40.28                      | 14.58                   | 54.86                     | 68.30           | -13.44       | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5198.5000    | 92.66                      | 16.93                   | 109.59                    | 68.30           | 41.29        | Peak     | No Limit |
| 2   | 5198.9000    | 82.26                      | 16.93                   | 99.19                     | 999.00          | -899.81      | AVG      | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10401.1000   | 42.63                      | 14.64                   | 57.27                     | 68.30           | -11.03       | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5196.9000    | 90.85                      | 16.92                   | 107.77                    | 68.30           | 39.47        | Peak     | No Limit |
| 2   | 5198.6000    | 80.42                      | 16.93                   | 97.35                     | 999.00          | -901.65      | AVG      | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10396.2699   | 35.11                      | 14.63                   | 49.74                     | 68.30           | -18.56       | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5238.7000    | 81.98                      | 17.07                   | 99.05                     | 999.00          | -899.95      | AVG      | No Limit |
| 2 * | 5239.0000    | 92.18                      | 17.07                   | 109.25                    | 68.30           | 40.95        | Peak     | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10476.8000   | 37.71                      | 14.75                   | 52.46                     | 68.30           | -15.84       | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5241.1000    | 88.65                      | 17.08                   | 105.73                    | 68.30           | 37.43        | Peak     | No Limit |
| 2   | 5241.4000    | 78.39                      | 17.08                   | 95.47                     | 999.00          | -903.53      | AVG      | No Limit |



|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10484.7200   | 35.60                      | 14.76                   | 50.36                     | 68.30           | -17.94       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 41.60                      | 16.76                   | 58.36                     | 74.00           | -15.64       | Peak     |          |
| 2   | 5150.0000    | 31.12                      | 16.76                   | 47.88                     | 54.00           | -6.12        | AVG      |          |
| 3 * | 5177.7000    | 92.98                      | 16.86                   | 109.84                    | 68.30           | 41.54        | Peak     | No Limit |
| 4   | 5183.0000    | 82.04                      | 16.88                   | 98.92                     | 999.00          | -900.08      | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10355.2500   | 43.18                      | 14.57                   | 57.75                     | 68.30           | -10.55       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 39.61                      | 16.76                   | 56.37                     | 74.00           | -17.63       | Peak     |          |
| 2   | 5150.0000    | 29.56                      | 16.76                   | 46.32                     | 54.00           | -7.68        | AVG      |          |
| 3 * | 5181.4000    | 89.45                      | 16.87                   | 106.32                    | 68.30           | 38.02        | Peak     | No Limit |
| 4   | 5181.7000    | 78.30                      | 16.87                   | 95.17                     | 999.00          | -903.83      | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10360.5300   | 41.31                      | 14.58                   | 55.89                     | 68.30           | -12.41       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5198.4000    | 81.81                      | 16.93                   | 98.74                     | 999.00          | -900.26      | AVG      | No Limit |
| 2 * | 5198.9000    | 92.62                      | 16.93                   | 109.55                    | 68.30           | 41.25        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10400.3000   | 43.01                      | 14.64                   | 57.65                     | 68.30           | -10.65       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5197.7000    | 90.47                      | 16.93                   | 107.40                    | 68.30           | 39.10        | Peak     | No Limit |
| 2   | 5198.5000    | 79.63                      | 16.93                   | 96.56                     | 999.00          | -902.44      | AVG      | No Limit |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |


### Horizontal



| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 10402.6700 | 36.20         | 14.64          | 50.84       | 68.30  | -17.46 | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5235.6000    | 91.88                      | 17.06                   | 108.94                    | 68.30           | 40.64        | Peak     | No Limit |
| 2   | 5236.9000    | 81.71                      | 17.07                   | 98.78                     | 999.00          | -900.22      | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10481.1000   | 39.48                      | 14.75                   | 54.23                     | 68.30           | -14.07       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5236.8000    | 78.90                      | 17.07                   | 95.97                     | 999.00          | -903.03      | AVG      | No Limit |
| 2 * | 5237.9000    | 89.52                      | 17.07                   | 106.59                    | 68.30           | 38.29        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10482.1800   | 35.91                      | 14.75                   | 50.66                     | 68.30           | -17.64       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 45.12                      | 16.76                   | 61.88                     | 74.00           | -12.12       | Peak     |          |
| 2   | 5150.0000    | 35.93                      | 16.76                   | 52.69                     | 54.00           | -1.31        | AVG      |          |
| 3 * | 5191.6000    | 85.14                      | 16.91                   | 102.05                    | 68.30           | 33.75        | Peak     | No Limit |
| 4   | 5191.8000    | 77.93                      | 16.91                   | 94.84                     | 999.00          | -904.16      | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10384.4500   | 38.61                      | 14.62                   | 53.23                     | 68.30           | -15.07       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 41.90                      | 16.76                   | 58.66                     | 74.00           | -15.34       | Peak     |          |
| 2   | 5150.0000    | 33.81                      | 16.76                   | 50.57                     | 54.00           | -3.43        | AVG      |          |
| 3   | 5184.2000    | 73.50                      | 16.88                   | 90.38                     | 999.00          | -908.62      | AVG      | No Limit |
| 4 * | 5186.8000    | 80.58                      | 16.89                   | 97.47                     | 68.30           | 29.17        | Peak     | No Limit |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10379.6000   | 32.30                      | 14.61                   | 46.91                     | 68.30           | -21.39       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5231.4000    | 86.04                      | 17.05                   | 103.09                    | 68.30           | 34.79        | Peak     | No Limit |
| 2   | 5235.4000    | 78.90                      | 17.06                   | 95.96                     | 999.00          | -903.04      | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Vertical




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |
| 1 * | 10460.2500 | 38.61         | 14.72          | 53.33       | 68.30  | -14.97 | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5240.2000    | 81.18                      | 17.08                   | 98.26                     | 68.30           | 29.96        | Peak     | No Limit |
| 2   | 5246.2000    | 75.05                      | 17.10                   | 92.15                     | 999.00          | -906.85      | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10455.4100   | 34.00                      | 14.72                   | 48.72                     | 68.30           | -19.58       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5260MHz |


**Vertical**



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5258.8000    | 81.78                      | 17.14                   | 98.92                     | 999.00          | -900.08      | AVG      | No Limit |
| 2 * | 5261.9000    | 92.03                      | 17.15                   | 109.18                    | 68.30           | 40.88        | Peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5260MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10521.8500   | 37.15                      | 14.83                   | 51.98                     | 68.30           | -16.32       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5260MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5262.4000    | 79.58                      | 17.16                   | 96.74                     | 999.00          | -902.26      | AVG      | No Limit |
| 2 * | 5263.0000    | 89.28                      | 17.16                   | 106.44                    | 68.30           | 38.14        | Peak     | No Limit |



|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5260MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10523.1100   | 37.92                      | 14.83                   | 52.75                     | 68.30           | -15.55       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5300MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5301.7000    | 80.74                      | 17.29                   | 98.03                     | 999.00          | -900.97      | AVG      | No Limit |
| 2 * | 5303.0000    | 90.13                      | 17.30                   | 107.43                    | 68.30           | 39.13        | Peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5300MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10601.7000   | 25.32                      | 14.99                   | 40.31                     | 54.00           | -13.69       | AVG      |         |
| 2   | 10603.3500   | 41.83                      | 15.00                   | 56.83                     | 74.00           | -17.17       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5300MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5298.0000    | 78.81                      | 17.28                   | 96.09                     | 999.00          | -902.91      | AVG      | No Limit |
| 2 * | 5301.1000    | 88.49                      | 17.29                   | 105.78                    | 68.30           | 37.48        | Peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5300MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10600.0100   | 24.30                      | 14.99                   | 39.29                     | 54.00           | -14.71       | AVG      |         |
| 2   | 10609.3000   | 35.42                      | 15.01                   | 50.43                     | 74.00           | -23.57       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5320MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5317.6000    | 86.95                      | 17.35                   | 104.30                    | 68.30           | 36.00        | Peak     | No Limit |
| 2   | 5322.6000    | 77.71                      | 17.37                   | 95.08                     | 999.00          | -903.92      | AVG      | No Limit |
| 3   | 5350.0000    | 37.30                      | 17.47                   | 54.77                     | 68.30           | -13.53       | Peak     |          |
| 4   | 5350.0000    | 28.19                      | 17.47                   | 45.66                     | 999.00          | -953.34      | AVG      |          |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5320MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10635.9500   | 36.63                      | 15.07                   | 51.70                     | 74.00           | -22.30       | Peak     |         |
| 2 * | 10641.5500   | 22.62                      | 15.08                   | 37.70                     | 54.00           | -16.30       | AVG      |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5320MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5317.8000    | 78.49                      | 17.35                   | 95.84                     | 999.00          | -903.16      | AVG      | No Limit |
| 2 * | 5323.6000    | 88.01                      | 17.37                   | 105.38                    | 68.30           | 37.08        | Peak     | No Limit |
| 3   | 5350.0000    | 40.96                      | 17.47                   | 58.43                     | 68.30           | -9.87        | Peak     |          |
| 4   | 5350.0000    | 28.49                      | 17.47                   | 45.96                     | 999.00          | -953.04      | AVG      |          |



|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2A/ TX A Mode 5320MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10635.5800   | 35.15                      | 15.06                   | 50.21                     | 74.00           | -23.79       | Peak     |         |
| 2 * | 10641.7200   | 21.01                      | 15.08                   | 36.09                     | 54.00           | -17.91       | AVG      |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5260MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5258.8000    | 91.64                      | 17.14                   | 108.78                    | 68.30           | 40.48        | Peak     | No Limit |
| 2   | 5261.6000    | 81.26                      | 17.15                   | 98.41                     | 999.00          | -900.59      | AVG      | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5260MHz |

### Vertical




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 10515.5500 | 38.44         | 14.81          | 53.25       | 68.30  | -15.05 | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5260MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5261.2000    | 89.59                      | 17.15                   | 106.74                    | 68.30           | 38.44        | Peak     | No Limit |
| 2   | 5261.8000    | 79.07                      | 17.15                   | 96.22                     | 999.00          | -902.78      | AVG      | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5260MHz |


### Horizontal



| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 10518.5400 | 38.27         | 14.82          | 53.09       | 68.30  | -15.21 | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5300MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5298.9000    | 78.88                      | 17.28                   | 96.16                     | 999.00          | -902.84      | AVG      | No Limit |
| 2 * | 5302.5000    | 88.97                      | 17.30                   | 106.27                    | 68.30           | 37.97        | Peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5300MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10600.6000   | 26.65                      | 14.99                   | 41.64                     | 54.00           | -12.36       | AVG      |         |
| 2   | 10603.6500   | 42.52                      | 15.00                   | 57.52                     | 74.00           | -16.48       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5300MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5297.1000    | 88.86                      | 17.28                   | 106.14                    | 68.30           | 37.84        | Peak     | No Limit |
| 2   | 5297.1000    | 78.82                      | 17.28                   | 96.10                     | 999.00          | -902.90      | AVG      | No Limit |



|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5300MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10601.3200   | 21.99                      | 14.99                   | 36.98                     | 54.00           | -17.02       | AVG      |         |
| 2   | 10603.3400   | 35.75                      | 15.00                   | 50.75                     | 74.00           | -23.25       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5320MHz |

# Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5323.0000    | 77.25                      | 17.37                   | 94.62                     | 999.00          | -904.38      | AVG      | No Limit |
| 2 * | 5323.5000    | 86.86                      | 17.37                   | 104.23                    | 68.30           | 35.93        | Peak     | No Limit |
| 3   | 5350.0000    | 37.65                      | 17.47                   | 55.12                     | 68.30           | -13.18       | Peak     |          |
| 4   | 5350.0000    | 28.29                      | 17.47                   | 45.76                     | 999.00          | -953.24      | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5320MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10640.0000   | 23.14                      | 15.07                   | 38.21                     | 54.00           | -15.79       | AVG      |         |
| 2   | 10646.5000   | 41.43                      | 15.09                   | 56.52                     | 74.00           | -17.48       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5320MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5318.7000    | 86.70                      | 17.35                   | 104.05                    | 68.30           | 35.75        | Peak     | No Limit |
| 2   | 5321.6000    | 76.58                      | 17.37                   | 93.95                     | 999.00          | -905.05      | AVG      | No Limit |
| 3   | 5350.0000    | 38.71                      | 17.47                   | 56.18                     | 68.30           | -12.12       | Peak     |          |
| 4   | 5350.0000    | 28.30                      | 17.47                   | 45.77                     | 999.00          | -953.23      | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N20 Mode 5320MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10639.6800   | 20.91                      | 15.07                   | 35.98                     | 54.00           | -18.02       | AVG      |         |
| 2   | 10641.4000   | 35.71                      | 15.08                   | 50.79                     | 74.00           | -23.21       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5270MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5260.6000    | 85.20                      | 17.15                   | 102.35                    | 68.30           | 34.05        | Peak     | No Limit |
| 2   | 5264.4000    | 78.66                      | 17.16                   | 95.82                     | 999.00          | -903.18      | AVG      | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5270MHz |


### Vertical



| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 10533.1000 | 36.07         | 14.85          | 50.92       | 68.30  | -17.38 | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5270MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5274.2000    | 83.18                      | 17.20                   | 100.38                    | 68.30           | 32.08        | Peak     | No Limit |
| 2   | 5286.4000    | 76.63                      | 17.24                   | 93.87                     | 999.00          | -905.13      | AVG      | No Limit |



|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5270MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10539.4600   | 31.78                      | 14.86                   | 46.64                     | 68.30           | -21.66       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5310MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5320.6000    | 76.45                      | 17.36                   | 93.81                     | 999.00          | -905.19      | AVG      | No Limit |
| 2 * | 5321.4000    | 83.45                      | 17.36                   | 100.81                    | 68.30           | 32.51        | Peak     | No Limit |
| 3   | 5350.0000    | 46.46                      | 17.47                   | 63.93                     | 68.30           | -4.37        | Peak     |          |
| 4   | 5350.0000    | 34.91                      | 17.47                   | 52.38                     | 999.00          | -946.62      | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5310MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 10619.8200   | 20.50                      | 15.03                   | 35.53                     | 54.00           | -18.47       | AVG      |         |
| 2   | 10625.0400   | 33.65                      | 15.04                   | 48.69                     | 74.00           | -25.31       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5310MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5305.2000    | 75.31                      | 17.31                   | 92.62                     | 999.00          | -906.38      | AVG      | No Limit |
| 2 * | 5320.0000    | 82.00                      | 17.36                   | 99.36                     | 68.30           | 31.06        | Peak     | No Limit |
| 3   | 5350.0000    | 39.53                      | 17.47                   | 57.00                     | 68.30           | -11.30       | Peak     |          |
| 4   | 5350.0000    | 31.98                      | 17.47                   | 49.45                     | 999.00          | -949.55      | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2A/ TX N40 Mode 5310MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10621.1300   | 31.42                      | 15.03                   | 46.45                     | 74.00           | -27.55       | Peak     |         |
| 2 * | 10621.9100   | 19.22                      | 15.04                   | 34.26                     | 54.00           | -19.74       | AVG      |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 40.12                      | 17.85                   | 57.97                     | 74.00           | -16.03       | Peak     |          |
| 2   | 5460.0000    | 29.01                      | 17.85                   | 46.86                     | 54.00           | -7.14        | AVG      |          |
| 3   | 5470.0000    | 47.98                      | 17.89                   | 65.87                     | 68.30           | -2.43        | Peak     |          |
| 4   | 5501.2000    | 81.25                      | 18.00                   | 99.25                     | 999.00          | -899.75      | AVG      | No Limit |
| 5 * | 5502.4000    | 90.80                      | 18.01                   | 108.81                    | 68.30           | 40.51        | Peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11001.5500   | 43.60                      | 5.20                    | 48.80                     | 74.00           | -25.20       | Peak     |         |
| 2 * | 11001.8000   | 30.60                      | 5.20                    | 35.80                     | 54.00           | -18.20       | AVG      |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 38.50                      | 17.85                   | 56.35                     | 74.00           | -17.65       | Peak     |          |
| 2   | 5460.0000    | 27.95                      | 17.85                   | 45.80                     | 54.00           | -8.20        | AVG      |          |
| 3   | 5470.0000    | 42.71                      | 17.89                   | 60.60                     | 68.30           | -7.70        | Peak     |          |
| 4   | 5498.9000    | 80.42                      | 17.99                   | 98.41                     | 999.00          | -900.59      | AVG      | No Limit |
| 5 * | 5501.3000    | 89.50                      | 18.00                   | 107.50                    | 68.30           | 39.20        | Peak     | No Limit |



|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |


### Horizontal



| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |
| 1   | 10998.1000 | 35.76         | 15.83          | 51.59       | 74.00  | -22.41 | Peak     |         |
| 2 * | 11004.2000 | 25.24         | 15.84          | 41.08       | 54.00  | -12.92 | AVG      |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5580MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5577.5000    | 84.01                      | 18.34                   | 102.35                    | 999.00          | -896.65      | AVG      | No Limit |
| 2 * | 5581.1000    | 94.02                      | 18.35                   | 112.37                    | 68.30           | 44.07        | Peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5580MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11158.0000   | 33.79                      | 5.52                    | 39.31                     | 54.00           | -14.69       | AVG      |         |
| 2   | 11161.6000   | 45.10                      | 5.52                    | 50.62                     | 74.00           | -23.38       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5580MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5578.0000    | 81.01                      | 18.34                   | 99.35                     | 999.00          | -899.65      | AVG      | No Limit |
| 2 * | 5581.4000    | 90.84                      | 18.36                   | 109.20                    | 68.30           | 40.90        | Peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5580MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11159.9000   | 19.39                      | 16.21                   | 35.60                     | 54.00           | -18.40       | AVG      |         |
| 2   | 11161.8000   | 29.21                      | 16.21                   | 45.42                     | 74.00           | -28.58       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5698.4000    | 80.93                      | 18.87                   | 99.80                     | 999.00          | -899.20      | AVG      | No Limit |
| 2 * | 5702.2000    | 91.32                      | 18.89                   | 110.21                    | 68.30           | 41.91        | Peak     | No Limit |
| 3   | 5725.0000    | 44.61                      | 18.99                   | 63.60                     | 68.30           | -4.70        | Peak     |          |
| 4   | 5727.9000    | 48.30                      | 19.00                   | 67.30                     | 68.30           | -1.00        | Peak     |          |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11399.9000   | 32.90                      | 6.00                    | 38.90                     | 54.00           | -15.10       | AVG      |         |
| 2   | 11401.6000   | 43.60                      | 6.00                    | 49.60                     | 74.00           | -24.40       | Peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5698.9000    | 77.39                      | 18.88                   | 96.27                     | 999.00          | -902.73      | AVG      | No Limit |
| 2 * | 5701.3000    | 88.04                      | 18.89                   | 106.93                    | 68.30           | 38.63        | Peak     | No Limit |



|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11400.0000   | 22.51                      | 16.77                   | 39.28                     | 54.00           | -14.72       | AVG      |         |
| 2   | 11400.5500   | 32.55                      | 16.78                   | 49.33                     | 74.00           | -24.67       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 37.40                      | 17.85                   | 55.25                     | 74.00           | -18.75       | Peak     |          |
| 2   | 5460.0000    | 29.92                      | 17.85                   | 47.77                     | 54.00           | -6.23        | AVG      |          |
| 3   | 5468.5000    | 49.04                      | 17.88                   | 66.92                     | 68.30           | -1.38        | Peak     |          |
| 4   | 5470.0000    | 47.09                      | 17.89                   | 64.98                     | 68.30           | -3.32        | Peak     |          |
| 5 * | 5497.8000    | 92.40                      | 17.99                   | 110.39                    | 68.30           | 42.09        | Peak     | No Limit |
| 6   | 5498.5000    | 82.59                      | 17.99                   | 100.58                    | 999.00          | -898.42      | AVG      | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10998.0000   | 46.90                      | 5.20                    | 52.10                     | 74.00           | -21.90       | Peak     |         |
| 2 * | 11003.3000   | 31.60                      | 5.21                    | 36.81                     | 54.00           | -17.19       | AVG      |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 42.95                      | 17.85                   | 60.80                     | 74.00           | -13.20       | Peak     |          |
| 2   | 5460.0000    | 28.94                      | 17.85                   | 46.79                     | 54.00           | -7.21        | AVG      |          |
| 3   | 5470.0000    | 47.58                      | 17.89                   | 65.47                     | 68.30           | -2.83        | Peak     |          |
| 4   | 5498.4000    | 80.22                      | 17.99                   | 98.21                     | 999.00          | -900.79      | AVG      | No Limit |
| 5 * | 5498.8000    | 89.79                      | 17.99                   | 107.78                    | 68.30           | 39.48        | Peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10999.6000   | 35.21                      | 15.83                   | 51.04                     | 74.00           | -22.96       | Peak     |         |
| 2 * | 11003.0000   | 24.89                      | 15.84                   | 40.73                     | 54.00           | -13.27       | AVG      |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5580MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5578.4000    | 83.39                      | 18.34                   | 101.73                    | 999.00          | -897.27      | AVG      | No Limit |
| 2 * | 5581.2000    | 93.46                      | 18.35                   | 111.81                    | 68.30           | 43.51        | Peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5580MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11157.6000   | 32.35                      | 5.52                    | 37.87                     | 54.00           | -16.13       | AVG      |         |
| 2   | 11159.5500   | 41.90                      | 5.52                    | 47.42                     | 74.00           | -26.58       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5580MHz |

### Horizontal

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5577.2000    | 81.25                      | 18.34                   | 99.59                     | 999.00          | -899.41      | AVG      | No Limit |
| 2 * | 5578.7000    | 91.47                      | 18.34                   | 109.81                    | 68.30           | 41.51        | Peak     | No Limit |



|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5580MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11158.3000   | 21.93                      | 16.20                   | 38.13                     | 54.00           | -15.87       | AVG      |         |
| 2   | 11159.3500   | 32.25                      | 16.21                   | 48.46                     | 74.00           | -25.54       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5697.2000    | 79.93                      | 18.87                   | 98.80                     | 999.00          | -900.20      | AVG      | No Limit |
| 2 * | 5699.1000    | 89.67                      | 18.88                   | 108.55                    | 68.30           | 40.25        | Peak     | No Limit |
| 3   | 5726.7000    | 47.36                      | 19.00                   | 66.36                     | 68.30           | -1.94        | Peak     |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11400.0000   | 43.80                      | 6.00                    | 49.80                     | 74.00           | -24.20       | Peak     |         |
| 2 * | 11400.0000   | 31.50                      | 6.00                    | 37.50                     | 54.00           | -16.50       | AVG      |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5697.6000    | 87.34                      | 18.87                   | 106.21                    | 68.30           | 37.91        | Peak     | No Limit |
| 2   | 5701.7000    | 76.43                      | 18.89                   | 95.32                     | 999.00          | -903.68      | AVG      | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11399.7500   | 21.86                      | 16.77                   | 38.63                     | 54.00           | -15.37       | AVG      |         |
| 2   | 11406.7000   | 31.89                      | 16.79                   | 48.68                     | 74.00           | -25.32       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Vertical

130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 40.56                      | 17.85                   | 58.41                     | 74.00           | -15.59       | Peak     |          |
| 2   | 5460.0000    | 32.00                      | 17.85                   | 49.85                     | 54.00           | -4.15        | AVG      |          |
| 3   | 5464.0000    | 48.52                      | 17.87                   | 66.39                     | 68.30           | -1.91        | Peak     |          |
| 4   | 5470.0000    | 45.66                      | 17.89                   | 63.55                     | 68.30           | -4.75        | Peak     |          |
| 5   | 5493.6000    | 77.49                      | 17.97                   | 95.46                     | 999.00          | -903.54      | AVG      | No Limit |
| 6 * | 5495.0000    | 84.37                      | 17.98                   | 102.35                    | 68.30           | 34.05        | Peak     | No Limit |