





11AX20MIMO_Ant5_5240_52Tone_RU40





Date: 21.FEB.2023 11:12:43


11AX20MIMO_Ant5_5240_106Tone_RU54



Date: 21.FEB.2023 11:15:04











11AX20MIMO_Ant4_5300_26Tone_RU0





Date: 21.FEB.2023 11:28:43

11AX20MIMO_Ant4_5300_52Tone_RU37




Date: 21.FEB.2023 11:32:43








11AX20MIMO_Ant4_5320_26Tone_RU8




Date: 21.FEB.2023 11:36:28

11AX20MIMO_Ant4_5320_52Tone_RU40




Date: 21.FEB.2023 11:42:30






11AX20MIMO_Ant5_5320_52Tone_RU40




Date: 21.FEB.2023 11:42:40

11AX20MIMO_Ant5_5320_106Tone_RU54




Date: 21.FEB.2023 11:44:06






11AX20MIMO_Ant4_5500_106Tone_RU53



Date: 21.FEB.2023 11:48:34


11AX20MIMO_Ant5_5500_26Tone_RU0



Date: 21.FEB.2023 11:45:57




11AX20MIMO_Ant5_5500_52Tone_RU37





Date: 21.FEB.2023 11:47:42


11AX20MIMO_Ant5_5500_106Tone_RU53



Date: 21.FEB.2023 11:49:19











11AX20MIMO_Ant4_5700_26Tone_RU8



Date: 21.FEB.2023 11:56:57


11AX20MIMO_Ant4_5700_52Tone_RU40



Date: 21.FEB.2023 11:58:06




11AX20MIMO_Ant4_5700_106Tone_RU54



Date: 21.FEB.2023 11:59:45


11AX20MIMO_Ant5_5700_26Tone_RU8



Date: 21.FEB.2023 11:57:07




11AX20MIMO_Ant5_5700_52Tone_RU40



Date: 21.FEB.2023 11:58:47


11AX20MIMO_Ant5_5700_106Tone_RU54




Date: 21.FEB.2023 12:00:28





11AX20MIMO_Ant4_5720_26Tone_RU8



11AX20MIMO_Ant4_5720_52Tone_RU40











11AX20MIMO_Ant4_5745_26Tone_RU0




Date: 21.FEB.2023 12:12:31

11AX20MIMO_Ant4_5745_52Tone_RU37




Date: 21.FEB.2023 12:15:45






11AX20MIMO_Ant5_5745_52Tone_RU37





Date: 21.FEB.2023 12:15:54

11AX20MIMO_Ant5_5745_106Tone_RU53




Date: 21.FEB.2023 12:17:24








11AX20MIMO_Ant5_5785_52Tone_RU37




Date: 21.FEB.2023 12:20:44

11AX20MIMO_Ant5_5785_106Tone_RU53




Date: 21.FEB.2023 12:22:11






11AX20MIMO_Ant4_5825_106Tone_RU54



Date: 21.FEB.2023 12:27:43


11AX20MIMO_Ant5_5825_26Tone_RU8



Date: 21.FEB.2023 12:23:50




11AX20MIMO_Ant5_5825_52Tone_RU40



Date: 21.FEB.2023 12:26:54


11AX20MIMO_Ant5_5825_106Tone_RU54



Date: 21.FEB.2023 12:28:26




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.151	61.15	-4.81	65.96	41.10	9.62	10.43	QP
2	0.151	43.25	-12.71	55.96	23.20	9.62	10.43	Average
3	0.163	60.25	-5.05	65.30	40.20	9.62	10.43	QP
4	0.163	41.55	-13.75	55.30	21.50	9.62	10.43	Average
5	0.228	57.05	-5.47	62.52	37.20	9.45	10.40	QP
6	0.228	33.45	-19.07	52.52	13.60	9.45	10.40	Average
7	0.283	49.99	-10.73	60.72	30.20	9.43	10.36	QP
8	0.283	31.29	-19.43	50.72	11.50	9.43	10.36	Average
9	0.373	44.04	-14.39	58.43	24.21	9.52	10.31	QP
10	0.373	31.04	-17.39	48.43	11.21	9.52	10.31	Average
11	0.452	41.04	-15.81	56.85	21.20	9.59	10.25	QP
12	0.452	30.34	-16.51	46.85	10.50	9.59	10.25	Average
13	0.561	41.02	-14.98	56.00	21.20	9.63	10.19	QP
14	0.561	27.42	-18.58	46.00	7.60	9.63	10.19	Average
15	0.672	42.36	-13.64	56.00	22.50	9.69	10.17	QP
16	0.672	28.16	-17.84	46.00	8.30	9.69	10.17	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carry Xu	Relative Humidity :	41~42 %
		Temperature :	22~23℃



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 4+5	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 4+5	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 4+5	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 4+5	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 4+5	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 4+5	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 4+5	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 4+5	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 4+5	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE20	44	5220	MCS0	Full RU	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 13	U-NII-2A	5.25-5.35	CDD 4+5	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 14	U-NII-2A	5.25-5.35	CDD 4+5	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 15	U-NII-2A	5.25-5.35	CDD 4+5	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 16	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 17	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 18	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 19	U-NII-2C	5.15-5.25	CDD 4+5	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2C	5.25-5.35	CDD 4+5	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2A	5.47-5.725	CDD 4+5	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	140	5700	MCS0	RU26/8	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2C	5.25-5.35	CDD 4+5	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2C	5.25-5.35	CDD 4+5	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	CDD 4+5	802.11ax HE40	54	5270	MCS0	Full	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-2A	5.25-5.35	CDD 4+5	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	CDD 4+5	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	CDD 4+5	802.11ax HE80	122	5610	MCS0	Full	-
Mode 44	U-NII-3	5.725-5.85	CDD 4+5	802.11a	149	5745	6Mbps	-	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-3	5.725-5.85	CDD 4+5	802.11a	157	5785	6Mbps	-	-
Mode 46	U-NII-3	5.725-5.85	CDD 4+5	802.11a	165	5825	6Mbps	-	-
Mode 47	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	149	5745	MCS0	-	-
Mode 48	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	157	5785	MCS0	-	-
Mode 49	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	165	5825	MCS0	-	-
Mode 50	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE40	151	5755	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE40	159	5795	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE80	155	5775	MCS0	Full	-
Mode 53	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 54	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 55	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	149	5745	MCS0	RU52/37	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 57	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 58	U-NII-3	5.725-5.85	CDD 4+5	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-2C	5.47-5.85	CDD 4+5	802.11a	144	5720	MCS0	Full RU	-
Mode 60	U-NII-2C	5.47-5.85	CDD 4+5	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 61	U-NII-2C	5.47-5.85	CDD 4+5	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 62	U-NII-2C	5.47-5.85	CDD 4+5	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 63	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE20	36	5180	MCS0	Full RU	LF
Mode 64	U-NII-3	5.725-5.85	CDD 4+5	802.11a	165	5825	6Mbps		LF



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	2400-2483.5	2400-2483.5	6	802.11ax HE20	11	2462	MCS0	-	-
	U-NII-1	5.15-5.25	5	802.11ax HE20	36	5180	MCS0	Full RU	-
	LTE-Band 41 BW=20M								
Mode 66	2400-2483.5	2400-2483.5	6	Bluetooth-LE	39	2480	2Mbps	-	-
	U-NII-1	5.15-5.25	CDD 4+5	802.11ax HE20	36	5180	MCS0	Full RU	-
	LTE-Band 41 BW=20M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.90	50.08	54.00	-3.92	H	AVERAGE	Pass	Band Edge
	802.11a	36	10361.60	57.80	68.30	-10.50	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10436.40	59.02	68.30	-9.28	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10485.90	59.30	68.30	-9.00	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	15780.00	43.20	54.00	-10.80	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	10600.01	48.65	54.00	-5.35	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5351.70	50.30	54.00	-3.70	H	AVERAGE	Pass	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
6	802.11a	64	10640.00	48.07	54.00	-5.93	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5463.12	62.93	68.30	-5.37	H	PEAK	Pass	Band Edge
	802.11a	100	11000.00	39.71	54.00	-14.29	H	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
	802.11a	116	11160.00	45.11	74.00	-28.89	V	PEAK	Pass	Harmonic
9	802.11a	140	5726.36	63.94	68.30	-4.36	H	PEAK	Pass	Band Edge
	802.11a	140	11400.00	46.17	74.00	-27.83	V	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5148.40	50.83	54.00	-3.17	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	10360.00	54.91	68.30	-13.39	V	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	44	15660.00	41.64	54.00	-12.36	V	AVERAGE	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	48	10476	59.71	68.3	-8.59	V	Peak	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	52	10518.90	59.94	68.30	-8.36	V	Peak	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	60	10600.01	46.09	54.00	-7.91	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.00	50.42	54.00	-3.58	H	Average	Pass	Band Edge
	802.11ax HE20	64	10640.00	45.62	54.00	-8.38	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5468.88	64.63	68.30	-3.67	H	Peak	Pass	Band Edge
	802.11ax HE20	100	11000.00	40.16	54.00	-13.84	V	AVERAGE	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11ax HE20	116	11160.00	38.77	54.00	-15.23	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	140	5725.96	65.00	68.30	-3.30	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	17098	53.59	68.3	-14.71	V	Peak	Pass	Harmonic
19	802.11ax HE20	36	5149.70	38.90	54.00	-15.10	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5363.40	38.03	54.00	-15.97	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5456.72	38.51	54.00	-15.49	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5740.20	47.98	68.30	-20.32	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11ax HE20	36	5141.80	39.59	54.00	-14.41	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5356.00	37.64	54.00	-16.36	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5459.12	38.16	54.00	-15.84	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5726.92	50.28	68.30	-18.02	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5150.00	40.21	54.00	-13.79	H	AVERAGAE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5354.70	38.63	54.00	-15.37	H	AVERAGE	Pass	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5456.72	40.72	54.00	-13.28	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5740.84	53.93	68.30	-14.37	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.60	50.30	54.00	-3.70	H	Average	Pass	Band Edge
	802.11ax HE40	38	10380.00	46.17	68.30	-22.13	V	PEAK	Pass	Harmonic
32	802.11ax HE40	46	5149.76	41.61	54.00	-12.39	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	46	10460.00	50.93	68.30	-17.37	V	PEAK	Pass	Harmonic
33	802.11ax HE40	54	5352.27	42.83	54.00	-11.17	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	54	10540.00	48.25	68.30	-20.05	V	PEAK	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
34	802.11ax HE40	62	5350.00	50.10	54.00	-3.90	H	Average	Pass	Band Edge
	802.11ax HE40	62	10620.00	44.70	74.00	-29.30	V	PEAK	Pass	Harmonic
35	802.11ax HE40	102	5458.64	48.64	54.00	-5.36	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	102	11020.00	43.36	74.00	-30.64	H	PEAK	Pass	Harmonic
36	802.11ax HE40	110	5456.00	41.82	54.00	-12.18	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	110	11100.00	45.26	74.00	-28.74	V	PEAK	Pass	Harmonic
37	802.11ax HE40	134	5726.28	55.83	68.30	-12.47	H	PEAK	Pass	Band Edge
	802.11ax HE40	134	11340.00	43.69	74.00	-30.31	H	PEAK	Pass	Harmonic
38	802.11ax HE80	42	5149.76	48.86	54.00	-5.14	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	10420.00	44.03	68.30	-24.27	V	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5350.60	50.39	54.00	-3.61	H	AVERAGE	Pass	Band Edge

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
39	802.11ax HE80	58	10580.00	43.73	68.30	-24.57	H	PEAK	Pass	Harmonic
40	802.11ax HE80	106	5456.40	50.53	54.00	-3.47	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	106	11060.00	41.90	74.00	-32.10	H	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5457.04	43.82	54.00	-10.18	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	122	11220.00	42.11	74.00	-31.89	V	PEAK	Pass	Harmonic
44	802.11a	149	5646.00	51.63	68.30	-16.67	H	PEAK	Pass	Band Edge
	802.11a	149	17232.20	58.27	68.30	-10.03	V	PEAK	Pass	Harmonic
45	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	17356.13	62.59	68.30	-5.71	V	PEAK	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
46	802.11a	165	5950.80	48.20	68.30	-20.10	H	PEAK	Pass	Band Edge
	802.11a	165	17474.93	63.85	68.30	-4.45	H	PEAK	Pass	Harmonic
47	802.11ax HE20	149	5644.00	49.55	68.30	-18.75	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	17232.93	61.18	68.30	-7.12	V	PEAK	Pass	Harmonic
48	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	157	17356.13	63.14	68.30	-5.16	V	PEAK	Pass	Harmonic
49	802.11ax HE20	165	5932.00	47.29	68.30	-21.01	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	17478.60	61.83	68.30	-6.47	H	PEAK	Pass	Harmonic
50	802.11ax HE40	151	5625.27	50.62	68.30	-17.68	H	PEAK	Pass	Band Edge
	802.11ax HE40	151	17257.13	53.67	68.30	-14.63	V	PEAK	Pass	Harmonic
51	802.11ax HE40	159	5641.60	50.60	68.30	-17.70	H	PEAK	Pass	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
51	802.11ax HE40	159	17392.80	58.70	68.30	-9.60	V	PEAK	Pass	Harmonic
52	802.11ax HE80	155	5650.80	52.26	68.89	-16.63	H	PEAK	Pass	Band Edge
	802.11ax HE80	155	11550.00	41.80	74.00	-32.20	V	PEAK	Pass	Harmonic
53	802.11ax HE20	149	5644.40	48.54	68.30	-19.76	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5940.40	47.33	68.30	-20.97	H	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5632.00	48.78	68.30	-19.52	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5935.60	47.75	68.30	-20.55	H	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic



Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
57	802.11ax HE20	149	5633.20	49.95	68.30	-18.35	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5933.20	47.44	68.30	-20.86	H	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
	802.11a	144	17167.30	55.89	68.30	-12.41	V	PEAK	Pass	Harmonic
60	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	144	17169.50	53.07	68.30	-15.23	V	PEAK	Pass	Harmonic
61	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	142	11420.00	43.46	74.00	-30.54	V	PEAK	Pass	Harmonic
62	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
62	802.11ax HE80	138	11380.00	41.93	74.00	-32.07	V	PEAK	Pass	Harmonic
63	802.11ax HE20	36	45.52	28.94	40.00	-11.06	V	PEAK	Pass	LF
64	802.11ax HE20	165	45.52	29.54	40.00	-10.46	V	PEAK	Pass	LF
65	802.11ax HE20	11	2483.50	47.80	54.00	-6.20	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	40.42	74.00	-33.58	H	PEAK	Pass	Harmonic
	802.11ax HE20	36	5149.7	50.71	54	-3.29	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	10336.30	46.60	68.30	-21.70	V	PEAK	Pass	Harmonic
66	Bluetooth-LE	39	2483.50	40.73	54.00	-13.27	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	10360.50	51.06	74.00	-22.94	V	PEAK	Pass	Harmonic
	802.11ax HE20	36	5149.00	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	10363.80	56.73	68.30	-11.57	V	PEAK	Pass	Harmonic





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	CDD 4+5																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>64.70</td><td>74.00</td><td>-9.30</td><td>56.91</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>105</td><td>73</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	64.70	74.00	-9.30	56.91	34.23	10.61	37.05	0.00	105	73	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.40</td><td>-----</td><td>-----</td><td>102.47</td><td>34.28</td><td>10.64</td><td>36.99</td><td>0.00</td><td>105</td><td>73</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.40	-----	-----	102.47	34.28	10.64	36.99	0.00	105	73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	64.70	74.00	-9.30	56.91	34.23	10.61	37.05	0.00	105	73	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	110.40	-----	-----	102.47	34.28	10.64	36.99	0.00	105	73	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.90</td><td>50.00</td><td>54.00</td><td>-3.92</td><td>42.29</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>105</td><td>73</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	50.00	54.00	-3.92	42.29	34.23	10.61	37.05	0.00	105	73	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.29</td><td>-----</td><td>-----</td><td>95.36</td><td>34.28</td><td>10.64</td><td>36.99</td><td>0.00</td><td>105</td><td>73</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.29	-----	-----	95.36	34.28	10.64	36.99	0.00	105	73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.90	50.00	54.00	-3.92	42.29	34.23	10.61	37.05	0.00	105	73	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	103.29	-----	-----	95.36	34.28	10.64	36.99	0.00	105	73	AVERAGE																																																																																																			





		1																																									
Mode		Band Edge																																									
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																									
ANT		CDD 4+5																																									
Pol.		Vertical																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.00	60.95	74.00	-13.05	53.17	34.22	10.61	37.05	0.00	355	240
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5146.00	60.95	74.00	-13.05	53.17	34.22	10.61	37.05	0.00	355	240	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.16	-----	-----	101.23	34.28	10.64	36.99	0.00	355	240
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5180.00	109.16	-----	-----	101.23	34.28	10.64	36.99	0.00	355	240	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	47.49	54.00	-6.51	39.70	34.23	10.61	37.05	0.00	355	240
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5150.00	47.49	54.00	-6.51	39.70	34.23	10.61	37.05	0.00	355	240	AVERAGE																															
Aver																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.12	-----	-----	93.19	34.28	10.64	36.99	0.00	355	240
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5180.00	101.12	-----	-----	93.19	34.28	10.64	36.99	0.00	355	240	AVERAGE																															



		1																																																																																																																																																																														
Mode		Harmonic																																																																																																																																																																														
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																														
ANT		CDD 4+5																																																																																																																																																																														
Pol.		Horizontal												Vertical																																																																																																																																																																		
Peak Avg																																																																																																																																																																																
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 10361.60</td><td>50.40</td><td>68.30</td><td>-17.90</td><td>64.63</td><td>37.46</td><td>15.45</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>														Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1 10361.60	50.40	68.30	-17.90	64.63	37.46	15.45	67.14	0.00	---	---	---	---	---	---	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 10361.60</td><td>57.80</td><td>68.30</td><td>-10.50</td><td>72.03</td><td>37.46</td><td>15.45</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>58.81</td><td>40.09</td><td>19.04</td><td>64.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>40.11</td><td>54.00</td><td>-13.89</td><td>45.14</td><td>40.09</td><td>19.04</td><td>64.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>AVERAGE</td></tr></tbody></table>				Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1 10361.60	57.80	68.30	-10.50	72.03	37.46	15.45	67.14	0.00	---	---	---	---	---	---	PEAK	2 15540.00	53.78	74.00	-20.22	58.81	40.09	19.04	64.16	0.00	---	---	---	---	---	---	PEAK	3 15540.00	40.11	54.00	-13.89	45.14	40.09	19.04	64.16	0.00	---	---	---	---	---	---
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																					
1 10361.60	50.40	68.30	-17.90	64.63	37.46	15.45	67.14	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																	
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																					
1 10361.60	57.80	68.30	-10.50	72.03	37.46	15.45	67.14	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																	
2 15540.00	53.78	74.00	-20.22	58.81	40.09	19.04	64.16	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																	
3 15540.00	40.11	54.00	-13.89	45.14	40.09	19.04	64.16	0.00	---	---	---	---	---	---	AVERAGE																																																																																																																																																																	





Mode	2																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																						
ANT	CDD 4+5																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10444.10</td><td>51.33</td><td>68.30</td><td>-16.97</td><td>65.40</td><td>37.51</td><td>15.53</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>58.38</td><td>40.20</td><td>19.12</td><td>64.17</td><td>0.00</td><td>107</td><td>19</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>45.72</td><td>40.19</td><td>19.12</td><td>64.17</td><td>0.00</td><td>107</td><td>19</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10444.10	51.33	68.30	-16.97	65.40	37.51	15.53	67.11	0.00	---	---	PEAK	2	15660.00	53.53	74.00	-20.47	58.38	40.20	19.12	64.17	0.00	107	19	PEAK	3	15660.00	40.86	54.00	-13.14	45.72	40.19	19.12	64.17	0.00	107	19	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10436.40</td><td>59.02</td><td>68.30</td><td>-9.28</td><td>73.10</td><td>37.51</td><td>15.52</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>61.24</td><td>40.20</td><td>19.12</td><td>64.17</td><td>0.00</td><td>101</td><td>344</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>48.33</td><td>40.19</td><td>19.12</td><td>64.17</td><td>0.00</td><td>101</td><td>344</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10436.40	59.02	68.30	-9.28	73.10	37.51	15.52	67.11	0.00	---	---	PEAK	2	15660.00	56.39	74.00	-17.61	61.24	40.20	19.12	64.17	0.00	101	344	PEAK	3	15660.00	43.47	54.00	-10.53	48.33	40.19	19.12	64.17	0.00	101	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10444.10	51.33	68.30	-16.97	65.40	37.51	15.53	67.11	0.00	---	---	PEAK																																																																																																																																											
2	15660.00	53.53	74.00	-20.47	58.38	40.20	19.12	64.17	0.00	107	19	PEAK																																																																																																																																											
3	15660.00	40.86	54.00	-13.14	45.72	40.19	19.12	64.17	0.00	107	19	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10436.40	59.02	68.30	-9.28	73.10	37.51	15.52	67.11	0.00	---	---	PEAK																																																																																																																																											
2	15660.00	56.39	74.00	-17.61	61.24	40.20	19.12	64.17	0.00	101	344	PEAK																																																																																																																																											
3	15660.00	43.47	54.00	-10.53	48.33	40.19	19.12	64.17	0.00	101	344	AVERAGE																																																																																																																																											



Mode	3																																																																																							
	Harmonic																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																							
ANT	CDD 4+5																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10481.50</td><td>52.89</td><td>68.30</td><td>-15.41</td><td>66.89</td><td>37.54</td><td>15.56</td><td>67.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>57.75</td><td>40.25</td><td>19.16</td><td>64.17</td><td>0.00</td><td>101</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>45.62</td><td>40.25</td><td>19.16</td><td>64.17</td><td>0.00</td><td>101</td><td>25</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10481.50	52.89	68.30	-15.41	66.89	37.54	15.56	67.10	0.00	---	---	PEAK	2	15720.00	52.99	74.00	-21.01	57.75	40.25	19.16	64.17	0.00	101	25	PEAK	3	15720.00	40.86	54.00	-13.14	45.62	40.25	19.16	64.17	0.00	101	25	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	10481.50	52.89	68.30	-15.41	66.89	37.54	15.56	67.10	0.00	---	---	PEAK																																																																												
2	15720.00	52.99	74.00	-21.01	57.75	40.25	19.16	64.17	0.00	101	25	PEAK																																																																												
3	15720.00	40.86	54.00	-13.14	45.62	40.25	19.16	64.17	0.00	101	25	AVERAGE																																																																												
Vertical																																																																																								
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10485.90</td><td>59.30</td><td>68.30</td><td>-9.00</td><td>73.28</td><td>37.54</td><td>15.57</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>61.71</td><td>40.25</td><td>19.16</td><td>64.17</td><td>0.00</td><td>100</td><td>340</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>48.88</td><td>40.25</td><td>19.16</td><td>64.17</td><td>0.00</td><td>100</td><td>340</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10485.90	59.30	68.30	-9.00	73.28	37.54	15.57	67.09	0.00	---	---	PEAK	2	15720.00	56.95	74.00	-17.05	61.71	40.25	19.16	64.17	0.00	100	340	PEAK	3	15720.00	44.12	54.00	-9.88	48.88	40.25	19.16	64.17	0.00	100	340	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	10485.90	59.30	68.30	-9.00	73.28	37.54	15.57	67.09	0.00	---	---	PEAK																																																																												
2	15720.00	56.95	74.00	-17.05	61.71	40.25	19.16	64.17	0.00	100	340	PEAK																																																																												
3	15720.00	44.12	54.00	-9.88	48.88	40.25	19.16	64.17	0.00	100	340	AVERAGE																																																																												



Mode	4																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																							
ANT	CDD 4+5																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10513.40</td><td>51.94</td><td>68.30</td><td>-16.36</td><td>65.87</td><td>37.56</td><td>15.59</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>58.38</td><td>40.30</td><td>19.20</td><td>64.17</td><td>0.00</td><td>100</td><td>35</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>40.11</td><td>54.00</td><td>-13.89</td><td>44.77</td><td>40.31</td><td>19.20</td><td>64.17</td><td>0.00</td><td>100</td><td>35</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10513.40	51.94	68.30	-16.36	65.87	37.56	15.59	67.08	0.00	---	---	PEAK	2	15780.00	53.71	74.00	-20.29	58.38	40.30	19.20	64.17	0.00	100	35	PEAK	3	15780.00	40.11	54.00	-13.89	44.77	40.31	19.20	64.17	0.00	100	35	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10523.30</td><td>56.15</td><td>68.30</td><td>-12.15</td><td>70.06</td><td>37.57</td><td>15.60</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>60.34</td><td>40.30</td><td>19.20</td><td>64.17</td><td>0.00</td><td>101</td><td>339</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>47.87</td><td>40.30</td><td>19.20</td><td>64.17</td><td>0.00</td><td>101</td><td>339</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10523.30	56.15	68.30	-12.15	70.06	37.57	15.60	67.08	0.00	---	---	PEAK	2	15780.00	55.67	74.00	-18.33	60.34	40.30	19.20	64.17	0.00	101	339	PEAK	3	15780.00	43.20	54.00	-10.80	47.87	40.30	19.20	64.17	0.00	101	339	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	10513.40	51.94	68.30	-16.36	65.87	37.56	15.59	67.08	0.00	---	---	PEAK																																																																																																																																												
2	15780.00	53.71	74.00	-20.29	58.38	40.30	19.20	64.17	0.00	100	35	PEAK																																																																																																																																												
3	15780.00	40.11	54.00	-13.89	44.77	40.31	19.20	64.17	0.00	100	35	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	10523.30	56.15	68.30	-12.15	70.06	37.57	15.60	67.08	0.00	---	---	PEAK																																																																																																																																												
2	15780.00	55.67	74.00	-18.33	60.34	40.30	19.20	64.17	0.00	101	339	PEAK																																																																																																																																												
3	15780.00	43.20	54.00	-10.80	47.87	40.30	19.20	64.17	0.00	101	339	AVERAGE																																																																																																																																												







		5																																																																																																																																																																																																																																																																																							
Mode		Harmonic																																																																																																																																																																																																																																																																																							
		U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																																																																																																																							
ANT		CDD 4+5																																																																																																																																																																																																																																																																																							
Pol.		Horizontal										Vertical																																																																																																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="8"></th><th colspan="2"></th></tr><tr><td>1</td><td>10600.01</td><td>52.13</td><td>74.00</td><td>-21.87</td><td>65.89</td><td>37.62</td><td>15.67</td><td>67.05</td><td>0.00</td><td>103</td><td>294</td><td colspan="6">PEAK</td><td colspan="2"></td></tr><tr><td>2</td><td>10600.01</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>55.50</td><td>37.62</td><td>15.67</td><td>67.05</td><td>0.00</td><td>103</td><td>294</td><td colspan="6">AVERAGE</td><td colspan="2"></td></tr><tr><td>3</td><td>15892.40</td><td>50.44</td><td>74.00</td><td>-23.56</td><td>54.93</td><td>40.41</td><td>19.28</td><td>64.18</td><td>0.00</td><td>---</td><td>---</td><td colspan="6">Peak</td><td colspan="2"></td></tr></table> <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="8"></th><th colspan="2"></th></tr><tr><td>1</td><td>10600.01</td><td>59.85</td><td>74.00</td><td>-14.15</td><td>73.61</td><td>37.62</td><td>15.67</td><td>67.05</td><td>0.00</td><td>101</td><td>116</td><td colspan="6">PEAK</td><td colspan="2"></td></tr><tr><td>2</td><td>10600.01</td><td>48.65</td><td>54.00</td><td>-5.35</td><td>62.41</td><td>37.62</td><td>15.67</td><td>67.05</td><td>0.00</td><td>101</td><td>116</td><td colspan="6">AVERAGE</td><td colspan="2"></td></tr><tr><td>3</td><td>15900.00</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>61.23</td><td>40.41</td><td>19.28</td><td>64.18</td><td>0.00</td><td>100</td><td>342</td><td colspan="6">PEAK</td><td colspan="2"></td></tr><tr><td>4</td><td>15900.00</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>47.12</td><td>40.42</td><td>19.28</td><td>64.18</td><td>0.00</td><td>100</td><td>342</td><td colspan="6">AVERAGE</td><td colspan="2"></td></tr></table>																				Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor									Remark		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg											1	10600.01	52.13	74.00	-21.87	65.89	37.62	15.67	67.05	0.00	103	294	PEAK								2	10600.01	41.74	54.00	-12.26	55.50	37.62	15.67	67.05	0.00	103	294	AVERAGE								3	15892.40	50.44	74.00	-23.56	54.93	40.41	19.28	64.18	0.00	---	---	Peak										Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor									Remark		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg											1	10600.01	59.85	74.00	-14.15	73.61	37.62	15.67	67.05	0.00	101	116	PEAK								2	10600.01	48.65	54.00	-5.35	62.41	37.62	15.67	67.05	0.00	101	116	AVERAGE								3	15900.00	56.74	74.00	-17.26	61.23	40.41	19.28	64.18	0.00	100	342	PEAK								4	15900.00	42.64	54.00	-11.36	47.12	40.42	19.28	64.18	0.00	100	342	AVERAGE						
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																																																																																																																																																																																																																									
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor									Remark																																																																																																																																																																																																																																																																							
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	10600.01	52.13	74.00	-21.87	65.89	37.62	15.67	67.05	0.00	103	294	PEAK																																																																																																																																																																																																																																																																													
2	10600.01	41.74	54.00	-12.26	55.50	37.62	15.67	67.05	0.00	103	294	AVERAGE																																																																																																																																																																																																																																																																													
3	15892.40	50.44	74.00	-23.56	54.93	40.41	19.28	64.18	0.00	---	---	Peak																																																																																																																																																																																																																																																																													
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																																																																																																																																																																																																																									
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor									Remark																																																																																																																																																																																																																																																																							
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	10600.01	59.85	74.00	-14.15	73.61	37.62	15.67	67.05	0.00	101	116	PEAK																																																																																																																																																																																																																																																																													
2	10600.01	48.65	54.00	-5.35	62.41	37.62	15.67	67.05	0.00	101	116	AVERAGE																																																																																																																																																																																																																																																																													
3	15900.00	56.74	74.00	-17.26	61.23	40.41	19.28	64.18	0.00	100	342	PEAK																																																																																																																																																																																																																																																																													
4	15900.00	42.64	54.00	-11.36	47.12	40.42	19.28	64.18	0.00	100	342	AVERAGE																																																																																																																																																																																																																																																																													



Mode	6																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																					
ANT	CDD 4+5																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.00</td><td>66.35</td><td>74.00</td><td>-7.65</td><td>57.74</td><td>34.53</td><td>10.75</td><td>36.67</td><td>0.00</td><td>102</td><td>71 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.00	66.35	74.00	-7.65	57.74	34.53	10.75	36.67	0.00	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.00	66.35	74.00	-7.65	57.74	34.53	10.75	36.67	0.00	102	71 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.70</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>41.70</td><td>34.52</td><td>10.75</td><td>36.67</td><td>0.00</td><td>102</td><td>71 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.70	50.30	54.00	-3.70	41.70	34.52	10.75	36.67	0.00	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5351.70	50.30	54.00	-3.70	41.70	34.52	10.75	36.67	0.00	102	71 AVERAGE																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.43</td><td>68.30</td><td>45.13</td><td>104.95</td><td>34.48</td><td>10.73</td><td>36.73</td><td>0.00</td><td>102</td><td>71 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.43	68.30	45.13	104.95	34.48	10.73	36.73	0.00	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	113.43	68.30	45.13	104.95	34.48	10.73	36.73	0.00	102	71 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.58</td><td>68.30</td><td>36.28</td><td>96.10</td><td>34.48</td><td>10.73</td><td>36.73</td><td>0.00</td><td>102</td><td>71 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.58	68.30	36.28	96.10	34.48	10.73	36.73	0.00	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	104.58	68.30	36.28	96.10	34.48	10.73	36.73	0.00	102	71 AVERAGE																																											







		6																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT		CDD 4+5																																																																																							
Pol.		Fundamental																																																																																							
Peak	Vertical	Fundamental																																																																																							
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.60</td><td>60.49</td><td>74.00</td><td>-13.51</td><td>51.88</td><td>34.53</td><td>10.75</td><td>36.67</td><td>0.00</td><td>395</td><td>238</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.60	60.49	74.00	-13.51	51.88	34.53	10.75	36.67	0.00	395	238	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.34</td><td>68.30</td><td>39.04</td><td>98.84</td><td>34.49</td><td>10.73</td><td>36.72</td><td>0.00</td><td>395</td><td>238</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.34	68.30	39.04	98.84	34.49	10.73	36.72	0.00	395	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5352.60	60.49	74.00	-13.51	51.88	34.53	10.75	36.67	0.00	395	238	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5320.00	107.34	68.30	39.04	98.84	34.49	10.73	36.72	0.00	395	238	PEAK																																																																													
Avg	Vertical	Fundamental																																																																																							
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.30</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>34.68</td><td>34.53</td><td>10.75</td><td>36.67</td><td>0.00</td><td>395</td><td>238</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.30	43.29	54.00	-10.71	34.68	34.53	10.75	36.67	0.00	395	238	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>100.17</td><td>68.30</td><td>31.87</td><td>91.69</td><td>34.48</td><td>10.73</td><td>36.73</td><td>0.00</td><td>395</td><td>238</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.17	68.30	31.87	91.69	34.48	10.73	36.73	0.00	395	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5352.30	43.29	54.00	-10.71	34.68	34.53	10.75	36.67	0.00	395	238	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5320.00	100.17	68.30	31.87	91.69	34.48	10.73	36.73	0.00	395	238	AVERAGE																																																																													







Mode	6																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																	
ANT	CDD 4+5																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg																																																																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>59.35</td><td>37.65</td><td>15.71</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>54.19</td><td>40.47</td><td>19.32</td><td>64.18</td><td>0.00</td><td>101</td><td>26</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>37.86</td><td>54.00</td><td>-16.14</td><td>42.25</td><td>40.47</td><td>19.32</td><td>64.18</td><td>0.00</td><td>101</td><td>26</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10640.00	45.67	74.00	-28.33	59.35	37.65	15.71	67.04	0.00	---	---	PEAK	2	15960.00	49.80	74.00	-24.20	54.19	40.47	19.32	64.18	0.00	101	26	PEAK	3	15960.00	37.86	54.00	-16.14	42.25	40.47	19.32	64.18	0.00	101	26	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>60.80</td><td>74.00</td><td>-13.20</td><td>74.48</td><td>37.65</td><td>15.71</td><td>67.04</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>61.75</td><td>37.65</td><td>15.71</td><td>67.04</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>59.03</td><td>40.47</td><td>19.32</td><td>64.18</td><td>0.00</td><td>105</td><td>334</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>39.47</td><td>54.00</td><td>-14.53</td><td>43.86</td><td>40.47</td><td>19.32</td><td>64.18</td><td>0.00</td><td>105</td><td>334</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10640.00	60.80	74.00	-13.20	74.48	37.65	15.71	67.04	0.00	100	118	PEAK	2	10640.00	48.07	54.00	-5.93	61.75	37.65	15.71	67.04	0.00	100	118	AVERAGE	3	15960.00	54.64	74.00	-19.36	59.03	40.47	19.32	64.18	0.00	105	334	PEAK	4	15960.00	39.47	54.00	-14.53	43.86	40.47	19.32	64.18	0.00	105	334
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	45.67	74.00	-28.33	59.35	37.65	15.71	67.04	0.00	---	---	PEAK																																																																																																																																																																						
2	15960.00	49.80	74.00	-24.20	54.19	40.47	19.32	64.18	0.00	101	26	PEAK																																																																																																																																																																						
3	15960.00	37.86	54.00	-16.14	42.25	40.47	19.32	64.18	0.00	101	26	AVERAGE																																																																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	60.80	74.00	-13.20	74.48	37.65	15.71	67.04	0.00	100	118	PEAK																																																																																																																																																																						
2	10640.00	48.07	54.00	-5.93	61.75	37.65	15.71	67.04	0.00	100	118	AVERAGE																																																																																																																																																																						
3	15960.00	54.64	74.00	-19.36	59.03	40.47	19.32	64.18	0.00	105	334	PEAK																																																																																																																																																																						
4	15960.00	39.47	54.00	-14.53	43.86	40.47	19.32	64.18	0.00	105	334	AVERAGE																																																																																																																																																																						





		7																																																				
Mode		Band Edge																																																				
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																				
ANT		CDD 4+5																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	54.15	74.00	-19.85	45.19	34.58	10.84	36.46	0.00	112	75 PEAK	2	5463.12	62.93	68.30	-5.37	53.97	34.58	10.84	36.46	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5459.44	54.15	74.00	-19.85	45.19	34.58	10.84	36.46	0.00	112	75 PEAK																																											
2	5463.12	62.93	68.30	-5.37	53.97	34.58	10.84	36.46	0.00	112	75 PEAK																																											
Avg																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	44.18	54.00	-9.82	35.23	34.58	10.84	36.47	0.00	112	75 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5458.48	44.18	54.00	-9.82	35.23	34.58	10.84	36.47	0.00	112	75 AVERAGE																																											
Peak																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.89	-----	-----	103.83	34.56	10.89	36.39	0.00	112	75 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5500.00	112.89	-----	-----	103.83	34.56	10.89	36.39	0.00	112	75 PEAK																																											
Avg																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.33	-----	-----	97.27	34.56	10.89	36.39	0.00	112	75 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5500.00	106.33	-----	-----	97.27	34.56	10.89	36.39	0.00	112	75 AVERAGE																																											





		7																																																																																																																					
Mode		Band Edge																																																																																																																					
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																					
ANT		CDD 4+5																																																																																																																					
Pol.		Vertical					Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>40.20</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>56.92</td><td>68.30</td><td>-11.38</td><td>47.95</td><td>34.57</td><td>10.85</td><td>36.45</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	49.16	74.00	-24.84	40.20	34.58	10.84	36.46	0.00	100	77 PEAK	2	5468.56	56.92	68.30	-11.38	47.95	34.57	10.85	36.45	0.00	100	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.83</td><td>-----</td><td>-----</td><td>96.77</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.83	-----	-----	96.77	34.56	10.89	36.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5458.96	49.16	74.00	-24.84	40.20	34.58	10.84	36.46	0.00	100	77 PEAK																																																																																																												
2	5468.56	56.92	68.30	-11.38	47.95	34.57	10.85	36.45	0.00	100	77 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5500.00	105.83	-----	-----	96.77	34.56	10.89	36.39	0.00	100	77 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>39.56</td><td>54.00</td><td>-14.44</td><td>30.61</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>100</td><td>77 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	39.56	54.00	-14.44	30.61	34.58	10.84	36.47	0.00	100	77 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.59</td><td>-----</td><td>-----</td><td>89.53</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>100</td><td>77 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.59	-----	-----	89.53	34.56	10.89	36.39	0.00	100	77 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5458.00	39.56	54.00	-14.44	30.61	34.58	10.84	36.47	0.00	100	77 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5500.00	98.59	-----	-----	89.53	34.56	10.89	36.39	0.00	100	77 AVERAGE																																																																																																												






		7																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																										
ANT		CDD 4+5																																																																																																																																																										
Pol.		Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>62.93</td><td>37.90</td><td>16.04</td><td>66.91</td><td>0.00</td><td>100</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>39.71</td><td>54.00</td><td>-14.29</td><td>52.68</td><td>37.90</td><td>16.04</td><td>66.91</td><td>0.00</td><td>100</td><td>292</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11000.00	49.96	74.00	-24.04	62.93	37.90	16.04	66.91	0.00	100	292	PEAK	2	11000.00	39.71	54.00	-14.29	52.68	37.90	16.04	66.91	0.00	100	292	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>61.74</td><td>37.90</td><td>16.04</td><td>66.91</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>38.33</td><td>54.00</td><td>-15.67</td><td>51.30</td><td>37.90</td><td>16.04</td><td>66.91</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11000.00	48.77	74.00	-25.23	61.74	37.90	16.04	66.91	0.00	101	306	PEAK	2	11000.00	38.33	54.00	-15.67	51.30	37.90	16.04	66.91	0.00	101	306	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	11000.00	49.96	74.00	-24.04	62.93	37.90	16.04	66.91	0.00	100	292	PEAK																																																																																																																																																
2	11000.00	39.71	54.00	-14.29	52.68	37.90	16.04	66.91	0.00	100	292	AVERAGE																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	11000.00	48.77	74.00	-25.23	61.74	37.90	16.04	66.91	0.00	101	306	PEAK																																																																																																																																																
2	11000.00	38.33	54.00	-15.67	51.30	37.90	16.04	66.91	0.00	101	306	AVERAGE																																																																																																																																																






Mode	8																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																			
ANT	CDD 4+5																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>56.63</td><td>38.03</td><td>16.15</td><td>66.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	43.96	74.00	-30.04	56.63	38.03	16.15	66.85	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>57.78</td><td>38.03</td><td>16.15</td><td>66.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	45.11	74.00	-28.89	57.78	38.03	16.15	66.85	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11160.00	43.96	74.00	-30.04	56.63	38.03	16.15	66.85	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11160.00	45.11	74.00	-28.89	57.78	38.03	16.15	66.85	0.00	---	---	PEAK																																																																																								





Mode	9																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																															
ANT	CDD 4+5																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a peak around 5700 MHz. A red line indicates the 5G BAND 1-3 limit. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5726.36</td><td>63.94</td><td>68.30</td><td>-4.36</td><td>55.72</td><td>34.68</td><td>11.18</td><td>37.64</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>123</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.36	63.94	68.30	-4.36	55.72	34.68	11.18	37.64								0.00	100									123									PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a sharp peak around 5700 MHz. A red line indicates the 5G BAND 1-3 limit. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.79</td><td>-----</td><td>-----</td><td>103.17</td><td>34.61</td><td>11.14</td><td>37.13</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>123</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	111.79	-----	-----	103.17	34.61	11.14	37.13								0.00	100									123									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5726.36	63.94	68.30	-4.36	55.72	34.68	11.18	37.64																																																																																																																								
							0.00	100																																																																																																																								
								123																																																																																																																								
								PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5700.00	111.79	-----	-----	103.17	34.61	11.14	37.13																																																																																																																								
							0.00	100																																																																																																																								
								123																																																																																																																								
								PEAK																																																																																																																								
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a sharp peak around 5700 MHz. A red line indicates the 5G BAND 1-3 (AVG) limit. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.83</td><td>-----</td><td>-----</td><td>94.30</td><td>34.62</td><td>11.15</td><td>37.24</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>123</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	102.83	-----	-----	94.30	34.62	11.15	37.24								0.00	100									123									AVERAGE																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	5700.00	102.83	-----	-----	94.30	34.62	11.15	37.24																																																																																																																								
							0.00	100																																																																																																																								
								123																																																																																																																								
								AVERAGE																																																																																																																								







Mode	9																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																						
ANT	CDD 4+5																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.48</td><td>61.04</td><td>68.30</td><td>-7.26</td><td>52.80</td><td>34.68</td><td>11.18</td><td>37.62</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.48	61.04	68.30	-7.26	52.80	34.68	11.18	37.62	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.48	61.04	68.30	-7.26	52.80	34.68	11.18	37.62	0.00	100	342	PEAK																																											
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.71</td><td>-----</td><td>-----</td><td>94.18</td><td>34.62</td><td>11.15</td><td>37.24</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.71	-----	-----	94.18	34.62	11.15	37.24	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	102.71	-----	-----	94.18	34.62	11.15	37.24	0.00	100	342	PEAK																																											
Avg	Blank																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.70</td><td>-----</td><td>-----</td><td>88.08</td><td>34.61</td><td>11.14</td><td>37.13</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.70	-----	-----	88.08	34.61	11.14	37.13	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	96.70	-----	-----	88.08	34.61	11.14	37.13	0.00	100	342	AVERAGE																																											








Mode	9																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																			
ANT	CDD 4+5																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>43.50</td><td>74.00</td><td>-30.50</td><td>55.75</td><td>38.22</td><td>16.30</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	43.50	74.00	-30.50	55.75	38.22	16.30	66.77	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>58.42</td><td>38.22</td><td>16.30</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.17	74.00	-27.83	58.42	38.22	16.30	66.77	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11400.00	43.50	74.00	-30.50	55.75	38.22	16.30	66.77	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11400.00	46.17	74.00	-27.83	58.42	38.22	16.30	66.77	0.00	---	---	PEAK																																																																																								



Mode	10																																																																																																												
	Band Edge																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																												
ANT	CDD 4+5																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.90</td><td>66.77</td><td>74.00</td><td>-7.23</td><td>59.01</td><td>34.22</td><td>10.60</td><td>37.06</td><td>0.00</td><td>106</td><td>70 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.90	66.77	74.00	-7.23	59.01	34.22	10.60	37.06	0.00	106	70 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.53</td><td>68.30</td><td>40.23</td><td>100.60</td><td>34.28</td><td>10.64</td><td>36.99</td><td>0.00</td><td>106</td><td>70 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.53	68.30	40.23	100.60	34.28	10.64	36.99	0.00	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5145.90	66.77	74.00	-7.23	59.01	34.22	10.60	37.06	0.00	106	70 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	108.53	68.30	40.23	100.60	34.28	10.64	36.99	0.00	106	70 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.40</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>43.04</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>106</td><td>70 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.40	50.83	54.00	-3.17	43.04	34.23	10.61	37.05	0.00	106	70 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.95</td><td>68.30</td><td>33.65</td><td>94.02</td><td>34.28</td><td>10.64</td><td>36.99</td><td>0.00</td><td>106</td><td>70 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.95	68.30	33.65	94.02	34.28	10.64	36.99	0.00	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5148.40	50.83	54.00	-3.17	43.04	34.23	10.61	37.05	0.00	106	70 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	101.95	68.30	33.65	94.02	34.28	10.64	36.99	0.00	106	70 AVERAGE																																																																																																		





Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																														
ANT	CDD 4+5																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.80</td><td>63.21</td><td>74.00</td><td>-10.79</td><td>55.42</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>398</td><td>241</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.80	63.21	74.00	-10.79	55.42	34.23	10.61	37.05	0.00	398	241	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.42</td><td>68.30</td><td>38.12</td><td>98.49</td><td>34.28</td><td>10.64</td><td>36.99</td><td>0.00</td><td>398</td><td>241</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.42	68.30	38.12	98.49	34.28	10.64	36.99	0.00	398	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.80	63.21	74.00	-10.79	55.42	34.23	10.61	37.05	0.00	398	241	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	106.42	68.30	38.12	98.49	34.28	10.64	36.99	0.00	398	241	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>40.27</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>398</td><td>241</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.20	48.06	54.00	-5.94	40.27	34.23	10.61	37.05	0.00	398	241	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.47</td><td>68.30</td><td>31.17</td><td>91.54</td><td>34.28</td><td>10.64</td><td>36.99</td><td>0.00</td><td>398</td><td>241</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.47	68.30	31.17	91.54	34.28	10.64	36.99	0.00	398	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.20	48.06	54.00	-5.94	40.27	34.23	10.61	37.05	0.00	398	241	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	99.47	68.30	31.17	91.54	34.28	10.64	36.99	0.00	398	241	AVERAGE																																																																																																			







Mode	11																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full RU_5220MHz																																																																																																																																																						
ANT	CDD 4+5																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>44.91</td><td>68.30</td><td>-23.39</td><td>58.99</td><td>37.51</td><td>15.52</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>55.97</td><td>40.20</td><td>19.12</td><td>64.17</td><td>0.00</td><td>103</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>44.35</td><td>40.19</td><td>19.12</td><td>64.17</td><td>0.00</td><td>103</td><td>25</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.91	68.30	-23.39	58.99	37.51	15.52	67.11	0.00	---	---	PEAK	2	15660.00	51.12	74.00	-22.88	55.97	40.20	19.12	64.17	0.00	103	25	PEAK	3	15660.00	39.49	54.00	-14.51	44.35	40.19	19.12	64.17	0.00	103	25	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>54.34</td><td>68.30</td><td>-13.96</td><td>68.42</td><td>37.51</td><td>15.52</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>59.09</td><td>40.20</td><td>19.12</td><td>64.17</td><td>0.00</td><td>101</td><td>332</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>46.50</td><td>40.19</td><td>19.12</td><td>64.17</td><td>0.00</td><td>101</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	54.34	68.30	-13.96	68.42	37.51	15.52	67.11	0.00	---	---	PEAK	2	15660.00	54.24	74.00	-19.76	59.09	40.20	19.12	64.17	0.00	101	332	PEAK	3	15660.00	41.64	54.00	-12.36	46.50	40.19	19.12	64.17	0.00	101	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10440.00	44.91	68.30	-23.39	58.99	37.51	15.52	67.11	0.00	---	---	PEAK																																																																																																																																											
2	15660.00	51.12	74.00	-22.88	55.97	40.20	19.12	64.17	0.00	103	25	PEAK																																																																																																																																											
3	15660.00	39.49	54.00	-14.51	44.35	40.19	19.12	64.17	0.00	103	25	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10440.00	54.34	68.30	-13.96	68.42	37.51	15.52	67.11	0.00	---	---	PEAK																																																																																																																																											
2	15660.00	54.24	74.00	-19.76	59.09	40.20	19.12	64.17	0.00	101	332	PEAK																																																																																																																																											
3	15660.00	41.64	54.00	-12.36	46.50	40.19	19.12	64.17	0.00	101	332	AVERAGE																																																																																																																																											





		12																																																																																		
Mode		Harmonic																																																																																		
		U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																		
ANT		CDD 4+5																																																																																		
Pol.		Horizontal						Vertical																																																																												
Peak Avg																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10477.10</td><td>48.39</td><td>68.30</td><td>-19.91</td><td>62.39</td><td>37.54</td><td>15.56</td><td>67.10</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15715.30</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>56.45</td><td>40.25</td><td>19.16</td><td>64.17</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10477.10	48.39	68.30	-19.91	62.39	37.54	15.56	67.10	0.00	---	---	Peak	2	15715.30	51.69	74.00	-22.31	56.45	40.25	19.16	64.17	0.00	---	---	Peak													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	10477.10	48.39	68.30	-19.91	62.39	37.54	15.56	67.10	0.00	---	---	Peak																																																																								
2	15715.30	51.69	74.00	-22.31	56.45	40.25	19.16	64.17	0.00	---	---	Peak																																																																								
																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10476.00</td><td>59.71</td><td>68.30</td><td>-8.59</td><td>73.71</td><td>37.54</td><td>15.56</td><td>67.10</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>59.96</td><td>40.25</td><td>19.16</td><td>64.17</td><td>0.00</td><td>105</td><td>338</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>45.52</td><td>40.25</td><td>19.16</td><td>64.17</td><td>0.00</td><td>105</td><td>338</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10476.00	59.71	68.30	-8.59	73.71	37.54	15.56	67.10	0.00	---	---	Peak	2	15720.00	55.20	74.00	-18.80	59.96	40.25	19.16	64.17	0.00	105	338	PEAK	3	15720.00	40.76	54.00	-13.24	45.52	40.25	19.16	64.17	0.00	105	338	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	10476.00	59.71	68.30	-8.59	73.71	37.54	15.56	67.10	0.00	---	---	Peak																																																																								
2	15720.00	55.20	74.00	-18.80	59.96	40.25	19.16	64.17	0.00	105	338	PEAK																																																																								
3	15720.00	40.76	54.00	-13.24	45.52	40.25	19.16	64.17	0.00	105	338	AVERAGE																																																																								







	13																																																																																																																																																										
Mode	Harmonic																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																																																																																																																																										
ANT	CDD 4+5																																																																																																																																																										
Pol.	Horizontal											Vertical																																																																																																																																															
Peak Avg																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10522.20</td><td>50.32</td><td>68.30</td><td>-17.98</td><td>64.23</td><td>37.57</td><td>15.60</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15789.00</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>54.89</td><td>40.31</td><td>19.21</td><td>64.17</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10522.20	50.32	68.30	-17.98	64.23	37.57	15.60	67.08	0.00	---	---	Peak	2	15789.00	50.24	74.00	-23.76	54.89	40.31	19.21	64.17	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10518.90</td><td>59.94</td><td>68.30</td><td>-8.36</td><td>73.85</td><td>37.57</td><td>15.60</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>54.96</td><td>74.00</td><td>-19.04</td><td>59.63</td><td>40.30</td><td>19.20</td><td>64.17</td><td>0.00</td><td>100</td><td>338</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>41.46</td><td>54.00</td><td>-12.54</td><td>46.13</td><td>40.30</td><td>19.20</td><td>64.17</td><td>0.00</td><td>100</td><td>338</td><td>AVERAGE</td></tr></table>				Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10518.90	59.94	68.30	-8.36	73.85	37.57	15.60	67.08	0.00	---	---	Peak	2	15780.00	54.96	74.00	-19.04	59.63	40.30	19.20	64.17	0.00	100	338	PEAK	3	15780.00	41.46	54.00	-12.54	46.13	40.30	19.20	64.17	0.00	100	338
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																
1	10522.20	50.32	68.30	-17.98	64.23	37.57	15.60	67.08	0.00	---	---	Peak																																																																																																																																															
2	15789.00	50.24	74.00	-23.76	54.89	40.31	19.21	64.17	0.00	---	---	Peak																																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																
1	10518.90	59.94	68.30	-8.36	73.85	37.57	15.60	67.08	0.00	---	---	Peak																																																																																																																																															
2	15780.00	54.96	74.00	-19.04	59.63	40.30	19.20	64.17	0.00	100	338	PEAK																																																																																																																																															
3	15780.00	41.46	54.00	-12.54	46.13	40.30	19.20	64.17	0.00	100	338	AVERAGE																																																																																																																																															







Mode	14																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																																																																										
ANT	CDD 4+5																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10604.70</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>63.77</td><td>37.63</td><td>15.68</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10604.70	50.03	74.00	-23.97	63.77	37.63	15.68	67.05	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.01</td><td>57.82</td><td>74.00</td><td>-16.18</td><td>71.58</td><td>37.62</td><td>15.67</td><td>67.05</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>10600.01</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>59.85</td><td>37.62</td><td>15.67</td><td>67.05</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>57.30</td><td>40.41</td><td>19.28</td><td>64.18</td><td>0.00</td><td>102</td><td>343</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>38.94</td><td>54.00</td><td>-15.06</td><td>43.43</td><td>40.41</td><td>19.28</td><td>64.18</td><td>0.00</td><td>102</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.01	57.82	74.00	-16.18	71.58	37.62	15.67	67.05	0.00	100	119	PEAK	2	10600.01	46.09	54.00	-7.91	59.85	37.62	15.67	67.05	0.00	100	119	AVERAGE	3	15900.00	52.81	74.00	-21.19	57.30	40.41	19.28	64.18	0.00	102	343	PEAK	4	15900.00	38.94	54.00	-15.06	43.43	40.41	19.28	64.18	0.00	102	343	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10604.70	50.03	74.00	-23.97	63.77	37.63	15.68	67.05	0.00	---	---	Peak																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10600.01	57.82	74.00	-16.18	71.58	37.62	15.67	67.05	0.00	100	119	PEAK																																																																																																																															
2	10600.01	46.09	54.00	-7.91	59.85	37.62	15.67	67.05	0.00	100	119	AVERAGE																																																																																																																															
3	15900.00	52.81	74.00	-21.19	57.30	40.41	19.28	64.18	0.00	102	343	PEAK																																																																																																																															
4	15900.00	38.94	54.00	-15.06	43.43	40.41	19.28	64.18	0.00	102	343	AVERAGE																																																																																																																															





		15																																																					
Mode		Band Edge																																																					
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																					
ANT		CDD 4+5																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.30</td><td>65.91</td><td>74.00</td><td>-8.09</td><td>57.30</td><td>34.53</td><td>10.75</td><td>36.67</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.30	65.91	74.00	-8.09	57.30	34.53	10.75	36.67	0.00	100	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.30	65.91	74.00	-8.09	57.30	34.53	10.75	36.67	0.00	100	76	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.96</td><td>68.30</td><td>41.66</td><td>101.48</td><td>34.48</td><td>10.73</td><td>36.73</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.96	68.30	41.66	101.48	34.48	10.73	36.73	0.00	100	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	109.96	68.30	41.66	101.48	34.48	10.73	36.73	0.00	100	76	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.42</td><td>54.00</td><td>-3.58</td><td>41.82</td><td>34.52</td><td>10.75</td><td>36.67</td><td>0.00</td><td>100</td><td>76</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.42	54.00	-3.58	41.82	34.52	10.75	36.67	0.00	100	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	50.42	54.00	-3.58	41.82	34.52	10.75	36.67	0.00	100	76	Average																																											
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.77</td><td>68.30</td><td>33.47</td><td>93.29</td><td>34.48</td><td>10.73</td><td>36.73</td><td>0.00</td><td>100</td><td>76</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.77	68.30	33.47	93.29	34.48	10.73	36.73	0.00	100	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	101.77	68.30	33.47	93.29	34.48	10.73	36.73	0.00	100	76	AVERAGE																																											







		15																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																		
ANT	CDD 4+5																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.30</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>49.29</td><td>34.53</td><td>10.75</td><td>36.66</td><td>0.00</td><td>393</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.30	57.91	74.00	-16.09	49.29	34.53	10.75	36.66	0.00	393	243	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.34</td><td>68.30</td><td>38.04</td><td>97.84</td><td>34.49</td><td>10.73</td><td>36.72</td><td>0.00</td><td>393</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.34	68.30	38.04	97.84	34.49	10.73	36.72	0.00	393	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5353.30	57.91	74.00	-16.09	49.29	34.53	10.75	36.66	0.00	393	243	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	106.34	68.30	38.04	97.84	34.49	10.73	36.72	0.00	393	243	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>37.47</td><td>34.52</td><td>10.75</td><td>36.67</td><td>0.00</td><td>393</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	46.07	54.00	-7.93	37.47	34.52	10.75	36.67	0.00	393	243	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.69</td><td>68.30</td><td>29.39</td><td>89.21</td><td>34.48</td><td>10.73</td><td>36.73</td><td>0.00</td><td>393</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.69	68.30	29.39	89.21	34.48	10.73	36.73	0.00	393	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.20	46.07	54.00	-7.93	37.47	34.52	10.75	36.67	0.00	393	243	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	97.69	68.30	29.39	89.21	34.48	10.73	36.73	0.00	393	243	AVERAGE																																																																																							







Mode	15																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																																																									
ANT	CDD 4+5																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10636.60</td><td>49.73</td><td>74.00</td><td>-24.27</td><td>63.41</td><td>37.65</td><td>15.71</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10636.60	49.73	74.00	-24.27	63.41	37.65	15.71	67.04	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>56.79</td><td>74.00</td><td>-17.21</td><td>70.47</td><td>37.65</td><td>15.71</td><td>67.04</td><td>0.00</td><td>102</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>59.30</td><td>37.65</td><td>15.71</td><td>67.04</td><td>0.00</td><td>102</td><td>125</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>54.63</td><td>40.47</td><td>19.32</td><td>64.18</td><td>0.00</td><td>113</td><td>346</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>37.47</td><td>54.00</td><td>-16.53</td><td>41.86</td><td>40.47</td><td>19.32</td><td>64.18</td><td>0.00</td><td>113</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	56.79	74.00	-17.21	70.47	37.65	15.71	67.04	0.00	102	125	PEAK	2	10640.00	45.62	54.00	-8.38	59.30	37.65	15.71	67.04	0.00	102	125	AVERAGE	3	15960.00	50.24	74.00	-23.76	54.63	40.47	19.32	64.18	0.00	113	346	PEAK	4	15960.00	37.47	54.00	-16.53	41.86	40.47	19.32	64.18	0.00	113	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	10636.60	49.73	74.00	-24.27	63.41	37.65	15.71	67.04	0.00	---	---	Peak																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	10640.00	56.79	74.00	-17.21	70.47	37.65	15.71	67.04	0.00	102	125	PEAK																																																																																																																														
2	10640.00	45.62	54.00	-8.38	59.30	37.65	15.71	67.04	0.00	102	125	AVERAGE																																																																																																																														
3	15960.00	50.24	74.00	-23.76	54.63	40.47	19.32	64.18	0.00	113	346	PEAK																																																																																																																														
4	15960.00	37.47	54.00	-16.53	41.86	40.47	19.32	64.18	0.00	113	346	AVERAGE																																																																																																																														





Mode	16																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																			
ANT	CDD 4+5																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.16</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>47.09</td><td>34.58</td><td>10.82</td><td>36.49</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>64.63</td><td>68.30</td><td>-3.67</td><td>55.66</td><td>34.57</td><td>10.85</td><td>36.45</td><td>0.00</td><td>100</td><td>77</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.16	56.00	74.00	-18.00	47.09	34.58	10.82	36.49	0.00	100	77	PEAK	2	5468.88	64.63	68.30	-3.67	55.66	34.57	10.85	36.45	0.00	100	77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5446.16	56.00	74.00	-18.00	47.09	34.58	10.82	36.49	0.00	100	77	PEAK																																																								
2	5468.88	64.63	68.30	-3.67	55.66	34.57	10.85	36.45	0.00	100	77	Peak																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.92</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>38.00</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>100</td><td>77</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.92	47.75	54.00	-6.25	38.00	34.58	10.84	36.47	0.00	100	77	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5455.92	47.75	54.00	-6.25	38.00	34.58	10.84	36.47	0.00	100	77	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.28</td><td>68.30</td><td>42.98</td><td>102.24</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.28	68.30	42.98	102.24	34.56	10.88	36.40	0.00	100	77	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	111.28	68.30	42.98	102.24	34.56	10.88	36.40	0.00	100	77	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.63</td><td>68.30</td><td>36.33</td><td>95.57</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>100</td><td>77</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.63	68.30	36.33	95.57	34.56	10.89	36.39	0.00	100	77	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	104.63	68.30	36.33	95.57	34.56	10.89	36.39	0.00	100	77	AVERAGE																																																								





		16																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																								
ANT		CDD 4+5																																																																																																																								
Pol.		Vertical					Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>43.45</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>300</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>57.04</td><td>68.30</td><td>-11.26</td><td>48.06</td><td>34.58</td><td>10.85</td><td>36.45</td><td>0.00</td><td>300</td><td>133</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	52.40	74.00	-21.60	43.45	34.58	10.84	36.47	0.00	300	133	PEAK	2	5465.36	57.04	68.30	-11.26	48.06	34.58	10.85	36.45	0.00	300	133	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.37</td><td>68.30</td><td>37.07</td><td>96.31</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>300</td><td>133</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.37	68.30	37.07	96.31	34.56	10.89	36.39	0.00	300	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5457.84	52.40	74.00	-21.60	43.45	34.58	10.84	36.47	0.00	300	133	PEAK																																																																																																														
2	5465.36	57.04	68.30	-11.26	48.06	34.58	10.85	36.45	0.00	300	133	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5500.00	105.37	68.30	37.07	96.31	34.56	10.89	36.39	0.00	300	133	PEAK																																																																																																														
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>33.72</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>300</td><td>133</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	42.67	54.00	-11.33	33.72	34.58	10.84	36.47	0.00	300	133	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.26</td><td>68.30</td><td>29.96</td><td>89.20</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>300</td><td>133</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.26	68.30	29.96	89.20	34.56	10.89	36.39	0.00	300	133	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5457.84	42.67	54.00	-11.33	33.72	34.58	10.84	36.47	0.00	300	133	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5500.00	98.26	68.30	29.96	89.20	34.56	10.89	36.39	0.00	300	133	AVERAGE																																																																																																														



Mode	16																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																
ANT	CDD 4+5																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10998.50</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>61.39</td><td>37.90</td><td>16.04</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10998.50	48.42	74.00	-25.58	61.39	37.90	16.04	66.91	0.00	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>63.57</td><td>37.90</td><td>16.04</td><td>66.91</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>40.16</td><td>54.00</td><td>-13.84</td><td>53.13</td><td>37.90</td><td>16.04</td><td>66.91</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	50.60	74.00	-23.40	63.57	37.90	16.04	66.91	0.00	100	304	PEAK	2	11000.00	40.16	54.00	-13.84	53.13	37.90	16.04	66.91	0.00	100	304	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10998.50	48.42	74.00	-25.58	61.39	37.90	16.04	66.91	0.00	---	---	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11000.00	50.60	74.00	-23.40	63.57	37.90	16.04	66.91	0.00	100	304	PEAK																																																																																																					
2	11000.00	40.16	54.00	-13.84	53.13	37.90	16.04	66.91	0.00	100	304	AVERAGE																																																																																																					






Mode	17																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																															
ANT	CDD 4+5																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>57.11</td><td>38.03</td><td>16.15</td><td>66.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	44.44	74.00	-29.56	57.11	38.03	16.15	66.85	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>62.00</td><td>38.03</td><td>16.15</td><td>66.85</td><td>0.00</td><td>100</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>38.77</td><td>54.00</td><td>-15.23</td><td>51.44</td><td>38.03</td><td>16.15</td><td>66.85</td><td>0.00</td><td>100</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	49.33	74.00	-24.67	62.00	38.03	16.15	66.85	0.00	100	245	PEAK	2	11160.00	38.77	54.00	-15.23	51.44	38.03	16.15	66.85	0.00	100	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11160.00	44.44	74.00	-29.56	57.11	38.03	16.15	66.85	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11160.00	49.33	74.00	-24.67	62.00	38.03	16.15	66.85	0.00	100	245	PEAK																																																																																																				
2	11160.00	38.77	54.00	-15.23	51.44	38.03	16.15	66.85	0.00	100	245	AVERAGE																																																																																																				





Mode	18																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																									
ANT	CDD 4+5																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a noisy signal with a peak at 5725.96 MHz. A red line indicates the 5G BAND 1 limit at 65.00 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5725.96</td><td>65.00</td><td>-3.30</td><td>56.77</td><td>34.68</td><td>11.18</td><td>37.63</td><td>0.00</td></tr></tbody></table> 84 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.96	65.00	-3.30	56.77	34.68	11.18	37.63	0.00	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a noisy signal with a peak at 5700.00 MHz. A red line indicates the 5G BAND 1 limit at 68.30 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.64</td><td>68.30</td><td>41.34</td><td>101.02</td><td>34.61</td><td>11.14</td><td>37.13</td></tr></tbody></table> 84 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	109.64	68.30	41.34	101.02	34.61	11.14	37.13
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5725.96	65.00	-3.30	56.77	34.68	11.18	37.63	0.00																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5700.00	109.64	68.30	41.34	101.02	34.61	11.14	37.13																																																																		
Avg	Blank	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a noisy signal with a peak at 5700.00 MHz. A red line indicates the 5G BAND 1 limit at 68.30 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.55</td><td>68.30</td><td>33.25</td><td>92.93</td><td>34.61</td><td>11.14</td><td>37.13</td></tr></tbody></table> 84 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	101.55	68.30	33.25	92.93	34.61	11.14	37.13																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5700.00	101.55	68.30	33.25	92.93	34.61	11.14	37.13																																																																		







Mode	18																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																											
ANT	CDD 4+5																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 Level (dBuV/m) Frequency (MHz) 5G BAND 1-3 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5727.32</td><td>62.07</td><td>68.30</td><td>-6.23</td><td>53.86</td><td>34.69</td><td>11.18</td><td>37.66</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>341 235 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5727.32	62.07	68.30	-6.23	53.86	34.69	11.18	37.66	0.00									341 235 PEAK	 Level (dBuV/m) Frequency (MHz) 5G BAND 1-3 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>107.43</td><td>68.30</td><td>39.13</td><td>98.81</td><td>34.61</td><td>11.14</td><td>37.13</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>341 235 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	107.43	68.30	39.13	98.81	34.61	11.14	37.13	0.00									341 235 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5727.32	62.07	68.30	-6.23	53.86	34.69	11.18	37.66	0.00																																																																																				
								341 235 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5700.00	107.43	68.30	39.13	98.81	34.61	11.14	37.13	0.00																																																																																				
								341 235 PEAK																																																																																				
Avg	Blank	 Level (dBuV/m) Frequency (MHz) 5G BAND 1-3 (AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>98.97</td><td>68.30</td><td>30.67</td><td>90.35</td><td>34.61</td><td>11.14</td><td>37.13</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>341 235 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	98.97	68.30	30.67	90.35	34.61	11.14	37.13	0.00									341 235 AVERAGE																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5700.00	98.97	68.30	30.67	90.35	34.61	11.14	37.13	0.00																																																																																				
								341 235 AVERAGE																																																																																				




Mode	18																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																																
ANT	CDD 4+5																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>55.99</td><td>38.22</td><td>16.30</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	43.74	74.00	-30.26	55.99	38.22	16.30	66.77	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11397.80</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>62.26</td><td>38.22</td><td>16.30</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17098.00</td><td>53.59</td><td>68.30</td><td>-14.71</td><td>56.76</td><td>41.30</td><td>20.07</td><td>64.54</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11397.80	50.01	74.00	-23.99	62.26	38.22	16.30	66.77	0.00	---	---	Peak	2	17098.00	53.59	68.30	-14.71	56.76	41.30	20.07	64.54	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11400.00	43.74	74.00	-30.26	55.99	38.22	16.30	66.77	0.00	---	---	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11397.80	50.01	74.00	-23.99	62.26	38.22	16.30	66.77	0.00	---	---	Peak																																																																																																					
2	17098.00	53.59	68.30	-14.71	56.76	41.30	20.07	64.54	0.00	---	---	Peak																																																																																																					







Mode	19																																																						
	Band Edge																																																						
	U-NII-2C_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																						
ANT	CDD 4+5																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.40</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>42.34</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>117</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.40	50.13	74.00	-23.87	42.34	34.23	10.61	37.05	0.00	117	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.40	50.13	74.00	-23.87	42.34	34.23	10.61	37.05	0.00	117	85	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.46</td><td>-----</td><td>-----</td><td>99.55</td><td>34.27</td><td>10.64</td><td>37.00</td><td>0.00</td><td>117</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.46	-----	-----	99.55	34.27	10.64	37.00	0.00	117	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	107.46	-----	-----	99.55	34.27	10.64	37.00	0.00	117	85	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.70</td><td>38.90</td><td>54.00</td><td>-15.10</td><td>31.11</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>117</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	38.90	54.00	-15.10	31.11	34.23	10.61	37.05	0.00	117	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.70	38.90	54.00	-15.10	31.11	34.23	10.61	37.05	0.00	117	85	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.31</td><td>-----</td><td>-----</td><td>92.40</td><td>34.27</td><td>10.64</td><td>37.00</td><td>0.00</td><td>117</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.31	-----	-----	92.40	34.27	10.64	37.00	0.00	117	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	100.31	-----	-----	92.40	34.27	10.64	37.00	0.00	117	85	AVERAGE																																											







		19																																																				
Mode		Band Edge																																																				
		U-NII-2C_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																				
ANT		CDD 4+5																																																				
Pol.		Fundamental																																																				
Peak	Vertical																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.20</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>41.52</td><td>34.22</td><td>10.61</td><td>37.05</td><td>0.00</td><td>400</td><td>242</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.20	49.30	74.00	-24.70	41.52	34.22	10.61	37.05	0.00	400	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5147.20	49.30	74.00	-24.70	41.52	34.22	10.61	37.05	0.00	400	242	PEAK																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>30.96</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>400</td><td>242</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	38.75	54.00	-15.25	30.96	34.23	10.61	37.05	0.00	400	242	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5150.00	38.75	54.00	-15.25	30.96	34.23	10.61	37.05	0.00	400	242	AVERAGE																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.73</td><td>-----</td><td>-----</td><td>97.82</td><td>34.27</td><td>10.64</td><td>37.00</td><td>0.00</td><td>400</td><td>242</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	105.73	-----	-----	97.82	34.27	10.64	37.00	0.00	400	242	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5180.00	105.73	-----	-----	97.82	34.27	10.64	37.00	0.00	400	242	PEAK																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.55</td><td>-----</td><td>-----</td><td>90.64</td><td>34.27</td><td>10.64</td><td>37.00</td><td>0.00</td><td>400</td><td>242</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	98.55	-----	-----	90.64	34.27	10.64	37.00	0.00	400	242	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5180.00	98.55	-----	-----	90.64	34.27	10.64	37.00	0.00	400	242	AVERAGE																																										







Mode	20																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																														
ANT	CDD 4+5																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>39.99</td><td>34.53</td><td>10.75</td><td>36.66</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	48.61	74.00	-25.39	39.99	34.53	10.75	36.66	0.00	100	64	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.77</td><td>-----</td><td>-----</td><td>101.23</td><td>34.50</td><td>10.74</td><td>36.70</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.77	-----	-----	101.23	34.50	10.74	36.70	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5354.10	48.61	74.00	-25.39	39.99	34.53	10.75	36.66	0.00	100	64	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	109.77	-----	-----	101.23	34.50	10.74	36.70	0.00	100	64	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.40</td><td>38.03</td><td>54.00</td><td>-15.97</td><td>29.39</td><td>34.54</td><td>10.75</td><td>36.65</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.40	38.03	54.00	-15.97	29.39	34.54	10.75	36.65	0.00	100	64	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.42</td><td>-----</td><td>-----</td><td>92.88</td><td>34.50</td><td>10.74</td><td>36.70</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.42	-----	-----	92.88	34.50	10.74	36.70	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5363.40	38.03	54.00	-15.97	29.39	34.54	10.75	36.65	0.00	100	64	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	101.42	-----	-----	92.88	34.50	10.74	36.70	0.00	100	64	AVERAGE																																																																																																			







Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																		
ANT	CDD 4+5																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5387.60</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>39.01</td><td>34.58</td><td>10.77</td><td>36.60</td><td>0.00</td><td>266</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.60	47.76	74.00	-26.24	39.01	34.58	10.77	36.60	0.00	266	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.95</td><td>-----</td><td>-----</td><td>92.41</td><td>34.50</td><td>10.74</td><td>36.70</td><td>0.00</td><td>266</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.95	-----	-----	92.41	34.50	10.74	36.70	0.00	266	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5387.60	47.76	74.00	-26.24	39.01	34.58	10.77	36.60	0.00	266	116	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.95	-----	-----	92.41	34.50	10.74	36.70	0.00	266	116	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.60</td><td>36.86</td><td>54.00</td><td>-17.14</td><td>28.24</td><td>34.53</td><td>10.75</td><td>36.66</td><td>0.00</td><td>266</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.60	36.86	54.00	-17.14	28.24	34.53	10.75	36.66	0.00	266	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>94.40</td><td>-----</td><td>-----</td><td>85.86</td><td>34.50</td><td>10.74</td><td>36.70</td><td>0.00</td><td>266</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	94.40	-----	-----	85.86	34.50	10.74	36.70	0.00	266	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5354.60	36.86	54.00	-17.14	28.24	34.53	10.75	36.66	0.00	266	116	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	94.40	-----	-----	85.86	34.50	10.74	36.70	0.00	266	116	AVERAGE																																																																																							





Mode	21																																																																	
	Band Edge																																																																	
	U-NII-2A_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																	
ANT	CDD 4+5																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5380.08</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>39.37</td><td>34.58</td><td>10.77</td><td>36.60</td><td>0.00</td><td>110</td><td>81 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>47.13</td><td>68.30</td><td>-21.17</td><td>38.16</td><td>34.57</td><td>10.85</td><td>36.45</td><td>0.00</td><td>110</td><td>81 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5380.08	48.12	74.00	-25.88	39.37	34.58	10.77	36.60	0.00	110	81 PEAK	2	5469.20	47.13	68.30	-21.17	38.16	34.57	10.85	36.45	0.00	110	81 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5380.08	48.12	74.00	-25.88	39.37	34.58	10.77	36.60	0.00	110	81 PEAK																																																							
2	5469.20	47.13	68.30	-21.17	38.16	34.57	10.85	36.45	0.00	110	81 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.72</td><td>38.51</td><td>54.00</td><td>-15.49</td><td>29.56</td><td>34.58</td><td>10.84</td><td>36.47</td><td>0.00</td><td>110</td><td>81 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	38.51	54.00	-15.49	29.56	34.58	10.84	36.47	0.00	110	81 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5456.72	38.51	54.00	-15.49	29.56	34.58	10.84	36.47	0.00	110	81 AVERAGE																																																							
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.69</td><td>-----</td><td>-----</td><td>101.65</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>110</td><td>81 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.69	-----	-----	101.65	34.56	10.88	36.40	0.00	110	81 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	110.69	-----	-----	101.65	34.56	10.88	36.40	0.00	110	81 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.06</td><td>-----</td><td>-----</td><td>94.02</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>110</td><td>81 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.06	-----	-----	94.02	34.56	10.88	36.40	0.00	110	81 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	103.06	-----	-----	94.02	34.56	10.88	36.40	0.00	110	81 AVERAGE																																																							



Mode	21																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2A_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																																											
ANT	CDD 4+5																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.12</td><td>48.00</td><td>74.00</td><td>-25.92</td><td>39.22</td><td>34.59</td><td>10.80</td><td>36.53</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>48.01</td><td>68.30</td><td>-20.29</td><td>39.04</td><td>34.57</td><td>10.85</td><td>36.45</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.12	48.00	74.00	-25.92	39.22	34.59	10.80	36.53	0.00	300	135	PEAK	2	5467.76	48.01	68.30	-20.29	39.04	34.57	10.85	36.45	0.00	300	135	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.05</td><td>-----</td><td>-----</td><td>90.01</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>300</td><td>135</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.05	-----	-----	90.01	34.56	10.88	36.40	0.00	300	135
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5423.12	48.00	74.00	-25.92	39.22	34.59	10.80	36.53	0.00	300	135	PEAK																																																																																																																
2	5467.76	48.01	68.30	-20.29	39.04	34.57	10.85	36.45	0.00	300	135	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	99.05	-----	-----	90.01	34.56	10.88	36.40	0.00	300	135	PEAK																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5409.04</td><td>37.28</td><td>54.00</td><td>-16.72</td><td>28.46</td><td>34.60</td><td>10.78</td><td>36.56</td><td>0.00</td><td>300</td><td>135</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5409.04	37.28	54.00	-16.72	28.46	34.60	10.78	36.56	0.00	300	135	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>93.60</td><td>-----</td><td>-----</td><td>84.56</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>300</td><td>135</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.60	-----	-----	84.56	34.56	10.88	36.40	0.00	300	135	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5409.04	37.28	54.00	-16.72	28.46	34.60	10.78	36.56	0.00	300	135	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	93.60	-----	-----	84.56	34.56	10.88	36.40	0.00	300	135	AVERAGE																																																																																																																







Mode	22																																																						
	Band Edge																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																						
ANT	CDD 4+5																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.20</td><td>47.98</td><td>68.30</td><td>-20.32</td><td>39.94</td><td>34.72</td><td>11.20</td><td>37.88</td><td>0.00</td><td>100</td><td>80</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5740.20	47.98	68.30	-20.32	39.94	34.72	11.20	37.88	0.00	100	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5740.20	47.98	68.30	-20.32	39.94	34.72	11.20	37.88	0.00	100	80	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.94</td><td>-----</td><td>-----</td><td>91.49</td><td>34.64</td><td>11.16</td><td>37.35</td><td>0.00</td><td>100</td><td>80</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	99.94	-----	-----	91.49	34.64	11.16	37.35	0.00	100	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	99.94	-----	-----	91.49	34.64	11.16	37.35	0.00	100	80	AVERAGE																																											







Mode	22																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																									
ANT	CDD 4+5																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.88</td><td>47.55</td><td>68.30</td><td>-20.75</td><td>39.32</td><td>34.68</td><td>11.18</td><td>37.63</td><td>0.00</td><td>316</td><td>239</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.88	47.55	68.30	-20.75	39.32	34.68	11.18	37.63	0.00	316	239	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.99</td><td>-----</td><td>-----</td><td>97.54</td><td>34.64</td><td>11.16</td><td>37.35</td><td>0.00</td><td>316</td><td>239</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.99	-----	-----	97.54	34.64	11.16	37.35	0.00	316	239	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5725.88	47.55	68.30	-20.75	39.32	34.68	11.18	37.63	0.00	316	239	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	105.99	-----	-----	97.54	34.64	11.16	37.35	0.00	316	239	PEAK																																																																														
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.62</td><td>-----</td><td>-----</td><td>88.17</td><td>34.64</td><td>11.16</td><td>37.35</td><td>0.00</td><td>316</td><td>239</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.62	-----	-----	88.17	34.64	11.16	37.35	0.00	316	239	AVERAGE																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	96.62	-----	-----	88.17	34.64	11.16	37.35	0.00	316	239	AVERAGE																																																																														







Mode	23																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																						
ANT	CDD 4+5																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.40</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>48.09</td><td>34.22</td><td>10.60</td><td>37.06</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.40	55.85	74.00	-18.15	48.09	34.22	10.60	37.06	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5145.40	55.85	74.00	-18.15	48.09	34.22	10.60	37.06	0.00	100	64	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.10</td><td>68.30</td><td>39.80</td><td>100.19</td><td>34.27</td><td>10.64</td><td>37.00</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.10	68.30	39.80	100.19	34.27	10.64	37.00	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	108.10	68.30	39.80	100.19	34.27	10.64	37.00	0.00	100	64	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.00</td><td>39.59</td><td>54.00</td><td>-14.41</td><td>31.83</td><td>34.22</td><td>10.60</td><td>37.06</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.00	39.59	54.00	-14.41	31.83	34.22	10.60	37.06	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5141.00	39.59	54.00	-14.41	31.83	34.22	10.60	37.06	0.00	100	64	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.19</td><td>68.30</td><td>32.89</td><td>93.31</td><td>34.26</td><td>10.63</td><td>37.01</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.19	68.30	32.89	93.31	34.26	10.63	37.01	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	101.19	68.30	32.89	93.31	34.26	10.63	37.01	0.00	100	64	AVERAGE																																											







		23																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																																		
ANT	CDD 4+5																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.50</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>41.98</td><td>34.22</td><td>10.61</td><td>37.05</td><td>0.00</td><td>362</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.50	49.76	74.00	-24.24	41.98	34.22	10.61	37.05	0.00	362	229	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.31</td><td>68.30</td><td>37.01</td><td>97.40</td><td>34.27</td><td>10.64</td><td>37.00</td><td>0.00</td><td>362</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.31	68.30	37.01	97.40	34.27	10.64	37.00	0.00	362	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.50	49.76	74.00	-24.24	41.98	34.22	10.61	37.05	0.00	362	229	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	105.31	68.30	37.01	97.40	34.27	10.64	37.00	0.00	362	229	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.40</td><td>38.16</td><td>54.00</td><td>-15.84</td><td>30.40</td><td>34.22</td><td>10.60</td><td>37.06</td><td>0.00</td><td>362</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.40	38.16	54.00	-15.84	30.40	34.22	10.60	37.06	0.00	362	229	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.59</td><td>68.30</td><td>29.29</td><td>89.71</td><td>34.26</td><td>10.63</td><td>37.01</td><td>0.00</td><td>362</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.59	68.30	29.29	89.71	34.26	10.63	37.01	0.00	362	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5142.40	38.16	54.00	-15.84	30.40	34.22	10.60	37.06	0.00	362	229	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.59	68.30	29.29	89.71	34.26	10.63	37.01	0.00	362	229	AVERAGE																																																																																							







Mode	24																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																																														
ANT	CDD 4+5																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.40</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>40.19</td><td>34.52</td><td>10.75</td><td>36.67</td><td>0.00</td><td>125</td><td>65</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.40	48.79	74.00	-25.21	40.19	34.52	10.75	36.67	0.00	125	65	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.11</td><td>-----</td><td>-----</td><td>101.61</td><td>34.49</td><td>10.73</td><td>36.72</td><td>0.00</td><td>125</td><td>65</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.11	-----	-----	101.61	34.49	10.73	36.72	0.00	125	65
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5351.40	48.79	74.00	-25.21	40.19	34.52	10.75	36.67	0.00	125	65	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	110.11	-----	-----	101.61	34.49	10.73	36.72	0.00	125	65	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.00</td><td>37.64</td><td>54.00</td><td>-16.36</td><td>29.02</td><td>34.53</td><td>10.75</td><td>36.66</td><td>0.00</td><td>125</td><td>65</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.00	37.64	54.00	-16.36	29.02	34.53	10.75	36.66	0.00	125	65	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.56</td><td>-----</td><td>-----</td><td>93.06</td><td>34.49</td><td>10.73</td><td>36.72</td><td>0.00</td><td>125</td><td>65</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.56	-----	-----	93.06	34.49	10.73	36.72	0.00	125	65
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5356.00	37.64	54.00	-16.36	29.02	34.53	10.75	36.66	0.00	125	65	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	101.56	-----	-----	93.06	34.49	10.73	36.72	0.00	125	65	AVERAGE																																																																																																			







Mode	24																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																																													
ANT	CDD 4+5																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5368.10</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>38.73</td><td>34.55</td><td>10.76</td><td>36.64</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>122</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5368.10	47.40	74.00	-26.60	38.73	34.55	10.76	36.64								0.00	300								122	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.87</td><td>-----</td><td>-----</td><td>94.37</td><td>34.49</td><td>10.73</td><td>36.72</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>122</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.87	-----	-----	94.37	34.49	10.73	36.72								0.00	300								122	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5368.10	47.40	74.00	-26.60	38.73	34.55	10.76	36.64																																																																																																						
							0.00	300																																																																																																						
							122	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	102.87	-----	-----	94.37	34.49	10.73	36.72																																																																																																						
							0.00	300																																																																																																						
							122	PEAK																																																																																																						
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5352.70</td><td>36.35</td><td>54.00</td><td>-17.65</td><td>27.74</td><td>34.53</td><td>10.75</td><td>36.67</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>122</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.70	36.35	54.00	-17.65	27.74	34.53	10.75	36.67								0.00	300								122	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>93.65</td><td>-----</td><td>-----</td><td>85.15</td><td>34.49</td><td>10.73</td><td>36.72</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>122</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	93.65	-----	-----	85.15	34.49	10.73	36.72								0.00	300								122	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5352.70	36.35	54.00	-17.65	27.74	34.53	10.75	36.67																																																																																																						
							0.00	300																																																																																																						
							122	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5320.00	93.65	-----	-----	85.15	34.49	10.73	36.72																																																																																																						
							0.00	300																																																																																																						
							122	AVERAGE																																																																																																						






Mode	25																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																	
ANT	CDD 4+5																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.16</td><td>48.23</td><td>74.00</td><td>-25.77</td><td>39.33</td><td>34.59</td><td>10.81</td><td>36.50</td><td>0.00</td><td>140</td><td>62 PEAK</td></tr><tr><td>2</td><td>5462.96</td><td>47.87</td><td>68.30</td><td>-20.43</td><td>38.91</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>140</td><td>62 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.16	48.23	74.00	-25.77	39.33	34.59	10.81	36.50	0.00	140	62 PEAK	2	5462.96	47.87	68.30	-20.43	38.91	34.58	10.84	36.46	0.00	140	62 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5438.16	48.23	74.00	-25.77	39.33	34.59	10.81	36.50	0.00	140	62 PEAK																																																							
2	5462.96	47.87	68.30	-20.43	38.91	34.58	10.84	36.46	0.00	140	62 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.74</td><td>-----</td><td>-----</td><td>99.70</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>140</td><td>62 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.74	-----	-----	99.70	34.56	10.88	36.40	0.00	140	62 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	108.74	-----	-----	99.70	34.56	10.88	36.40	0.00	140	62 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>38.16</td><td>54.00</td><td>-15.84</td><td>29.20</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>140</td><td>62 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	38.16	54.00	-15.84	29.20	34.58	10.84	36.46	0.00	140	62 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.12	38.16	54.00	-15.84	29.20	34.58	10.84	36.46	0.00	140	62 AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.29</td><td>-----</td><td>-----</td><td>93.25</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>140</td><td>62 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.29	-----	-----	93.25	34.56	10.88	36.40	0.00	140	62 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	102.29	-----	-----	93.25	34.56	10.88	36.40	0.00	140	62 AVERAGE																																																							






Mode	25																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																												
ANT	CDD 4+5																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5441.84</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>39.43</td><td>34.58</td><td>10.82</td><td>36.50</td><td>0.00</td><td>333 125 PEAK</td></tr><tr><td>2 5466.00</td><td>47.29</td><td>68.30</td><td>-21.01</td><td>38.31</td><td>34.58</td><td>10.85</td><td>36.45</td><td>0.00</td><td>333 125 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5441.84	48.33	74.00	-25.67	39.43	34.58	10.82	36.50	0.00	333 125 PEAK	2 5466.00	47.29	68.30	-21.01	38.31	34.58	10.85	36.45	0.00	333 125 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>103.20</td><td>-----</td><td>-----</td><td>94.16</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>333 125 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	103.20	-----	-----	94.16	34.56	10.88	36.40	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5441.84	48.33	74.00	-25.67	39.43	34.58	10.82	36.50	0.00	333 125 PEAK																																																																																																				
2 5466.00	47.29	68.30	-21.01	38.31	34.58	10.85	36.45	0.00	333 125 PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5500.00	103.20	-----	-----	94.16	34.56	10.88	36.40	0.00	333 125 PEAK																																																																																																				
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5455.44</td><td>36.36</td><td>54.00</td><td>-17.64</td><td>27.42</td><td>34.58</td><td>10.83</td><td>36.47</td><td>0.00</td><td>333 125 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.44	36.36	54.00	-17.64	27.42	34.58	10.83	36.47	0.00	333 125 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>95.90</td><td>-----</td><td>-----</td><td>86.86</td><td>34.56</td><td>10.88</td><td>36.40</td><td>0.00</td><td>333 125 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	95.90	-----	-----	86.86	34.56	10.88	36.40	0.00	333 125 AVERAGE									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5455.44	36.36	54.00	-17.64	27.42	34.58	10.83	36.47	0.00	333 125 AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 5500.00	95.90	-----	-----	86.86	34.56	10.88	36.40	0.00	333 125 AVERAGE																																																																																																				







		26																																																																																				
Mode		Band Edge																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																				
ANT		CDD 4+5																																																																																				
Pol.		Horizontal						Fundamental																																																																														
Peak																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.92	50.28	68.30	-18.02	42.07	34.68	11.18	37.65	0.00	100	80 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>108.51</td><td>-----</td><td>-----</td><td>100.06</td><td>34.64</td><td>11.16</td><td>37.35</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	108.51	-----	-----	100.06	34.64	11.16	37.35	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5726.92	50.28	68.30	-18.02	42.07	34.68	11.18	37.65	0.00	100	80 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	108.51	-----	-----	100.06	34.64	11.16	37.35	0.00	100	80 PEAK																																																																												
Avg	Blank																																																																																					
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>99.88</td><td>-----</td><td>-----</td><td>91.43</td><td>34.64</td><td>11.16</td><td>37.35</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.88	-----	-----	91.43	34.64	11.16	37.35	0.00	100	80 AVERAGE																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	99.88	-----	-----	91.43	34.64	11.16	37.35	0.00	100	80 AVERAGE																																																																												



Mode	26																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																
ANT	CDD 4+5																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.32</td><td>48.65</td><td>68.30</td><td>-19.65</td><td>40.41</td><td>34.68</td><td>11.18</td><td>37.62</td><td>0.00</td><td>333</td><td>232</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.32	48.65	68.30	-19.65	40.41	34.68	11.18	37.62	0.00	333	232	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.71</td><td>-----</td><td>-----</td><td>97.26</td><td>34.64</td><td>11.16</td><td>37.35</td><td>0.00</td><td>333</td><td>232</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.71	-----	-----	97.26	34.64	11.16	37.35	0.00	333	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5725.32	48.65	68.30	-19.65	40.41	34.68	11.18	37.62	0.00	333	232	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	105.71	-----	-----	97.26	34.64	11.16	37.35	0.00	333	232	PEAK																																																																																					
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.85</td><td>-----</td><td>-----</td><td>89.40</td><td>34.64</td><td>11.16</td><td>37.35</td><td>0.00</td><td>333</td><td>232</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.85	-----	-----	89.40	34.64	11.16	37.35	0.00	333	232	AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	97.85	-----	-----	89.40	34.64	11.16	37.35	0.00	333	232	AVERAGE																																																																																					



Mode	27																																																					
	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																					
ANT	CDD 4+5																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.30</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>46.09</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>112</td><td>62 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.30	53.88	74.00	-20.12	46.09	34.23	10.61	37.05	0.00	112	62 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.30	53.88	74.00	-20.12	46.09	34.23	10.61	37.05	0.00	112	62 Peak																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.78</td><td>68.30</td><td>40.48</td><td>100.90</td><td>34.26</td><td>10.63</td><td>37.01</td><td>0.00</td><td>112</td><td>62 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.78	68.30	40.48	100.90	34.26	10.63	37.01	0.00	112	62 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	108.78	68.30	40.48	100.90	34.26	10.63	37.01	0.00	112	62 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>40.21</td><td>54.00</td><td>-13.79</td><td>32.42</td><td>34.23</td><td>10.61</td><td>37.05</td><td>0.00</td><td>112</td><td>62 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	40.21	54.00	-13.79	32.42	34.23	10.61	37.05	0.00	112	62 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5150.00	40.21	54.00	-13.79	32.42	34.23	10.61	37.05	0.00	112	62 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.14</td><td>68.30</td><td>33.84</td><td>94.23</td><td>34.27</td><td>10.64</td><td>37.00</td><td>0.00</td><td>112</td><td>62 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.14	68.30	33.84	94.23	34.27	10.64	37.00	0.00	112	62 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	102.14	68.30	33.84	94.23	34.27	10.64	37.00	0.00	112	62 AVERAGE																																											