



HWA-HSING Test Report No.: 220218KH01-1-SE-US-01



RF Exposure Report

FCC ID: 2AR2STAB8507RE

Applicant: MMD Hong Kong Holding Limited

Address: Unit 1006, 10th Floor, C-Bons International Center, 108 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong

Manufacturer: MMD Hong Kong Holding Limited

Address: Unit 1006, 10th Floor, C-Bons International Center, 108 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong

Product: Soundbar speaker

Brand(s): PHILIPS or 

Test Model(s): TAB8507

Series Model(s): See section 2.1

Test Date: Apr. 06, 2022 ~ Apr. 25, 2022

Issued Date: May 17, 2022

Issued By: Hwa-Hsing (Dongguan) Testing Co., Ltd.

Address: No.101, Bld N1, Yuyuan 2Rd, Yuyuan Industrial Park, HuangJiang Town, Dongguan, China

Test Firm Registration No.: 915896

Standards: FCC Part 2 (Section 2.1091)
KDB 447498 D01 General RF Exposure Guidance v06
IEEE C95.1

The above equipment has been tested by **Hwa-Hsing (Dongguan) Testing Co., Ltd.**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

Prepared by :

Tank Tan

Reviewed by :

Scott He

Approved by :

Harry Li

This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification. The report must not be used by the client to claim product certification, approval, or endorsement by A2LA or any agency of the federal government. The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any government agencies.

Lab: [Hwa-Hsing \(Dongguan\) Testing Co., Ltd.](#)
Address: [No.101, Bld N1, Yuyuan 2Rd, Yuyuan Industrial Park, HuangJiang Town, Dongguan, China](#)

Tel: [0769-83078199](#)
Web.: [www.hwa-hsing.com](#)
E-Mail: [customerservice.dg@hwa-hsing.com](#)

Release
Ver. 1.5



Table of contents

Release control record	3
1 General Information	4
1.1 General Description of EUT	4
2 RF exposure limit.....	5
2.1 MPE calculation formula	5
3 Calculation result of maximum conducted power	6
Appendix – Information on the Testing Laboratories	7



Release control record

Issue No.	Reason for change	Date issued
220218KH01-1-SE-US-01	Original Release	May 17, 2022



1 General Information

1.1 General Description of EUT

Product(s)	Soundbar speaker
Test Model(s)	TAB8507
Sample No.	HS220311-02-07; HS220311-02-09
Series Model(s)	TAB8507B, TAB8507RE, TAB8507BRE, TAB8507/10, TAB8507B/10, TAB8507RE/10, TAB8507BRE/10, TAB8507/37, TAB8507B/37, TAB8507RE/37, TAB8507BRE/37, TAB8507/98, TAB8507B/98, TAB8507RE/98, TAB8507BRE/98, TAB8507xx/yy, TAB8507Bxx/yy (x=A-Z or blank, yy=00-99 or blank for country code)
Status of EUT	Engineering Prototype
Power Supply Rating	100-240V~, 50/60Hz, 35W
Modulation Type	WiFi: CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM Bluetooth: GFSK, $\pi/4$ DQPSK
Modulation Technology	WiFi 2.4GHz: DSSS; OFDM WiFi 5GHz: OFDM Bluetooth: FHSS
Transfer Rate	Wi-Fi 2.4GHz: 802.11b:11.0/ 5.5/ 2.0/ 1.0Mbps 802.11g: 54.0/ 48.0/ 36.0/ 24.0/ 18.0/ 12.0/ 9.0/ 6.0Mbps 802.11n: up to 300Mbps Wi-Fi 5GHz: 802.11a: 54.0/ 48.0/ 36.0/ 24.0/ 18.0/ 12.0/ 9.0/ 6.0Mbps 802.11n: up to 300Mbps 802.11ac: up to 866.7Mbps Bluetooth: 1Mbps/2 Mbps/3 Mbps
Operating Frequency	Wi-Fi 2.4GHz: 802.11b, 802.11g, 802.11n (HT20): 2412 ~ 2472MHz 802.11n (HT40): 2422 ~ 2462MHz Wi-Fi 5GHz: 5180MHz ~ 5240MHz; 5260MHz ~ 5320MHz; 5500MHz ~ 5700MHz; 5745MHz ~ 5825MHz Bluetooth: 2402MHz ~ 2480 MHz
Output Power(AVG)	Wi-Fi 5GHz: 15.86dBm for 5470 ~ 5725MHz 14.41dBm for 5725 ~ 5850MHz Wi-Fi 2.4GHz: 18.109dBm Bluetooth: 0.652dBm
Antenna Type	FPC Antenna
Antenna Gain	Wi-Fi 2.4GHz: 2.48dBi Wi-Fi 5G: 1.88dBi for 5150 ~ 5250MHz 2.28dBi for 5250 ~ 5350MHz 2.43dBi for 5470 ~ 5725MHz 2.19dBi for 5725 ~ 5850MHz Bluetooth: 2.49dBi
Antenna Connector	N/A
Accessory Device	N/A
Cable Supplied	AC Lines: 150cm

Note:

1. Please refer to the EUT photo document (Reference No.: 220218KH01-1-01&-02) for detailed product photo.
2. The above EUT information is declared by manufacturer and for more detailed features description, please refer to the manufacturer's specifications or User's Manual.
3. Model difference: These models are only different for model name for trade purpose.



2 RF exposure limit

Limits for maximum permissible exposure (MPE)

Limits for general population / uncontrolled exposure				
Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Average time (minutes)
300-1500	...	...	F/1500	30
1500-100,000	...	...	1.0	30
Note: F = Frequency in MHz				

2.1 MPE calculation formula

$$P_d = (P_{out} * G) / (4 * \pi * r^2)$$

Where:

P_d = power density in mW/cm²

P_{out} = output power to antenna in mW

G = gain of antenna in linear scale

π = 3.1416

R = distance between observation point and center of the radiator in cm

Classification:

The antenna of this product, under normal use condition, is at least 20cm away from the body of the user.



3 Calculation result of maximum conducted power

The antennas provided to the EUT, please refer to the following table:

Function	Frequency Band	Antenna Gain (dBi)	Antenna Type	Transmit and Receive Chain	Maximum AVG Power(dBm)
Bluetooth	2400~2483.5MHz	2.49	FPC	1TX,1RX	0.652
WiFi 2.4GHz	2400~2483.5MHz	2.48	FPC	1TX,1RX	18.109
WiFi 5GHz	5470 ~ 5725MHz	2.43	FPC	1TX,1RX	15.86
WiFi 5GHz	5725 ~ 5850MHz	2.19	FPC	1TX,1RX	14.41

Function	Max power (mW)	Antenna gain (dBi)	Distance (cm)	Power density (mW/cm ²)	Limit (mW/cm ²)
Bluetooth	1.162	2.49	20	0.00041	1.0
WiFi 2.4GHz	64.699	2.48	20	0.022784	1.0
WiFi 5.1~5.7GHz	38.548	2.43	20	0.013419	1.0
WiFi 5.8GHz	27.605	2.19	20	0.009093	1.0

Note: The above wireless function can not be transmission simultaneous.

Conclusion:

Therefore, the worst-case situation is 0.022784 mW/cm², which is less than "1". This confirmed that the device compliance with FCC 1.1310 MPE limit.



Appendix – Information on the Testing Laboratories

We, [Hwa-Hsing \(Dongguan\) Co., Ltd.](#), A global provider of TESTING and CERTIFICATION services for consumer products, electronic products and wireless information technology products. Adhering to the core values “HONEST and TRUSTWORTHY, OBJECTIVE and IMPARTIALITY, RIGOROUS and AFFICIENT”, commitment to provide professional, perfect and efficient comprehensive ONE-STOP solution of TESTING and CERTIFICATION services for Manufacturers, Buyers, Traders, Brands, Retailers. Assist client to better manage risk, protect their brands, reduce costs and cut time to over 150 markets in global. Our laboratories are FCC recognized accredited test firms and accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Lab Address: [No.101, Bld N1, Yuyuan 2Rd, Yuyuan Industrial Park, HuangJiang Town, Dongguan, China](#)

Contact Tel: [0769-83078199](tel:0769-83078199)

Email: Customerservice.dg@hwa-hsing.com

Web Site: www.hwa-hsing.com

--- END ---