

FCC SAR Test Report

APPLICANT : Sonim Technologies, Inc.
EQUIPMENT : 5G Feature Phone
BRAND NAME : Sonim
MODEL NAME : X320(S1303), X320(S1403), X320(S1301),
X320(S1401), X320(S1302), X320(S1402),
X320(S1304), X320(S1404), X320(S1305),
X320(S1405), X320(S1310), X320(S1410)
FCC ID : WYPS13030
STANDARD : FCC 47 CFR Part 2 (2.1093)

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the test procedures given in 47 CFR Part 2.1093 and FCC KDB and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.



Approved by: Si Zhang



Sporton International Inc. (Kunshan)

No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300
People's Republic of China



Table of Contents

1. Statement of Compliance	4
2. Administration Data	6
3. Guidance Applied	6
4. Equipment Under Test (EUT) Information	7
4.1 General Information.....	7
4.2 General LTE SAR Test and Reporting Considerations	9
4.3 General 5G NR SAR Test and Reporting Considerations	13
5. RF Exposure Limits.....	16
5.1 Uncontrolled Environment.....	16
5.2 Controlled Environment.....	16
6. Specific Absorption Rate (SAR)	17
6.1 Introduction	17
6.2 SAR Definition	17
7. System Description and Setup.....	18
7.1 E-Field Probe	19
7.2 Data Acquisition Electronics (DAE)	19
7.3 Phantom.....	20
7.4 Device Holder.....	21
8. Measurement Procedures.....	22
8.1 Spatial Peak SAR Evaluation	22
8.2 Power Reference Measurement.....	23
8.3 Area Scan.....	23
8.4 Zoom Scan.....	24
8.5 Volume Scan Procedures.....	24
8.6 Power Drift Monitoring.....	24
9. Test Equipment List	25
10. System Verification	26
10.1 Tissue Simulating Liquids.....	26
10.2 Tissue Verification	27
10.3 System Performance Check Results.....	28
11. RF Exposure Positions	30
11.1 Ear and handset reference point	30
11.2 Definition of the cheek position.....	31
11.3 Definition of the tilt position.....	32
11.4 Body Worn Accessory	33
11.5 Product Specific 10g SAR Exposure	34
11.6 Wireless Router	34
12. Conducted RF Output Power (Unit: dBm).....	35
13. Antenna Location	49
14. SAR Test Results	50
14.1 Head SAR.....	53
14.2 Hotspot SAR	60
14.3 Body-Worn SAR	80
14.4 Product specific 10g SAR.....	85
14.5 Repeated SAR Measurement	87
14.6 TDD LTE and NR Linearity Data Analysis	88
15. Simultaneous Transmission Analysis	93
15.1 Head Exposure Conditions.....	94
<Flip Open>	94
15.2 Hotspot Exposure Conditions.....	100
15.3 Body-Worn Accessory Exposure Conditions.....	109
15.4 Product specific 10g SAR Exposure Conditions.....	112
15.5 SPLSR Evaluation and Analysis.....	113
16. Uncertainty Assessment.....	116
17. References	117
Appendix A. Plots of System Performance Check	
Appendix B. Plots of High SAR Measurement	
Appendix C. DASY Calibration Certificate	
Appendix D. Test Setup Photos	
Appendix E. Conducted RF Output Power Table	
Appendix F. Power measurement connection diagram and CA Conducted RF Output Power Table	
Appendix G. Power reduction mechanism verification	



Revision History

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FA462605	Rev. 02	Initial issue of report.	Sep. 18, 2024

1. Statement of Compliance

The maximum results of Specific Absorption Rate (SAR) found during testing for **Sonim Technologies, Inc., 5G Feature Phone, X320(S1303), X320(S1403), X320(S1301), X320(S1401), X320(S1302), X320(S1402), X320(S1304), X320(S1404), X320(S1305), X320(S1405), X320(S1310), X320(S1410)**, are as follows.

Highest 1g SAR Summary						
Equipment Class	Frequency Band		Head (Separation 0mm)	Hotspot (Separation 10mm)	Body-worn (Separation 15mm)	Highest Simultaneous Transmission 1g SAR (W/kg)
			1g SAR (W/kg)			
Licensed	WCDMA	WCDMA II	<0.10	1.14	0.54	1.59
		WCDMA IV	0.15	1.13	0.66	
		WCDMA V	0.29	0.64	0.50	
	LTE	LTE Band 7	0.27	1.01	0.49	
		LTE Band 12	0.33	0.74	0.50	
		LTE Band 13	0.33	0.76	0.76	
		LTE Band 14	0.40	1.02	0.81	
		LTE Band 25/2	0.46	1.20	0.73	
		LTE Band 26/5	0.56	1.20	0.83	
		LTE Band 66/4	0.50	1.21	0.72	
		LTE Band 71	0.28	0.87	0.63	
		LTE Band 41/38	0.14	0.88	0.49	
		LTE Band 42	0.32	0.90	0.31	
		LTE Band 48/43	0.56	0.91	0.48	
	5G NR	FR1 n5	0.54	1.20	0.90	
		FR1 n7	0.24	1.03	0.49	
		FR1 n14	0.50	1.07	0.79	
		FR1 n25/2	0.48	1.20	0.71	
		FR1 n66	0.55	1.13	0.70	
		FR1 n71	0.30	0.88	0.60	
		FR1 n41/38	0.26	1.22	0.67	
		FR1 n48	1.22	1.07	0.68	
		FR1 n77/78	1.08	1.23	0.64	
DTS	WLAN	2.4GHz WLAN	0.30	0.39	0.17	1.56
NII		5GHz WLAN	1.15	0.34	0.48	1.59
DSS	Bluetooth	2.4GHz Bluetooth	<0.10	0.12	<0.10	1.48

Highest 10g SAR Summary				
Equipment Class	Frequency Band		Product Specific 10g SAR (W/kg) (Separation 0mm)	Highest Simultaneous Transmission 10g SAR (W/kg)
Licensed	WCDMA	WCDMA II	3.03	3.97
	LTE	LTE Band 25/2	3.00	
		LTE Band 66/4	3.39	
	5G NR	FR1 n25/2	2.71	
		FR1 n66	2.72	
		FR1 n41/38	3.14	
		FR1 n48	3.49	
		FR1 n77/78	2.90	
NII	WLAN	5GHz WLAN	1.76	3.97
Date of Testing:			2024/7/31 ~ 2024/8/26	

Remark:

1. This device supports LTE B2 / B4 / B5 / B38 / B43 and B25 / B66 / B26 / B41 / B48. Since the supported frequency span for LTE B2 / B4 / B5 / B38 / B43 falls completely within the supports frequency span for LTE B25 / B66 / B26 / B41 / B48, both LTE bands have the same target power, and both LTE bands share the same transmission path; therefore, SAR was only assessed for LTE B25 / B66 / B26 / B41 / B48.
2. This device supports 5GNR n2/n38/n78 and n25/n41/n77. Since the supported frequency span for 5GNR n2/n38/n78 falls completely within the supports frequency span for n25/n41/n77, both 5GNR bands have the same target power, and both 5GNR bands share the same transmission path; therefore, SAR was only assessed for n25/n41/n77.

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

This device is in compliance with Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits (1.6 W/kg for Partial-Body 1g SAR, 4.0 W/kg for Product Specific 10g SAR) specified in FCC 47 CFR part 2 (2.1093) and ANSI/IEEE C95.1-1992, and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528-2013 and FCC KDB publications.



2. Administration Data

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

Testing Laboratory			
Test Firm	Sporton International Inc. (Kunshan)		
Test Site Location	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	SAR03-KS, SAR07-KS	CN1257	314309

Applicant	
Company Name	Sonim Technologies, Inc.
Address	4445 Eastgate Mall, Suite 200, San Diego, CA 92121, USA

Manufacturer	
Company Name	Sonim Technologies, Inc.
Address	4445 Eastgate Mall, Suite 200, San Diego, CA 92121, USA

3. Guidance Applied

The Specific Absorption Rate (SAR) testing specification, method, and procedure for this device is in accordance with the following standards:

- FCC 47 CFR Part 2 (2.1093)
- ANSI/IEEE C95.1-1992
- IEEE 1528-2013
- FCC KDB 865664 D01 SAR Measurement 100 MHz to 6 GHz v01r04
- FCC KDB 865664 D02 SAR Reporting v01r02
- FCC KDB 447498 D01 General RF Exposure Guidance v06
- FCC KDB 648474 D04 SAR Evaluation Considerations for Wireless Handsets v01r03
- FCC KDB 248227 D01 802.11 Wi-Fi SAR v02r02
- FCC KDB 941225 D01 3G SAR Procedures v03r01
- FCC KDB 941225 D05 SAR for LTE Devices v02r05
- FCC KDB 941225 D05A Rel.10 LTE SAR Test Guidance v01r02
- FCC KDB 941225 D06 Hotspot Mode SAR v02r01



4. Equipment Under Test (EUT) Information

4.1 General Information

Product Feature & Specification	
Equipment Name	5G Feature Phone
Brand Name	Sonim
Model Name	X320(S1303), X320(S1403), X320(S1301), X320(S1401), X320(S1302), X320(S1402), X320(S1304), X320(S1404), X320(S1305), X320(S1405), X320(S1310), X320(S1410)
FCC ID	WYPS13030
IMEI Code	Sample 1: 016562000017963 Sample 2: 016561000001308
Wireless Technology and Frequency Range	WCDMA Band II: 1850 MHz ~ 1910 MHz WCDMA Band IV: 1710 MHz ~ 1755 MHz WCDMA Band V: 824 MHz ~ 849 MHz LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12: 699 MHz ~ 716 MHz LTE Band 13: 777 MHz ~ 787 MHz LTE Band 14: 788 MHz ~ 798 MHz LTE Band 25: 1850 MHz ~ 1915 MHz LTE Band 26: 814 MHz ~ 849 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 42: 3450 MHz ~ 3600 MHz LTE Band 43: 3600 MHz ~ 3700 MHz LTE Band 48: 3550 MHz ~ 3700 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz 5G NR n2 : 1850 MHz ~ 1910 MHz 5G NR n5 : 824 MHz ~ 849 MHz 5G NR n7 : 2500 MHz ~ 2570 MHz 5G NR n14 : 788 MHz ~ 798 MHz 5G NR n25 : 1850 MHz ~ 1915 MHz 5G NR n38 : 2570 MHz ~ 2620 MHz 5G NR n41 : 2496 MHz ~ 2690 MHz 5G NR n48 : 3550 MHz ~ 3700 MHz 5G NR n66 : 1710 MHz ~ 1780 MHz 5G NR n71 : 663 MHz ~ 698 MHz 5G NR n77: 3450 MHz ~ 3980 MHz 5G NR n78: 3450 MHz ~ 3800 MHz WLAN 2.4GHz Band: 2412 MHz ~ 2462 MHz WLAN 5.2GHz Band: 5180 MHz ~ 5240 MHz WLAN 5.3GHz Band: 5260 MHz ~ 5320 MHz WLAN 5.5GHz Band: 5500 MHz ~ 5720 MHz WLAN 5.8GHz Band: 5745 MHz ~ 5825 MHz Bluetooth: 2402 MHz ~ 2480 MHz
Mode	RMC/AMR 12.2Kbps HSDPA HSUPA DC-HSDPA HSPA+ (16QAM uplink is support) LTE: QPSK, 16QAM, 64QAM, 256QAM 5G NR: DFT-s-OFDM/CP-OFDM, Pi/2 BPSK/QPSK/16QAM/64QAM/256QAM WLAN 2.4GHz 802.11b/g/n HT20 WLAN 5GHz 802.11a/n HT20/HT40 WLAN 5GHz 802.11ac VHT20/VHT40/VHT80 Bluetooth BR/EDR/LE
HW Version	V1.0
SW Version	X32.0-01-14.0-19.01.00
EUT Stage	Identical Prototype
Remark: 1. This device 2.4GHz WLAN support hotspot operation and Bluetooth support tethering applications. 2. This device 5.2GHz WLAN/5.8GHz WLAN support hotspot operation, and 5.2GHz WLAN/5.8GHz WLAN supports	

- WiFi Direct (GC/GO), and 5.3GHz / 5.5GHz supports WiFi Direct (GC only).
3. For dual SIM card mobile supports dual SIM dual standby. The WWAN radio transmission will be enabled by either one SIM at a time (single active).
 4. The device implements receiver detection/hotspot mode for SAR compliance at different exposure conditions (head, body-worn, hotspot, extremity). And the device will invoke corresponding work scenarios power level base on frequency bands/antennas, which can refer to power table at appendix E.
 5. For WLAN when transmit simultaneous with WWAN, power reduction will be activated to head, hotspot exposure condition.
 6. This device supports HPUE for LTE Band 41 with class 2 level, HPUE power has been measured separately. For HPUE power is higher than power class 3 but with lower duty cycle, the maximum average power for class 2 and class 3 is almost the same, so we chose power class 3 full SAR testing and power class 2 verify the worst case of power class 3 SAR.
 7. For 5GNR n41/n77 HPUE, 5GNR n41/n77 PC2 Maximum Duty Cycle is 50%, using FTM (Factory Test Mode) with 50% duty cycle is considered during SAR testing. For 5G NR other bands test, using FTM (Factory Test Mode) with default 100% duty cycle transmission to perform SAR testing.
 8. This device supports HPUE mode for 5GNR n41/n77 (Part 270&27Q) with higher power, so power class 2 was chosen to perform full SAR testing and power class 2 SAR can represent power class 3 SAR.
 9. Part 96 for 5GNR n77 is not supports HPUE mode.
 10. There are two samples under test: Sample 1(With camera) and Sample2 (Without camera), there is no other difference. According to the difference, we choose sample 1 to perform full test and sample 2 to verify the worst cases of sample 1.
 11. For the different model names, please refer to the Operational Description of Product Equality Declaration which is exhibit separately.
 12. This device supports 5GNR FR1 bands as following table, including NSA mode and SA mode. NSA and SA mode performed SAR separately.

<5G NR>

Mode	Band	Duplex	SCS(KHz)	Bandwidths(BW)
NSA	n2	FDD	15	5, 10, 15, 20
	n5	FDD	15	5, 10, 15, 20
	n7	FDD	15	5, 10, 15, 20, 25, 30, 40
	n25	FDD	15	5, 10, 15, 20, 25, 30, 35, 40
	n66	FDD	15	5, 10, 15, 20, 25, 30, 35, 40
	n71	FDD	15	5, 10, 15, 20
	n38	TDD	30	10, 15, 20, 30, 40
	n41	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100
	n77	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100
SA	n78	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100
	n2	FDD	15	5, 10, 15, 20
	n5	FDD	15	5, 10, 15, 20
	n7	FDD	15	5, 10, 15, 20, 25, 30, 40
	n14	FDD	15	5, 10
	n25	FDD	15	5, 10, 15, 20, 25, 30, 35, 40
	n66	FDD	15	5, 10, 15, 20, 25, 30, 35, 40
	n71	FDD	15	5, 10, 15, 20
	n38	TDD	30	10, 15, 20, 30, 40
	n41	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100
	n48	TDD	30	10, 20, 30, 40
	n77	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100
	n78	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100

4.2 General LTE SAR Test and Reporting Considerations

Summarized necessary items addressed in KDB 941225 D05 v02r05																																																																									
FCC ID	WYPS13030																																																																								
Equipment Name	5G Feature Phone																																																																								
Operating Frequency Range of each LTE transmission band	LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 7: 2500 MHz ~ 2570 MHz LTE Band 12: 699 MHz ~ 716 MHz LTE Band 13: 777 MHz ~ 787 MHz LTE Band 14: 788 MHz ~ 798 MHz LTE Band 25: 1850 MHz ~ 1915 MHz LTE Band 26: 814 MHz ~ 849 MHz LTE Band 38: 2570 MHz ~ 2620 MHz LTE Band 41: 2496 MHz ~ 2690 MHz LTE Band 42: 3450 MHz ~ 3600 MHz LTE Band 43: 3600 MHz ~ 3700 MHz LTE Band 48: 3550 MHz ~ 3700 MHz LTE Band 66: 1710 MHz ~ 1780 MHz LTE Band 71: 663 MHz ~ 698 MHz																																																																								
Channel Bandwidth	LTE Band 2:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 4:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 5:1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 7: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 12:1.4MHz, 3MHz, 5MHz, 10MHz LTE Band 13: 5MHz, 10MHz LTE Band 14: 5MHz, 10MHz LTE Band 25:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 26:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz LTE Band 38: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 41: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 42: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 43: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 48: 5MHz, 10MHz, 15MHz, 20MHz LTE Band 66:1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz LTE Band 71: 5MHz, 10MHz, 15MHz, 20MHz																																																																								
uplink modulations used	QPSK / 16QAM / 64QAM / 256QAM																																																																								
LTE Voice / Data requirements	Voice and Data																																																																								
LTE Release Version	R15																																																																								
CA Support	Yes, Downlink only																																																																								
LTE MPR permanently built-in by design	<table><tr><th colspan="8">Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3</th></tr><tr><th rowspan="2">Modulation</th><th colspan="6">Channel bandwidth / Transmission bandwidth (N_{RB})</th><th rowspan="2">MPR (dB)</th></tr><tr><th>1.4 MHz</th><th>3.0 MHz</th><th>5 MHz</th><th>10 MHz</th><th>15 MHz</th><th>20 MHz</th></tr><tr><td>QPSK</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 1</td></tr><tr><td>16 QAM</td><td>≤ 5</td><td>≤ 4</td><td>≤ 8</td><td>≤ 12</td><td>≤ 16</td><td>≤ 18</td><td>≤ 1</td></tr><tr><td>16 QAM</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 2</td></tr><tr><td>64 QAM</td><td>≤ 5</td><td>≤ 4</td><td>≤ 8</td><td>≤ 12</td><td>≤ 16</td><td>≤ 18</td><td>≤ 2</td></tr><tr><td>64 QAM</td><td>> 5</td><td>> 4</td><td>> 8</td><td>> 12</td><td>> 16</td><td>> 18</td><td>≤ 3</td></tr><tr><td>256 QAM</td><td colspan="6">≥ 1</td><td>≤ 5</td></tr></table>			Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3								Modulation	Channel bandwidth / Transmission bandwidth (N_{RB})						MPR (dB)	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1	16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1	16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2	64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2	64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3	256 QAM	≥ 1						≤ 5
Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 1, 2 and 3																																																																									
Modulation	Channel bandwidth / Transmission bandwidth (N_{RB})						MPR (dB)																																																																		
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz																																																																			
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1																																																																		
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1																																																																		
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2																																																																		
64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2																																																																		
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3																																																																		
256 QAM	≥ 1						≤ 5																																																																		
LTE A-MPR	In the base station simulator configuration, Network Setting value is set to NS_01 to disable A-MPR during SAR testing and the LTE SAR tests was transmitting on all TTI frames (Maximum TTI)																																																																								
Spectrum plots for RB configuration	A properly configured base station simulator was used for the SAR and power measurement; therefore, spectrum plots for each RB allocation and offset configuration are not included in the SAR report.																																																																								
Power reduction applied to satisfy SAR compliance	Yes, when operating in receiver/hotspot detect mechanism, head/body -worn /hotspot/extremity will trigger reduced power for some bands applied to satisfy SAR compliance, the detail please referred to section 12.																																																																								
LTE Carrier Aggregation Combinations	Inter-Band and Intra-Band possible combinations and the detail power verification please referred to section 12.																																																																								
LTE Carrier Aggregation Additional Information	This device supports maximum of 2 carriers in the downlink. Additional following LTE Release features are not supported: Relay, HetNet, Enhanced MIMO, eICI, WiFi Offloading, MDH, eMBMA, Cross-Carrier Scheduling, Enhanced SC-FDMA.																																																																								

Transmission (H, M, L) channel numbers and frequencies in each LTE band												
LTE Band 2												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	18607	1850.7	18615	1851.5	18625	1852.5	18650	1855	18675	1857.5	18700	1860
M	18900	1880	18900	1880	18900	1880	18900	1880	18900	1880	18900	1880
H	19193	1909.3	19185	1908.5	19175	1907.5	19150	1905	19125	1902.5	19100	1900
LTE Band 4												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	19957	1710.7	19965	1711.5	19975	1712.5	20000	1715	20025	1717.5	20050	1720
M	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5	20175	1732.5
H	20393	1754.3	20385	1753.5	20375	1752.5	20350	1750	20325	1747.5	20300	1745
LTE Band 5												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	20407	824.7	20415	825.5	20425	826.5	20450	826.5	20450	826.5	20450	829
M	20525	836.5	20525	836.5	20525	836.5	20525	836.5	20525	836.5	20525	836.5
H	20643	848.3	20635	847.5	20625	846.5	20625	846.5	20600	846.5	20600	844
LTE Band 7												
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	20775	2502.5	20800	2505	20825	2507.5	20850	2507.5	20850	2507.5	20850	2510
M	21100	2535	21100	2535	21100	2535	21100	2535	21100	2535	21100	2535
H	21425	2567.5	21400	2565	21375	2562.5	21350	2562.5	21350	2562.5	21350	2560
LTE Band 12												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz					
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	23017	699.7	23025	700.5	23035	701.5	23060	701.5	23060	701.5	23060	704
M	23095	707.5	23095	707.5	23095	707.5	23095	707.5	23095	707.5	23095	707.5
H	23173	715.3	23165	714.5	23155	713.5	23155	713.5	23130	713.5	23130	711
LTE Band 13												
	Bandwidth 5 MHz				Bandwidth 10 MHz							
	Channel #		Freq.(MHz)		Channel #		Freq.(MHz)		Channel #		Freq.(MHz)	
L	23205		779.5		23230		782					
M	23230		782									
H	23255		784.5									
LTE Band 14												
	Bandwidth 5 MHz				Bandwidth 10 MHz							
	Channel #		Freq.(MHz)		Channel #		Freq. (MHz)		Channel #		Freq. (MHz)	
L	23305		790.5		23330		793					
M	23330		793									
H	23355		795.5									
LTE Band 25												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	26047	1850.7	26055	1851.5	26065	1852.5	26090	1855	26115	1857.5	26140	1860
M	26340	1880	26340	1880	26340	1880	26340	1880	26340	1880	26340	1880
H	26683	1914.3	26675	1913.5	26665	1912.5	26640	1910	26615	1907.5	26590	1905
LTE Band 26												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	26697	814.7	26705	815.5	26715	816.5	26740	816.5	26740	819	26765	821.5
M	26865	831.5	26865	831.5	26865	831.5	26865	831.5	26865	831.5	26865	831.5
H	27033	848.3	27025	847.5	27015	846.5	26990	846.5	26990	844	26965	841.5

LTE Band 38								
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	37775	2572.5	37800	2575	37825	2577.5	37850	2580
M	38000	2595	38000	2595	38000	2595	38000	2595
H	38225	2617.5	38200	2615	38175	2612.5	38150	2610

LTE Band 41								
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	39675	2498.5	39700	2501	39725	2503.5	39750	2506
LM	40148	2545.8	40160	2547	40173	2548.3	40185	2549.5
M	40620	2593	40620	2593	40620	2593	40620	2593
HM	41093	2640.3	41080	2639	41068	2637.8	41055	2636.5
H	41565	2687.5	41540	2685	41515	2682.5	41490	2680

LTE Band 48								
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	55265	3552.5	55290	3555	55315	3557.5	55340	3560
L M	55810	3607	55815	3607.5	55820	3608	55830	3609
M H	56170	3643	56165	3642.5	56160	3642	56150	3641
H	56715	3697.5	56690	3695	56665	3692.5	56640	3690

LTE Band 66												
	Bandwidth 1.4 MHz		Bandwidth 3 MHz		Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	131979	1710.7	131987	1711.5	131997	1712.5	132022	1715	132047	1717.5	132072	1720
M	132322	1745	132322	1745	132322	1745	132322	1745	132322	1745	132322	1745
H	132665	1779.3	132657	1778.5	132647	1777.5	132622	1775	132597	1772.5	132572	1770

LTE Band 71								
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	133147	665.5	133172	668	133197	670.5	133222	673
M	133247	675.5	133272	678	133297	680.5	133322	683
H	133447	695.5	133422	693	133397	690.5	133372	688

LTE Band 42								
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	42115	3452.5	42140	3455	42165	3457.5	42190	3460
M	42590	3500	42590	3500	42590	3500	42590	3500
H	43065	3547.5	43040	3545	43015	3542.5	42990	3540

LTE Band 42								
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	43115	3552.5	43140	3555	43165	3557.5	43190	3560
M	43340	3575	43340	3575	43340	3575	43340	3575
H	43565	3597.5	43540	3595	43515	3592.5	43490	3590

LTE Band 43								
	Bandwidth 5 MHz		Bandwidth 10 MHz		Bandwidth 15 MHz		Bandwidth 20 MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	43615	3602.5	43640	3605	43665	3607.5	43690	3610
M	44090	3650	44090	3650	44090	3650	44090	3650
H	44565	3697.5	44540	3695	44515	3692.5	44490	3690

<For LTE Overlap Bands Description>
1) LTE Bands BW

Band	1.4 MHz	3 MHz	5 MHz	10 MHz	15 MHz	20 MHz
LTE Band 2	Yes	Yes	Yes	Yes	Yes	Yes
LTE Band 25	Yes	Yes	Yes	Yes	Yes	Yes
LTE Band 4	Yes	Yes	Yes	Yes	Yes	Yes
LTE Band 66	Yes	Yes	Yes	Yes	Yes	Yes
LTE Band 5	Yes	Yes	Yes	Yes		
LTE Band 26	Yes	Yes	Yes	Yes	Yes	
LTE Band 38			Yes	Yes	Yes	Yes
LTE Band 41			Yes	Yes	Yes	Yes
LTE Band 43			Yes	Yes	Yes	Yes
LTE Band 48			Yes	Yes	Yes	Yes

2) LTE Bands tune up:

Band	Antenna	Head DSI 4 Tune-up Limit	Head DSI 6 Tune-up Limit	Body-worn Extremity DSI 1 Tune-up Limit	Body-worn Extremity DSI 2 Tune-up Limit	Hotspot DSI 3 Tune-up Limit	Default Tune-up Limit
LTE Band 25(2)	Ant 1	24.50	24.50	22.50	22.50	21.50	24.50
LTE Band 25(2) For ENDC	Ant 1	24.50	24.50	22.50	21.50	20.50	24.50
LTE Band 25(2) For ENDC	Ant 4	24.50	24.50	20.50	19.00	16.50	24.50
LTE Band 66(4)	Ant 1	24.50	24.50	24.50	24.50	23.00	24.50
LTE Band 66(4) For ENDC	Ant 1	24.50	24.50	24.50	23.50	22.00	24.50
LTE Band 66(4) For ENDC	Ant 4	24.50	24.50	19.00	17.50	15.50	24.50
LTE Band 26(5)	Ant 1	25.00	25.00	25.00	25.00	25.00	25.00
LTE Band 26(5) For ENDC	Ant 1	25.00	24.00	25.00	23.00	22.50	25.00
LTE Band 41(38)	Ant 2	24.00	24.00	24.00	24.00	24.00	24.00
LTE Band 41_HPUE	Ant 2	27.00	27.00	27.00	27.00	27.00	27.00
LTE Band 42	Ant 6	24.00	24.00	24.00	24.00	24.00	24.00
LTE Band 48(43)	Ant 6	24.00	24.00	24.00	24.00	24.00	24.00
LTE Band 48(43) For ENDC	Ant 6	24.00	22.00	24.00	24.00	23.00	24.00

4.3 General 5G NR SAR Test and Reporting Considerations

5G NR Information	
Operating Frequency Range of each 5G NR transmission band	5G NR n2 : 1850 MHz ~ 1910 MHz 5G NR n5 : 824 MHz ~ 849 MHz 5G NR n7 : 2500 MHz ~ 2570 MHz 5G NR n14 : 788 MHz ~ 798 MHz 5G NR n25 : 1850 MHz ~ 1915 MHz 5G NR n38 : 2570 MHz ~ 2620 MHz 5G NR n41 : 2496 MHz ~ 2690 MHz 5G NR n48 : 3550 MHz ~ 3700 MHz 5G NR n66 : 1710 MHz ~ 1780 MHz 5G NR n71 : 663 MHz ~ 698 MHz 5G NR n77 : 3450 MHz ~ 3980 MHz 5G NR n78 : 3450 MHz ~ 3800 MHz
Channel Bandwidth	The detail please refers to section 4.1 5G NR FR1 bands table.
SCS	FDD: SCS15KHz, TDD: SCS30KHz
uplink modulations used	DFT-s-OFDM: PI/2 BPSK / QPSK / 16QAM / 64QAM / 256QAM CP-OFDM: QPSK / 16QAM / 64QAM / 256QAM
A-MPR (Additional MPR) disabled for SAR Testing?	Yes
LTE Anchor Bands for n2	LTE B5/7/12/13/14/66/71
LTE Anchor Bands for n5	LTE B2/66/48
LTE Anchor Bands for n7	LTE B2/66
LTE Anchor Bands for n25	LTE B12/13/26/66
LTE Anchor Bands for n38	LTE B2/4/5/12/71/66
LTE Anchor Bands for n41	LTE B2/4/5/12/25/26/66/71
LTE Anchor Bands for n66	LTE B2/5/7/12/13/14/71/48
LTE Anchor Bands for n71	LTE B2/66
LTE Anchor Bands for n77	LTE B2/5/7/12/13/14/25/66/71
LTE Anchor Bands for n78	LTE B2/5/7/12/13/25/71/66

Transmission (H, M, L) channel numbers and frequencies in each 5G NR band								
NR Band 2								
Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	
L 370500	1852.5	371000	1855	371500	1857.5	372000	1860	
M 376000	1880	376000	1880	376000	1880	376000	1880	
H 381500	1907.5	381000	1905	380500	1902.5	380000	1900	
NR Band 5								
Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	
L 165300	826.5	165800	829	166300	831.5	166800	834	
M 167300	836.5	167300	836.5	167300	836.5	167300	836.5	
H 169300	846.5	168800	844	168300	841.5	167800	839	

NR Band 7													
Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz		Bandwidth 40MHz	
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L 500500	2502.5	501000	2505	501500	2507.5	502000	2510	502500	2512.5	503000	2515	504000	2520
M 507000	2535	507000	2535	507000	2535	507000	2535	507000	2535	507000	2535	507000	2535
H 513500	2567.5	513000	2565	512500	2562.5	512000	2560	511500	2557.5	511000	2555	510000	2550

NR Band 14 SCS15KHz				
	Bandwidth 5MHz		Bandwidth 10MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	158100	790.5	158600	793
M	158600	793		
H	159100	795.5		

NR Band 25 SCS15KHz															
Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz		Bandwidth 35MHz		Bandwidth 40MHz	
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L 370500	1852.5	371000	1855	371500	1857.5	372000	1860	372500	1862.5	373000	1865	373500	1867.5	374000	1870
M 376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5	376500	1882.5
H 382500	1912.5	382000	1910	381500	1907.5	381000	1905	380500	1902.5	380000	1900	379500	1897.5	379000	1895



NR Band 66																
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 25MHz		Bandwidth 30MHz		Bandwidth 35MHz		Bandwidth 40MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	342500	1712.5	343000	1715	343500	1717.5	344000	1720	344500	1722.5	345000	1725	345500	1727.5	346000	1730
M	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745	349000	1745
H	355500	1777.5	355000	1775	354500	1772.5	354000	1770	353500	1767.5	353000	1765	352500	1762.5	352000	1760

NR Band 71 SCS15KHz								
	Bandwidth 5MHz		Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	133100	665.5	133600	668	134100	670.5	134600	673
M	136100	680.5	136100	680.5	136100	680.5	136100	680.5
H	139100	695.5	138600	693	138100	690.5	137600	688

NR Band 38										
	Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	515004	2575.02	515502	2577.51	516000	2580	517002	2585.01	518004	2590.02
M	519000	2595	519000	2595	519000	2595	519000	2595	519000	2595
H	522996	2614.98	522498	2612.49	522000	2610	520998	2604.99	519996	2599.98

NR Band 41																						
Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz		
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	
L	500202	2501.01	500700	2503.5	501204	2506.02	502200	2511	503202	2516.01	504204	2521.02	505200	2526	500202	2501.01	507204	2536.02	508200	2541	509202	2546.01
M	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99	518598	2592.99
H	537000	2685	536496	2682.48	535998	2679.99	534996	2674.98	534000	2670	532998	2664.99	531996	2659.98	531000	2655	529998	2649.99	528996	2644.98	528000	2640

NR Band 48 SCS30Hz								
	Bandwidth 10MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz	
	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L	637000	3555	637334	3560.01	637668	3565.02	638000	3570
M	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99
H	646332	3694.98	646000	3690	645666	3684.99	645332	3679.98

NR Band 77 SCS30KHz																						
Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz		
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	
L	647000	3705	647168	3707.52	647334	3710.01	647668	3715.02	648000	3720	648334	3725.01	648668	3730.02	649000	3735	649334	3740.01	649668	3745.02	650000	3750
M	656000	3840	656000	3840	656000	3840	656000	3840.00	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840	656000	3840
H	665000	3975	664832	3972.48	664666	3969.99	664332	3964.98	664000	3960	663666	3954.99	663332	3949.98	663000	3945	662666	3939.99	662332	3934.98	662000	3930

NR Band 78 SCS30KHz																						
Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz		Bandwidth 90MHz		Bandwidth 100MHz		
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	
L	647000	3705	647168	3707.52	647334	3710.01	647668	3715.02	648000	3720	648334	3725.01	648668	3730.02	649000	3735	649334	3740.01	649668	3745.02		
M	650000	3750	650000	3750	650000	3750	650000	3750.00	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750	650000	3750
H	653000	3795	652834	3792.51	652668	3790.02	652334	3785.01	652000	3780	651668	3775.02	651334	3770.01	651000	3765	650668	3760.02	650334	3755.01		



For Part96

NR Band 77																	
Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz	
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L 637000	3555	637168	3557.52	637334	3560.01	637668	3565.02	638000	3570	638334	3575.01	638668	3580.02	639000	3585	639334	3590.01
M 641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99
H 646332	3694.98	646166	3692.49	646000	3690	645666	3684.99	645332	3679.98	645000	3675	644666	3669.99	644332	3664.98	644000	3660

NR Band 78																	
Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz	
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L 630334	3455.01	630500	3457.5	637334	3560.01	637668	3565.02	638000	3570	638334	3575.01	638668	3580.02	639000	3585	639334	3590.01
M 641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99	641666	3624.99
H 636332	3544.98	636166	3542.49	646000	3690	645666	3684.99	645332	3679.98	645000	3675	644666	3669.99	644332	3664.98	644000	3660

For <3450 MHz ~ 3550 MHz >

NR Band 77 SCS30KHz																	
Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz	
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L 630334	3455.01	630500	3457.5	630668	3460.02	631000	3465	631334	3470.01	631668	3475.02	632000	3480	632334	3485.01	632668	3490.02
M 633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98
H 636332	3544.98	636166	3542.49	636000	3540	635666	3534.99	635332	3529.98	635000	3525	634666	3519.99	634332	3514.98	634000	3510

NR Band 78 SCS30KHz																	
Bandwidth 10MHz		Bandwidth 15MHz		Bandwidth 20MHz		Bandwidth 30MHz		Bandwidth 40MHz		Bandwidth 50MHz		Bandwidth 60MHz		Bandwidth 70MHz		Bandwidth 80MHz	
Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)	Ch. #	Freq. (MHz)
L 630334	3455.01	630500	3457.5	630668	3460.02	631000	3465	631334	3470.01	631668	3475.02	632000	3480	632334	3485.01	632668	3490.02
M 633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98	633332	3499.98
H 636332	3544.98	636166	3542.49	636000	3540	635666	3534.99	635332	3529.98	635000	3525	634666	3519.99	634332	3514.98	634000	3510

<For NR Overlap Bands Description>

1) NR Bands BW

Mode	Band	Duplex	SCS(KHz)	Bandwidths(BW)
SA/NSA	n2	FDD	15	5, 10, 15, 20
	n25	FDD	15	5, 10, 15, 20, 25, 30, 35, 40
	n38	TDD	30	10, 15, 20, 30, 40
	n41	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100
	n77	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100
	n78	TDD	30	10, 15, 20, 30, 40, 50, 60, 70, 80, 90, 100

2) NR Bands Tune up:

Band	Antenna	Head DSI 4 Tune-up Limit	Head DSI 6 Tune-up Limit	Body-worn Extremity DSI 1 Tune-up Limit	Body-worn Extremity DSI 2 Tune-up Limit	Hotspot DSI 3 Tune-up Limit	Default Tune-up Limit
5G NR n25(2)	Ant 1	24.50	24.50	22.50	22.50	21.50	24.50
5G NR n25(2) For ENDC	Ant 4	24.50	24.50	20.00	18.50	16.50	24.50
5G NR n41(38) PC3	Ant 2	24.00	24.00	23.50	23.50	23.50	24.00
5G NR n41 PC2	Ant 2	27.00	27.00	26.50	26.50	26.50	27.00
5G NR n41(38) PC3 For ENDC	Ant 2	24.00	24.00	24.00	22.00	20.50	24.00
5G NR n41 PC2 For ENDC	Ant 2	27.00	27.00	27.00	25.00	23.50	27.00
5G NR n77(78) PC3 Part27O&27Q&96	Ant 6	24.00	22.00	24.00	24.00	24.00	24.00
5G NR n77 PC2 Part27O&27Q	Ant 6	27.00	25.00	27.00	27.00	27.00	27.00
5G NR n77(78) PC3 For ENDC Part27O&27Q&96	Ant 6	22.00	20.00	24.00	23.00	21.00	24.00
5G NR n77 PC2 For ENDC Part27O&27Q	Ant 6	25.00	23.00	27.00	26.00	24.00	27.00

5. RF Exposure Limits

5.1 Uncontrolled Environment

Uncontrolled Environments are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure. The general population/uncontrolled exposure limits are applicable to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Members of the general public would come under this category when exposure is not employment-related; for example, in the case of a wireless transmitter that exposes persons in its vicinity.

5.2 Controlled Environment

Controlled Environments are defined as locations where there is exposure that may be incurred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation). In general, occupational/controlled exposure limits are applicable to situations in which persons are exposed as a consequence of their employment, who have been made fully aware of the potential for exposure and can exercise control over their exposure. The exposure category is also applicable when the exposure is of a transient nature due to incidental passage through a location where the exposure levels may be higher than the general population/uncontrolled limits, but the exposed person is fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Limits for Occupational/Controlled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.4	8.0	20.0

Limits for General Population/Uncontrolled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.08	1.6	4.0

Whole-Body SAR is averaged over the entire body, partial-body SAR is averaged over any 1gram of tissue defined as a tissue volume in the shape of a cube. SAR for hands, wrists, feet and ankles is averaged over any 10 grams of tissue defined as a tissue volume in the shape of a cube.

ÿ

6. Specific Absorption Rate (SAR)

6.1 Introduction

SAR is related to the rate at which energy is absorbed per unit mass in an object exposed to a radio field. The SAR distribution in a biological body is complicated and is usually carried out by experimental techniques or numerical modeling. The standard recommends limits for two tiers of groups, occupational/controlled and general population/uncontrolled, based on a person's awareness and ability to exercise control over his or her exposure. In general, occupational/controlled exposure limits are higher than the limits for general population/uncontrolled.

6.2 SAR Definition

The SAR definition is the time derivative (rate) of the incremental energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dv) of a given density (ρ). The equation description is as below:

$$\text{SAR} = \frac{d}{dt} \left(\frac{dW}{dm} \right) = \frac{d}{dt} \left(\frac{dW}{\rho dv} \right)$$


SAR is expressed in units of Watts per kilogram (W/kg)

$$\text{SAR} = \frac{\sigma |E|^2}{\rho}$$

Where: σ is the conductivity of the tissue, ρ is the mass density of the tissue and E is the RMS electrical field strength.

7. System Description and Setup

The DASY system used for performing compliance tests consists of the following items:



- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic Field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running Win7 or Win10 and the DASY5 or DASY6 software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

7.1 E-Field Probe

The SAR measurement is conducted with the dosimetric probe (manufactured by SPEAG). The probe is specially designed and calibrated for use in liquid with high permittivity. The dosimetric probe has special calibration in liquid at different frequency. This probe has a built in optical surface detection system to prevent from collision with phantom.

<EX3DV4 Probe>

Construction	Symmetric design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Frequency	4 MHz – 10 GHz Linearity: ± 0.2 dB (30 MHz – 10 GHz)	
Directivity	± 0.3 dB in TSL (rotation around probe axis) ± 0.5 dB in TSL (rotation normal to probe axis)	
Dynamic Range	10 μ W/g – >100 mW/g Linearity: ± 0.2 dB (noise: typically <1 μ W/g)	
Dimensions	Overall length: 337 mm (tip: 20 mm) Tip diameter: 2.5 mm (body: 12 mm) Typical distance from probe tip to dipole centers: 1 mm	

7.2 Data Acquisition Electronics (DAE)

The data acquisition electronics (DAE) consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the measurement server is accomplished through an optical downlink for data and status information as well as an optical uplink for commands and the clock.

The input impedance of the DAE is 200 MOhm; the inputs are symmetrical and floating. Common mode rejection is above 80 dB.



Photo of DAE

7.3 Phantom

<SAM Twin Phantom>

Shell Thickness	2 ± 0.2 mm; Center ear point: 6 ± 0.2 mm	
Filling Volume	Approx. 25 liters	
Dimensions	Length: 1000 mm; Width: 500 mm; Height: adjustable feet	
Measurement Areas	Left Hand, Right Hand, Flat Phantom	

The bottom plate contains three pair of bolts for locking the device holder. The device holder positions are adjusted to the standard measurement positions in the three sections. A white cover is provided to tap the phantom during off-periods to prevent water evaporation and changes in the liquid parameters. On the phantom top, three reference markers are provided to identify the phantom position with respect to the robot.

<ELI Phantom>

Shell Thickness	2 ± 0.2 mm (sagging: <1%)	
Filling Volume	Approx. 30 liters	
Dimensions	Major ellipse axis: 600 mm Minor axis: 400 mm	

The ELI phantom is intended for compliance testing of handheld and body-mounted wireless devices or for evaluating transmitters operating at low frequencies. ELI is fully compatible with standard and all known tissue simulating liquids.

7.4 Device Holder

<Mounting Device for Hand-Held Transmitter>

In combination with the Twin SAM V5.0/V5.0c or ELI phantoms, the Mounting Device for Hand-Held Transmitters enables rotation of the mounted transmitter device to specified spherical coordinates. At the heads, the rotation axis is at the ear opening. Transmitter devices can be easily and accurately positioned according to IEC 62209-1, IEEE 1528, FCC, or other specifications. The device holder can be locked for positioning at different phantom sections (left head, right head, flat). And upgrade kit to Mounting Device to enable easy mounting of wider devices like big smart-phones, e-books, small tablets, etc. It holds devices with width up to 140 mm.



Mounting Device for Hand-Held Transmitters



Mounting Device Adaptor for Wide-Phones

<Mounting Device for Laptops and other Body-Worn Transmitters>

The extension is lightweight and made of POM, acrylic glass and foam. It fits easily on the upper part of the mounting device in place of the phone positioned. The extension is fully compatible with the SAM Twin and ELI phantoms.



Mounting Device for Laptops

8. Measurement Procedures

The measurement procedures are as follows:

<Conducted power measurement>

- (a) For WWAN power measurement, use base station simulator to configure EUT WWAN transmission in conducted connection with RF cable, at maximum power in each supported wireless interface and frequency band.
- (b) Read the WWAN RF power level from the base station simulator.
- (c) For WLAN/BT power measurement, use engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power in each supported wireless interface and frequency band
- (d) Connect EUT RF port through RF cable to the power meter, and measure WLAN/BT output power

<SAR measurement>

- (a) Use base station simulator to configure EUT WWAN transmission in radiated connection, and engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power, in the highest power channel.
- (b) Place the EUT in the positions as Appendix D demonstrates.
- (c) Set scan area, grid size and other setting on the DASY software.
- (d) Measure SAR results for the highest power channel on each testing position.
- (e) Find out the largest SAR result on these testing positions of each band
- (f) Measure SAR results for other channels in worst SAR testing position if the reported SAR of highest power channel is larger than 0.8 W/kg

According to the test standard, the recommended procedure for assessing the peak spatial-average SAR value consists of the following steps:

- (a) Power reference measurement
- (b) Area scan
- (c) Zoom scan
- (d) Power drift measurement

8.1 Spatial Peak SAR Evaluation

The procedure for spatial peak SAR evaluation has been implemented according to the test standard. It can be conducted for 1g and 10g, as well as for user-specific masses. The DASY software includes all numerical procedures necessary to evaluate the spatial peak SAR value.

The base for the evaluation is a "cube" measurement. The measured volume must include the 1g and 10g cubes with the highest averaged SAR values. For that purpose, the center of the measured volume is aligned to the interpolated peak SAR value of a previously performed area scan.

The entire evaluation of the spatial peak values is performed within the post-processing engine (SEMCAD). The system always gives the maximum values for the 1g and 10g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- (a) Extraction of the measured data (grid and values) from the Zoom Scan
- (b) Calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
- (c) Generation of a high-resolution mesh within the measured volume
- (d) Interpolation of all measured values from the measurement grid to the high-resolution grid
- (e) Extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- (f) Calculation of the averaged SAR within masses of 1g and 10g

8.2 Power Reference Measurement

The Power Reference Measurement and Power Drift Measurements are for monitoring the power drift of the device under test in the batch process. The minimum distance of probe sensors to surface determines the closest measurement point to phantom surface. This distance cannot be smaller than the distance of sensor calibration points to probe tip as defined in the probe properties.

8.3 Area Scan

The area scan is used as a fast scan in two dimensions to find the area of high field values, before doing a fine measurement around the hot spot. The sophisticated interpolation routines implemented in DASY software can find the maximum found in the scanned area, within a range of the global maximum. The range (in dB0) is specified in the standards for compliance testing. For example, a 2 dB range is required in IEEE standard 1528 and IEC 62209 standards, whereby 3 dB is a requirement when compliance is assessed in accordance with the ARIB standard (Japan), if only one zoom scan follows the area scan, then only the absolute maximum will be taken as reference. For cases where multiple maximums are detected, the number of zoom scans has to be increased accordingly.

Area scan parameters extracted from FCC KDB 865664 D01v01r04 SAR measurement 100 MHz to 6 GHz.

	≤ 3 GHz	> 3 GHz
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface	5 ± 1 mm	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5$ mm
Maximum probe angle from probe axis to phantom surface normal at the measurement location	$30^\circ \pm 1^\circ$	$20^\circ \pm 1^\circ$
Maximum area scan spatial resolution: $\Delta x_{\text{Area}}, \Delta y_{\text{Area}}$	≤ 2 GHz: ≤ 15 mm $2 - 3$ GHz: ≤ 12 mm	$3 - 4$ GHz: ≤ 12 mm $4 - 6$ GHz: ≤ 10 mm
	When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be $\leq$ the corresponding x or y dimension of the test device with at least one measurement point on the test device.	

8.4 Zoom Scan

Zoom scans are used to assess the peak spatial SAR values within a cubic averaging volume containing 1 gram and 10 gram of simulated tissue. The zoom scan measures points (refer to table below) within a cube whose base faces are centered on the maxima found in a preceding area scan job within the same procedure. When the measurement is done, the zoom scan evaluates the averaged SAR for 1 gram and 10 gram and displays these values next to the job's label.

Zoom scan parameters extracted from FCC KDB 865664 D01v01r04 SAR measurement 100 MHz to 6 GHz.

			≤ 3 GHz	> 3 GHz
Maximum zoom scan spatial resolution: $\Delta x_{\text{Zoom}}, \Delta y_{\text{Zoom}}$			≤ 2 GHz: ≤ 8 mm 2 – 3 GHz: ≤ 5 mm *	3 – 4 GHz: ≤ 5 mm* 4 – 6 GHz: ≤ 4 mm*
Maximum zoom scan spatial resolution, normal to phantom surface	uniform grid: $\Delta z_{\text{Zoom}}(n)$		≤ 5 mm	3 – 4 GHz: ≤ 4 mm 4 – 5 GHz: ≤ 3 mm 5 – 6 GHz: ≤ 2 mm
	graded grid	$\Delta z_{\text{Zoom}}(1)$: between 1 st two points closest to phantom surface	≤ 4 mm	3 – 4 GHz: ≤ 3 mm 4 – 5 GHz: ≤ 2.5 mm 5 – 6 GHz: ≤ 2 mm
		$\Delta z_{\text{Zoom}}(n>1)$: between subsequent points	$\leq 1.5 \cdot \Delta z_{\text{Zoom}}(n-1)$	
Minimum zoom scan volume	x, y, z		≥ 30 mm	3 – 4 GHz: ≥ 28 mm 4 – 5 GHz: ≥ 25 mm 5 – 6 GHz: ≥ 22 mm
Note: δ is the penetration depth of a plane-wave at normal incidence to the tissue medium; see draft standard IEEE P1528-2011 for details.				
* When zoom scan is required and the <u>reported</u> SAR from the <u>area scan based 1-g SAR estimation</u> procedures of KDB 447498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ 5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.				

8.5 Volume Scan Procedures

The volume scan is used to assess overlapping SAR distributions for antennas transmitting in different frequency bands. It is equivalent to an oversized zoom scan used in standalone measurements. The measurement volume will be used to enclose all the simultaneous transmitting antennas. For antennas transmitting simultaneously in different frequency bands, the volume scan is measured separately in each frequency band. In order to sum correctly to compute the 1g aggregate SAR, the EUT remain in the same test position for all measurements and all volume scan use the same spatial resolution and grid spacing. When all volume scan were completed, the software, SEMCAD postprocessor can combine and subsequently superpose these measurement data to calculating the multiband SAR.

8.6 Power Drift Monitoring

All SAR testing is under the EUT install full charged battery and transmit maximum output power. In DASY measurement software, the power reference measurement and power drift measurement procedures are used for monitoring the power drift of EUT during SAR test. Both these procedures measure the field at a specified reference position before and after the SAR testing. The software will calculate the field difference in dB. If the power drifts more than 5%, the SAR will be retested.

9. Test Equipment List

Manufacturer	Name of Equipment	Type/Model	Serial Number	Calibration	
				Last Cal.	Due Date
SPEAG	750MHz System Validation Kit	D750V3	1087	2022/2/24	2025/2/22
SPEAG	835MHz System Validation Kit	D835V2	4d091	2022/8/19	2025/8/18
SPEAG	1750MHz System Validation Kit	D1750V2	1090	2022/2/24	2025/2/22
SPEAG	1900MHz System Validation Kit	D1900V2	5d118	2022/3/30	2025/3/28
SPEAG	2450MHz System Validation Kit	D2450V2	1095	2024/2/8	2025/2/7
SPEAG	2600MHz System Validation Kit	D2600V2	1112	2023/12/18	2024/12/17
SPEAG	3500MHz System Validation Kit	D3500V2	1037	2023/11/20	2024/11/19
SPEAG	3700MHz System Validation Kit	D3700V2	1008	2023/11/20	2024/11/19
SPEAG	3900MHz System Validation Kit	D3900V2	1048	2023/3/9	2026/3/8
SPEAG	5000MHz System Validation Kit	D5GHzV2	1113	2022/9/23	2025/9/22
SPEAG	Data Acquisition Electronics	DAE4	1649	2024/7/3	2025/7/2
SPEAG	Data Acquisition Electronics	DAE4	1650	2023/9/13	2024/9/12
SPEAG	Dosimetric E-Field Probe	EX3DV4	7706	2024/1/24	2025/1/23
SPEAG	Dosimetric E-Field Probe	EX3DV4	3857	2024/1/22	2025/1/21
SPEAG	SAM Twin Phantom	SAM Twin	TP-2024	NCR	NCR
SPEAG	SAM Twin Phantom	SAM Twin	TP-1697	NCR	NCR
CHIGO	Thermo-Hygrometer	HTC-1	55009	2024/1/4	2025/1/3
SPEAG	Phone Positioner	N/A	N/A	NCR	NCR
Anritsu	Radio Communication Analyzer	MT8821C	6262306175	2024/7/4	2025/7/3
Agilent	ENA Series Network Analyzer	E5071C	MY46112129	2024/7/4	2025/7/3
SPEAG	Dielectric Probe Kit	DAK-3.5	1071	2024/2/19	2025/2/18
SPEAG	Dielectric Probe Kit	DAK-3.5	1144	2024/8/17	2025/8/16
Anritsu	Vector Signal Generator	MG3710A	6201682672	2024/1/2	2025/1/1
Rohde & Schwarz	Power Meter	NRVD	102081	2024/7/4	2025/7/3
Rohde & Schwarz	Power Sensor	NRV-Z5	100538	2024/7/4	2025/7/3
Rohde & Schwarz	Power Sensor	NRV-Z5	100539	2024/7/4	2025/7/3
R&S	BLUETOOTH TESTER	CBT	101246	2024/7/4	2025/7/3
Rohde & Schwarz	Spectrum Analyzer	FSV7	101631	2023/10/11	2024/10/10
TES	DIGITAC THERMOMETER	TYPE-K	220305411	2024/1/4	2025/1/3
ARRA	Power Divider	A3200-2	N/A	NA	NA
MCL	Attenuation1	BW-S10W5+	N/A	NA	NA
MCL	Attenuation2	BW-S10W5+	N/A	NA	NA
MCL	Attenuation3	BW-S10W5+	N/A	NA	NA
BONN	POWER AMPLIFIER	BLMA 0830-3	087193A	Note 1	
BONN	POWER AMPLIFIER	BLMA 2060-2	087193B	Note 1	
Agilent	Dual Directional Coupler	778D	20500	Note 1	
Agilent	Dual Directional Coupler	11691D	MY48151020	Note 1	

Note:

- Prior to system verification and validation, the path loss from the signal generator to the system check source and the power meter, which includes the amplifier, cable, attenuator and directional coupler, was measured by the network analyzer. The reading of the power meter was offset by the path loss difference between the path to the power meter and the path to the system check source to monitor the actual power level fed to the system check
- Referring to KDB 865664 D01v01r04, the dipole calibration interval can be extended to 3 years with justification. The dipoles are also not physically damaged, or repaired during the interval.
- The justification data of dipole can be found in appendix C. The return loss is < -20dB, within 20% of prior calibration, the impedance is within 5 ohm of prior calibration.

10. System Verification

10.1 Tissue Simulating Liquids

For the measurement of the field distribution inside the SAM phantom with DASY, the phantom must be filled with around 25 liters of homogeneous body tissue simulating liquid. For head SAR testing, the liquid height from the ear reference point (ERP) of the phantom to the liquid top surface is larger than 15 cm, which is shown in Fig. 11.1. For body SAR testing, the liquid height from the center of the flat phantom to the liquid top surface is larger than 15 cm, which is shown in Fig. 11.2.



Fig 11.1 Photo of Liquid Height for Head SAR




Fig 11.2 Photo of Liquid Height for Body SAR

10.2 Tissue Verification

The following tissue formulations are provided for reference only as some of the parameters have not been thoroughly verified. The composition of ingredients may be modified accordingly to achieve the desired target tissue parameters required for routine SAR evaluation.

Frequency (MHz)	Water (%)	Sugar (%)	Cellulose (%)	Salt (%)	Preventol (%)	DGBE (%)	Conductivity (σ)	Permittivity (ϵ_r)
For Head								
750	41.1	57.0	0.2	1.4	0.2	0	0.89	41.9
835	40.3	57.9	0.2	1.4	0.2	0	0.90	41.5
1800, 1900, 2000	55.2	0	0	0.3	0	44.5	1.40	40.0
2450	55.0	0	0	0	0	45.0	1.80	39.2
2600	54.8	0	0	0.1	0	45.1	1.96	39.0

Simulating Liquid for 5GHz, Manufactured by SPEAG

Ingredients	(% by weight)
Water	64~78%
Mineral oil	11~18%
Emulsifiers	9~15%
Additives and Salt	2~3%

<Tissue Dielectric Parameter Check Results>

Frequency (MHz)	Tissue Type	Liquid Temp. (°C)	Conductivity (σ)	Permittivity (ϵ_r)	Conductivity Target (σ)	Permittivity Target (ϵ_r)	Delta (σ) (%)	Delta (ϵ_r) (%)	Limit (%)	Date
750	Head	22.6	0.905	42.7	0.89	41.90	1.69	1.91	±5	2024/8/4
835	Head	22.8	0.924	41.4	0.90	41.50	2.67	-0.24	±5	2024/8/6
1750	Head	22.9	1.35	40.1	1.37	40.10	-1.46	0.00	±5	2024/8/8
1900	Head	22.7	1.43	39.8	1.40	40.00	2.14	-0.50	±5	2024/8/10
2450	Head	22.6	1.86	38.4	1.80	39.20	3.33	-2.04	±5	2024/8/12
2600	Head	22.8	2.03	37.8	1.96	39.00	3.57	-3.08	±5	2024/8/14
3500	Head	22.9	2.88	38.5	2.91	37.90	-1.03	1.58	±5	2024/8/16
3700	Head	22.7	3.08	38.0	3.12	37.70	-1.28	0.80	±5	2024/8/18
3900	Head	22.8	3.28	37.6	3.32	37.50	-1.20	0.27	±5	2024/8/20
5250	Head	22.6	4.59	36.2	4.71	35.90	-2.55	0.84	±5	2024/8/22
5600	Head	22.9	5.00	35.6	5.07	35.50	-1.38	0.28	±5	2024/8/24
5750	Head	22.8	5.17	35.3	5.22	35.40	-0.96	-0.28	±5	2024/8/26
750	Head	22.7	0.900	41.192	0.89	41.90	1.12	-1.69	±5	2024/7/31
835	Head	22.6	0.902	41.240	0.90	41.50	0.22	-0.63	±5	2024/8/1
1750	Head	22.9	1.409	40.669	1.37	40.10	2.85	1.42	±5	2024/8/2
1900	Head	22.7	1.397	39.035	1.40	40.00	-0.21	-2.41	±5	2024/8/3
2600	Head	22.8	1.926	38.230	1.96	39.00	-1.73	-1.97	±5	2024/8/4
750	Head	22.6	0.888	42.260	0.89	41.90	-0.22	0.86	±5	2024/8/6
835	Head	22.6	0.912	41.936	0.90	41.50	1.33	1.05	±5	2024/8/7
1750	Head	22.5	1.317	40.225	1.37	40.10	-3.87	0.31	±5	2024/8/8
1900	Head	22.8	1.407	40.199	1.40	40.00	0.50	0.50	±5	2024/8/9
2600	Head	22.8	2.030	40.355	1.96	39.00	3.57	3.47	±5	2024/8/10
3300	Head	22.8	2.636	39.078	2.71	38.20	-2.73	2.30	±5	2024/8/12
3500	Head	22.6	2.810	38.714	2.91	37.90	-3.44	2.15	±5	2024/8/13
3700	Head	22.9	2.988	38.362	3.12	37.70	-4.23	1.76	±5	2024/8/14
3900	Head	22.8	3.175	38.058	3.32	37.50	-4.37	1.49	±5	2024/8/15
4100	Head	22.8	3.377	38.710	3.53	37.28	-4.33	3.84	±5	2024/8/16
2450	Head	22.7	1.744	39.267	1.80	39.20	-3.11	0.17	±5	2024/8/17
5250	Head	22.9	4.573	35.720	4.71	35.90	-2.91	-0.50	±5	2024/8/18
5600	Head	22.6	4.997	35.371	5.07	35.50	-1.44	-0.36	±5	2024/8/19
5750	Head	22.7	5.105	34.869	5.22	35.40	-2.20	-1.50	±5	2024/8/20

10.3 System Performance Check Results

Comparing to the original SAR value provided by SPEAG, the verification data should be within its specification of 10 %. Below table shows the target SAR and measured SAR after normalized to 1W input power. The table below indicates the system performance check can meet the variation criterion and the plots can be referred to Appendix A of this report.

<1g SAR>

Date	Frequency (MHz)	Tissue Type	Input Power (mW)	Dipole S/N	Probe S/N	DAE S/N	Measured 1g SAR (W/kg)	Targeted 1g SAR (W/kg)	Normalized 1g SAR (W/kg)	Deviation (%)
2024/8/4	750	Head	50	1087	7706	1649	0.432	8.58	8.64	0.70
2024/8/6	835	Head	50	4d091	7706	1649	0.508	9.45	10.16	7.51
2024/8/8	1750	Head	50	1090	7706	1649	1.97	37.00	39.4	6.49
2024/8/10	1900	Head	50	5d118	7706	1649	2.03	39.30	40.6	3.31
2024/8/12	2450	Head	50	1095	7706	1649	2.71	52.60	54.2	3.04
2024/8/14	2600	Head	50	1112	7706	1649	2.89	55.10	57.8	4.90
2024/8/16	3500	Head	50	1037	7706	1649	3.26	65.40	65.2	-0.31
2024/8/18	3700	Head	50	1008	7706	1649	3.47	67.20	69.4	3.27
2024/8/20	3900	Head	50	1048	7706	1649	3.65	69.10	73	5.64
2024/8/22	5250	Head	50	1113	7706	1649	4.14	81.50	82.8	1.60
2024/8/24	5600	Head	50	1113	7706	1649	4.41	82.60	88.2	6.78
2024/8/26	5750	Head	50	1113	7706	1649	3.86	80.80	77.2	-4.46
2024/7/31	750	Head	50	1087	3857	1650	0.436	8.58	8.72	1.63
2024/8/1	835	Head	50	4d091	3857	1650	0.461	9.45	9.22	-2.43
2024/8/2	1750	Head	50	1090	3857	1650	1.910	37.00	38.2	3.24
2024/8/3	1900	Head	50	5d118	3857	1650	2.020	39.30	40.4	2.80
2024/8/4	2600	Head	50	1112	3857	1650	2.630	55.10	52.6	-4.54
2024/8/6	750	Head	50	1087	3857	1650	0.419	8.58	8.38	-2.33
2024/8/7	835	Head	50	4d091	3857	1650	0.477	9.45	9.54	0.95
2024/8/8	1750	Head	50	1090	3857	1650	1.760	37.00	35.2	-4.86
2024/8/9	1900	Head	50	5d118	3857	1650	1.810	39.30	36.2	-7.89
2024/8/10	2600	Head	50	1112	3857	1650	2.690	55.10	53.8	-2.36
2024/8/12	3300	Head	50	1033	3857	1650	3.380	67.10	67.6	0.75
2024/8/13	3500	Head	50	1037	3857	1650	3.110	65.40	62.2	-4.89
2024/8/14	3700	Head	50	1008	3857	1650	3.160	67.20	63.2	-5.95
2024/8/15	3900	Head	50	1048	3857	1650	3.350	69.10	67	-3.04
2024/8/16	4100	Head	50	1048	3857	1650	3.470	67.00	69.4	3.58
2024/8/17	2450	Head	50	1095	3857	1650	2.670	52.60	53.4	1.52
2024/8/18	5250	Head	50	1113	3857	1650	4.170	81.50	83.4	2.33
2024/8/19	5600	Head	50	1113	3857	1650	4.420	82.60	88.4	7.02
2024/8/20	5750	Head	50	1113	3857	1650	4.080	80.80	81.6	0.99

<10g SAR>

Date	Frequency (MHz)	Tissue Type	Input Power (mW)	Dipole S/N	Probe S/N	DAE S/N	Measured 10g SAR (W/kg)	Targeted 10g SAR (W/kg)	Normalized 10g SAR (W/kg)	Deviation (%)
2024/8/4	750	Head	50	1087	7706	1649	0.290	5.65	5.8	2.65
2024/8/6	835	Head	50	4d091	7706	1649	0.335	6.22	6.7	7.72
2024/8/8	1750	Head	50	1090	7706	1649	1.01	19.50	20.2	3.59
2024/8/10	1900	Head	50	5d118	7706	1649	1.02	20.40	20.4	0.00
2024/8/12	2450	Head	50	1095	7706	1649	1.32	24.70	26.4	6.88
2024/8/14	2600	Head	50	1112	7706	1649	1.31	24.80	26.2	5.65
2024/8/16	3500	Head	50	1037	7706	1649	1.29	24.70	25.8	4.45
2024/8/18	3700	Head	50	1008	7706	1649	1.31	24.40	26.2	7.38
2024/8/20	3900	Head	50	1048	7706	1649	1.28	24.10	25.6	6.22
2024/8/22	5250	Head	50	1113	7706	1649	1.20	23.30	24	3.00
2024/8/24	5600	Head	50	1113	7706	1649	1.27	23.70	25.4	7.17
2024/8/26	5750	Head	50	1113	7706	1649	1.12	23.00	22.4	-2.61
2024/7/31	750	Head	50	1087	3857	1650	0.293	5.65	5.86	3.72
2024/8/1	835	Head	50	4d091	3857	1650	0.307	6.22	6.14	-1.29
2024/8/2	1750	Head	50	1090	3857	1650	0.998	19.50	19.96	2.36
2024/8/3	1900	Head	50	5d118	3857	1650	1.070	20.40	21.4	4.90
2024/8/4	2600	Head	50	1112	3857	1650	1.200	24.80	24	-3.23
2024/8/6	750	Head	50	1087	3857	1650	0.295	5.65	5.9	4.42
2024/8/7	835	Head	50	4d091	3857	1650	0.313	6.22	6.26	0.64
2024/8/8	1750	Head	50	1090	3857	1650	0.975	19.50	19.5	0.00
2024/8/9	1900	Head	50	5d118	3857	1650	0.958	20.40	19.16	-6.08
2024/8/10	2600	Head	50	1112	3857	1650	1.240	24.80	24.8	0.00
2024/8/12	3300	Head	50	1033	3857	1650	1.350	25.70	27	5.06
2024/8/13	3500	Head	50	1037	3857	1650	1.160	24.70	23.2	-6.07
2024/8/14	3700	Head	50	1008	3857	1650	1.190	24.40	23.8	-2.46
2024/8/15	3900	Head	50	1048	3857	1650	1.210	24.10	24.2	0.41
2024/8/16	4100	Head	50	1048	3857	1650	1.220	23.30	24.4	4.72
2024/8/17	2450	Head	50	1095	3857	1650	1.260	24.70	25.2	2.02
2024/8/18	5250	Head	50	1113	3857	1650	1.220	23.30	24.4	4.72
2024/8/19	5600	Head	50	1113	3857	1650	1.200	23.70	24	1.27
2024/8/20	5750	Head	50	1113	3857	1650	1.180	23.00	23.6	2.61




Fig 11.3.1 System Performance Check Setup



Fig 11.3.2 Setup Photo

11. RF Exposure Positions

11.1 Ear and handset reference point

Figure 12.1.1 shows the front, back, and side views of the SAM phantom. The center-of-mouth reference point is labeled “M,” the left ear reference point (ERP) is marked “LE,” and the right ERP is marked “RE.” Each ERP is 15 mm along the B-M (back-mouth) line behind the entrance-to-ear-canal (EEC) point, as shown in Figure 12.1.2 The Reference Plane is defined as passing through the two ear reference points and point M. The line N-F (neck-front), also called the reference pivoting line, is normal to the Reference Plane and perpendicular to both a line passing through RE and LE and the B-M line (see Figure 12.1.3). Both N-F and B-M lines should be marked on the exterior of the phantom shell to facilitate handset positioning. Posterior to the N-F line the ear shape is a flat surface with 6 mm thickness at each ERP, and forward of the N-F line the ear is truncated, as illustrated in Figure 12.1.2. The ear truncation is introduced to preclude the ear lobe from interfering with handset tilt, which could lead to unstable positioning at the cheek.




Fig 12.1.1 Front, back, and side views of SAM twin phantom




Fig 12.1.2 Close-up side view of phantom showing the ear region.




Fig 12.1.3 Side view of the phantom showing relevant markings and seven cross-sectional plane locations

11.2 Definition of the cheek position

1. Ready the handset for talk operation, if necessary. For example, for handsets with a cover piece (flip cover), open the cover. If the handset can transmit with the cover closed, both configurations must be tested.
2. Define two imaginary lines on the handset—the vertical centerline and the horizontal line. The vertical centerline passes through two points on the front side of the handset—the midpoint of the width w_t of the handset at the level of the acoustic output (point A in Figure 12.2.1 and Figure 12.2.2), and the midpoint of the width w_b of the bottom of the handset (point B). The horizontal line is perpendicular to the vertical centerline and passes through the center of the acoustic output (see Figure 12.2.1). The two lines intersect at point A. Note that for many handsets, point A coincides with the center of the acoustic output; however, the acoustic output may be located elsewhere on the handset. Also note that the vertical centerline is not necessarily parallel to the front face of the handset (see Figure 12.2.2), especially for clamshell handsets, handsets with flip covers, and other irregularly-shaped handsets.
3. Position the handset close to the surface of the phantom such that point A is on the (virtual) extension of the line passing through points RE and LE on the phantom (see Figure 12.2.3), such that the plane defined by the vertical centerline and the horizontal line of the handset is approximately parallel to the sagittal plane of the phantom.
4. Translate the handset towards the phantom along the line passing through RE and LE until handset point A touches the pinna at the ERP.
5. While maintaining the handset in this plane, rotate it around the LE-RE line until the vertical centerline is in the plane normal to the plane containing B-M and N-F lines, i.e., the Reference Plane.
6. Rotate the handset around the vertical centerline until the handset (horizontal line) is parallel to the N-F line.
7. While maintaining the vertical centerline in the Reference Plane, keeping point A on the line passing through RE and LE, and maintaining the handset contact with the pinna, rotate the handset about the N-F line until any point on the handset is in contact with a phantom point below the pinna on the cheek. See Figure 12.2.3. The actual rotation angles should be documented in the test report.




Fig 12.2.1 Handset vertical and horizontal reference lines—“fixed case”




Fig 12.2.2 Handset vertical and horizontal reference lines—“clam-shell case”




Fig 12.2.3 cheek or touch position. The reference points for the right ear (RE), left ear (LE), and mouth (M), which establish the Reference Plane for handset positioning, are indicated.

11.3 Definition of the tilt position

1. Ready the handset for talk operation, if necessary. For example, for handsets with a cover piece (flip cover), open the cover. If the handset can transmit with the cover closed, both configurations must be tested.
2. While maintaining the orientation of the handset, move the handset away from the pinna along the line passing through RE and LE far enough to allow a rotation of the handset away from the cheek by 15°.
3. Rotate the handset around the horizontal line by 15°.
4. While maintaining the orientation of the handset, move the handset towards the phantom on the line passing through RE and LE until any part of the handset touches the ear. The tilt position is obtained when the contact point is on the pinna. See Figure 12.3.1. If contact occurs at any location other than the pinna, e.g., the antenna at the back of the phantom head, the angle of the handset should be reduced. In this case, the tilt position is obtained if any point on the handset is in contact with the pinna and a second point




Fig 12.3.1 Tilt position. The reference points for the right ear (RE), left ear (LE), and mouth (M), which define the Reference Plane for handset positioning, are indicated.

11.4 Body Worn Accessory

Body-worn operating configurations are tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in a normal use configuration (see Figure 11.4). Per KDB648474 D04v01r03, body-worn accessory exposure is typically related to voice mode operations when handsets are carried in body-worn accessories. The body-worn accessory procedures in FCC KDB 447498 D01v06 should be used to test for body-worn accessory SAR compliance, without a headset connected to it. This enables the test results for such configuration to be compatible with that required for hotspot mode when the body-worn accessory test separation distance is greater than or equal to that required for hotspot mode, when applicable. When the reported SAR for body-worn accessory, measured without a headset connected to the handset is $> 1.2 \text{ W/kg}$, the highest reported SAR configuration for that wireless mode and frequency band should be repeated for that body-worn accessory with a handset attached to the handset.

Accessories for body-worn operation configurations are divided into two categories: those that do not contain metallic components and those that do contain metallic components. When multiple accessories that do not contain metallic components are supplied with the device, the device is tested with only the accessory that dictates the closest spacing to the body. Then multiple accessories that contain metallic components are test with the device with each accessory. If multiple accessories share an identical metallic component (i.e. the same metallic belt-clip used with different holsters with no other metallic components) only the accessory that dictates the closest spacing to the body is tested.




Fig 12.4 Body Worn Position

11.5 Product Specific 10g SAR Exposure

For smart phones with a display diagonal dimension > 15.0 cm or an overall diagonal dimension > 16.0 cm, that can provide similar mobile web access and multimedia support found in mini-tablets or UMPC mini-tablets and support voice calls next to the ear, According to KDB648474 D04v01r03, the following phablet procedures should be applied to evaluate SAR compliance for each applicable wireless modes and frequency band. Devices marketed as phablets, regardless of form factors and operating characteristics must be tested as a phablet to determine SAR compliance

1. The normally required head and body-worn accessory SAR test procedures for handsets, including hotspot mode, must be applied.
2. The UMPC mini-tablet procedures must also be applied to test the SAR of all surfaces and edges with an antenna located at ≤ 25 mm from that surface or edge, in direct contact with a flat phantom, for 10-g extremity SAR according to the body-equivalent tissue dielectric parameters in KDB 865664 to address interactive hand use exposure conditions.⁶ The UMPC mini-tablet 1-g SAR at 5 mm is not required. When hotspot mode applies, 10-g extremity SAR is required only for the surfaces and edges with hotspot mode 1-g reported SAR > 1.2 W/kg.

11.6 Wireless Router

Some battery-operated handsets have the capability to transmit and receive user through simultaneous transmission of WIFI simultaneously with a separate licensed transmitter. The FCC has provided guidance in FCC KDB Publication 941225 D06 v02r01 where SAR test considerations for handsets ($L \times W \geq 9$ cm x 5 cm) are based on a composite test separation distance of 10mm from the front, back and edges of the device containing transmitting antennas within 2.5cm of their edges, determined from general mixed use conditions for this type of devices. Since the hotspot SAR results may overlap with the body-worn accessory SAR requirements, the more conservative configurations can be considered, thus excluding some body-worn accessory SAR tests.

When the user enables the personal wireless router functions for the handset, actual operations include simultaneous transmission of both the WIFI transmitter and another licensed transmitter. Both transmitters often do not transmit at the same transmitting frequency and thus cannot be evaluated for SAR under actual use conditions due to the limitations of the SAR assessment probes. Therefore, SAR must be evaluated for each frequency transmission and mode separately and spatially summed with the WIFI transmitter according to FCC KDB Publication 447498 D01v06 publication procedures. The "Portable Hotspot" feature on the handset was NOT activated during SAR assessments, to ensure the SAR measurements were evaluated for a single transmission frequency RF signal at a time.

12. Conducted RF Output Power (Unit: dBm)

The detailed conducted power table can refer to Appendix E.

<WCDMA Conducted Power>

1. The following tests were conducted according to the test requirements outlines in 3GPP TS 34.121 specification.
2. The procedures in KDB 941225 D01v03r01 are applied for 3GPP Rel. 6 HSPA to configure the device in the required sub-test mode(s) to determine SAR test exclusion.
3. For HSPA+ devices supporting 16 QAM in the uplink, power measurements procedure is according to the configurations in Table C.11.1.4 of 3GPP TS 34.121-1.
4. For DC-HSDPA, the device was configured according to the H-Set 12, Fixed Reference Channel (FRC) configuration in Table C.8.1.12 of 3GPP TS 34.121-1, with the primary and the secondary serving HS-DSCH Cell enabled during the power measurement.

A summary of these settings are illustrated below:

HSDPA Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting:
 - i. Set Gain Factors (β_c and β_d) and parameters were set according to each
 - ii. Specific sub-test in the following table, C10.1.4, quoted from the TS 34.121
 - iii. Set RMC 12.2Kbps + HSDPA mode.
 - iv. Set Cell Power = -86 dBm
 - v. Set HS-DSCH Configuration Type to FRC (H-set 1, QPSK)
 - vi. Select HSDPA Uplink Parameters
 - vii. Set Delta ACK, Delta NACK and Delta CQI = 8
 - viii. Set Ack-Nack Repetition Factor to 3
 - ix. Set CQI Feedback Cycle (k) to 4 ms
 - x. Set CQI Repetition Factor to 2
 - xi. Power Ctrl Mode = All Up bits
- d. The transmitted maximum output power was recorded.

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{hs} (Note 1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$.

Note 2: For the HS-DPCCH power mask requirement test in clause 5.2C, 5.7A, and the Error Vector Magnitude (EVM) with HS-DPCCH test in clause 5.13.1A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, Δ_{ACK} and $\Delta_{NACK} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$, and $\Delta_{CQI} = 24/15$ with $\beta_{hs} = 24/15 * \beta_c$.

Note 3: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.

Note 4: For subtest 2 the β_c/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 11/15$ and $\beta_d = 15/15$.

Setup Configuration

HSUPA Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting * :
 - i. Call Configs = 5.2B, 5.9B, 5.10B, and 5.13.2B with QPSK
 - ii. Set the Gain Factors (β_c and β_d) and parameters (AG Index) were set according to each specific sub-test in the following table, C11.1.3, quoted from the TS 34.121
 - iii. Set Cell Power = -86 dBm
 - iv. Set Channel Type = 12.2k + HSPA
 - v. Set UE Target Power
 - vi. Power Ctrl Mode= Alternating bits
 - vii. Set and observe the E-TFCI
 - viii. Confirm that E-TFCI is equal to the target E-TFCI of 75 for sub-test 1, and other subtest's E-TFCI
- d. The transmitted maximum output power was recorded.

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (Note 4) (Note 5)	β_{ed} (SF)	β_{ed} (Codes)	CM (dB) (Note 2)	MPR (dB) (Note 2) (Note 6)	AG Index (Note 5)	E-TFCI
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/25	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	β_{ed1} : 47/15 β_{ed2} : 47/15	4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15	0	-	-	5/15	5/15	47/15	4	1	1.0	0.0	12	67

Note 1: For sub-test 1 to 4, Δ_{ACK} , Δ_{NACK} and $\Delta_{CDI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$. For sub-test 5, Δ_{ACK} , Δ_{NACK} and $\Delta_{CDI} = 5/15$ with $\beta_{hs} = 5/15 * \beta_c$.

Note 2: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.

Note 3: For subtest 1 the β_c/β_d ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF0) to $\beta_c = 10/15$ and $\beta_d = 15/15$.

Note 4: In case of testing by UE using E-DPDCH Physical Layer category 1, Sub-test 3 is omitted according to TS25.306 Table 5.1g.

Note 5: β_{ed} can not be set directly; it is set by Absolute Grant Value.

Note 6: For subtests 2, 3 and 4, UE may perform E-DPDCH power scaling at max power which could results in slightly smaller MPR values.

Setup Configuration

DC-HSDPA 3GPP release 8 Setup Configuration:

- a. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration below
- b. The RF path losses were compensated into the measurements.
- c. A call was established between EUT and Base Station with following setting:
 - i. Set RMC 12.2Kbps + HSDPA mode.
 - ii. Set Cell Power = -25 dBm
 - iii. Set HS-DSCH Configuration Type to FRC (H-set 12, QPSK)
 - iv. Select HSDPA Uplink Parameters
 - v. Set Gain Factors (β_c and β_d) and parameters were set according to each Specific sub-test in the following table, C10.1.4, quoted from the TS 34.121
 - a). Subtest 1: $\beta_c/\beta_d=2/15$
 - b). Subtest 2: $\beta_c/\beta_d=12/15$
 - c). Subtest 3: $\beta_c/\beta_d=15/8$
 - d). Subtest 4: $\beta_c/\beta_d=15/4$
 - vi. Set Delta ACK, Delta NACK and Delta CQI = 8
 - vii. Set Ack-Nack Repetition Factor to 3
 - viii. Set CQI Feedback Cycle (k) to 4 ms
 - ix. Set CQI Repetition Factor to 2
 - x. Power Ctrl Mode = All Up bits
- d. The transmitted maximum output power was recorded.

The following tests were conducted according to the test requirements outlines in 3GPP TS 34.121 specification. A summary of these settings are illustrated below:

C.8.1.12 Fixed Reference Channel Definition H-Set 12

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.		
Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.		




Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)

Setup Configuration

HSPA+ 3GPP release 7 (uplink category 7) 16QAM, Setup Configuration:

1. The EUT was connected to Base Station Agilent E5515C referred to the Setup Configuration.
2. The RF path losses were compensated into the measurements.
3. A call was established between EUT and Base Station with following setting * :
 - i. Call Configs = 5.2E:HSPA+:UL with 16QAM
 - ii. Set the Gain Factors (β_c and β_d) and parameters (AG Index) were set according to each specific sub-test in the following table, C11.1.4, quoted from the TS 34.121-1 s5.2E
 - iii. Set Channel Params
 - iv. Set Cell Power = -86 dBm
 - v. Set Channel Type = HSPA
 - vi. Set UE Target Power = 21 dBm
 - vii. Power Ctrl Mode= All Up Bits
 - viii. Set Manual Uplink DPCH Bc/Bd = Manual
 - ix. Set Manual Uplink DPCH Bc and Bd=15,15(for 34.121-1 v8.10.0 table C11.1.4 sub-test 1)
 - x. Set HSPA Conn DL Channel Levels
 - xi. Set HS-SCCH Configs
 - xii. Set RB Test Mode Setup
 - xiii. Set Common HSUPA Parameters
 - xiv. Set Serving Grant
 - xv. Confirm that E-TFCI is equal to the target E-TFCI of 105 for sub-test 1, and other subtest's E-TFCI
4. The transmitted maximum output power was recorded.

Table C.11.1.4: β values for transmitter characteristics tests with HS-DPCCH and E-DCH with 16QAM

Sub-test	β_c (Note 3)	β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105

Note 1: $\Delta ACK, \Delta NACK$ and $\Delta CQI = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$.
 Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).
 Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default.
 Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value.
 Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signaled to use the extrapolation algorithm.


Setup Configuration
<WCDMA Conducted Power>
General Note:

1. Per KDB 941225 D01v03r01, for SAR testing is measured using a 12.2 kbps RMC with TPC bits configured to all "1's".
2. Per KDB 941225 D01v03r01, RMC 12.2kbps setting is used to evaluate SAR. The maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA/ HSPA+ is $\leq \frac{1}{4}$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA/ HSPA+ to RMC12.2Kbps and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA/ HSPA+, and according to the following RF output power, the output power results of the secondary modes (HSDPA / HSUPA / DC-HSDPA/ HSPA+) are less than $\frac{1}{4}$ dB higher than the primary modes; therefore, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA/ HSPA+.

<LTE Conducted Power>

General Note:

1. Anritsu MT8820C base station simulator was used to setup the connection with EUT; the frequency band, channel bandwidth, RB allocation configuration, modulation type are set in the base station simulator to configure EUT transmitting at maximum power and at different configurations which are requested to be reported to FCC, for conducted power measurement and SAR testing.
2. Per KDB 941225 D05v02r05, when a properly configured base station simulator is used for the SAR and power measurements, spectrum plots for each RB allocation and offset configuration is not required.
3. Per KDB 941225 D05v02r05, start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
4. Per KDB 941225 D05v02r05, 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure.
5. Per KDB 941225 D05v02r05, for QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
6. Per KDB 941225 D05v02r05, 16QAM/64QAM/256QAM output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in QPSK and the reported SAR for the QPSK configuration is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, 16QAM/64QAM/256QAM SAR testing is not required.
7. Per KDB 941225 D05v02r05, smaller bandwidth output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, smaller bandwidth SAR testing is not required.
8. For LTE B4 / B5 / B12 / B17 / B26 / B38 the maximum bandwidth does not support three non-overlapping channels, per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.
9. LTE B4 / B2 / B5 / B38 /B42(3550MHz-3600MHz)/B43 SAR test was covered by B66 / B25 / B26 / B41 / B48; according to April 2015 TCB workshop, SAR test for overlapping LTE bands can be reduced if
 - a. the maximum output power, including tolerance, for the smaller band is $\leq$ the larger band to qualify for the SAR test exclusion
 - b. the channel bandwidth and other operating parameters for the smaller band are fully supported by the larger band
10. According to May 2017 TCB workshop, for 16QAM and 64QAM, 256QAM should be verified by checking the signal constellation with a call box to avoid incorrect maximum power levels due to MPR and other requirements associated with signal modulation, and the following figure is taken from the "Fundamental Measurement >> Modulation Analysis >> constellation" mode of the device connect to the MT8821C base station, therefore, the device 256QAM, 64QAM and 16QAM signal modulation are correct.



<TDD LTE SAR Measurement>

TDD LTE configuration setup for SAR measurement

SAR was tested with a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by 3GPP.

- 3GPP TS 36.211 section 4.2 for Type 2 Frame Structure and Table 4.2-2 for uplink-downlink configurations
- “special subframe S” contains both uplink and downlink transmissions, it has been taken into consideration to determine the transmission duty factor according to the worst case uplink and downlink cyclic prefix requirements for UpPTS
- Establishing connections with base station simulators ensure a consistent means for testing SAR and recommended for evaluating SAR. The Anritsu MT8820C (firmware: #22.52#004) was used for LTE output power measurements and SAR testing.




Figure 4.2-1: Frame structure type 2 (for 5 ms switch-point periodicity).

Table 4.2-2: Uplink-downlink configurations.

Uplink-downlink configuration	Downlink-to-Uplink Switch-point periodicity	Subframe number									
		0	1	2	3	4	5	6	7	8	9
0	5 ms	D	S	U	U	U	D	S	U	U	U
1	5 ms	D	S	U	U	D	D	S	U	U	D
2	5 ms	D	S	U	D	D	D	S	U	D	D
3	10 ms	D	S	U	U	U	D	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	U	D

Table 4.2-1: Configuration of special subframe (lengths of DwPTS/GP/UpPTS).

Special subframe configuration	Normal cyclic prefix in downlink			Extended cyclic prefix in downlink		
	DwPTS	UpPTS		DwPTS	UpPTS	
		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
0	$6592 \cdot T_s$	$2192 \cdot T_s$	$2560 \cdot T_s$	$7680 \cdot T_s$	$2192 \cdot T_s$	$2560 \cdot T_s$
1	$19760 \cdot T_s$			$20480 \cdot T_s$		
2	$21952 \cdot T_s$			$23040 \cdot T_s$		
3	$24144 \cdot T_s$			$25600 \cdot T_s$		
4	$26336 \cdot T_s$	$4384 \cdot T_s$	$5120 \cdot T_s$	$7680 \cdot T_s$	$4384 \cdot T_s$	$5120 \cdot T_s$
5	$6592 \cdot T_s$			$20480 \cdot T_s$		
6	$19760 \cdot T_s$			$23040 \cdot T_s$		
7	$21952 \cdot T_s$			$12800 \cdot T_s$		
8	$24144 \cdot T_s$			-	-	-
9	$13168 \cdot T_s$			-	-	-

Special subframe (30720·T _s): Normal cyclic prefix in downlink (UpPTS)			
	Special subframe configuration	Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
Uplink duty factor in one special subframe	0~4	7.13%	8.33%
	5~9	14.3%	16.7%

Special subframe(30720·T _s): Extended cyclic prefix in downlink (UpPTS)			
	Special subframe configuration	Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
Uplink duty factor in one special subframe	0~3	7.13%	8.33%
	4~7	14.3%	16.7%

The highest duty factor is resulted from:

For LTE TDD Power class 2

- Uplink-downlink configuration: 1. In a half-frame consisted of 5 subframes, uplink operation is in 2 uplink subframes and 1 special subframe.
- special subframe configuration: 5-9 for normal cyclic prefix in downlink, 4-7 for extended cyclic prefix in downlink
- for special subframe with extended cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(2+0.167)/5 = 43.3\%$
- for special subframe with normal cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(2+0.143)/5 = 42.9\%$
- For TDD LTE SAR measurement, the duty cycle 1:2.33 (42.9 %) was used perform testing and considering the theoretical duty cycle of 43.3% for extended cyclic prefix in the uplink, and the theoretical duty cycle of 42.9% for normal cyclic prefix in uplink, a scaling factor of extended cyclic prefix $43.3\%/42.9\% = 1.009$ is applied to scale-up the measured SAR result. The scaled TDD LTE SAR = measured SAR (W/kg)* Tune-up Scaling Factor* scaling factor for extended cyclic prefix.

For LTE TDD Power class 3

- Uplink-downlink configuration: 0. In a half-frame consisted of 5 subframes, uplink operation is in 3 uplink subframes and 1 special subframe.
- special subframe configuration: 5-9 for normal cyclic prefix in downlink, 4-7 for extended cyclic prefix in downlink
- for special subframe with extended cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(3+0.167)/5 = 63.3\%$
- for special subframe with normal cyclic prefix in uplink, the total uplink duty factor in one half-frame is: $(3+0.143)/5 = 62.9\%$
- For TDD LTE SAR measurement, the duty cycle 1:1.59 (62.9 %) was used perform testing and considering the theoretical duty cycle of 63.3% for extended cyclic prefix in the uplink, and the theoretical duty cycle of 62.9% for normal cyclic prefix in uplink, a scaling factor of extended cyclic prefix $63.3\%/62.9\% = 1.006$ is applied to scale-up the measured SAR result. The scaled TDD LTE SAR = measured SAR (W/kg)* Tune-up Scaling Factor* scaling factor for extended cyclic prefix.

The device can adjust uplink/downlink configuration automatically according to the transmitting power class level, as followings:

LTE TDD Band	Power Class level	support uplink/downlink configuration
LTE Band 41	> 23	1,2,3,4,5
	=23	0,1,2,3,4,5,6
	< 23	0,1,2,3,4,5,6

**<LTE Carrier Aggregation>**

The detailed LTE Carrier Aggregation conducted power table can refer to Appendix F.

General Note:

1. This device supports Carrier Aggregation on downlink for inter and intra band. For the device supports bands and bandwidths and configurations are provided as follow table was according to 3GPP.
2. In applying the existing power measurement procedures of KDB 941225 D05A for DL CA SAR test exclusion, only the subset with the largest number of combinations of frequency bands and CCs in each row need combination, and for this device that all the configurations were choose to power measurement.
3. The gray color table is covered by other combinations and no need to verify power.

2CC Downlink Carrier Aggregation			
Number	Combination	4X4 MIMO	Covered by
			Measurement Superset
1	CA_12A-66A		
2	CA_14A-66A		
3	CA_2A-12A		
4	CA_2A-14A		
5	CA_2A-2A		
6	CA_2A-4A		
7	CA_2A-5A		
8	CA_2A-66A		
9	CA_4A-12A		
10	CA_4A-4A		
11	CA_4A-5A		
12	CA_5A-66A		
13	CA_5B		
14	CA_66A-66A		
15	CA_2A-7A	7A	
16	CA_5A-7A	7A	
17	CA_7A-66A	7A	
18	CA_4A-7A	7A	
19	CA_7C	7A	
20	CA_7A-12A	7A	
21	CA_7A-7A	7A	
22	CA_5A-5A		
23	CA_13A-66A		
24	CA_41A-41A	41A	
25	CA_48C	48C	
26	CA_48A-48A	48A	
27	CA_4A-48A	48A	
28	CA_5A-48A	48A	
29	CA_13A-48A	48A	
30	CA_2A-71A		
31	CA_4A-71A		
32	CA_66A-71A		
33	CA_66B		
34	CA_66C		
35	CA_2A-13A		
36	CA_4A-13A		
37	CA_12B		
38	CA_41C	41C	
39	CA_48A-71A	48A	
40	CA_2C		
41	CA_2A-48A	48A	
42	CA_48A-66A	48A	

LTE Carrier Aggregation Conducted Power (Downlink)

- i. According to KDB941225 D05A v01r02, Uplink maximum output power measurement with downlink carrier aggregation active should be measured, using the highest output channel measured without downlink carrier aggregation, to confirm that uplink maximum output power with downlink carrier aggregation active remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output measured without downlink carrier aggregation active.
- ii. Uplink maximum output power with downlink carrier aggregation active does not show more than ¼ dB higher than the maximum output power without downlink carrier aggregation active, therefore SAR evaluation with downlink carrier aggregation active can be excluded.
- iii. The device supports downlink two carrier aggregation. For power measurement were control and acknowledge data is sent on uplink channels that operate identical to specifications when downlink carrier aggregation is inactive.
- iv. Selected highest measured power when downlink carrier aggregation is inactive for conducted power comparison with downlink carrier aggregation is active, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive.
- v. For inter-band CA, the SCC selected highest bandwidth and near the middle of its transmission band. For SCC DL RB size and offset will base on the PCC corresponding RB allocation.
- vi. For non-contiguous intra-band CA, the SCC selected to provide maximum separation from the PCC and must remain fully within the downlink transmission band.
- vii. For Intra-band, contiguous CA, the downlink channels selected to perform the uplink power measurement must satisfy 3GPP channel spacing (5.4.1A of 3GPP TS 36.521 or equivalent) and channel bandwidth (5.4.2A) requirements.

$$\text{Nominal channel spacing} = \left\lceil \frac{BW_{\text{Channel}(1)} + BW_{\text{Channel}(2)} - 0.1|BW_{\text{Channel}(1)} - BW_{\text{Channel}(2)}|}{0.6} \right\rceil 0.3 \text{ [MHz]}$$

LTE 4x4 MIMO (Downlink)

This device supports downlink 4x4 MIMO operations for LTE Band 7/38/41/42/43/48 only. Uplink transmission is limited to a single output stream. Power measurements were performed with downlink 4x4 MIMO active for the configuration with highest measured maximum conducted power with 4x4 downlink MIMO inactive measured among the channel bandwidth, modulation, and RB combinations in each frequency band.

Per FCC Guidance, SAR for downlink 4x4 MIMO was not needed since the maximum average output power in 4x4 downlink MIMO mode was not > 0.25 dB higher than the maximum output power with downlink 4x4 MIMO inactive. When carrier aggregation is applicable, power measurements were performed with the downlink carrier aggregation and 4x4 DL MIMO active for the configuration with highest measured maximum conducted power with downlink carrier aggregation inactive measured among the channel bandwidth, modulation, and RB combinations in each frequency band.

4X4 MIMO	Band
	LTE Band 7/38/41/42/43/48

5G NR Output Power (Unit: dBm)**General Note:**

1. 5G NR n2/n5/n7/n14/n25/n66/n71/n38/n41/n48/n77/n78 is SA mode.
2. 5G NR n2/n5/n7/n25/n66/n38/n41/n71/n77/n78 is NSA mode.
3. For 5G NR test procedure was following step similar FCC KDB 941225 D05:
 - a. For DFT-OFDM and CP-OFDM output power measurement reduction, according to 38.101 maximum power reduction for power class2 and 3, the CP-OFDM mode will not higher than DFT-OFDM mode, therefore, similar FCC KDB 941225 D05 procedure for other modulation output power for each RB allocation configuration is > not ½ dB higher than the same configuration in DFT-s QPSK and the reported SAR for the DFT-s QPSK configuration is ≤ 1.45 W/kg; CP-OFDM testing is not required.
 - b. For DFT-OFDM output power measurement reduction, according to 38.101 maximum power reduction for power class2 and 3, for 16QAM/64QAM/256QAM and smaller bandwidth output power will spot check largest channel bandwidth worst RB configuration to ensure the 16QAM/64QAM/256QAM and smaller bandwidth output power will not ½ dB higher than the same configuration in the largest supported bandwidth.
 - c. SAR testing start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel
 - d. 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure
 - e. QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested
 - f. PI/2 BPSK/16QAM/64QAM/256QAM output powers according to 3GPP MPR will not ½ dB higher than the same configuration in QPSK, also reported SAR for the QPSK configuration is less than 1.45 W/kg, PI/2 BPSK /16QAM/64QAM/256QAM SAR testing are not required.
 - g. Smaller bandwidth output power for each RB allocation configuration for this device will not ½ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg, smaller bandwidth SAR testing is not required for this device
4. For 5G NR n41/n77 HPUE, 5G NR n41/n77 PC2 Maximum Duty Cycle is 50%, using FTM (Factory Test Mode) with 50% duty cycle is considered during SAR testing. For 5G NR other bands test, using FTM (Factory Test Mode) with default 100% duty cycle transmission to perform SAR testing.
5. NSA and SA mode should perform SAR separately. For the maximum power of NSA mode is the same as SA total power level, so SA SAR can represent NSA mode SAR.
6. 5G NR NSA mode, the power level is the same as 5G NR SA mode, so 5G NR NSA mode and SA mode power table only show one time.
7. 5G NR supports CP-OFDM and DFT-s-OFDM modulation, for DFT-s-OFDM power is higher than CP-OFDM, so only show DFT-s-OFDM power table and chose DFT-s-OFDM to perform SAR testing.
8. For DFT-s-OFDM and CP-OFDM output power measurement reduction, according to 38.101 maximum power reduction for the CP-OFDM mode will not higher than DFT-s-OFDM mode, therefore, CP-OFDM measurement is unnecessary.
9. For 5G NR EN-DC mode, standalone SAR performed for 5G NR NSA band with the maximum power, EN-DC SAR summed EN-DC mode 5G NR standalone SAR and LTE standalone SAR, the result of EN-DC SAR is more conservatively.

<3GPP 38.101 MPR for EN-DC>
Table 6.2.2-1 Maximum power reduction (MPR) for power class 3

Modulation		MPR (dB)		
		Edge RB allocations	Outer RB allocations	Inner RB allocations
DFT-s-OFDM	Pi/2 BPSK	$\leq 3.5^1$	$\leq 1.2^1$	$\leq 0.2^1$
		$\leq 0.5^2$	$\leq 0.5^2$	0 ²
	QPSK	≤ 1		0
	16 QAM	≤ 2		≤ 1
	64 QAM	≤ 2.5		
CP-OFDM	256 QAM	≤ 4.5		
	QPSK	≤ 3		≤ 1.5
	16 QAM	≤ 3		≤ 2
	64 QAM	≤ 3.5		
	256 QAM	≤ 6.5		

NOTE 1: Applicable for UE operating in TDD mode with Pi/2 BPSK modulation and UE indicates support for UE capability powerBoosting-pi2BPSK and if the IE powerBoostPi2BPSK is set to 1 and 40 % or less slots in radio frame are used for UL transmission for bands n40, n41, n77, n78 and n79. The reference power of 0 dB MPR is 26 dBm.

NOTE 2: Applicable for UE operating in FDD mode, or in TDD mode in bands other than n40, n41, n77, n78 and n79 with Pi/2 BPSK modulation and if the IE powerBoostPi2BPSK is set to 0 and if more than 40 % of slots in radio frame are used for UL transmission for bands n40, n41, n77, n78 and n79.

Table 6.2.2-2 Maximum power reduction (MPR) for power class 2

Modulation		MPR (dB)		
		Edge RB allocations	Outer RB allocations	Inner RB allocations
DFT-s-OFDM	Pi/2 BPSK	≤ 3.5	≤ 0.5	0
	QPSK	≤ 3.5	≤ 1	0
	16 QAM	≤ 3.5	≤ 2	≤ 1
	64 QAM	≤ 3.5	≤ 2.5	
	256 QAM	≤ 4.5		
CP-OFDM	QPSK	≤ 3.5	≤ 3	≤ 1.5
	16 QAM	≤ 3.5	≤ 3	≤ 2
	64 QAM	≤ 3.5		
	256 QAM	≤ 6.5		

<EN-DC combination>

EN-DC combination	Antenna Tx	
	LTE TX	NRTX
DC_12A_n2A	ANT1	ANT4
DC_12A_n66A	ANT1	ANT4
DC_12A_n77A	ANT1	ANT6
DC_14A_n2A	ANT1	ANT4
DC_14A_n66A	ANT1	ANT4
DC_14A_n77A	ANT1	ANT6
DC_2A_n5A	ANT4	ANT1
DC_2A_n66A	ANT4	ANT1
DC_2A_n77A	ANT1	ANT6
DC_5A_n2A	ANT1	ANT4
DC_5A_n66A	ANT1	ANT4
DC_5A_n77A	ANT1	ANT6
DC_66A_n2A	ANT1	ANT4
DC_66A_n5A	ANT4	ANT1
DC_66A_n77A	ANT1	ANT6
DC_66A_n7A	ANT4	ANT2
DC_7A_n2A	ANT2	ANT4
DC_2A_n7A	ANT4	ANT2
DC_7A_n66A	ANT2	ANT1
DC_7A_n77A	ANT2	ANT6
DC_66A_n71A	ANT4	ANT1
DC_2A_n71A	ANT4	ANT1
DC_2A_n41A	ANT1	ANT2
DC_66A_n41A	ANT1	ANT2
DC_66A_n25A	ANT1	ANT4
DC_13A_n77A	ANT1	ANT6



DC_13A_n2A	ANT1	ANT4
DC_13A_n66A	ANT1	ANT4
DC_5A_n78A	ANT1	ANT6
DC_7A_n78A	ANT2	ANT6
DC_48A_n5A	ANT6	ANT1
DC_71A_n2A	ANT1	ANT4
DC_71A_n38A	ANT1	ANT2
DC_71A_n41A	ANT1	ANT2
DC_71A_n66A	ANT1	ANT4
DC_71A_n77A	ANT1	ANT6
DC_71A_n78A	ANT1	ANT6
DC_12A_n25A	ANT1	ANT4
DC_12A_n38A	ANT1	ANT2
DC_12A_n41A	ANT1	ANT2
DC_12A_n78A	ANT1	ANT6
DC_13A_n25A	ANT1	ANT4
DC_13A_n78A	ANT1	ANT6
DC_25A_n41A	ANT1	ANT2
DC_25A_n77A	ANT1	ANT6
DC_25A_n78A	ANT1	ANT6
DC_26A_n25A	ANT1	ANT4
DC_26A_n41A	ANT1	ANT2
DC_2A_n38A	ANT1	ANT2
DC_2A_n78A	ANT1	ANT6
DC_48A_n66A	ANT6	ANT1
DC_4A_n38A	ANT1	ANT2
DC_4A_n41A	ANT1	ANT2
DC_5A_n38A	ANT1	ANT2
DC_5A_n41A	ANT1	ANT2
DC_66A_n78A	ANT1	ANT6
DC_66A_n38A	ANT1	ANT2


<WLAN Conducted Power>**General Note:**

1. The maximum output power specified for production units are determined for all applicable 802.11 transmission modes in each standalone and aggregated frequency band. Maximum output power is measured for the highest maximum output power configuration(s) in each frequency band according to the default power measurement procedures. For "Not required", SAR Test reduction was applied from KDB 248227 guidance, Sec. 2.1, b), 1) when the same maximum power is specified for multiple transmission modes in a frequency band, the largest channel bandwidth, lowest order modulation, lowest data rate and lowest order 802.11a/g/n/ac mode is used for SAR measurement, on the highest measured output power channel in the initial test configuration. Additional output power measurements were not necessary.
2. Per KDB 248227 D01v02r02, SAR test reduction is determined according to 802.11 transmission mode configurations and certain exposure conditions with multiple test positions. In the 2.4 GHz band, separate SAR procedures are applied to DSSS and OFDM configurations to simplify DSSS test requirements. For OFDM, in both 2.4 and 5 GHz bands, an initial test configuration must be determined for each standalone and aggregated frequency band, according to the transmission mode configuration with the highest maximum output power specified for production units to perform SAR measurements. If the same highest maximum output power applies to different combinations of channel bandwidths, modulations and data rates, additional procedures are applied to determine which test configurations require SAR measurement. When applicable, an initial test position may be applied to reduce the number of SAR measurements required for next to the ear, UMPC mini-tablet or hotspot mode configurations with multiple test positions.
3. For 2.4 GHz 802.11b DSSS, either the initial test position procedure for multiple exposure test positions or the DSSS procedure for fixed exposure position is applied; these are mutually exclusive. For 2.4 GHz and 5 GHz OFDM configurations, the initial test configuration is applied to measure SAR using either the initial test position procedure for multiple exposure test position configurations or the initial test configuration procedures for fixed exposure test conditions. Based on the reported SAR of the measured configurations and maximum output power of the transmission mode configurations that are not included in the initial test configuration, the subsequent test configuration and initial test position procedures are applied to determine if SAR measurements are required for the remaining OFDM transmission configurations. In general, the number of test channels that require SAR measurement is minimized based on maximum output power measured for the test sample(s).
4. For OFDM transmission configurations in the 2.4 GHz and 5 GHz bands, When the same maximum power is specified for multiple transmission modes in a frequency band, the largest channel bandwidth, lowest order modulation, lowest data rate and lowest order 802.11a/g/n/ac mode is used for SAR measurement, on the highest measured output power channel for each frequency band.
5. DSSS and OFDM configurations are considered separately according to the required SAR procedures. SAR is measured in the initial test position using the 802.11 transmission mode configuration required by the DSSS procedure or initial test configuration and subsequent test configuration(s) according to the OFDM procedures.¹⁸ The initial test position procedure is described in the following:
 - a. When the reported SAR of the initial test position is ≤ 0.4 W/kg, further SAR measurement is not required for the other test positions in that exposure configuration and 802.11 transmission mode combinations within the frequency band or aggregated band.
 - b. When the reported SAR of the test position is > 0.4 W/kg, SAR is repeated for the 802.11 transmission mode configuration tested in the initial test position to measure the subsequent next closest/smallest test separation distance and maximum coupling test position on the highest maximum output power channel, until the report SAR is ≤ 0.8 W/kg or all required test position are tested.
 - c. For all positions/configurations, when the reported SAR is > 0.8 W/kg, SAR is measured for these test positions/configurations on the subsequent next highest measured output power channel(s) until the reported SAR is ≤ 1.2 W/kg or all required channels are tested.

<2.4GHz Bluetooth>

General Note:

1. For 2.4GHz Bluetooth SAR testing was selected 1Mbps, due to its highest average power.
2. The Bluetooth duty cycle are 77.61% as following figure, for Bluetooth SAR scaling need further consideration and the theoretical duty cycle is 83.3%, therefore the actual duty cycle will be scaled up to 83.3% for Bluetooth reported SAR calculation





13. Antenna Location

The detailed antenna location information can refer to SAR Test Setup Photos.

14. SAR Test Results

General Note:

1. Per KDB 447498 D01v06, the reported SAR is the measured SAR value adjusted for maximum tune-up tolerance.
 - a. Tune-up scaling Factor = tune-up limit power (mW) / EUT RF power (mW), where tune-up limit is the maximum rated power among all production units.
 - b. For SAR testing of WLAN signal with non-100% duty cycle, the measured SAR is scaled-up by the duty cycle scaling factor which is equal to "1/(duty cycle)"
 - c. For SAR testing of Bluetooth signal with 83.3% theoretical duty cycle, the measured SAR is scaled-up by the duty cycle scaling factor which is equal to "1/(duty cycle) *83.3%".
 - d. For WWAN: Reported SAR(W/kg)= Measured SAR(W/kg)*Tune-up Scaling Factor
 - e. For BT/WLAN: Reported SAR(W/kg)= Measured SAR(W/kg)* Duty Cycle scaling factor * Tune-up scaling factor
 - f. For TDD LTE SAR measurement of power class 3, the duty cycle 1:1.59 (62.9 %) was used perform testing and considering the theoretical duty cycle of 63.3% for extended cyclic prefix in the uplink, and the theoretical duty cycle of 62.9% for normal cyclic prefix in uplink, a scaling factor of extended cyclic prefix 63.3%/62.9% = 1.006 is applied to scale-up the measured SAR result. The reported TDD LTE SAR (W/kg) = Measured SAR (W/kg)* Tune-up Scaling Factor* scaling factor for extended cyclic prefix.
2. Per KDB 447498 D01v06, for each exposure position, testing of other required channels within the operating mode of a frequency band is not required when the *reported* 1-g or 10-g SAR for the mid-band or highest output power channel is:
 - ≤ 0.8 W/kg or 2.0 W/kg, for 1-g or 10-g respectively, when the transmission band is ≤ 100 MHz
 - ≤ 0.6 W/kg or 1.5 W/kg, for 1-g or 10-g respectively, when the transmission band is between 100 MHz and 200 MHz
 - ≤ 0.4 W/kg or 1.0 W/kg, for 1-g or 10-g respectively, when the transmission band is ≥ 200 MHz
3. Per KDB 865664 D01v01r04, for each frequency band, repeated SAR measurement is required when the measured SAR is ≥ 0.8 W/kg. Per KDB 865664 D01v01r04, if the extremity repeated SAR is necessary, the same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds.
4. The device implements receiver detection/hotspot mode for SAR compliance at different exposure conditions (head, body-worn, hotspot, extremity). And the device will invoke corresponding work scenarios power level base on frequency bands/antennas, which can refer to power table at appendix E.
5. For WLAN when transmit simultaneous with WWAN, power reduction will be activated to head and hotspot exposure condition.
6. Per KDB648474 D04v01r03, for smart phones with a display diagonal dimension > 15.0 cm or an overall diagonal dimension > 16.0 cm, when hotspot mode applies, 10-g extremity SAR is required only for the surfaces and edges with hotspot mode 1-g reported SAR > 1.2 W/kg, however, when power reduction applies to hotspot mode the measured SAR must be scaled to the maximum output power, including tolerance, allowed for phablet modes to compare with the 1.2 W/kg SAR test reduction threshold.
 - a. For this device SAR for WWAN/WLAN transmitter scaled to maximum output power mode for product specific 10g SAR is higher than 1.2W/kg of WCDMA Band II, LTE Band 2/4/25/66, 5G NR n2/n25/n66/n38/n41/n48/n77/n78, WLAN5.8GHz, therefore product specific 10g SAR is necessary.
 - b. WLAN 5.3/5.8GHz tested the product specific 10g SAR since it has no hotspot mode.
 - c. When 10-g product specific 10g SAR is considered, SAR thresholds is specified in the procedures for SAR test reduction and exclusion should be multiplied by 2.5.
7. Although the headset SAR is greater than 0.8 W/kg, the headset SAR verified the worst of the non-headset SAR and less than non-headset SAR, so there is no need to be tested other channels.
8. The EUT has two work states, flip open and flip close, SAR testing have been evaluated two states. For head mode, only flip open mode is performed SAR testing. When it is in flip close configuration since the diagonal dimension is < 160 mm, 10-g extremity SAR tests are not required. When it is in flip open configuration since the diagonal dimension is > 160 mm and < 200 mm. Therefore, 10-g extremity SAR tests are required when wireless router mode does not apply or if wireless router 1g SAR > 1.2 W/kg.

WCDMA Note:

1. Per KDB 941225 D01v03r01, for SAR testing is measured using a 12.2 kbps RMC with TPC bits configured to all "1's".
2. Per KDB 941225 D01v03r01, RMC 12.2kbps setting is used to evaluate SAR. The maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA/ HSPA+ is $\leq \frac{1}{4}$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA/ HSPA+ to RMC12.2Kbps and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA/ HSPA+, and according to the following RF output power, the output power results of the secondary modes (HSDPA / HSUPA / DC-HSDPA/ HSPA+) are less than $\frac{1}{4}$ dB higher than the primary modes; therefore, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA/ HSPA+.

LTE Note:

1. Per KDB 941225 D05v02r05, start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
2. Per KDB 941225 D05v02r05, 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure.
3. Per KDB 941225 D05v02r05, for QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
4. Per KDB 941225 D05v02r05, 16QAM/64QAM/256QAM output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in QPSK and the reported SAR for the QPSK configuration is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, 16QAM/64QAM/256QAM SAR testing is not required.
5. Per KDB 941225 D05v02r05, smaller bandwidth output power for each RB allocation configuration is $>$ not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg; Per KDB 941225 D05v02r05, smaller bandwidth SAR testing is not required.
6. For LTE B4 / B5 / B12 / B17 / B26 / B38 the maximum bandwidth does not support three non-overlapping channels, per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.
7. LTE B4 / B2 / B5 / B38 /B42(3550MHz-3600MHz) / B43 SAR test was covered by B66 / B25 / B26 / B41 / B48; according to April 2015 TCB workshop, SAR test for overlapping LTE bands can be reduced if
 - a. the maximum output power, including tolerance, for the smaller band is $\leq$ the larger band to qualify for the SAR test exclusion
 - b. the channel bandwidth and other operating parameters for the smaller band are fully supported by the larger band

5G NR Note:

1. For 5G NR test procedure was following step similar FCC KDB 941225 D05:
 - a. SAR testing start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
 - b. 50% RB allocation for QPSK SAR testing follows 1RB QPSK allocation procedure
 - c. QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel; and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
 - d. PI/2 BPSK/16QAM/64QAM/256QAM output powers according to 3GPP MPR will not $\frac{1}{2}$ dB higher than the same configuration in QPSK, also reported SAR for the QPSK configuration is less than 1.45 W/kg, PI/2 BPSK /16QAM/64QAM/256QAM SAR testing are not required.
 - e. Smaller bandwidth output power for each RB allocation configuration for this device will not $\frac{1}{2}$ dB higher than the same configuration in the largest supported bandwidth, and the reported SAR for the largest supported bandwidth is ≤ 1.45 W/kg, smaller bandwidth SAR testing is not required for this device
 - f. For 5G FR1 n5 /n7/n25/n66/n71/n38/n41/n77 the maximum bandwidth does not support three non-overlapping channels, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

WLAN/Bluetooth Note:

1. Per KDB 248227 D01v02r02, for 2.4GHz 802.11g/n SAR testing is not required when the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.
2. Per KDB 248227 D01v02r02, U-NII-1 SAR testing is not required when the U-NII-2A band highest reported SAR for a test configuration is ≤ 1.2 W/kg, SAR is not required for U-NII-1 band.
3. When the reported SAR of the test position is > 0.4 W/kg, SAR is repeated for the 802.11 transmission mode configuration tested in the initial test position to measure the subsequent next closet/smallest test separation distance and maximum coupling test position on the highest maximum output power channel, until the report SAR is ≤ 0.8 W/kg or all required test position are tested.
4. For all positions / configurations, when the reported SAR is > 0.8 W/kg, SAR is measured for these test positions / configurations on the subsequent next highest measured output power channel(s) until the reported SAR is ≤ 1.2 W/kg or all required channels are tested.
5. During SAR testing the WLAN transmission was verified using a spectrum analyzer.

DSI status description:

The device has the following DSI state which used at different exposure condition.

Exposure Condition	DSI	EUT Flip State	Trigger conditions
Head SAR Standalone	DSI 4	Flip Open	Earpiece On
Head SAR Simultaneous	DSI 6	Flip Open	Earpiece On+WLAN
Hotspot SAR	DSI 3	Flip Open/Flip Close	Hotspot on
Body worn &Extremity SAR Standalone	DSI 1	Flip Open/Flip Close	Receiver off
Body worn &Extremity SAR Simultaneous	DSI 2	Flip Open/Flip Close	Receiver off +WLAN



14.1 Head SAR

<Flip Open>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
750MHz																					
01	LTE Band 12	10M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	23095	707.5	1	24.10	25.00	1.230	-	-	0.16	0.226	0.278
	LTE Band 12	10M	QPSK	25	0	-	Right Cheek	0mm	Ant 1	DSI 4	23095	707.5	1	23.18	24.00	1.208	-	-	0.08	0.166	0.200
	LTE Band 12	10M	QPSK	1	0	-	Right Tilted	0mm	Ant 1	DSI 4	23095	707.5	1	24.10	25.00	1.230	-	-	0.01	0.127	0.156
	LTE Band 12	10M	QPSK	25	0	-	Right Tilted	0mm	Ant 1	DSI 4	23095	707.5	1	23.18	24.00	1.208	-	-	0.01	0.126	0.152
	LTE Band 12	10M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 4	23095	707.5	1	24.10	25.00	1.230	-	-	-0.05	0.271	0.333
	LTE Band 12	10M	QPSK	25	0	-	Left Cheek	0mm	Ant 1	DSI 4	23095	707.5	1	23.18	24.00	1.208	-	-	0.01	0.157	0.190
	LTE Band 12	10M	QPSK	1	0	-	Left Tilted	0mm	Ant 1	DSI 4	23095	707.5	1	24.10	25.00	1.230	-	-	-0.02	0.121	0.149
	LTE Band 12	10M	QPSK	25	0	-	Left Tilted	0mm	Ant 1	DSI 4	23095	707.5	1	23.18	24.00	1.208	-	-	0.03	0.105	0.127
02	LTE Band 13	10M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	23230	782	1	24.11	25.00	1.227	-	-	0.08	0.269	0.330
	LTE Band 13	10M	QPSK	25	0	-	Right Cheek	0mm	Ant 1	DSI 4	23230	782	1	23.15	24.00	1.216	-	-	0.1	0.228	0.277
	LTE Band 13	10M	QPSK	1	0	-	Right Tilted	0mm	Ant 1	DSI 4	23230	782	1	24.11	25.00	1.227	-	-	0.03	0.172	0.211
	LTE Band 13	10M	QPSK	25	0	-	Right Tilted	0mm	Ant 1	DSI 4	23230	782	1	23.15	24.00	1.216	-	-	0.01	0.125	0.152
	LTE Band 13	10M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 4	23230	782	1	24.11	25.00	1.227	-	-	-0.03	0.246	0.302
	LTE Band 13	10M	QPSK	25	0	-	Left Cheek	0mm	Ant 1	DSI 4	23230	782	1	23.15	24.00	1.216	-	-	0.12	0.213	0.259
	LTE Band 13	10M	QPSK	1	0	-	Left Tilted	0mm	Ant 1	DSI 4	23230	782	1	24.11	25.00	1.227	-	-	0.02	0.173	0.212
	LTE Band 13	10M	QPSK	25	0	-	Left Tilted	0mm	Ant 1	DSI 4	23230	782	1	23.15	24.00	1.216	-	-	0.08	0.113	0.137
03	LTE Band 14	10M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	23330	793	1	24.13	25.00	1.222	-	-	0.06	0.326	0.398
	LTE Band 14	10M	QPSK	25	0	-	Right Cheek	0mm	Ant 1	DSI 4	23330	793	1	23.12	24.00	1.225	-	-	-0.17	0.278	0.340
	LTE Band 14	10M	QPSK	1	0	-	Right Tilted	0mm	Ant 1	DSI 4	23330	793	1	24.13	25.00	1.222	-	-	0.04	0.201	0.246
	LTE Band 14	10M	QPSK	25	0	-	Right Tilted	0mm	Ant 1	DSI 4	23330	793	1	23.12	24.00	1.225	-	-	0.01	0.163	0.200
	LTE Band 14	10M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 4	23330	793	1	24.13	25.00	1.222	-	-	0.05	0.300	0.367
	LTE Band 14	10M	QPSK	25	0	-	Left Cheek	0mm	Ant 1	DSI 4	23330	793	1	23.12	24.00	1.225	-	-	-0.03	0.259	0.317
	LTE Band 14	10M	QPSK	1	0	-	Left Tilted	0mm	Ant 1	DSI 4	23330	793	1	24.13	25.00	1.222	-	-	0.01	0.214	0.261
	LTE Band 14	10M	QPSK	25	0	-	Left Tilted	0mm	Ant 1	DSI 4	23330	793	1	23.12	24.00	1.225	-	-	0.14	0.175	0.214
04	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	158600	793	1	24.10	25.00	1.230	-	-	-0.15	0.403	0.496
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	158600	793	2	24.10	25.00	1.230	-	-	0.02	0.395	0.486
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	158600	793	1	24.06	25.00	1.242	-	-	-0.02	0.348	0.432
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	158600	793	1	24.10	25.00	1.230	-	-	0.02	0.226	0.278
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	158600	793	1	24.06	25.00	1.242	-	-	0.03	0.185	0.230
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	158600	793	1	24.10	25.00	1.230	-	-	0.05	0.336	0.413
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	158600	793	1	24.06	25.00	1.242	-	-	-0.03	0.312	0.387
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	158600	793	1	24.10	25.00	1.230	-	-	0.01	0.202	0.249
05	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	158600	793	1	24.06	25.00	1.242	-	-	0.06	0.253	0.314
	LTE Band 71	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	133297	680.5	1	23.71	25.00	1.346	-	-	0.07	0.209	0.281
	LTE Band 71	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 1	DSI 4	133297	680.5	1	22.81	24.00	1.315	-	-	0.11	0.120	0.158
	LTE Band 71	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 1	DSI 4	133297	680.5	1	23.71	25.00	1.346	-	-	0.06	0.049	0.066
	LTE Band 71	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 1	DSI 4	133297	680.5	1	22.81	24.00	1.315	-	-	-0.05	0.043	0.057
	LTE Band 71	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 4	133297	680.5	1	23.71	25.00	1.346	-	-	0.01	0.149	0.201
	LTE Band 71	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 1	DSI 4	133297	680.5	1	22.81	24.00	1.315	-	-	0.18	0.135	0.178
	LTE Band 71	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 1	DSI 4	133297	680.5	1	23.71	25.00	1.346	-	-	0.02	0.068	0.092
06	LTE Band 71	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 1	DSI 4	133297	680.5	1	22.81	24.00	1.315	-	-	0.14	0.068	0.089
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	136100	680.5	1	24.23	25.00	1.194	-	-	0.01	0.229	0.273
	FR1 n71	20M	QPSK	80	40	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	136100	680.5	1	24.18	25.00	1.208	-	-	0.06	0.226	0.273
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	136100	680.5	1	24.23	25.00	1.194	-	-	-0.07	0.054	0.064
	FR1 n71	20M	QPSK	80	40	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	136100	680.5	1	24.18	25.00	1.208	-	-	0.04	0.073	0.088
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	136100	680.5	1	24.23	25.00	1.194	-	-	-0.05	0.254	0.303
	FR1 n71	20M	QPSK	80	40	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	136100	680.5	1	24.18	25.00	1.208	-	-	-0.04	0.242	0.292
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	136100	680.5	1	24.23	25.00	1.194	-	-	-0.14	0.056	0.067
06	FR1 n71	20M	QPSK	80	40	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	136100	680.5	1	24.18	25.00	1.208	-	-	0.08	0.089	0.107



FCC SAR Test Report

Report No. : FA462605

850MHz																					
07	WCDMA V	-	-	-	-	RMC 12.2Kbps	Right Cheek	0mm	Ant 1	DSI 4	4182	836.4	1	23.40	24.00	1.148	-	-	0.17	0.254	0.292
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Right Tilted	0mm	Ant 1	DSI 4	4182	836.4	1	23.40	24.00	1.148	-	-	0.06	0.140	0.161
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Left Cheek	0mm	Ant 1	DSI 4	4182	836.4	1	23.40	24.00	1.148	-	-	0.01	0.249	0.286
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Left Tilted	0mm	Ant 1	DSI 4	4182	836.4	1	23.40	24.00	1.148	-	-	-0.09	0.161	0.185
08	LTE Band 26 SA Standalone ENDC Standalone	15M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	26865	831.5	1	23.95	25.00	1.274	-	-	0.02	0.441	0.562
	LTE Band 26	15M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	26865	831.5	2	23.95	25.00	1.274	-	-	0.01	0.435	0.554
	LTE Band 26	15M	QPSK	36	0	-	Right Cheek	0mm	Ant 1	DSI 4	26865	831.5	1	23.05	24.00	1.245	-	-	-0.17	0.356	0.443
	LTE Band 26	15M	QPSK	1	0	-	Right Tilted	0mm	Ant 1	DSI 4	26865	831.5	1	23.95	25.00	1.274	-	-	0.01	0.249	0.317
	LTE Band 26	15M	QPSK	36	0	-	Right Tilted	0mm	Ant 1	DSI 4	26865	831.5	1	23.05	24.00	1.245	-	-	-0.05	0.212	0.264
	LTE Band 26	15M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 4	26865	831.5	1	23.95	25.00	1.274	-	-	0.03	0.398	0.507
	LTE Band 26	15M	QPSK	36	0	-	Left Cheek	0mm	Ant 1	DSI 4	26865	831.5	1	23.05	24.00	1.245	-	-	0.01	0.389	0.484
	LTE Band 26	15M	QPSK	1	0	-	Left Tilted	0mm	Ant 1	DSI 4	26865	831.5	1	23.95	25.00	1.274	-	-	0.01	0.232	0.295
	LTE Band 26	15M	QPSK	36	0	-	Left Tilted	0mm	Ant 1	DSI 4	26865	831.5	1	23.05	24.00	1.245	-	-	-0.17	0.235	0.292
	LTE Band 26 For ENDC Simultaneous	15M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 6	26865	831.5	1	23.07	24.00	1.239	-	-	0.01	0.347	0.430
	LTE Band 26 For ENDC Simultaneous	15M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 6	26865	831.5	1	23.07	24.00	1.239	-	-	0.03	0.310	0.384
09	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	167300	836.5	1	24.39	25.00	1.151	-	-	-0.01	0.472	0.543
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	167300	836.5	1	24.31	25.00	1.172	-	-	0.04	0.460	0.539
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	167300	836.5	1	24.39	25.00	1.151	-	-	0.06	0.253	0.291
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	167300	836.5	1	24.31	25.00	1.172	-	-	-0.01	0.235	0.275
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	167300	836.5	1	24.39	25.00	1.151	-	-	-0.15	0.290	0.334
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	167300	836.5	1	24.31	25.00	1.172	-	-	0.06	0.408	0.478
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	167300	836.5	1	24.39	25.00	1.151	-	-	0.07	0.268	0.308
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	167300	836.5	1	24.31	25.00	1.172	-	-	0.05	0.248	0.291
1750MHz																					
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Right Cheek	0mm	Ant 1	DSI 4	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.03	0.121	0.140
10	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Right Tilted	0mm	Ant 1	DSI 4	1413	1732.6	1	23.38	24.00	1.153	-	-	0.19	0.129	0.149
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Left Cheek	0mm	Ant 1	DSI 4	1413	1732.6	1	23.38	24.00	1.153	-	-	0.04	0.128	0.148
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Left Tilted	0mm	Ant 1	DSI 4	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.06	0.123	0.142
	LTE Band 66	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	132322	1745	1	23.35	24.50	1.303	-	-	-0.07	0.162	0.211
	LTE Band 66	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 1	DSI 4	132322	1745	1	22.38	23.50	1.294	-	-	0.06	0.091	0.118
	LTE Band 66	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 1	DSI 4	132322	1745	1	23.35	24.50	1.303	-	-	0.02	0.177	0.231
	LTE Band 66	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 1	DSI 4	132322	1745	1	22.38	23.50	1.294	-	-	-0.09	0.134	0.173
	LTE Band 66	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 4	132322	1745	1	23.35	24.50	1.303	-	-	0.02	0.152	0.198
	LTE Band 66	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 1	DSI 4	132322	1745	1	22.38	23.50	1.294	-	-	-0.08	0.113	0.146
	LTE Band 66	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 1	DSI 4	132322	1745	1	23.35	24.50	1.303	-	-	0.08	0.163	0.212
	LTE Band 66	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 1	DSI 4	132322	1745	1	22.38	23.50	1.294	-	-	0.13	0.148	0.192
11	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 4	DSI 4	132322	1745	1	23.81	24.50	1.172	-	-	0.04	0.427	0.501
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 4	DSI 4	132322	1745	1	22.76	23.50	1.186	-	-	-0.03	0.359	0.426
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 4	DSI 4	132322	1745	1	23.81	24.50	1.172	-	-	0.01	0.346	0.406
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 4	DSI 4	132322	1745	1	22.76	23.50	1.186	-	-	0.05	0.269	0.319
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 4	DSI 4	132322	1745	1	23.81	24.50	1.172	-	-	-0.02	0.288	0.338
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 4	DSI 4	132322	1745	1	22.76	23.50	1.186	-	-	0.08	0.248	0.294
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 4	DSI 4	132322	1745	1	23.81	24.50	1.172	-	-	-0.03	0.297	0.348
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 4	DSI 4	132322	1745	1	22.76	23.50	1.186	-	-	0.06	0.267	0.317
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	349000	1745	1	23.88	24.50	1.153	-	-	0.02	0.157	0.181
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	349000	1745	1	23.86	24.50	1.159	-	-	-0.06	0.168	0.195
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	349000	1745	1	23.88	24.50	1.153	-	-	-0.14	0.150	0.173
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	349000	1745	1	23.86	24.50	1.159	-	-	0.04	0.189	0.219
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	349000	1745	1	23.88	24.50	1.153	-	-	0.07	0.140	0.161
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	349000	1745	1	23.86	24.50	1.159	-	-	0.01	0.185	0.214
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	349000	1745	1	23.88	24.50	1.153	-	-	-0.06	0.158	0.182



FCC SAR Test Report

Report No. : FA462605

	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	349000	1745	1	23.86	24.50	1.159	-	-	0.08	0.187	0.217
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 4	DSI 4	349000	1745	1	23.74	24.50	1.191	-	-	-0.03	0.449	0.535
12	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Cheek	0mm	Ant 4	DSI 4	349000	1745	1	23.71	24.50	1.199	-	-	0.02	0.455	0.546
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Cheek	0mm	Ant 4	DSI 4	349000	1745	2	23.71	24.50	1.199	-	-	0.06	0.438	0.525
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 4	DSI 4	349000	1745	1	23.74	24.50	1.191	-	-	-0.1	0.410	0.488
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Tilted	0mm	Ant 4	DSI 4	349000	1745	1	23.71	24.50	1.199	-	-	0.01	0.330	0.396
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 4	DSI 4	349000	1745	1	23.74	24.50	1.191	-	-	-0.02	0.329	0.392
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Cheek	0mm	Ant 4	DSI 4	349000	1745	1	23.71	24.50	1.199	-	-	0.05	0.329	0.395
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 4	DSI 4	349000	1745	1	23.74	24.50	1.191	-	-	-0.02	0.361	0.430
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Tilted	0mm	Ant 4	DSI 4	349000	1745	1	23.71	24.50	1.199	-	-	0.05	0.330	0.396
1900MHz																					
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Right Cheek	0mm	Ant 1	DSI 4	9400	1880	1	23.32	24.00	1.169	-	-	0.01	0.069	0.081
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Right Tilted	0mm	Ant 1	DSI 4	9400	1880	1	23.32	24.00	1.169	-	-	0.03	0.062	0.073
13	WCDMA II	-	-	-	-	RMC 12.2Kbps	Left Cheek	0mm	Ant 1	DSI 4	9400	1880	1	23.32	24.00	1.169	-	-	0.02	0.075	0.088
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Left Tilted	0mm	Ant 1	DSI 4	9400	1880	1	23.32	24.00	1.169	-	-	-0.05	0.068	0.080
	LTE Band 25	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 1	DSI 4	26340	1880	1	23.48	24.50	1.265	-	-	0.01	0.073	0.092
	LTE Band 25	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 1	DSI 4	26340	1880	1	22.57	23.50	1.239	-	-	0.12	0.054	0.067
	LTE Band 25	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 1	DSI 4	26340	1880	1	23.48	24.50	1.265	-	-	0.06	0.065	0.082
	LTE Band 25	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 1	DSI 4	26340	1880	1	22.57	23.50	1.239	-	-	0.03	0.047	0.058
	LTE Band 25	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 1	DSI 4	26340	1880	1	23.48	24.50	1.265	-	-	0.05	0.079	0.100
	LTE Band 25	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 1	DSI 4	26340	1880	1	22.57	23.50	1.239	-	-	0.18	0.046	0.057
	LTE Band 25	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 1	DSI 4	26340	1880	1	23.48	24.50	1.265	-	-	-0.02	0.070	0.089
	LTE Band 25	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 1	DSI 4	26340	1880	1	22.57	23.50	1.239	-	-	0.16	0.035	0.043
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 4	DSI 4	26340	1880	1	23.56	24.50	1.242	-	-	-0.02	0.352	0.437
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 4	DSI 4	26340	1880	1	22.63	23.50	1.222	-	-	-0.1	0.322	0.393
14	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 4	DSI 4	26340	1880	1	23.56	24.50	1.242	-	-	0.01	0.367	0.456
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 4	DSI 4	26340	1880	1	22.63	23.50	1.222	-	-	0.07	0.359	0.439
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 4	DSI 4	26340	1880	1	23.56	24.50	1.242	-	-	0.01	0.232	0.288
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 4	DSI 4	26340	1880	1	22.63	23.50	1.222	-	-	0.18	0.222	0.271
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 4	DSI 4	26340	1880	1	23.56	24.50	1.242	-	-	-0.03	0.357	0.443
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 4	DSI 4	26340	1880	1	22.63	23.50	1.222	-	-	-0.1	0.270	0.330
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	376500	1882.5	1	23.88	24.50	1.153	-	-	0.17	0.090	0.104
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Right Cheek	0mm	Ant 1	DSI 4	376500	1882.5	1	23.78	24.50	1.180	-	-	0.01	0.062	0.073
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	376500	1882.5	1	23.88	24.50	1.153	-	-	0.03	0.072	0.083
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Right Tilted	0mm	Ant 1	DSI 4	376500	1882.5	1	23.78	24.50	1.180	-	-	-0.15	0.058	0.068
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	376500	1882.5	1	23.88	24.50	1.153	-	-	0.11	0.081	0.093
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Left Cheek	0mm	Ant 1	DSI 4	376500	1882.5	1	23.78	24.50	1.180	-	-	0.19	0.083	0.098
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	376500	1882.5	1	23.88	24.50	1.153	-	-	-0.18	0.085	0.098
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Left Tilted	0mm	Ant 1	DSI 4	376500	1882.5	1	23.78	24.50	1.180	-	-	0.07	0.072	0.085
15	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 4	DSI 4	376500	1882.5	1	23.77	24.50	1.183	-	-	-0.05	0.406	0.480
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 4	DSI 4	376500	1882.5	2	23.77	24.50	1.183	-	-	0.01	0.395	0.467
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Cheek	0mm	Ant 4	DSI 4	376500	1882.5	1	23.72	24.50	1.197	-	-	-0.08	0.400	0.479
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 4	DSI 4	376500	1882.5	1	23.77	24.50	1.183	-	-	0.13	0.359	0.425
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Tilted	0mm	Ant 4	DSI 4	376500	1882.5	1	23.72	24.50	1.197	-	-	-0.08	0.319	0.382
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 4	DSI 4	376500	1882.5	1	23.77	24.50	1.183	-	-	0.03	0.256	0.303
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Cheek	0mm	Ant 4	DSI 4	376500	1882.5	1	23.72	24.50	1.197	-	-	0.1	0.278	0.333
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 4	DSI 4	376500	1882.5	1	23.77	24.50	1.183	-	-	-0.06	0.375	0.444
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Tilted	0mm	Ant 4	DSI 4	376500	1882.5	1	23.72	24.50	1.197	-	-	-0.18	0.352	0.421



FCC SAR Test Report

Report No. : FA462605

2600MHz																					
16	LTE Band 7	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 2	DSI 4	21100	2535	1	22.21	23.50	1.346	-	-	0.08	0.203	0.273
	LTE Band 7	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 2	DSI 4	21100	2535	2	22.21	23.50	1.346	-	-	0.02	0.192	0.258
	LTE Band 7	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 2	DSI 4	21100	2535	1	21.53	22.50	1.250	-	-	-0.18	0.149	0.186
	LTE Band 7	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 2	DSI 4	21100	2535	1	22.21	23.50	1.346	-	-	-0.03	0.060	0.081
	LTE Band 7	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 2	DSI 4	21100	2535	1	21.53	22.50	1.250	-	-	0.03	0.048	0.060
	LTE Band 7	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 2	DSI 4	21100	2535	1	22.21	23.50	1.346	-	-	-0.01	0.131	0.176
	LTE Band 7	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 2	DSI 4	21100	2535	1	21.53	22.50	1.250	-	-	-0.15	0.069	0.086
	LTE Band 7	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 2	DSI 4	21100	2535	1	22.21	23.50	1.346	-	-	-0.03	0.067	0.090
	LTE Band 7	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 2	DSI 4	21100	2535	1	21.53	22.50	1.250	-	-	-0.15	0.067	0.084
17	LTE Band 41	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 2	DSI 4	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.15	0.115	0.141
	LTE Band 41	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 2	DSI 4	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.11	0.058	0.069
	LTE Band 41	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 2	DSI 4	40620	2593	1	23.14	24.00	1.219	62.9	1.006	-0.03	0.032	0.039
	LTE Band 41	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 2	DSI 4	40620	2593	1	22.26	23.00	1.186	62.9	1.006	-0.08	0.026	0.031
	LTE Band 41	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 2	DSI 4	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.09	0.075	0.092
	LTE Band 41	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 2	DSI 4	40620	2593	1	22.26	23.00	1.186	62.9	1.006	-0.17	0.045	0.054
	LTE Band 41	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 2	DSI 4	40620	2593	1	23.14	24.00	1.219	62.9	1.006	-0.06	0.042	0.052
	LTE Band 41	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 2	DSI 4	40620	2593	1	22.26	23.00	1.186	62.9	1.006	-0.08	0.032	0.038
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 2	DSI 4	40620	2593	1	26.15	27.00	1.216	62.9	1.006	0.03	0.101	0.124
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Right Cheek	0mm	Ant 2	DSI 4	507000	2535	1	22.86	23.50	1.159	-	-	0.08	0.194	0.225
18	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Right Cheek	0mm	Ant 2	DSI 4	507000	2535	1	22.81	23.50	1.172	-	-	-0.04	0.203	0.238
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Right Tilted	0mm	Ant 2	DSI 4	507000	2535	1	22.86	23.50	1.159	-	-	-0.07	0.068	0.079
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Right Tilted	0mm	Ant 2	DSI 4	507000	2535	1	22.81	23.50	1.172	-	-	-0.08	0.071	0.083
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Left Cheek	0mm	Ant 2	DSI 4	507000	2535	1	22.86	23.50	1.159	-	-	0.05	0.157	0.182
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Left Cheek	0mm	Ant 2	DSI 4	507000	2535	1	22.81	23.50	1.172	-	-	0.17	0.126	0.148
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Left Tilted	0mm	Ant 2	DSI 4	507000	2535	1	22.86	23.50	1.159	-	-	-0.14	0.073	0.085
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Left Tilted	0mm	Ant 2	DSI 4	507000	2535	1	22.81	23.50	1.172	-	-	0.18	0.072	0.084
19	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 2	DSI 4	518598	2592.99	1	23.36	24.00	1.159	-	-	0.03	0.225	0.261
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 2	DSI 4	518598	2592.99	1	23.34	24.00	1.164	-	-	-0.04	0.160	0.186
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 2	DSI 4	518598	2592.99	1	23.36	24.00	1.159	-	-	0.02	0.054	0.063
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 2	DSI 4	518598	2592.99	1	23.34	24.00	1.164	-	-	-0.08	0.053	0.062
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	518598	2592.99	1	23.36	24.00	1.159	-	-	0.06	0.153	0.177
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	518598	2592.99	1	23.34	24.00	1.164	-	-	-0.13	0.086	0.100
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 2	DSI 4	518598	2592.99	1	23.36	24.00	1.159	-	-	-0.05	0.069	0.080
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 2	DSI 4	518598	2592.99	1	23.34	24.00	1.164	-	-	-0.13	0.058	0.068
	FR1 n41 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 2	DSI 4	518598	2592.99	1	26.34	27.00	1.164	50	1.000	-0.03	0.188	0.219
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 4	DSI 4	518598	2592.99	1	21.55	22.00	1.109	-	-	-0.01	0.057	0.063
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 4	DSI 4	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.03	0.049	0.055
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 4	DSI 4	518598	2592.99	1	21.55	22.00	1.109	-	-	0.08	0.005	0.006
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 4	DSI 4	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.07	0.014	0.016
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 4	DSI 4	518598	2592.99	1	21.55	22.00	1.109	-	-	0.02	0.046	0.051
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 4	DSI 4	518598	2592.99	1	21.53	22.00	1.114	-	-	0.05	0.024	0.027
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 4	DSI 4	518598	2592.99	1	21.55	22.00	1.109	-	-	-0.11	0.004	0.004
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 4	DSI 4	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.12	0.006	0.007
	FR1 n41 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 4	DSI 4	518598	2592.99	1	24.59	25.00	1.099	50	1.000	-0.16	0.041	0.045
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	518598	2592.99	1	22.93	24.00	1.279	-	-	-0.13	0.049	0.063
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	518598	2592.99	1	22.89	24.00	1.291	-	-	0.17	0.047	0.061
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 5	DSI 4	518598	2592.99	1	22.93	24.00	1.279	-	-	0.06	0.018	0.023
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 5	DSI 4	518598	2592.99	1	22.89	24.00	1.291	-	-	0.01	0.014	0.018
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 5	DSI 4	518598	2592.99	1	22.93	24.00	1.279	-	-	0.02	0.017	0.022
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 5	DSI 4	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.04	0.015	0.019
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 5	DSI 4	518598	2592.99	1	22.93	24.00	1.279	-	-	0.01	0.017	0.022
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 5	DSI 4	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.15	0.024	0.031
	FR1 n41 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	518598	2592.99	1	25.81	27.00	1.315	50	1.000	-0.02	0.028	0.037
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 7	DSI 4	518598	2592.99	1	23.96	25.00	1.271	-	-	-0.05	0.066	0.084
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 7	DSI 4	518598	2592.99	1	23.91	25.00	1.285	-	-	-0.13	0.045	0.058



FCC SAR Test Report

Report No. : FA462605

	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 7	DSI 4	518598	2592.99	1	23.96	25.00	1.271	-	-	0.08	0.032	0.041
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 7	DSI 4	518598	2592.99	1	23.91	25.00	1.285	-	-	0.16	0.026	0.033
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	518598	2592.99	1	23.96	25.00	1.271	-	-	0.01	0.130	0.165
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	518598	2592.99	1	23.91	25.00	1.285	-	-	-0.16	0.108	0.139
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	518598	2592.99	1	23.96	25.00	1.271	-	-	0.1	0.041	0.052
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	518598	2592.99	1	23.91	25.00	1.285	-	-	-0.04	0.033	0.042
	FR1 n41 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	518598	2592.99	1	26.97	28.00	1.268	50	1.000	0.05	0.115	0.146
3500MHz																					
	LTE Band 42	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 6	DSI 4	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.01	0.242	0.308
	LTE Band 42	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 6	DSI 4	42190	3460	1	21.97	23.00	1.268	62.9	1.006	-0.02	0.183	0.233
	LTE Band 42	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 6	DSI 4	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.01	0.068	0.087
	LTE Band 42	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 6	DSI 4	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.15	0.059	0.075
20	LTE Band 42	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 6	DSI 4	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.01	0.250	0.318
	LTE Band 42	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 6	DSI 4	42190	3460	1	21.97	23.00	1.268	62.9	1.006	-0.09	0.195	0.249
	LTE Band 42	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 6	DSI 4	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.09	0.097	0.123
	LTE Band 42	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 6	DSI 4	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.11	0.068	0.087
	LTE Band 48	20M	QPSK	1	0	-	Right Cheek	0mm	Ant 6	DSI 4	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.09	0.226	0.305
	LTE Band 48	20M	QPSK	50	0	-	Right Cheek	0mm	Ant 6	DSI 4	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.02	0.173	0.223
	LTE Band 48	20M	QPSK	1	0	-	Right Tilted	0mm	Ant 6	DSI 4	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.01	0.156	0.211
	LTE Band 48	20M	QPSK	50	0	-	Right Tilted	0mm	Ant 6	DSI 4	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.19	0.152	0.196
21	LTE Band 48 SA Standalone ENDC Standalone	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 6	DSI 4	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.16	0.415	0.561
	LTE Band 48	20M	QPSK	50	0	-	Left Cheek	0mm	Ant 6	DSI 4	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.09	0.344	0.444
	LTE Band 48	20M	QPSK	1	0	-	Left Tilted	0mm	Ant 6	DSI 4	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.16	0.148	0.200
	LTE Band 48	20M	QPSK	50	0	-	Left Tilted	0mm	Ant 6	DSI 4	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.12	0.121	0.156
	LTE Band 48 For ENDC Simultaneous	20M	QPSK	1	0	-	Left Cheek	0mm	Ant 6	DSI 6	55830	3609	1	20.88	22.00	1.294	62.9	1.006	-0.07	0.272	0.354
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 6	DSI 4	641666	3624.99	1	23.23	24.00	1.194	-	-	-0.16	0.446	0.533
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Right Cheek	0mm	Ant 6	DSI 4	641666	3624.99	1	23.21	24.00	1.199	-	-	-0.13	0.314	0.377
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 6	DSI 4	641666	3624.99	1	23.23	24.00	1.194	-	-	0.03	0.266	0.318
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Right Tilted	0mm	Ant 6	DSI 4	641666	3624.99	1	23.21	24.00	1.199	-	-	0.16	0.256	0.307
22	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	641666	3624.99	1	23.23	24.00	1.194	-	-	0.08	1.020	1.218
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	641666	3624.99	2	23.23	24.00	1.194	-	-	0.02	0.996	1.189
	FR1 n48 SA Simultaneous	40M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 6	641666	3624.99	1	21.17	22.00	1.211	-	-	0.08	0.657	0.795
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	638000	3570	1	23.01	24.00	1.256	-	-	0.08	0.928	1.166
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	645332	3679.98	1	23.12	24.00	1.225	-	-	0.01	0.949	1.162
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	641666	3624.99	1	23.21	24.00	1.199	-	-	-0.15	0.703	0.843
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	638000	3570	1	22.98	24.00	1.265	-	-	0.03	0.662	0.837
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	645332	3679.98	1	23.02	24.00	1.253	-	-	-0.08	0.670	0.840
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	641666	3624.99	1	22.13	23.00	1.222	-	-	0.02	0.622	0.760
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 6	DSI 4	641666	3624.99	1	23.23	24.00	1.194	-	-	0.06	0.182	0.217
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Tilted	0mm	Ant 6	DSI 4	641666	3624.99	1	23.21	24.00	1.199	-	-	0.03	0.128	0.154
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 6	DSI 4	656000	3840	1	23.36	24.00	1.159	-	-	-0.02	0.470	0.545
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 6	DSI 4	656000	3840	1	23.28	24.00	1.180	-	-	-0.02	0.282	0.333
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 6	DSI 4	656000	3840	1	23.36	24.00	1.159	-	-	0.06	0.181	0.210
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 6	DSI 4	656000	3840	1	23.28	24.00	1.180	-	-	-0.09	0.135	0.159
23	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	656000	3840	1	23.36	24.00	1.159	-	-	0.02	0.933	1.081
	FR1 n77 SA Simultaneous ENDC Standalone	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4/6	656000	3840	1	21.21	22.00	1.199	-	-	-0.07	0.601	0.721
	FR1 n77 For ENDC Simultaneous	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 6	656000	3840	1	19.17	20.00	1.211	-	-	-0.04	0.388	0.470
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	656000	3840	1	23.28	24.00	1.180	-	-	0.14	0.874	1.032
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	656000	3840	1	23.22	24.00	1.197	-	-	0.02	0.833	0.997
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 6	DSI 4	656000	3840	1	23.36	24.00	1.159	-	-	0.03	0.179	0.207
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 6	DSI 4	656000	3840	1	23.28	24.00	1.180	-	-	0.1	0.142	0.168
	FR1 n77 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	656000	3840	1	26.36	27.00	1.159	50	1.000	-0.09	0.836	0.969



FCC SAR Test Report

Report No. : FA462605

FR1 n77 Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	6416663624.99	1	22.52	23.50	1.253	-	-	0.05	0.789	0.989
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 6	DSI 4	6333323499.98	1	23.27	24.00	1.183	-	-	0.05	0.356	0.421
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 6	DSI 4	6333323499.98	1	23.23	24.00	1.194	-	-	0.07	0.322	0.384
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 6	DSI 4	6333323499.98	1	23.27	24.00	1.183	-	-	0.06	0.098	0.116
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 6	DSI 4	6333323499.98	1	23.23	24.00	1.194	-	-	-0.09	0.097	0.116
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	6333323499.98	1	23.27	24.00	1.183	-	-	0.01	0.563	0.666
FR1 n77 SA Simultaneous ENDC Standalone	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4/6	6333323499.98	1	21.17	22.00	1.211	-	-	0.08	0.371	0.449
FR1 n77 For ENDC Simultaneous	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 6	6333323499.98	1	19.11	20.00	1.227	-	-	-0.01	0.251	0.308
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	6333323499.98	1	23.23	24.00	1.194	-	-	-0.16	0.420	0.501
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 6	DSI 4	6333323499.98	1	23.27	24.00	1.183	-	-	-0.15	0.121	0.143
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 6	DSI 4	6333323499.98	1	23.23	24.00	1.194	-	-	-0.18	0.100	0.119
FR1 n77 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	6333323499.98	1	26.25	27.00	1.189	50	1.000	-0.07	0.461	0.548
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 2	DSI 4	656000 3840	1	18.59	20.00	1.384	-	-	0.01	0.022	0.030
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 2	DSI 4	656000 3840	1	18.55	20.00	1.396	-	-	0.02	0.019	0.027
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 2	DSI 4	656000 3840	1	18.59	20.00	1.384	-	-	0.03	0.015	0.021
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 2	DSI 4	656000 3840	1	18.55	20.00	1.396	-	-	0.02	0.002	0.003
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	656000 3840	1	18.59	20.00	1.384	-	-	0.05	0.045	0.062
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	656000 3840	1	18.55	20.00	1.396	-	-	0.02	0.009	0.013
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 2	DSI 4	656000 3840	1	18.59	20.00	1.384	-	-	0.01	0.011	0.015
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 2	DSI 4	656000 3840	1	18.55	20.00	1.396	-	-	0.02	0.004	0.006
FR1 n77 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	656000 3840	1	21.85	23.00	1.303	50	1.000	0.02	0.038	0.050
FR1 n77 Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	6416663624.99	1	18.47	20.00	1.422	-	-	0.06	0.039	0.055
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 2	DSI 4	6333323499.98	1	18.54	20.00	1.400	-	-	0.01	0.028	0.039
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 2	DSI 4	6333323499.98	1	18.52	20.00	1.406	-	-	0.11	0.009	0.013
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 2	DSI 4	6333323499.98	1	18.54	20.00	1.400	-	-	0.02	0.008	0.011
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 2	DSI 4	6333323499.98	1	18.52	20.00	1.406	-	-	-0.08	0.005	0.007
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	6333323499.98	1	18.54	20.00	1.400	-	-	0.06	0.039	0.055
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	6333323499.98	1	18.52	20.00	1.406	-	-	-0.1	0.005	0.007
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 2	DSI 4	6333323499.98	1	18.54	20.00	1.400	-	-	0.01	0.009	0.013
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 2	DSI 4	6333323499.98	1	18.52	20.00	1.406	-	-	-0.01	0.007	0.010
FR1 n77 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 2	DSI 4	6333323499.98	1	21.79	23.00	1.321	50	1.000	-0.09	0.019	0.025
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	656000 3840	1	19.37	20.00	1.156	-	-	-0.06	0.025	0.029
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	656000 3840	1	19.34	20.00	1.164	-	-	0.01	0.029	0.034
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 5	DSI 4	656000 3840	1	19.37	20.00	1.156	-	-	0.04	0.019	0.022
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 5	DSI 4	656000 3840	1	19.34	20.00	1.164	-	-	-0.11	0.001	0.001
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 5	DSI 4	656000 3840	1	19.37	20.00	1.156	-	-	0.01	0.012	0.014
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 5	DSI 4	656000 3840	1	19.34	20.00	1.164	-	-	0.03	0.010	0.012
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 5	DSI 4	656000 3840	1	19.37	20.00	1.156	-	-	0.01	0.012	0.014
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 5	DSI 4	656000 3840	1	19.34	20.00	1.164	-	-	0.16	0.005	0.006
FR1 n77 HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	656000 3840	1	22.08	23.00	1.236	50	1.000	-0.06	0.030	0.037
FR1 n77 Part96	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	6416663624.99	1	19.08	20.00	1.236	-	-	0.06	0.021	0.026
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	6333323499.98	1	18.34	19.00	1.164	-	-	0.01	0.023	0.027
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	6333323499.98	1	18.31	19.00	1.172	-	-	0.05	0.002	0.002
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 5	DSI 4	6333323499.98	1	18.34	19.00	1.164	-	-	0.01	0.012	0.014
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 5	DSI 4	6333323499.98	1	18.31	19.00	1.172	-	-	0.17	0.004	0.005
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 5	DSI 4	6333323499.98	1	18.34	19.00	1.164	-	-	-0.15	0.013	0.015
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 5	DSI 4	6333323499.98	1	18.31	19.00	1.172	-	-	0.16	0.007	0.008
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 5	DSI 4	6333323499.98	1	18.34	19.00	1.164	-	-	0.01	0.006	0.007
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 5	DSI 4	6333323499.98	1	18.31	19.00	1.172	-	-	0.05	0.004	0.005
FR1 n77 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 5	DSI 4	6333323499.98	1	21.24	22.00	1.191	50	1.000	-0.06	0.016	0.019
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 7	DSI 4	656000 3840	1	22.76	24.00	1.330	-	-	-0.01	0.003	0.004
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 7	DSI 4	656000 3840	1	22.68	24.00	1.355	-	-	-0.11	0.002	0.003
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 7	DSI 4	656000 3840	1	22.76	24.00	1.330	-	-	0.19	0.007	0.009
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 7	DSI 4	656000 3840	1	22.68	24.00	1.355	-	-	-0.14	0.004	0.005
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	656000 3840	1	22.76	24.00	1.330	-	-	-0.18	0.013	0.017



FCC SAR Test Report

Report No. : FA462605

	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	656000	3840	1	22.68	24.00	1.355	-	-	-0.06	0.005	0.007
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	656000	3840	1	22.76	24.00	1.330	-	-	0.02	0.004	0.005
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	656000	3840	1	22.68	24.00	1.355	-	-	0.16	0.003	0.004
	FR1 n77 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	656000	3840	1	25.81	27.00	1.315	50	1.000	0.01	0.003	0.004
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Cheek	0mm	Ant 7	DSI 4	633332	3499.98	1	23.08	24.00	1.236	-	-	0.02	0.092	0.114
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Cheek	0mm	Ant 7	DSI 4	633332	3499.98	1	23.06	24.00	1.242	-	-	0.13	0.064	0.079
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Tilted	0mm	Ant 7	DSI 4	633332	3499.98	1	23.08	24.00	1.236	-	-	0.12	0.028	0.035
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Tilted	0mm	Ant 7	DSI 4	633332	3499.98	1	23.06	24.00	1.242	-	-	0.01	0.043	0.053
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	633332	3499.98	1	23.08	24.00	1.236	-	-	0.01	0.063	0.078
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Cheek	0mm	Ant 7	DSI 4	633332	3499.98	1	23.06	24.00	1.242	-	-	0.19	0.043	0.053
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	633332	3499.98	1	23.08	24.00	1.236	-	-	-0.04	0.094	0.116
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	633332	3499.98	1	23.06	24.00	1.242	-	-	0.02	0.027	0.034
	FR1 n77 HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	633332	3499.98	1	26.06	27.00	1.242	50	1.000	-0.03	0.029	0.036
	FR1 n77 Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Left Tilted	0mm	Ant 7	DSI 4	641666	3624.99	1	22.47	23.50	1.268	-	-	-0.04	0.075	0.095

Plot No.	Band	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
2450MHz																	
	WLAN2.4GHz	802.11b 1Mbps	Right Cheek	0mm	Ant 3	Full Power	1	2412	1	19.90	20.00	1.023	98.75	1.013	0.12	0.217	0.225
	WLAN2.4GHz	802.11b 1Mbps	Right Tilted	0mm	Ant 3	Full Power	1	2412	1	19.90	20.00	1.023	98.75	1.013	-0.08	0.136	0.141
24	WLAN2.4GHz	802.11b 1Mbps	Left Cheek	0mm	Ant 3	Full Power	1	2412	1	19.90	20.00	1.023	98.75	1.013	0.03	0.286	0.296
	WLAN2.4GHz	802.11b 1Mbps	Left Cheek	0mm	Ant 3	Full Power	1	2412	2	19.90	20.00	1.023	98.75	1.013	0.02	0.268	0.278
	WLAN2.4GHz	802.11b 1Mbps	Left Tilted	0mm	Ant 3	Full Power	1	2412	1	19.90	20.00	1.023	98.75	1.013	0.01	0.122	0.126
	Bluetooth	1Mbps	Right Cheek	0mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.01	0.029	0.037
	Bluetooth	1Mbps	Right Tilted	0mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.01	0.021	0.026
25	Bluetooth	1Mbps	Left Cheek	0mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.05	0.041	0.052
	Bluetooth	1Mbps	Left Tilted	0mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.05	0.024	0.030
5000MHz																	
	WLAN 5.3GHz	802.11n-HT40 MCS0	Right Cheek	0mm	Ant 3	Standalone	54	5270	1	16.95	18.50	1.429	96.18	1.040	0.09	0.262	0.389
	WLAN 5.3GHz	802.11n-HT40 MCS0	Right Tilted	0mm	Ant 3	Standalone	54	5270	1	16.95	18.50	1.429	96.18	1.040	-0.01	0.104	0.155
26	WLAN 5.3GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	54	5270	1	16.95	18.50	1.429	96.18	1.040	0.01	0.774	1.150
	WLAN 5.3GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	54	5270	2	16.95	18.50	1.429	96.18	1.040	0.08	0.762	1.132
	WLAN 5.3GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	62	5310	1	11.73	13.50	1.503	96.18	1.040	0.02	0.230	0.360
	WLAN 5.3GHz	802.11n-HT40 MCS0	Left Tilted	0mm	Ant 3	Standalone	54	5270	1	16.95	18.50	1.429	96.18	1.040	-0.06	0.120	0.178
	WLAN 5.3GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Simultaneous	54	5270	1	14.48	16.00	1.419	92.49	1.081	-0.01	0.441	0.676
	WLAN 5.5GHz	802.11n-HT40 MCS0	Right Cheek	0mm	Ant 3	Standalone	110	5550	1	18.21	19.50	1.346	96.18	1.040	0.02	0.338	0.473
	WLAN 5.5GHz	802.11n-HT40 MCS0	Right Tilted	0mm	Ant 3	Standalone	110	5550	1	18.21	19.50	1.346	96.18	1.040	0.02	0.109	0.153
27	WLAN 5.5GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	110	5550	1	18.21	19.50	1.346	96.18	1.040	0.03	0.814	1.139
	WLAN 5.5GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	110	5550	2	18.21	19.50	1.346	96.18	1.040	0.01	0.802	1.123
	WLAN 5.5GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	134	5670	1	18.17	19.50	1.358	96.18	1.040	0.02	0.655	0.925
	WLAN 5.5GHz	802.11n-HT40 MCS0	Left Tilted	0mm	Ant 3	Standalone	110	5550	1	18.21	19.50	1.346	96.18	1.040	-0.08	0.113	0.158
	WLAN 5.5GHz	802.11ac-VHT80 MCS0	Left Cheek	0mm	Ant 3	Simultaneous	138	5690	1	16.87	18.00	1.297	92.49	1.081	0.01	0.482	0.676
	WLAN 5.8GHz	802.11n-HT40 MCS0	Right Cheek	0mm	Ant 3	Full Power	151	5755	1	19.92	20.00	1.019	96.18	1.040	-0.02	0.473	0.501
	WLAN 5.8GHz	802.11n-HT40 MCS0	Right Tilted	0mm	Ant 3	Full Power	151	5755	1	19.92	20.00	1.019	96.18	1.040	0.01	0.139	0.147
28	WLAN 5.8GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Full Power	151	5755	1	19.92	20.00	1.019	96.18	1.040	-0.05	0.649	0.688
	WLAN 5.8GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Full Power	151	5755	2	19.92	20.00	1.019	96.18	1.040	0.03	0.638	0.676
	WLAN 5.8GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Full Power	159	5795	1	19.47	20.00	1.130	96.18	1.040	0.01	0.407	0.478
	WLAN 5.8GHz	802.11n-HT40 MCS0	Left Tilted	0mm	Ant 3	Full Power	151	5755	1	19.92	20.00	1.019	96.18	1.040	0.02	0.131	0.139
	WLAN 5.8GHz	802.11n-HT40 MCS0	Right Cheek	0mm	Ant 3	Simultaneous	151	5755	1	19.00	19.50	1.122	96.18	1.040	-0.05	0.347	0.405
	WLAN 5.8GHz	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Simultaneous	151	5755	1	19.00	19.50	1.122	96.18	1.040	0.03	0.467	0.545



14.2 Hotspot SAR

<Flip Open>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
750MHz																					
29	LTE Band 12	10M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	-0.09	0.539	0.663
	LTE Band 12	10M	QPSK	25	0	-	Front	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	-0.08	0.427	0.516
	LTE Band 12	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	0.08	0.604	0.743
	LTE Band 12	10M	QPSK	25	0	-	Back	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	0.13	0.479	0.579
	LTE Band 12	10M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	0.03	0.600	0.738
	LTE Band 12	10M	QPSK	25	0	-	Left Side	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	0.18	0.483	0.583
	LTE Band 12	10M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	-0.1	0.339	0.417
	LTE Band 12	10M	QPSK	25	0	-	Right Side	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	0.07	0.265	0.320
	LTE Band 12	10M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	0.18	0.056	0.069
	LTE Band 12	10M	QPSK	25	0	-	Bottom Side	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	-0.1	0.049	0.059
	LTE Band 13	10M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	0.05	0.400	0.491
	LTE Band 13	10M	QPSK	25	0	-	Front	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	0.01	0.312	0.379
	LTE Band 13	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	-0.08	0.421	0.517
	LTE Band 13	10M	QPSK	25	0	-	Back	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	-0.15	0.353	0.429
	LTE Band 13	10M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	0.19	0.280	0.344
	LTE Band 13	10M	QPSK	25	0	-	Left Side	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	0.07	0.224	0.272
	LTE Band 13	10M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	-0.18	0.294	0.361
	LTE Band 13	10M	QPSK	25	0	-	Right Side	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	0.03	0.233	0.283
	LTE Band 13	10M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	-0.15	0.155	0.190
	LTE Band 13	10M	QPSK	25	0	-	Bottom Side	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	-0.15	0.110	0.134
	LTE Band 14	10M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	-0.08	0.401	0.490
	LTE Band 14	10M	QPSK	25	0	-	Front	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	0.11	0.319	0.391
	LTE Band 14	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	0.16	0.389	0.475
	LTE Band 14	10M	QPSK	25	0	-	Back	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	-0.08	0.310	0.380
	LTE Band 14	10M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	-0.17	0.196	0.239
	LTE Band 14	10M	QPSK	25	0	-	Left Side	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	-0.08	0.156	0.191
	LTE Band 14	10M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	-0.04	0.185	0.226
	LTE Band 14	10M	QPSK	25	0	-	Right Side	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	-0.08	0.146	0.179
	LTE Band 14	10M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	0.17	0.098	0.120
	LTE Band 14	10M	QPSK	25	0	-	Bottom Side	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	0.18	0.076	0.093
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.12	0.392	0.482
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	0.03	0.400	0.497
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.05	0.415	0.511
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	-0.16	0.404	0.502
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.02	0.271	0.333
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	0.15	0.249	0.309
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.09	0.173	0.213
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	0.11	0.161	0.200
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.05	0.093	0.114
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	-0.08	0.089	0.111
	LTE Band 71	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	-0.17	0.508	0.684
	LTE Band 71	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	-0.03	0.295	0.388
	LTE Band 71	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	-0.03	0.628	0.845
	LTE Band 71	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	0.14	0.477	0.627
	LTE Band 71	20M	QPSK	100	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	22.79	24.00	1.321	-	-	0.11	0.470	0.621
	LTE Band 71	20M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	-0.05	0.516	0.694
	LTE Band 71	20M	QPSK	50	0	-	Left Side	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	0.18	0.421	0.554
	LTE Band 71	20M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	0.14	0.190	0.256



FCC SAR Test Report

Report No. : FA462605

	LTE Band 71	20M	QPSK	50	0	-	Right Side	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	-0.17	0.148	0.195
	LTE Band 71	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	0.17	0.057	0.077
	LTE Band 71	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	-0.05	0.051	0.067
	LTE Band 71 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	-0.05	0.502	0.660
30	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	0.02	0.600	0.716
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	0.16	0.469	0.566
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	-0.09	0.733	0.875
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	0.07	0.688	0.831
	FR1 n71	20M	QPSK	100	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	136100	680.5	1	23.36	24.00	1.159	-	-	0	0.548	0.635
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	0.01	0.629	0.751
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	-0.01	0.608	0.734
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	-0.04	0.236	0.282
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	-0.09	0.227	0.274
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	-0.17	0.074	0.088
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	-0.1	0.072	0.087
850MHz																					
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	0.04	0.469	0.538
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	-0.11	0.395	0.454
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Left Side	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	-0.16	0.172	0.197
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Right Side	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	-0.15	0.172	0.197
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	-0.06	0.120	0.138
	LTE Band 26	15M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	0.04	0.535	0.681
	LTE Band 26	15M	QPSK	36	0	-	Front	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	0.18	0.425	0.529
	LTE Band 26	15M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	-0.14	0.670	0.853
	LTE Band 26	15M	QPSK	36	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	-0.05	0.523	0.651
	LTE Band 26	15M	QPSK	75	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	23.02	24.00	1.253	-	-	0	0.197	0.247
	LTE Band 26	15M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	-0.13	0.243	0.309
	LTE Band 26	15M	QPSK	36	0	-	Left Side	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	-0.01	0.195	0.243
	LTE Band 26	15M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	-0.09	0.225	0.287
	LTE Band 26	15M	QPSK	36	0	-	Right Side	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	0.05	0.177	0.220
	LTE Band 26	15M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	0.02	0.163	0.208
	LTE Band 26	15M	QPSK	36	0	-	Bottom Side	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	-0.13	0.136	0.169
	LTE Band 26 For ENDC	15M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	21.37	22.50	1.297	-	-	0.09	0.401	0.520
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	0.17	0.565	0.650
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	0.06	0.650	0.762
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	-0.05	0.670	0.771
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	-0.04	0.649	0.761
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	0.11	0.224	0.258
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	-0.02	0.238	0.279
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	0.1	0.198	0.228
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	0.04	0.186	0.218
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	0.13	0.167	0.192
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	-0.18	0.144	0.169
	FR1 n5 For ENDC	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	1	21.45	22.00	1.135	-	-	-0.07	0.352	0.400
1750MHz																					
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	0.02	0.963	1.111
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	1312	1712.4	1	23.28	24.00	1.180	-	-	0.14	0.858	1.013
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	1513	1752.6	1	23.21	24.00	1.199	-	-	0.11	0.914	1.096
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.05	0.819	0.945
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	1312	1712.4	1	23.28	24.00	1.180	-	-	0.18	0.798	0.942
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	1513	1752.6	1	23.21	24.00	1.199	-	-	0.14	0.900	1.080
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Left Side	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.17	0.263	0.303
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Right Side	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	0.17	0.073	0.084
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.05	0.827	0.954
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	1312	1712.4	1	23.28	24.00	1.180	-	-	0.01	0.754	0.890



FCC SAR Test Report

Report No. : FA462605

	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	1513	1752.6	1	23.21	24.00	1.199	-	-	0.01	0.924	1.108
	LTE Band 66	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	-0.08	0.683	0.890
	LTE Band 66	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	132072	1720	1	21.81	23.00	1.315	-	-	0.13	0.667	0.877
	LTE Band 66	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	132572	1770	1	21.70	23.00	1.349	-	-	0.12	0.707	0.954
	LTE Band 66	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	0.03	0.645	0.844
	LTE Band 66	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	132072	1720	1	21.74	23.00	1.337	-	-	0.18	0.635	0.849
	LTE Band 66	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	132572	1770	1	21.78	23.00	1.324	-	-	0.16	0.617	0.817
	LTE Band 66	20M	QPSK	100	0	-	Front	10mm	Ant 1	DSI3	132322	1745	1	21.81	23.00	1.315	-	-	-0.1	0.539	0.709
	LTE Band 66	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	0.07	0.672	0.876
	LTE Band 66	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	132072	1720	1	21.81	23.00	1.315	-	-	0.18	0.634	0.834
	LTE Band 66	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	132572	1770	1	21.70	23.00	1.349	-	-	-0.11	0.736	0.993
	LTE Band 66	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	-0.1	0.633	0.829
	LTE Band 66	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	132072	1720	1	21.74	23.00	1.337	-	-	0.01	0.611	0.817
	LTE Band 66	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	132572	1770	1	21.78	23.00	1.324	-	-	-0.15	0.609	0.807
	LTE Band 66	20M	QPSK	100	0	-	Back	10mm	Ant 1	DSI3	132322	1745	1	21.81	23.00	1.315	-	-	0.19	0.621	0.817
	LTE Band 66	20M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	0.07	0.217	0.283
	LTE Band 66	20M	QPSK	50	0	-	Left Side	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	-0.18	0.171	0.224
	LTE Band 66	20M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	h	-	0.03	0.064	0.083
	LTE Band 66	20M	QPSK	50	0	-	Right Side	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	-0.15	0.051	0.067
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	-0.15	0.815	1.062
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	132072	1720	1	21.81	23.00	1.315	-	-	0.11	0.712	0.936
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	132572	1770	1	21.70	23.00	1.349	-	-	0.04	0.886	1.195
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	-0.08	0.751	0.983
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	132072	1720	1	21.74	23.00	1.337	-	-	-0.17	0.690	0.922
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	132572	1770	1	21.78	23.00	1.324	-	-	-0.08	0.722	0.956
	LTE Band 66	20M	QPSK	100	0	-	Bottom Side	10mm	Ant 1	DSI3	132322	1745	1	21.81	23.00	1.315	-	-	-0.04	0.749	0.985
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	132572	1770	1	20.68	22.00	1.355	-	-	0.13	0.547	0.741
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	132572	1770	1	20.68	22.00	1.355	-	-	-0.08	0.548	0.743
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Front	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	0.08	0.090	0.111
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Front	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	-0.17	0.084	0.105
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	-0.01	0.450	0.557
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Back	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	-0.03	0.428	0.536
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Left Side	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	0.14	0.000	0.000
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Left Side	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	0.11	0.000	0.000
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Right Side	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	-0.05	0.231	0.286
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Right Side	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	0.18	0.229	0.287
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Top Side	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	0.14	0.365	0.452
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Top Side	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	-0.17	0.334	0.419
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0.06	0.940	1.074
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	-0.01	0.761	0.880
	FR1 n66	40M	QPSK	216	0	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	349000	1745	1	22.85	23.50	1.161	-	-	-0.09	0.561	0.652
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0.05	0.816	0.933
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	0.02	0.838	0.969
	FR1 n66	40M	QPSK	216	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	22.85	23.50	1.161	-	-	-0.13	0.802	0.931
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0.17	0.269	0.307
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	0.06	0.239	0.276
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0	0.068	0.078
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	-0.04	0.085	0.098
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0.03	0.811	0.927
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	-0.15	0.739	0.854
	FR1 n66	40M	QPSK	216	0	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	1	22.85	23.50	1.161	-	-	0.11	0.654	0.760
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	349000	1745	1	20.92	21.50	1.143	-	-	-0.07	0.610	0.697



FCC SAR Test Report

Report No. : FA462605

	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	20.88	21.50	1.153	-	-	-0.04	0.537	0.619
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	0.17	0.095	0.110
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	-0.05	0.081	0.095
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	-0.01	0.452	0.523
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	0.01	0.444	0.520
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	0.1	0.000	0.000
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	-0.17	0.000	0.000
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	0.04	0.269	0.311
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	-0.01	0.268	0.314
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	-0.08	0.386	0.446
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	0.05	0.353	0.414
1900MHz																					
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	0.16	0.819	0.932
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	9262	1852.4	1	20.91	21.50	1.146	-	-	0.05	0.688	0.788
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	9538	1907.6	1	20.89	21.50	1.151	-	-	0.05	0.766	0.882
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	-0.03	0.855	0.973
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	9262	1852.4	1	20.91	21.50	1.146	-	-	-0.15	0.795	0.911
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	9538	1907.6	1	20.89	21.50	1.151	-	-	0.02	0.866	0.997
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Left Side	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	0.07	0.155	0.176
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Right Side	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	e devi	-	-	0.16	0.049	0.056
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	0.13	0.967	1.100
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	9262	1852.4	1	20.91	21.50	1.146	-	-	-0.18	0.896	1.026
31	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	9538	1907.6	1	20.89	21.50	1.151	-	-	0.07	0.991	1.140
	LTE Band 25	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.01	0.623	0.788
	LTE Band 25	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	-0.04	0.505	0.642
	LTE Band 25	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.18	0.672	0.850
	LTE Band 25	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26140	1860	1	20.44	21.50	1.276	-	-	-0.17	0.662	0.845
	LTE Band 25	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26590	1905	1	20.35	21.50	1.303	-	-	-0.04	0.701	0.914
	LTE Band 25	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	-0.05	0.639	0.812
	LTE Band 25	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	26140	1860	1	20.44	21.50	1.276	-	-	0	0.625	0.798
	LTE Band 25	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	26590	1905	1	20.41	21.50	1.285	-	-	-0.13	0.614	0.789
	LTE Band 25	20M	QPSK	100	0	-	Back	10mm	Ant 1	DSI3	26340	1880	1	20.41	21.50	1.285	-	-	-0.01	0.633	0.814
	LTE Band 25	20M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	-0.09	0.119	0.151
	LTE Band 25	20M	QPSK	50	0	-	Left Side	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	0.05	0.096	0.122
	LTE Band 25	20M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.02	0.050	0.063
	LTE Band 25	20M	QPSK	50	0	-	Right Side	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	-0.13	0.039	0.050
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.17	0.888	1.123
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26140	1860	1	20.44	21.50	1.276	-	-	0.06	0.839	1.071
32	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26590	1905	1	20.35	21.50	1.303	-	-	0.11	0.922	1.202
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26590	1905	2	20.35	21.50	1.303	-	-	0.02	0.911	1.187
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	0	0.824	1.047
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	26140	1860	1	20.44	21.50	1.276	-	-	-0.04	0.851	1.086
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	26590	1905	1	20.41	21.50	1.285	-	-	-0.15	0.765	0.983
	LTE Band 25	20M	QPSK	100	0	-	Bottom Side	10mm	Ant 1	DSI3	26340	1880	1	20.41	21.50	1.285	-	-	0.11	0.811	1.042
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26590	1905	1	19.27	20.50	1.327	-	-	-0.01	0.547	0.726
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Front	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	0.06	0.000	0.000
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Front	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	-0.09	0.000	0.000
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	-0.07	0.447	0.554
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Back	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	-0.08	0.398	0.503
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Left Side	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	0.13	0.000	0.000
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Left Side	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	0.12	0.000	0.000



FCC SAR Test Report

Report No. : FA462605

	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Right Side	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	0.03	0.218	0.270
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Right Side	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	0.18	0.236	0.298
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Top Side	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	0.16	0.302	0.374
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Top Side	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	-0.1	0.298	0.377
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	0.18	0.887	1.018
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	-0.1	0.780	0.900
	FR1 n25	40M	QPSK	216	0	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	376500	1882.5	1	20.81	21.50	1.172	-	-	0.01	0.739	0.866
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	-0.15	0.910	1.045
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	0.19	0.893	1.030
	FR1 n25	40M	QPSK	216	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	376500	1882.5	1	20.81	21.50	1.172	-	-	0.07	0.829	0.972
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	-0.18	0.177	0.203
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	0.03	0.180	0.208
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	-0.15	0.060	0.069
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	-0.15	0.056	0.065
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	0.11	1.010	1.160
33	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	0.06	1.040	1.200
	FR1 n25	40M	QPSK	216	0	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.81	21.50	1.172	-	-	-0.08	0.820	0.961
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	0.07	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	0.18	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	-0.07	0.457	0.527
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	-0.1	0.440	0.516
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	0.01	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	-0.15	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	0.19	0.222	0.256
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	0.07	0.245	0.287
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	-0.18	0.316	0.364
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	0.03	0.321	0.376
2600MHz																					
	LTE Band 7	20M	QPSK	1	0	-	Front	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.08	0.343	0.462
	LTE Band 7	20M	QPSK	50	0	-	Front	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	0.01	0.273	0.341
	LTE Band 7	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.03	0.663	0.892
	LTE Band 7	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	20850	2510	1	22.10	23.50	1.380	-	-	-0.08	0.652	0.900
34	LTE Band 7	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	21350	2560	1	22.17	23.50	1.358	-	-	0.06	0.744	1.011
	LTE Band 7	20M	QPSK	50	0	-	Back	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	-0.08	0.599	0.749
	LTE Band 7	20M	QPSK	100	0	-	Back	10mm	Ant 2	DSI3	21100	2535	1	21.47	22.50	1.268	-	-	0.1	0.505	0.640
	LTE Band 7	20M	QPSK	1	0	-	Left Side	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	-0.18	0.051	0.069
	LTE Band 7	20M	QPSK	50	0	-	Left Side	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	0.1	0.042	0.053
	LTE Band 7	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.12	0.651	0.876
	LTE Band 7	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	20850	2510	1	22.10	23.50	1.380	-	-	0.08	0.607	0.838
	LTE Band 7	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	21350	2560	1	22.17	23.50	1.358	-	-	-0.17	0.728	0.989
	LTE Band 7	20M	QPSK	50	0	-	Right Side	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	-0.03	0.505	0.631
	LTE Band 7	20M	QPSK	100	0	-	Right Side	10mm	Ant 2	DSI3	21100	2535	1	21.47	22.50	1.268	-	-	0.14	0.498	0.631
	LTE Band 7	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.11	0.104	0.140
	LTE Band 7	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	-0.05	0.082	0.103
	LTE Band 7 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	21350	2560	1	20.09	21.50	1.384	-	-	-0.04	0.474	0.656
	LTE Band 7 For ENDC	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	21350	2560	1	20.09	21.50	1.384	-	-	-0.02	0.443	0.613
	LTE Band 41	20M	QPSK	1	0	-	Front	10mm	Ant 2	DSI3	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.04	0.300	0.368
	LTE Band 41	20M	QPSK	50	0	-	Front	10mm	Ant 2	DSI3	40620	2593	1	22.26	23.00	1.186	62.9	1.006	-0.01	0.240	0.286
	LTE Band 41	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.05	0.562	0.689
	LTE Band 41	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	39750	2506	1	22.96	24.00	1.271	62.9	1.006	-0.06	0.528	0.675
	LTE Band 41	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	40185	2549.5	1	23.02	24.00	1.253	62.9	1.006	-0.17	0.519	0.654



FCC SAR Test Report

Report No. : FA462605

	LTE Band 41	20M	QPSK	1	0	-	Back	10mm	Ant 2	DS13	41055	2636.5	1	23.05	24.00	1.245	62.9	1.006	-0.01	0.533	0.667
	LTE Band 41	20M	QPSK	1	0	-	Back	10mm	Ant 2	DS13	41490	2680	1	23.06	24.00	1.242	62.9	1.006	-0.11	0.530	0.662
	LTE Band 41	20M	QPSK	50	0	-	Back	10mm	Ant 2	DS13	40620	2593	1	22.26	23.00	1.186	62.9	1.006	-0.08	0.456	0.544
	LTE Band 41	20M	QPSK	100	0	-	Back	10mm	Ant 2	DS13	40620	2593	1	22.24	23.00	1.191	62.9	1.006	0.03	0.531	0.636
	LTE Band 41	20M	QPSK	1	0	-	Left Side	10mm	Ant 2	DS13	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.05	0.001	0.001
	LTE Band 41	20M	QPSK	50	0	-	Left Side	10mm	Ant 2	DS13	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.06	0.001	0.001
	LTE Band 41	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DS13	40620	2593	1	23.14	24.00	1.219	62.9	1.006	-0.09	0.442	0.542
	LTE Band 41	20M	QPSK	50	0	-	Right Side	10mm	Ant 2	DS13	40620	2593	1	22.26	23.00	1.186	62.9	1.006	-0.08	0.356	0.425
	LTE Band 41	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 2	DS13	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.13	0.117	0.143
	LTE Band 41	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 2	DS13	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.12	0.080	0.095
35	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DS13	40620	2593	1	26.15	27.00	1.216	42.9	1.009	0.18	0.716	0.879
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DS13	39750	2506	1	25.95	27.00	1.274	42.9	1.009	0.03	0.653	0.839
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DS13	40185	2549.5	1	25.98	27.00	1.265	42.9	1.009	0.1	0.649	0.828
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DS13	41055	2636.5	1	26.10	27.00	1.230	42.9	1.009	0.16	0.677	0.840
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DS13	41490	2680	1	26.01	27.00	1.256	42.9	1.009	-0.06	0.661	0.838
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 2	DS13	507000	2535	1	22.86	23.50	1.159	-	-	-0.08	0.478	0.554
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 2	DS13	507000	2535	1	22.81	23.50	1.172	-	-	0.17	0.489	0.573
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 2	DS13	507000	2535	1	22.86	23.50	1.159	-	-	0.18	0.714	0.827
	FR1 n7	40M	QPSK	108	54	Why 15KHz	Back	10mm	Ant 2	DS13	507000	2535	1	22.81	23.50	1.172	-	-	0.08	0.738	0.865
	FR1 n7	40M	QPSK	216	0	DFT-SCS-15KHz	Back	10mm	Ant 2	DS13	507000	2535	1	21.75	22.50	1.189	-	-	-0.04	0.683	0.812
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 2	DS13	507000	2535	1	22.86	23.50	1.159	-	-	-0.08	0.092	0.107
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 2	DS13	507000	2535	1	22.81	23.50	1.172	-	-	-0.13	0.075	0.088
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 2	DS13	507000	2535	1	22.86	23.50	1.159	-	-	0.09	0.832	0.964
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 2	DS13	507000	2535	1	22.81	23.50	1.172	-	-	-0.13	0.802	0.940
	FR1 n7	40M	QPSK	216	0	DFT-SCS-15KHz	Right Side	10mm	Ant 2	DS13	507000	2535	1	21.75	22.50	1.189	-	-	0.06	0.703	0.836
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 2	DS13	507000	2535	1	22.86	23.50	1.159	-	-	-0.03	0.162	0.188
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 2	DS13	507000	2535	1	22.81	23.50	1.172	-	-	-0.03	0.153	0.179
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 2	DS13	518598	2592.99	1	22.94	23.50	1.138	-	-	0.07	0.458	0.521
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 2	DS13	518598	2592.99	1	22.91	23.50	1.146	-	-	0.16	0.452	0.518
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	518598	2592.99	1	22.94	23.50	1.138	-	-	0.13	0.774	0.881
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	518598	2592.99	1	22.91	23.50	1.146	-	-	-0.08	0.913	1.046
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	518598	2592.99	1	22.86	23.50	1.159	-	-	-0.18	0.883	1.023
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DS13	518598	2592.99	1	22.94	23.50	1.138	-	-	0.02	0.051	0.058
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DS13	518598	2592.99	1	22.91	23.50	1.146	-	-	0.16	0.043	0.049
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DS13	518598	2592.99	1	22.94	23.50	1.138	-	-	-0.03	0.734	0.835
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DS13	518598	2592.99	1	22.91	23.50	1.146	-	-	0.07	0.780	0.894
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DS13	518598	2592.99	1	22.86	23.50	1.159	-	-	0	0.761	0.882
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DS13	518598	2592.99	1	22.94	23.50	1.138	-	-	0.01	0.130	0.148
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DS13	518598	2592.99	1	22.91	23.50	1.146	-	-	-0.01	0.195	0.223
	FR1 n41 HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	518598	2592.99	1	25.88	26.50	1.153	50	1.000	-0.08	0.889	1.025
	FR1 n41 For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	518598	2592.99	1	19.70	20.50	1.202	-	-	-0.01	0.467	0.561
	FR1 n41 HPUE For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	518598	2592.99	1	22.84	23.50	1.164	50	1.000	-0.02	0.471	0.548
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 4	DS13	518598	2592.99	1	21.55	22.00	1.109	-	-	-0.15	0.110	0.122
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 4	DS13	518598	2592.99	1	21.53	22.00	1.114	-	-	0.11	0.175	0.195
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 4	DS13	518598	2592.99	1	21.55	22.00	1.109	-	-	-0.02	0.917	1.017
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 4	DS13	518598	2592.99	1	21.53	22.00	1.114	-	-	0.1	0.808	0.900
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 4	DS13	518598	2592.99	1	21.51	22.00	1.119	-	-	0.01	0.769	0.861
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 4	DS13	518598	2592.99	1	21.55	22.00	1.109	-	-	0.04	0.000	0.000
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 4	DS13	518598	2592.99	1	21.53	22.00	1.114	-	-	0.13	0.055	0.061
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DS13	518598	2592.99	1	21.55	22.00	1.109	-	-	0.03	0.969	1.075
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DS13	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.18	0.957	1.066
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 4	DS13	518598	2592.99	1	21.51	22.00	1.119	-	-	0.04	0.958	1.072
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 4	DS13	518598	2592.99	1	21.55	22.00	1.109	-	-	-0.11	0.232	0.257
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 4	DS13	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.16	0.209	0.233



FCC SAR Test Report

Report No. : FA462605

	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DS13	518598	2592.99	1	24.59	25.00	1.099	50	1.000	-0.15	0.942	1.035
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 5	DS13	518598	2592.99	1	22.93	24.00	1.279	-	-	0.11	0.139	0.178
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 5	DS13	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.05	0.122	0.158
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	518598	2592.99	1	22.93	24.00	1.279	-	-	0.18	0.644	0.824
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.02	0.721	0.931
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	518598	2592.99	1	22.83	24.00	1.309	-	-	-0.08	0.688	0.901
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DS13	518598	2592.99	1	22.93	24.00	1.279	-	-	0.14	0.144	0.184
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DS13	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.17	0.169	0.218
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	518598	2592.99	1	22.93	24.00	1.279	-	-	0.17	0.559	0.715
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.05	0.539	0.696
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DS13	518598	2592.99	1	22.93	24.00	1.279	-	-	0.01	0.178	0.228
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DS13	518598	2592.99	1	22.89	24.00	1.291	-	-	0.1	0.228	0.294
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DS13	518598	2592.99	1	22.93	24.00	1.279	-	-	-0.17	0.117	0.150
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DS13	518598	2592.99	1	22.89	24.00	1.291	-	-	0.04	0.105	0.136
	FR1 n41_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	518598	2592.99	1	25.79	27.00	1.321	50	1.000	-0.08	0.696	0.920
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	518598	2592.99	1	20.39	21.50	1.291	-	-	0.08	0.170	0.220
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	518598	2592.99	1	20.37	21.50	1.297	-	-	0.01	0.143	0.185
36	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	518598	2592.99	1	20.39	21.50	1.291	-	-	-0.03	0.947	1.223
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	518598	2592.99	2	20.39	21.50	1.291	-	-	0.02	0.926	1.196
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	518598	2592.99	1	20.37	21.50	1.297	-	-	0.03	0.737	0.956
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	518598	2592.99	1	20.31	21.50	1.315	-	-	-0.08	0.743	0.977
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	518598	2592.99	1	20.39	21.50	1.291	-	-	-0.08	0.933	1.205
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	518598	2592.99	1	20.37	21.50	1.297	-	-	0.1	0.906	1.175
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	518598	2592.99	1	20.31	21.50	1.315	-	-	-0.18	0.927	1.219
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	518598	2592.99	1	20.39	21.50	1.291	-	-	0.1	0.039	0.050
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	518598	2592.99	1	20.37	21.50	1.297	-	-	0.12	0.035	0.045
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	518598	2592.99	1	20.39	21.50	1.291	-	-	0.08	0.062	0.080
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	518598	2592.99	1	20.37	21.50	1.297	-	-	-0.17	0.038	0.049
	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	518598	2592.99	1	23.34	24.50	1.306	50	1.000	-0.01	0.919	1.200
3500MHz																					
	LTE Band 42	20M	QPSK	1	0	-	Front	10mm	Ant 6	DS13	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.08	0.224	0.285
	LTE Band 42	20M	QPSK	50	0	-	Front	10mm	Ant 6	DS13	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.01	0.129	0.165
	LTE Band 42	20M	QPSK	1	0	-	Back	10mm	Ant 6	DS13	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.02	0.394	0.501
	LTE Band 42	20M	QPSK	50	0	-	Back	10mm	Ant 6	DS13	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.03	0.342	0.436
	LTE Band 42	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DS13	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.08	0.376	0.478
	LTE Band 42	20M	QPSK	50	0	-	Left Side	10mm	Ant 6	DS13	42190	3460	1	21.97	23.00	1.268	62.9	1.006	-0.08	0.299	0.381
	LTE Band 42	20M	QPSK	1	0	-	Right Side	10mm	Ant 6	DS13	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.1	0.050	0.064
	LTE Band 42	20M	QPSK	50	0	-	Right Side	10mm	Ant 6	DS13	42190	3460	1	21.97	23.00	1.268	62.9	1.006	-0.18	0.047	0.060
37	LTE Band 42	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DS13	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.05	0.707	0.900
	LTE Band 42	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DS13	42590	3500	1	22.95	24.00	1.274	62.9	1.006	-0.08	0.673	0.862
	LTE Band 42	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DS13	42990	3540	1	22.79	24.00	1.321	62.9	1.006	-0.04	0.652	0.867
	LTE Band 42	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DS13	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.1	0.592	0.755
	LTE Band 42	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DS13	42590	3500	1	21.84	23.00	1.306	62.9	1.006	-0.08	0.561	0.737
	LTE Band 42	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DS13	42990	3540	1	21.69	23.00	1.352	62.9	c 10g	0.17	0.554	0.754
	LTE Band 42	20M	QPSK	100	0	-	Top Side	10mm	Ant 6	DS13	42190	3460	1	21.93	23.00	1.279	62.9	1.006	-0.15	0.588	0.757
	LTE Band 48	20M	QPSK	1	0	-	Front	10mm	Ant 6	DS13	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.03	0.202	0.273
	LTE Band 48	20M	QPSK	50	0	-	Front	10mm	Ant 6	DS13	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.14	0.171	0.221
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DS13	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.06	0.547	0.739
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DS13	55340	3560	1	22.66	24.00	1.361	62.9	1.006	-0.13	0.511	0.700
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DS13	56150	3641	1	22.63	24.00	1.371	62.9	1.006	-0.13	0.509	0.702
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DS13	56640	3690	1	22.45	24.00	1.429	62.9	1.006	0.06	0.492	0.707
	LTE Band 48	20M	QPSK	50	0	-	Back	10mm	Ant 6	DS13	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.11	0.444	0.573
	LTE Band 48	20M	QPSK	100	0	-	Back	10mm	Ant 6	DS13	55830	3609	1	21.88	23.00	1.294	62.9	1.006	-0.03	0.463	0.603
	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DS13	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.05	0.542	0.732
	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DS13	55340	3560	1	22.66	24.00	1.361	62.9	1.006	0.18	0.478	0.655
	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DS13	56150	3641	1	22.63	24.00	1.371	62.9	1.006	0.14	0.583	0.804



FCC SAR Test Report

Report No. : FA462605

	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DS13	56640	3690	1	22.45	24.00	1.429	62.9	1.006	-0.17	0.602	0.865
	LTE Band 48	20M	QPSK	50	0	-	Left Side	10mm	Ant 6	DS13	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.17	0.414	0.534
	LTE Band 48	20M	QPSK	100	0	-	Left Side	10mm	Ant 6	DS13	55830	3609	1	21.88	23.00	1.294	62.9	1.006	-0.05	0.449	0.585
	LTE Band 48	20M	QPSK	1	0	-	Right Side	10mm	Ant 6	DS13	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.01	0.057	0.077
	LTE Band 48	20M	QPSK	50	0	-	Right Side	10mm	Ant 6	DS13	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.1	0.049	0.063
38	LTE Band 48	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DS13	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.02	0.672	0.908
	LTE Band 48	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DS13	55340	3560	1	22.66	24.00	1.361	62.9	1.006	-0.17	0.575	0.788
	LTE Band 48	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DS13	56150	3641	1	22.63	24.00	1.371	62.9	1.006	0.04	0.534	0.736
	LTE Band 48	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DS13	56640	3690	1	22.45	24.00	1.429	62.9	1.006	-0.01	0.550	0.791
	LTE Band 48	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DS13	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.08	0.498	0.642
	LTE Band 48	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DS13	55340	3560	1	21.89	23.00	1.291	62.9	1.006	0.18	0.461	0.599
	LTE Band 48	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DS13	56150	3641	1	21.67	23.00	1.358	62.9	1.006	-0.04	0.439	0.600
	LTE Band 48	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DS13	56640	3690	1	21.78	23.00	1.324	62.9	1.006	-0.08	0.455	0.606
	LTE Band 48	20M	QPSK	100	0	-	Top Side	10mm	Ant 6	DS13	55830	3609	1	21.88	23.00	1.294	62.9	1.006	0.05	0.487	0.634
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 6	DS13	641666	3624.99	1	22.56	23.00	1.107	-	-	-0.08	0.243	0.269
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Front	10mm	Ant 6	DS13	641666	3624.99	1	22.52	23.00	1.117	-	-	0.05	0.223	0.249
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	641666	3624.99	1	22.56	23.00	1.107	-	-	0.06	0.681	0.754
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	641666	3624.99	1	22.52	23.00	1.117	-	-	-0.02	0.757	0.845
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	638000	3570	1	22.49	23.00	1.125	-	-	-0.03	0.716	0.805
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	645332	3679.98	1	22.51	23.00	1.119	-	-	0.08	0.703	0.787
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	641666	3624.99	1	22.48	23.00	1.127	-	-	-0.09	0.577	0.650
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	641666	3624.99	1	22.56	23.00	1.107	-	-	0.06	0.746	0.826
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	638000	3570	1	22.42	23.00	1.143	-	-	-0.07	0.709	0.810
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	645332	3679.98	1	22.50	23.00	1.122	-	-	0.05	0.711	0.798
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	641666	3624.99	1	22.52	23.00	1.117	-	-	-0.09	0.895	1.000
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	638000	3570	1	22.49	23.00	1.125	-	-	-0.11	0.833	0.937
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	645332	3679.98	1	22.51	23.00	1.119	-	-	-0.12	0.725	0.812
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	641666	3624.99	1	22.48	23.00	1.127	-	-	-0.08	0.677	0.763
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DS13	641666	3624.99	1	22.56	23.00	1.107	-	-	0.13	0.086	0.095
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DS13	641666	3624.99	1	22.52	23.00	1.117	-	-	0.12	0.087	0.097
39	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	641666	3624.99	1	22.56	23.00	1.107	-	-	-0.02	0.964	1.067
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	638000	3570	1	22.42	23.00	1.143	-	-	0.03	0.924	1.056
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	645332	3679.98	1	22.50	23.00	1.122	-	-	-0.16	0.938	1.052
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	641666	3624.99	1	22.52	23.00	1.117	-	-	0.03	0.916	1.023
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	638000	3570	1	22.49	23.00	1.125	-	-	-0.02	0.908	1.021
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	645332	3679.98	1	22.51	23.00	1.119	-	-	0.15	0.894	1.001
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	641666	3624.99	1	22.48	23.00	1.127	-	-	0.18	0.770	0.868
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 6	DS13	656000	3840	1	23.36	24.00	1.159	-	-	-0.18	0.278	0.322
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 6	DS13	656000	3840	1	23.28	24.00	1.180	-	-	0.03	0.257	0.303
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	656000	3840	1	23.36	24.00	1.159	-	-	0.01	0.615	0.713
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	656000	3840	1	23.28	24.00	1.180	-	-	-0.15	0.541	0.639
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	656000	3840	1	23.36	24.00	1.159	-	-	-0.18	0.963	1.116
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	656000	3840	1	23.28	24.00	1.180	-	-	0.11	0.938	1.107
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	656000	3840	1	23.22	24.00	1.197	-	-	-0.08	0.827	0.990
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DS13	656000	3840	1	23.36	24.00	1.159	-	-	-0.17	0.097	0.112
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DS13	656000	3840	1	23.28	24.00	1.180	-	-	-0.08	0.099	0.117
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	656000	3840	1	23.36	24.00	1.159	-	-	-0.04	0.784	0.908
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	656000	3840	1	23.28	24.00	1.180	-	-	-0.08	0.767	0.905
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	656000	3840	1	23.22	24.00	1.197	-	-	0.17	0.710	0.850
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	656000	3840	1	26.36	27.00	1.159	50	1.000	0.18	0.946	1.096
	FR1 n77 Part 96	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	641666	3624.99	1	22.52	23.50	1.253	-	-	0.02	0.903	1.132
	FR1 n77 For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	656000	3840	1	20.21	21.00	1.199	-	-	0.08	0.314	0.377
	FR1 n77_HPUE For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	656000	3840	1	23.27	24.00	1.183	50	1.000	0.12	0.307	0.363
	FR1 n77 For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	656000	3840	1	20.21	21.00	1.199	-	-	-0.02	0.492	0.590
	FR1 n77_HPUE For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	656000	3840	1	23.27	24.00	1.183	50	1.000	-0.16	0.485	0.574



FCC SAR Test Report

Report No. : FA462605

	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 6	DS13	633332	3499.98	1	23.27	24.00	1.183	-	-	0.02	0.219	0.259
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 6	DS13	633332	3499.98	1	23.23	24.00	1.194	-	-	0.07	0.235	0.281
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	633332	3499.98	1	23.27	24.00	1.183	-	-	0.16	0.505	0.597
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	633332	3499.98	1	23.23	24.00	1.194	-	-	0.13	0.640	0.764
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.18	0.724	0.857
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	633332	3499.98	1	23.23	24.00	1.194	-	-	0.02	0.700	0.836
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	633332	3499.98	1	23.10	24.00	1.230	-	-	0.16	0.665	0.818
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DS13	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.03	0.096	0.114
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DS13	633332	3499.98	1	23.23	24.00	1.194	-	-	0.07	0.089	0.106
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	633332	3499.98	1	23.27	24.00	1.183	-	-	0.01	0.777	0.919
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	633332	3499.98	1	23.23	24.00	1.194	-	-	-0.08	0.865	1.033
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	633332	3499.98	1	23.10	24.00	1.230	-	-	0.01	0.787	0.968
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DS13	633332	3499.98	1	26.20	27.00	1.202	50	1.000	-0.01	0.853	1.026
	FR1 n77 For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	633332	3499.98	1	20.18	21.00	1.208	-	-	-0.04	0.337	0.407
	FR1 n77_ HPUE For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DS13	633332	3499.98	1	23.27	24.00	1.183	50	1.000	0.09	0.327	0.387
	FR1 n77 For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	633332	3499.98	1	20.24	21.00	1.191	-	-	-0.03	0.377	0.449
	FR1 n77 HPUE For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DS13	633332	3499.98	1	23.31	24.00	1.172	50	1.000	-0.06	0.364	0.427
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 2	DS13	656000	3840	1	18.59	20.00	1.384	-	-	0.11	0.284	0.393
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 2	DS13	656000	3840	1	18.55	20.00	1.396	-	-	-0.02	0.382	0.533
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	656000	3840	1	18.59	20.00	1.384	-	-	0.1	0.604	0.836
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	656000	3840	1	18.55	20.00	1.396	-	-	-0.04	0.632	0.883
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	656000	3840	1	18.33	20.00	1.469	-	-	0.06	0.592	0.870
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DS13	656000	3840	1	18.59	20.00	1.384	-	-	0.04	0.062	0.086
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DS13	656000	3840	1	18.55	20.00	1.396	-	-	0.13	0.073	0.102
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DS13	656000	3840	1	18.59	20.00	1.384	-	-	-0.18	0.427	0.591
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DS13	656000	3840	1	18.55	20.00	1.396	-	-	-0.11	0.452	0.631
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DS13	656000	3840	1	18.59	20.00	1.384	-	-	-0.16	0.154	0.213
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DS13	656000	3840	1	18.55	20.00	1.396	-	-	-0.15	0.154	0.215
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	656000	3840	1	21.72	23.00	1.343	50	1.000	-0.06	0.626	0.841
	FR1 n77 Part 96	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	641666	3624.99	1	18.43	20.00	1.435	-	-	0.09	0.601	0.863
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 2	DS13	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.14	0.366	0.512
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 2	DS13	633332	3499.98	1	18.52	20.00	1.406	-	-	-0.19	0.311	0.437
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.08	0.511	0.715
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	633332	3499.98	1	18.52	20.00	1.406	-	-	0.01	0.343	0.482
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DS13	633332	3499.98	1	18.54	20.00	1.400	-	-	0.06	0.057	0.080
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DS13	633332	3499.98	1	18.52	20.00	1.406	-	-	0.02	0.028	0.039
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DS13	633332	3499.98	1	18.54	20.00	1.400	-	-	0.12	0.385	0.539
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DS13	633332	3499.98	1	18.52	20.00	1.406	-	-	-0.16	0.294	0.413
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DS13	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.12	0.205	0.287
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DS13	633332	3499.98	1	18.52	20.00	1.406	-	-	0.07	0.146	0.205
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DS13	633332	3499.98	1	21.79	23.00	1.321	50	1.000	-0.02	0.502	0.663
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 5	DS13	656000	3840	1	19.37	20.00	1.156	-	-	0.1	0.067	0.077
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 5	DS13	656000	3840	1	19.34	20.00	1.164	-	-	-0.09	0.042	0.049
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	656000	3840	1	19.37	20.00	1.156	-	-	0.07	0.165	0.191
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	656000	3840	1	19.34	20.00	1.164	-	-	-0.09	0.149	0.173
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DS13	656000	3840	1	19.37	20.00	1.156	-	-	-0.16	0.001	0.001
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DS13	656000	3840	1	19.34	20.00	1.164	-	-	-0.18	0.001	0.001
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	656000	3840	1	19.37	20.00	1.156	-	-	0.07	0.257	0.297
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	656000	3840	1	19.34	20.00	1.164	-	-	-0.07	0.249	0.290
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DS13	656000	3840	1	19.37	20.00	1.156	-	-	0.11	0.072	0.083
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DS13	656000	3840	1	19.34	20.00	1.164	-	-	-0.08	0.061	0.071
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DS13	656000	3840	1	19.37	20.00	1.156	-	-	-0.1	0.050	0.058
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DS13	656000	3840	1	19.34	20.00	1.164	-	-	-0.01	0.165	0.192
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	656000	3840	1	22.17	23.00	1.211	50	1.000	-0.09	0.233	0.282
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 5	DS13	633332	3499.98	1	18.34	19.00	1.164	-	-	0.14	0.064	0.075



FCC SAR Test Report

Report No. : FA462605

	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 5	DS13	633332	3499.98	1	18.31	19.00	1.172	-	-	0.11	0.053	0.062
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	633332	3499.98	1	18.34	19.00	1.164	-	-	-0.05	0.149	0.173
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DS13	633332	3499.98	1	18.31	19.00	1.172	-	-	0.18	0.154	0.181
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DS13	633332	3499.98	1	18.34	19.00	1.164	-	-	0.14	0.079	0.092
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DS13	633332	3499.98	1	18.31	19.00	1.172	-	-	-0.17	0.060	0.070
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	633332	3499.98	1	18.34	19.00	1.164	-	-	0.17	0.282	0.328
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	633332	3499.98	1	18.31	19.00	1.172	-	-	0.06	0.322	0.377
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DS13	633332	3499.98	1	18.34	19.00	1.164	-	-	-0.05	0.000	0.000
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DS13	633332	3499.98	1	18.31	19.00	1.172	-	-	0.01	0.053	0.062
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DS13	633332	3499.98	1	18.34	19.00	1.164	-	-	0.1	0.000	0.000
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DS13	633332	3499.98	1	18.31	19.00	1.172	-	-	-0.17	0.000	0.000
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	633332	3499.98	1	21.16	22.00	1.213	50	1.000	0.04	0.299	0.363
	FR1 n77 Part 96	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DS13	641666	3624.99	1	19.08	20.00	1.236	-	-	0.08	0.283	0.350
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	656000	3840	1	20.23	21.50	1.340	-	-	0.03	0.092	0.123
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	656000	3840	1	20.21	21.50	1.346	-	-	-0.16	0.028	0.038
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	656000	3840	1	20.23	21.50	1.340	-	-	-0.03	0.251	0.336
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	656000	3840	1	20.21	21.50	1.346	-	-	-0.02	0.242	0.326
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	656000	3840	1	20.23	21.50	1.340	-	-	0.15	0.205	0.275
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	656000	3840	1	20.21	21.50	1.346	-	-	-0.09	0.164	0.221
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	656000	3840	1	20.23	21.50	1.340	-	-	0.11	0.025	0.033
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	656000	3840	1	20.21	21.50	1.346	-	-	-0.05	0.027	0.036
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	656000	3840	1	20.23	21.50	1.340	-	-	-0.08	0.063	0.084
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	656000	3840	1	20.21	21.50	1.346	-	-	0.16	0.044	0.059
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	656000	3840	1	23.25	24.50	1.334	50	1.000	0.08	0.239	0.319
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	633332	3499.98	1	20.47	21.50	1.268	-	-	0.05	0.086	0.109
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	633332	3499.98	1	20.45	21.50	1.274	-	-	0.05	0.152	0.194
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	633332	3499.98	1	20.47	21.50	1.268	-	-	-0.15	0.907	1.150
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	633332	3499.98	1	20.45	21.50	1.274	-	-	-0.03	0.848	1.080
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	633332	3499.98	1	20.38	21.50	1.294	-	-	-0.15	0.866	1.121
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	633332	3499.98	1	20.47	21.50	1.268	-	-	0.02	0.308	0.390
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	633332	3499.98	1	20.45	21.50	1.274	-	-	0.07	0.315	0.401
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	633332	3499.98	1	20.47	21.50	1.268	-	-	0.16	0.116	0.147
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	633332	3499.98	1	20.45	21.50	1.274	-	-	0.13	0.119	0.152
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	633332	3499.98	1	20.47	21.50	1.268	-	-	-0.18	0.070	0.089
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	633332	3499.98	1	20.45	21.50	1.274	-	-	0.02	0.122	0.155
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	633332	3499.98	1	23.49	24.50	1.262	50	1.000	0.01	0.896	1.131
	FR1 n77 Part 96	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	641666	3624.99	1	20.41	21.50	1.285	-	-	0.02	0.882	1.134

Plot No.	Band	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
2450MHz																	
	WLAN2.4GHz	802.11b 1Mbps	Front	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	-0.16	0.027	0.040
	WLAN2.4GHz	802.11b 1Mbps	Back	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	-0.18	0.088	0.130
	WLAN2.4GHz	802.11b 1Mbps	Left Side	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	-0.07	0.061	0.090
	WLAN2.4GHz	802.11b 1Mbps	Right Side	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	0.11	0.000	0.000
	WLAN2.4GHz	802.11b 1Mbps	Top Side	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	-0.01	0.208	0.307
	Bluetooth	1Mbps	Front	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	-0.06	0.019	0.024
	Bluetooth	1Mbps	Back	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.04	0.040	0.050
	Bluetooth	1Mbps	Left Side	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.07	0.029	0.036
	Bluetooth	1Mbps	Right Side	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	-0.17	0.013	0.017
	Bluetooth	1Mbps	Top Side	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	-0.03	0.073	0.091
5000MHz																	
	WLAN5.2GHz	802.11n-HT40 MCS0	Front	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	0.14	0.078	0.118
	WLAN5.2GHz	802.11n-HT40 MCS0	Back	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	0.03	0.139	0.210
	WLAN5.2GHz	802.11n-HT40 MCS0	Left Side	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	0.1	0.097	0.146



FCC SAR Test Report

Report No. : FA462605

	WLAN5.2GHz	802.11n-HT40 MCS0	Right Side	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	0.16	0.030	0.045
	WLAN5.2GHz	802.11n-HT40 MCS0	Top Side	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	-0.06	0.205	0.310
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Front	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	-0.13	0.096	0.148
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Back	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	-0.01	0.156	0.240
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Left Side	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	-0.11	0.099	0.152
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Right Side	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	0.19	0.035	0.054
40	WLAN5.8GHz	802.11ac-VHT80 MCS0	Top Side	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	-0.06	0.218	0.335
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Top Side	10mm	Ant 3	Simultaneous	155	5775	2	15.47	17.00	1.422	92.49	1.081	0.02	0.201	0.309

<Flip Close>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
750MHz																					
	LTE Band 12	10M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	0.08	0.389	0.479
	LTE Band 12	10M	QPSK	25	0	-	Front	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	0.01	0.305	0.368
	LTE Band 12	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	-0.07	0.537	0.661
	LTE Band 12	10M	QPSK	25	0	-	Back	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	0.03	0.451	0.545
	LTE Band 12	10M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	-0.08	0.525	0.646
	LTE Band 12	10M	QPSK	25	0	-	Left Side	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	-0.08	0.440	0.531
	LTE Band 12	10M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	0.1	0.252	0.310
	LTE Band 12	10M	QPSK	25	0	-	Right Side	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	-0.18	0.180	0.217
	LTE Band 12	10M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	23095	707.5	1	24.10	25.00	1.230	-	-	0.1	0.069	0.085
	LTE Band 12	10M	QPSK	25	0	-	Bottom Side	10mm	Ant 1	DSI3	23095	707.5	1	23.18	24.00	1.208	-	-	0.12	0.065	0.079
	LTE Band 13	10M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	0.08	0.334	0.410
	LTE Band 13	10M	QPSK	25	0	-	Front	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	-0.17	0.237	0.288
41	LTE Band 13	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	-0.03	0.619	0.760
	LTE Band 13	10M	QPSK	25	0	-	Back	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	-0.03	0.492	0.598
	LTE Band 13	10M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	0.14	0.578	0.709
	LTE Band 13	10M	QPSK	25	0	-	Left Side	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	0.11	0.450	0.547
	LTE Band 13	10M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	-0.05	0.315	0.387
	LTE Band 13	10M	QPSK	25	0	-	Right Side	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	0.18	0.238	0.289
	LTE Band 13	10M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	23230	782	1	24.11	25.00	1.227	-	-	0.14	0.050	0.061
	LTE Band 13	10M	QPSK	25	0	-	Bottom Side	10mm	Ant 1	DSI3	23230	782	1	23.15	24.00	1.216	-	-	-0.17	0.041	0.050
	LTE Band 13 For ENDC	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23230	782	1	22.01	23.00	1.256	-	-	-0.19	0.457	0.574
	LTE Band 14	10M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	0.17	0.450	0.550
	LTE Band 14	10M	QPSK	25	0	-	Front	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	-0.05	0.319	0.391
42	LTE Band 14	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	0.01	0.835	1.020
	LTE Band 14	10M	QPSK	25	0	-	Back	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	0.01	0.664	0.813
	LTE Band 14	10M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	23330	793	1	23.02	24.00	1.253	-	-	0.06	0.673	0.843
	LTE Band 14	10M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	0.1	0.780	0.953
	LTE Band 14	10M	QPSK	25	0	-	Left Side	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	-0.17	0.608	0.745
	LTE Band 14	10M	QPSK	50	0	-	Left Side	10mm	Ant 1	DSI3	23330	793	1	23.02	24.00	1.253	-	-	0.09	0.630	0.789
	LTE Band 14	10M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	0.04	0.425	0.519
	LTE Band 14	10M	QPSK	25	0	-	Right Side	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	-0.01	0.320	0.392
	LTE Band 14	10M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	23330	793	1	24.13	25.00	1.222	-	-	-0.08	0.068	0.083
	LTE Band 14	10M	QPSK	25	0	-	Bottom Side	10mm	Ant 1	DSI3	23330	793	1	23.12	24.00	1.225	-	-	0.05	0.055	0.067
	LTE Band 14 For ENDC	10M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	23330	793	1	22.27	23.00	1.183	-	-	0.14	0.547	0.647
	LTE Band 14 For ENDC	10M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	23330	793	1	22.27	23.00	1.183	-	-	-0.07	0.517	0.612
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.04	0.367	0.452
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	-0.08	0.278	0.345
43	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.01	0.871	1.072
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	2	24.10	25.00	1.230	-	-	0.05	0.862	1.060
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	-0.13	0.684	0.849
	FR1 n14	10M	QPSK	50	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	1	23.08	24.00	1.236	-	-	-0.13	0.689	0.852



FCC SAR Test Report

Report No. : FA462605

	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	0.06	0.372	0.458
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	-0.03	0.304	0.377
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.03	0.168	0.207
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	0.08	0.115	0.143
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	158600	793	1	24.10	25.00	1.230	-	-	-0.07	0.000	0.000
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	158600	793	1	24.06	25.00	1.242	-	-	0.05	0.054	0.067
	LTE Band 71	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	0.08	0.341	0.459
	LTE Band 71	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	0.01	0.273	0.359
44	LTE Band 71	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	-0.12	0.647	0.871
	LTE Band 71	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	0.03	0.512	0.673
	LTE Band 71	20M	QPSK	100	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	22.79	24.00	1.321	-	-	-0.08	0.503	0.665
	LTE Band 71	20M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	-0.08	0.488	0.657
	LTE Band 71	20M	QPSK	50	0	-	Left Side	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	0.1	0.393	0.517
	LTE Band 71	20M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	-0.18	0.238	0.320
	LTE Band 71	20M	QPSK	50	0	-	Right Side	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	0.1	0.194	0.255
	LTE Band 71	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	133297	680.5	1	23.71	25.00	1.346	-	-	0.12	0.088	0.118
	LTE Band 71	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	0.08	0.068	0.089
	LTE Band 71 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	133297	680.5	1	22.81	24.00	1.315	-	-	-0.07	0.521	0.685
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	0.16	0.353	0.421
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	0.05	0.349	0.422
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	-0.08	0.685	0.818
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	0.05	0.631	0.762
	FR1 n71	20M	QPSK	100	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	136100	680.5	1	23.36	24.00	1.159	-	-	-0.03	0.603	0.699
	FR1 n71	20M	QPSK	1	1		Left Side	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	-0.15	0.514	0.614
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	0.02	0.495	0.598
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	0.07	0.231	0.276
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	0.16	0.251	0.303
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	136100	680.5	1	24.23	25.00	1.194	-	-	0.13	0.085	0.101
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	136100	680.5	1	24.18	25.00	1.208	-	-	-0.18	0.079	0.095
835MHz																					
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	-0.14	0.211	0.242
45	WCDMA V	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	0.01	0.560	0.643
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Left Side	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	-0.19	0.336	0.386
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Right Side	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	0.01	0.374	0.429
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	4182	836.4	1	23.40	24.00	1.148	-	-	0.06	0.126	0.145
	LTE Band 26	15M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	0.02	0.272	0.346
	LTE Band 26	15M	QPSK	36	0	-	Front	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	0.12	0.228	0.284
46	LTE Band 26	15M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	0.07	0.940	1.197
	LTE Band 26	15M	QPSK	36	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	-0.16	0.762	0.948
	LTE Band 26	15M	QPSK	75	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	23.02	24.00	1.253	-	-	-0.08	0.753	0.944
	LTE Band 26	15M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	-0.12	0.475	0.605
	LTE Band 26	15M	QPSK	36	0	-	Left Side	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	0.07	0.378	0.470
	LTE Band 26	15M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	-0.02	0.410	0.522
	LTE Band 26	15M	QPSK	36	0	-	Right Side	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	-0.05	0.360	0.448
	LTE Band 26	15M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26865	831.5	1	23.95	25.00	1.274	-	-	-0.13	0.133	0.169
	LTE Band 26	15M	QPSK	36	0	-	Bottom Side	10mm	Ant 1	DSI3	26865	831.5	1	23.05	24.00	1.245	-	-	0.08	0.098	0.122
	LTE Band 26 For ENDC	15M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26865	831.5	1	21.37	22.50	1.297	-	-	-0.02	0.541	0.702
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	0.16	0.320	0.368
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	0.01	0.386	0.452
47	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	-0.04	1.040	1.197
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	2	24.39	25.00	1.151	-	-	0.06	1.000	1.151
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	-0.16	1.000	1.172
	FR1 n5	20M	QPSK	100	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	1	23.69	24.00	1.074	-	-	0.1	1.020	1.095
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	-0.04	0.348	0.400
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	-0.01	0.274	0.321



FCC SAR Test Report

Report No. : FA462605

	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	0	0.153	0.176
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	-0.11	0.207	0.243
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	167300	836.5	1	24.39	25.00	1.151	-	-	-0.06	0.181	0.208
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	167300	836.5	1	24.31	25.00	1.172	-	-	-0.15	0.179	0.210
	FR1 n5 For ENDC	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	1	21.45	22.00	1.135	-	-	-0.12	0.537	0.610
1750MHz																					
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	0.08	0.530	0.611
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.09	0.749	0.864
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	1312	1712.4	1	23.28	24.00	1.180	-	-	0.01	0.713	0.842
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	1513	1752.6	1	23.21	24.00	1.199	-	-	0.03	0.704	0.844
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Left Side	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.08	0.234	0.270
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Right Side	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.08	0.098	0.113
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	1413	1732.6	1	23.38	24.00	1.153	-	-	0.1	0.880	1.015
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	1312	1712.4	1	23.28	24.00	1.180	-	-	-0.18	0.804	0.949
48	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	1513	1752.6	1	23.21	24.00	1.199	-	-	0.02	0.939	1.126
	LTE Band 66	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	0.11	0.203	0.265
	LTE Band 66	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	-0.05	0.159	0.208
	LTE Band 66	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	-0.04	0.606	0.790
	LTE Band 66	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	0.05	0.442	0.579
	LTE Band 66	20M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	0.02	0.149	0.194
	LTE Band 66	20M	QPSK	50	0	-	Left Side	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	0.07	0.115	0.151
	LTE Band 66	20M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	0.16	0.062	0.081
	LTE Band 66	20M	QPSK	50	0	-	Right Side	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	0.13	0.027	0.035
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	132322	1745	1	21.85	23.00	1.303	-	-	-0.18	0.679	0.885
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	132072	1720	1	21.81	23.00	1.315	-	-	0.02	0.752	0.989
49	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	132572	1770	1	21.70	23.00	1.349	-	-	0.05	0.893	1.205
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	132572	1770	2	21.70	23.00	1.349	-	-	0.02	0.882	1.190
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	132322	1745	1	21.83	23.00	1.309	-	-	0.16	0.662	0.867
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	132072	1720	1	21.74	23.00	1.337	-	-	-0.03	0.617	0.825
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	132572	1770	1	21.78	23.00	1.324	-	-	0.07	0.679	0.899
	LTE Band 66	20M	QPSK	100	0	-	Bottom Side	10mm	Ant 1	DSI3	132322	1745	1	21.81	23.00	1.315	-	-	0	0.691	0.909
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	132322	1745	1	20.70	22.00	1.349	-	-	-0.03	0.492	0.664
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Front	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	-0.15	0.047	0.058
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Front	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	0.18	0.042	0.053
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	0.01	0.467	0.579
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Back	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	0.01	0.441	0.553
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Left Side	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	0.04	0.000	0.000
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Left Side	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	0.15	0.000	0.000
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Right Side	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	-0.01	0.257	0.318
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Right Side	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	0.03	0.250	0.313
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Top Side	10mm	Ant 4	DSI3	132322	1745	1	14.57	15.50	1.239	-	-	-0.1	0.156	0.193
	LTE Band 66 For ENDC	20M	QPSK	50	0	-	Top Side	10mm	Ant 4	DSI3	132322	1745	1	14.52	15.50	1.253	-	-	0.14	0.151	0.189
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	-0.15	0.267	0.305
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	-0.06	0.270	0.312
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	-0.14	0.748	0.855
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	0.09	0.758	0.876
	FR1 n66	40M	QPSK	216	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	22.85	23.50	1.161	-	-	-0.19	0.743	0.863
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0.01	0.234	0.267
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	0.06	0.210	0.243
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0.02	0.043	0.049
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	0.12	0.000	0.000
50	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	1	22.92	23.50	1.143	-	-	0.02	0.991	1.133



FCC SAR Test Report

Report No. : FA462605

	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	1	22.87	23.50	1.156	-	-	-0.16	0.864	0.999
	FR1 n66	40M	QPSK	216	0	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	1	22.85	23.50	1.161	-	-	-0.12	0.857	0.995
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	349000	1745	1	20.88	21.50	1.153	-	-	-0.07	0.489	0.564
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	0.08	0.051	0.059
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	0.01	0.049	0.057
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	0.03	0.462	0.534
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	-0.09	0.467	0.547
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	-0.08	0.000	0.000
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	-0.08	0.000	0.000
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	0.1	0.235	0.272
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	-0.18	0.209	0.245
	FR1 n66 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	349000	1745	1	14.37	15.00	1.156	-	-	0.1	0.152	0.176
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	349000	1745	1	14.31	15.00	1.172	-	-	0.12	0.129	0.151
1900MHz																					
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Front	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	0.19	0.162	0.184
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	0.07	0.901	1.025
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	9262	1852.4	1	20.91	21.50	1.146	-	-	-0.18	0.816	0.935
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Back	10mm	Ant 1	DSI3	9538	1907.6	1	20.89	21.50	1.151	-	-	0.03	0.865	0.995
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Left Side	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	-0.15	0.075	0.085
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Right Side	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	-0.15	0.105	0.119
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	9400	1880	1	20.94	21.50	1.138	-	-	0.09	0.975	1.109
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	9262	1852.4	1	20.91	21.50	1.146	-	-	0.11	0.809	0.927
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	10mm	Ant 1	DSI3	9538	1907.6	1	20.89	21.50	1.151	-	-	-0.08	0.932	1.073
	LTE Band 25	20M	QPSK	1	0	-	Front	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.08	0.130	0.164
	LTE Band 25	20M	QPSK	50	0	-	Front	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	0.01	0.102	0.130
	LTE Band 25	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.03	0.695	0.879
	LTE Band 25	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26140	1860	1	20.44	21.50	1.276	-	-	-0.08	0.634	0.809
	LTE Band 25	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26590	1905	1	20.35	21.50	1.303	-	-	-0.08	0.681	0.887
	LTE Band 25	20M	QPSK	50	0	-	Back	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	0.1	0.582	0.739
	LTE Band 25	20M	QPSK	100	0	-	Back	10mm	Ant 1	DSI3	26340	1880	1	20.41	21.50	1.285	-	-	0.12	0.582	0.748
	LTE Band 25	20M	QPSK	1	0	-	Left Side	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.08	0.090	0.114
	LTE Band 25	20M	QPSK	50	0	-	Left Side	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	-0.17	0.070	0.089
	LTE Band 25	20M	QPSK	1	0	-	Right Side	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	-0.03	0.052	0.066
	LTE Band 25	20M	QPSK	50	0	-	Right Side	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	0.14	0.049	0.062
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26340	1880	1	20.48	21.50	1.265	-	-	0.11	0.842	1.065
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26140	1860	1	20.44	21.50	1.276	-	-	-0.05	0.791	1.010
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 1	DSI3	26590	1905	1	20.35	21.50	1.303	-	-	0.01	0.913	1.190
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	26340	1880	1	20.46	21.50	1.271	-	-	0.18	0.714	0.907
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	26140	1860	1	20.44	21.50	1.276	-	-	0.14	0.639	0.816
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 1	DSI3	26590	1905	1	20.41	21.50	1.285	-	-	-0.17	0.880	1.131
	LTE Band 25	20M	QPSK	100	0	-	Bottom Side	10mm	Ant 1	DSI3	26340	1880	1	20.41	21.50	1.285	-	-	0.17	0.667	0.857
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 1	DSI3	26590	1905	1	19.27	20.50	1.327	-	-	-0.04	0.527	0.700
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Front	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	0.08	0.000	0.000
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Front	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	-0.17	0.000	0.000
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	-0.05	0.458	0.567
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Back	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	-0.03	0.425	0.538
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Left Side	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	0.14	0.000	0.000
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Left Side	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	0.11	0.000	0.000
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Right Side	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	-0.06	0.317	0.393
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Right Side	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	-0.05	0.296	0.374



FCC SAR Test Report

Report No. : FA462605

	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Top Side	10mm	Ant 4	DSI3	26340	1880	1	15.57	16.50	1.239	-	-	0.18	0.123	0.152
	LTE Band 25 For ENDC	20M	QPSK	50	0	-	Top Side	10mm	Ant 4	DSI3	26340	1880	1	15.48	16.50	1.265	-	-	0.14	0.130	0.164
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	0.05	0.137	0.157
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	-0.11	0.148	0.171
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	-0.12	0.730	0.838
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	0.03	0.744	0.858
	FR1 n25	40M	QPSK	216	0	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	376500	1882.5	1	20.81	21.50	1.172	-	-	-0.16	0.720	0.844
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	-0.02	0.078	0.090
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	0.15	0.079	0.091
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	-0.09	0.025	0.029
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	0.11	0.025	0.029
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.90	21.50	1.148	-	-	0.09	0.954	1.095
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.88	21.50	1.153	-	-	-0.05	0.716	0.826
	FR1 n25	40M	QPSK	216	0	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	1	20.81	21.50	1.172	-	-	-0.08	0.677	0.794
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	-0.18	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	0.1	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	0.12	0.449	0.518
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	-0.09	0.471	0.552
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	0.08	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	0.01	0.000	0.000
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	0.03	0.279	0.322
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	-0.08	0.324	0.380
	FR1 n25 For ENDC	40M	QPSK	1	1	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.88	16.50	1.153	-	-	-0.08	0.113	0.130
	FR1 n25 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Top Side	10mm	Ant 4	DSI3	376500	1882.5	1	15.81	16.50	1.172	-	-	0.1	0.127	0.149
2600MHz																					
	LTE Band 7	20M	QPSK	1	0	-	Front	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.18	0.192	0.258
	LTE Band 7	20M	QPSK	50	0	-	Front	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	0.14	0.152	0.190
	LTE Band 7	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.02	0.692	0.931
	LTE Band 7	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	20850	2510	1	22.10	23.50	1.380	-	-	-0.1	0.651	0.899
	LTE Band 7	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	21350	2560	1	22.17	23.50	1.358	-	-	0.01	0.638	0.867
	LTE Band 7	20M	QPSK	50	0	-	Back	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	-0.17	0.549	0.686
	LTE Band 7	20M	QPSK	100	0	-	Back	10mm	Ant 2	DSI3	21100	2535	1	21.47	22.50	1.268	-	-	0.07	0.622	0.788
	LTE Band 7	20M	QPSK	1	0	-	Left Side	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.17	0.119	0.160
	LTE Band 7	20M	QPSK	50	0	-	Left Side	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	-0.05	0.000	0.000
	LTE Band 7	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.09	0.736	0.991
	LTE Band 7	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	20850	2510	1	22.10	23.50	1.380	-	-	-0.1	0.703	0.970
	LTE Band 7	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	21350	2560	1	22.17	23.50	1.358	-	-	0.01	0.711	0.966
	LTE Band 7	20M	QPSK	50	0	-	Right Side	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	0.01	0.567	0.709
	LTE Band 7	20M	QPSK	100	0	-	Right Side	10mm	Ant 2	DSI3	21100	2535	1	21.47	22.50	1.268	-	-	0.07	0.629	0.797
	LTE Band 7	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 2	DSI3	21100	2535	1	22.21	23.50	1.346	-	-	0.1	0.213	0.287
	LTE Band 7	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 2	DSI3	21100	2535	1	21.53	22.50	1.250	-	-	-0.17	0.217	0.271
	LTE Band 7 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	21100	2535	1	20.11	21.50	1.377	-	-	-0.07	0.441	0.607
	LTE Band 7 For ENDC	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	21100	2535	1	20.11	21.50	1.377	-	-	-0.01	0.487	0.671
	LTE Band 41	20M	QPSK	1	0	-	Front	10mm	Ant 2	DSI3	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.18	0.107	0.131
	LTE Band 41	20M	QPSK	50	0	-	Front	10mm	Ant 2	DSI3	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.16	0.073	0.087
	LTE Band 41	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.02	0.487	0.597
	LTE Band 41	20M	QPSK	50	0	-	Back	10mm	Ant 2	DSI3	40620	2593	1	22.26	23.00	1.186	62.9	1.006	-0.1	0.372	0.444
	LTE Band 41	20M	QPSK	1	0	-	Left Side	10mm	Ant 2	DSI3	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.07	0.029	0.036
	LTE Band 41	20M	QPSK	50	0	-	Left Side	10mm	Ant 2	DSI3	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.18	0.022	0.026
	LTE Band 41	20M	QPSK	1	0	-	Right Side	10mm	Ant 2	DSI3	40620	2593	1	23.14	24.00	1.219	62.9	1.006	-0.1	0.401	0.492
	LTE Band 41	20M	QPSK	50	0	-	Right Side	10mm	Ant 2	DSI3	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.01	0.356	0.425
	LTE Band 41	20M	QPSK	1	0	-	Bottom Side	10mm	Ant 2	DSI3	40620	2593	1	23.14	24.00	1.219	62.9	1.006	-0.15	0.164	0.201



FCC SAR Test Report

Report No. : FA462605

	LTE Band 41	20M	QPSK	50	0	-	Bottom Side	10mm	Ant 2	DSI3	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.19	0.156	0.186
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	40620	2593	1	26.15	27.00	1.216	42.9	1.009	0.1	0.626	0.768
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	39750	2506	1	25.95	27.00	1.274	42.9	1.009	0.06	0.585	0.752
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	40185	2549.5	1	25.98	27.00	1.265	42.9	1.009	-0.09	0.579	0.739
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	41055	2636.5	1	26.10	27.00	1.230	42.9	1.009	-0.08	0.582	0.722
	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	10mm	Ant 2	DSI3	41490	2680	1	26.01	27.00	1.256	42.9	1.009	0.13	0.561	0.711
	LTE Band 41 HPUE	20M	QPSK	100	0	-	Back	10mm	Ant 2	DSI3	40620	2593	1	25.18	26.00	1.208	42.9	1.009	0.06	0.592	0.721
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Front	10mm	Ant 2	DSI3	507000	2535	1	22.86	23.50	1.159	-	-	-0.18	0.166	0.192
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Front	10mm	Ant 2	DSI3	507000	2535	1	22.81	23.50	1.172	-	-	0.03	0.171	0.200
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 2	DSI3	507000	2535	1	22.86	23.50	1.159	-	-	-0.15	0.586	0.679
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Back	10mm	Ant 2	DSI3	507000	2535	1	22.81	23.50	1.172	-	-	0.01	0.621	0.728
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Left Side	10mm	Ant 2	DSI3	507000	2535	1	22.86	23.50	1.159	-	-	-0.15	0.092	0.107
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Left Side	10mm	Ant 2	DSI3	507000	2535	1	22.81	23.50	1.172	-	-	0.11	0.083	0.097
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Right Side	10mm	Ant 2	DSI3	507000	2535	1	22.86	23.50	1.159	-	-	-0.08	0.841	0.975
51	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Right Side	10mm	Ant 2	DSI3	507000	2535	1	22.81	23.50	1.172	-	-	0.12	0.879	1.030
	FR1 n7	40M	QPSK	216	0	DFT-SCS-15KHz	Right Side	10mm	Ant 2	DSI3	507000	2535	1	21.75	22.50	1.189	-	-	-0.17	0.707	0.840
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 2	DSI3	507000	2535	1	22.86	23.50	1.159	-	-	-0.08	0.202	0.234
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 2	DSI3	507000	2535	1	22.81	23.50	1.172	-	-	-0.04	0.207	0.243
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 2	DSI3	518598	2592.99	1	22.94	23.50	1.138	-	-	-0.01	0.162	0.184
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 2	DSI3	518598	2592.99	1	22.91	23.50	1.146	-	-	0.08	0.146	0.167
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	518598	2592.99	1	22.94	23.50	1.138	-	-	-0.07	0.691	0.786
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	518598	2592.99	1	22.91	23.50	1.146	-	-	0.02	0.892	1.022
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	518598	2592.99	1	22.86	23.50	1.159	-	-	0.05	0.858	0.994
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.94	23.50	1.138	-	-	-0.11	0.035	0.040
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.91	23.50	1.146	-	-	-0.12	0.000	0.000
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.94	23.50	1.138	-	-	0.03	0.609	0.693
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.91	23.50	1.146	-	-	-0.16	0.853	0.977
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.86	23.50	1.159	-	-	-0.02	0.746	0.864
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.94	23.50	1.138	-	-	0.15	0.234	0.266
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.91	23.50	1.146	-	-	-0.09	0.234	0.268
	FR1 n41_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	518598	2592.99	1	25.88	26.50	1.153	50	1.000	-0.05	0.876	1.010
	FR1 n41 For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	518598	2592.99	1	19.70	20.50	1.202	-	-	-0.11	0.447	0.537
	FR1 n41_HPUE For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	518598	2592.99	1	22.84	23.50	1.164	50	1.000	-0.02	0.451	0.525
	FR1 n41 For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	518598	2592.99	1	19.70	20.50	1.202	-	-	-0.1	0.427	0.513
	FR1 n41_HPUE For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	518598	2592.99	1	22.84	23.50	1.164	50	1.000	0.14	0.412	0.480
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 4	DSI3	518598	2592.99	1	21.55	22.00	1.109	-	-	0	0.067	0.074
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 4	DSI3	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.13	0.074	0.082
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 4	DSI3	518598	2592.99	1	21.55	22.00	1.109	-	-	0.03	0.732	0.812
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 4	DSI3	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.01	0.661	0.737
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 4	DSI3	518598	2592.99	1	21.51	22.00	1.119	-	-	0.06	0.705	0.789
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 4	DSI3	518598	2592.99	1	21.55	22.00	1.109	-	-	0.05	0.001	0.001
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 4	DSI3	518598	2592.99	1	21.53	22.00	1.114	-	-	0.02	0.001	0.001
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DSI3	518598	2592.99	1	21.55	22.00	1.109	-	-	-0.13	0.773	0.857
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DSI3	518598	2592.99	1	21.53	22.00	1.114	-	-	0.17	0.735	0.819
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DSI3	518598	2592.99	1	21.51	22.00	1.119	-	-	0.03	0.709	0.794
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 4	DSI3	518598	2592.99	1	21.55	22.00	1.109	-	-	0.06	0.030	0.033
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 4	DSI3	518598	2592.99	1	21.53	22.00	1.114	-	-	0	0.035	0.039
	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DSI3	518598	2592.99	1	24.59	25.00	1.099	50	1.000	0.06	0.753	0.828
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 5	DSI3	518598	2592.99	1	22.93	24.00	1.279	-	-	0.08	0.135	0.173
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 5	DSI3	518598	2592.99	1	22.89	24.00	1.291	-	-	0.01	0.106	0.137
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	518598	2592.99	1	22.93	24.00	1.279	-	-	0.03	0.683	0.874
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.08	0.716	0.925
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	518598	2592.99	1	22.83	24.00	1.309	-	-	0.05	0.688	0.901



FCC SAR Test Report

Report No. : FA462605

	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.93	24.00	1.279	-	-	-0.08	0.162	0.207
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.89	24.00	1.291	-	-	0.1	0.201	0.260
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.93	24.00	1.279	-	-	-0.18	0.539	0.690
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.89	24.00	1.291	-	-	0.1	0.602	0.777
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.93	24.00	1.279	-	-	0.12	0.039	0.050
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.89	24.00	1.291	-	-	0.08	0.000	0.000
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.93	24.00	1.279	-	-	-0.17	0.089	0.114
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DSI3	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.03	0.112	0.145
	FR1 n41_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	518598	2592.99	1	25.79	27.00	1.321	50	1.000	-0.15	0.711	0.939
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 7	DSI3	518598	2592.99	1	20.39	21.50	1.291	-	-	-0.1	0.099	0.128
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 7	DSI3	518598	2592.99	1	20.37	21.50	1.297	-	-	0.18	0.078	0.101
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	518598	2592.99	1	20.39	21.50	1.291	-	-	-0.02	0.918	1.185
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	518598	2592.99	1	20.37	21.50	1.297	-	-	-0.17	0.812	1.053
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	518598	2592.99	1	20.31	21.50	1.315	-	-	-0.04	0.747	0.982
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DSI3	518598	2592.99	1	20.39	21.50	1.291	-	-	-0.05	0.265	0.342
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DSI3	518598	2592.99	1	20.37	21.50	1.297	-	-	0	0.203	0.263
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DSI3	518598	2592.99	1	20.39	21.50	1.291	-	-	-0.01	0.017	0.022
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DSI3	518598	2592.99	1	20.37	21.50	1.297	-	-	-0.09	0.021	0.027
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DSI3	518598	2592.99	1	20.39	21.50	1.291	-	-	0.05	0.029	0.037
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DSI3	518598	2592.99	1	20.37	21.50	1.297	-	-	0.02	0.049	0.064
	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	518598	2592.99	1	23.34	24.50	1.306	50	1.000	-0.04	0.898	1.173
3500MHz																					
	LTE Band 42	20M	QPSK	1	0	-	Front	10mm	Ant 6	DSI3	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.02	0.110	0.140
	LTE Band 42	20M	QPSK	50	0	-	Front	10mm	Ant 6	DSI3	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.1	0.100	0.128
	LTE Band 42	20M	QPSK	1	0	-	Back	10mm	Ant 6	DSI3	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.05	0.415	0.528
	LTE Band 42	20M	QPSK	50	0	-	Back	10mm	Ant 6	DSI3	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.04	0.397	0.506
	LTE Band 42	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DSI3	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.08	0.418	0.532
	LTE Band 42	20M	QPSK	50	0	-	Left Side	10mm	Ant 6	DSI3	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.13	0.367	0.468
	LTE Band 42	20M	QPSK	1	0	-	Right Side	10mm	Ant 6	DSI3	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.18	0.048	0.061
	LTE Band 42	20M	QPSK	50	0	-	Right Side	10mm	Ant 6	DSI3	42190	3460	1	21.97	23.00	1.268	62.9	1.006	-0.11	0.035	0.045
	LTE Band 42	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DSI3	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.16	0.356	0.453
	LTE Band 42	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DSI3	42190	3460	1	21.97	23.00	1.268	62.9	1.006	-0.15	0.342	0.436
	LTE Band 48	20M	QPSK	1	0	-	Front	10mm	Ant 6	DSI3	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.01	0.156	0.211
	LTE Band 48	20M	QPSK	50	0	-	Front	10mm	Ant 6	DSI3	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.06	0.129	0.166
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DSI3	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.09	0.528	0.713
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DSI3	55340	3560	1	22.66	24.00	1.361	62.9	1.006	-0.1	0.513	0.703
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DSI3	56150	3641	1	22.63	24.00	1.371	62.9	1.006	0.07	0.506	0.698
	LTE Band 48	20M	QPSK	1	0	-	Back	10mm	Ant 6	DSI3	56640	3690	1	22.45	24.00	1.429	62.9	1.006	0.18	0.486	0.699
	LTE Band 48	20M	QPSK	50	0	-	Back	10mm	Ant 6	DSI3	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.02	0.419	0.541
	LTE Band 48	20M	QPSK	100	0	-	Back	10mm	Ant 6	DSI3	55830	3609	1	21.88	23.00	1.294	62.9	1.006	-0.1	0.465	0.605
	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DSI3	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.01	0.562	0.759
	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DSI3	55340	3560	1	22.66	24.00	1.361	62.9	1.006	0.01	0.532	0.729
	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DSI3	56150	3641	1	22.63	24.00	1.371	62.9	1.006	-0.15	0.548	0.756
	LTE Band 48	20M	QPSK	1	0	-	Left Side	10mm	Ant 6	DSI3	56640	3690	1	22.45	24.00	1.429	62.9	1.006	0.19	0.521	0.749
	LTE Band 48	20M	QPSK	50	0	-	Left Side	10mm	Ant 6	DSI3	55830	3609	1	21.92	23.00	1.282	62.9	1.006	0.12	0.428	0.552
	LTE Band 48	20M	QPSK	100	0	-	Left Side	10mm	Ant 6	DSI3	55830	3609	1	21.88	23.00	1.294	62.9	1.006	0.07	0.529	0.689
	LTE Band 48	20M	QPSK	1	0	-	Right Side	10mm	Ant 6	DSI3	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.16	0.066	0.089
	LTE Band 48	20M	QPSK	50	0	-	Right Side	10mm	Ant 6	DSI3	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.12	0.057	0.074
	LTE Band 48	20M	QPSK	1	0	-	Top Side	10mm	Ant 6	DSI3	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.07	0.431	0.582
	LTE Band 48	20M	QPSK	50	0	-	Top Side	10mm	Ant 6	DSI3	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.02	0.361	0.466
	LTE Band 48 For ENDC	20M	QPSK	1	0	-	Back	10mm	Ant 6	DSI3	55830	3609	1	21.79	23.00	1.321	62.9	1.006	-0.07	0.445	0.592
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 6	DSI3	641666	3624.99	1	22.56	23.00	1.107	-	-	0.08	0.242	0.268
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Front	10mm	Ant 6	DSI3	641666	3624.99	1	22.52	23.00	1.117	-	-	0.01	0.251	0.280
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	641666	3624.99	1	22.56	23.00	1.107	-	-	-0.06	0.825	0.913
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	638000	3570	1	22.42	23.00	1.143	-	-	0.08	0.786	0.898
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	645332	3679.98	1	22.50	23.00	1.122	-	-	0.01	0.794	0.891



FCC SAR Test Report

Report No. : FA462605

	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	641666	3624.99	1	22.52	23.00	1.117	-	-	0.03	0.758	0.847
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	638000	3570	1	22.49	23.00	1.125	-	-	0.03	0.713	0.802
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	645332	3679.98	1	22.51	23.00	1.119	-	-	-0.08	0.722	0.808
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	641666	3624.99	1	22.48	23.00	1.127	-	-	-0.08	0.664	0.748
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.56	23.00	1.107	-	-	-0.08	0.816	0.903
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	638000	3570	1	22.42	23.00	1.143	-	-	-0.08	0.784	0.896
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	645332	3679.98	1	22.50	23.00	1.122	-	-	0.1	0.788	0.884
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.52	23.00	1.117	-	-	0.1	0.813	0.908
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	638000	3570	1	22.49	23.00	1.125	-	-	-0.18	0.779	0.876
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	645332	3679.98	1	22.51	23.00	1.119	-	-	0.1	0.781	0.874
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.48	23.00	1.127	-	-	-0.18	0.748	0.843
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.56	23.00	1.107	-	-	0.1	0.102	0.113
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.52	23.00	1.117	-	-	0.12	0.140	0.156
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.56	23.00	1.107	-	-	0.08	0.748	0.828
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	638000	3570	1	22.42	23.00	1.143	-	-	0.12	0.714	0.816
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	645332	3679.98	1	22.50	23.00	1.122	-	-	0.08	0.723	0.811
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.52	23.00	1.117	-	-	-0.17	0.756	0.844
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	638000	3570	1	22.49	23.00	1.125	-	-	-0.17	0.724	0.814
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	645332	3679.98	1	22.51	23.00	1.119	-	-	-0.03	0.718	0.804
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.48	23.00	1.127	-	-	-0.03	0.578	0.652
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 6	DSI3	656000	3840	1	23.36	24.00	1.159	-	-	-0.13	0.347	0.402
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 6	DSI3	656000	3840	1	23.28	24.00	1.180	-	-	0.06	0.342	0.404
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Front	10mm	Ant 6	DSI3	656000	3840	1	23.22	24.00	1.197	-	-	-0.03	0.264	0.316
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	656000	3840	1	23.36	24.00	1.159	-	-	-0.03	0.650	0.753
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	656000	3840	1	23.28	24.00	1.180	-	-	0.01	0.655	0.773
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	1	23.36	24.00	1.159	-	-	-0.05	0.923	1.070
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	1	23.28	24.00	1.180	-	-	-0.07	0.865	1.021
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	1	23.22	24.00	1.197	-	-	0.05	0.582	0.697
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DSI3	656000	3840	1	23.36	24.00	1.159	-	-	-0.11	0.107	0.124
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DSI3	656000	3840	1	23.28	24.00	1.180	-	-	-0.12	0.133	0.157
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	656000	3840	1	23.36	24.00	1.159	-	-	0.03	0.655	0.759
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	656000	3840	1	23.28	24.00	1.180	-	-	-0.16	0.524	0.618
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	1	26.36	27.00	1.159	50	1.000	0.15	0.868	1.006
	FR1 n77 Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	641666	3624.99	1	22.52	23.50	1.253	-	-	0.1	0.857	1.074
	FR1 n77 For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	656000	3840	1	20.17	21.00	1.211	-	-	0.01	0.317	0.384
	FR1 n77_HPUE For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	656000	3840	1	23.20	24.00	1.202	50	1.000	-0.06	0.327	0.393
	FR1 n77 For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	1	20.21	21.00	1.199	-	-	0.04	0.477	0.572
	FR1 n77_HPUE For ENDC	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	1	23.27	24.00	1.183	50	1.000	-0.05	0.468	0.554
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 6	DSI3	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.06	0.233	0.276
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 6	DSI3	633332	3499.98	1	23.23	24.00	1.194	-	-	-0.04	0.266	0.318
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.09	0.780	0.923
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	633332	3499.98	1	23.23	24.00	1.194	-	-	-0.09	0.787	0.940
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	633332	3499.98	1	23.10	24.00	1.230	-	-	-0.17	0.782	0.962
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.1	0.621	0.735
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.23	24.00	1.194	-	-	0.18	0.652	0.778
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.04	0.055	0.065
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.23	24.00	1.194	-	-	-0.05	0.052	0.062
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.17	0.896	1.060
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.23	24.00	1.194	-	-	-0.13	0.754	0.900
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.10	24.00	1.230	-	-	-0.17	0.841	1.035
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 6	DSI3	633332	3499.98	1	26.25	27.00	1.189	50	1.000	-0.01	0.859	1.021
	FR1 n77 For ENDC	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	633332	3499.98	1	20.11	21.00	1.227	-	-	0.03	0.401	0.492
	FR1 n77_HPUE For ENDC	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 6	DSI3	633332	3499.98	1	23.21	24.00	1.199	50	1.000	0.16	0.389	0.467
	FR1 n77 For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	633332	3499.98	1	20.18	21.00	1.208	-	-	-0.04	0.337	0.407



FCC SAR Test Report

Report No. : FA462605

FR1 n77_HPUE For ENDC	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	633332	3499.98	1	23.27	24.00	1.183	50	1.000	0.14	0.341	0.403
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 2	DSI3	656000	3840	1	18.59	20.00	1.384	-	-	-0.05	0.125	0.173
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 2	DSI3	656000	3840	1	18.55	20.00	1.396	-	-	-0.13	0.121	0.169
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	656000	3840	1	18.59	20.00	1.384	-	-	0.08	0.507	0.701
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	656000	3840	1	18.55	20.00	1.396	-	-	-0.09	0.512	0.715
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DSI3	656000	3840	1	18.59	20.00	1.384	-	-	0.16	0.052	0.072
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DSI3	656000	3840	1	18.55	20.00	1.396	-	-	0.01	0.054	0.075
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	656000	3840	1	18.59	20.00	1.384	-	-	-0.16	0.351	0.486
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	656000	3840	1	18.55	20.00	1.396	-	-	0.1	0.348	0.486
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DSI3	656000	3840	1	18.59	20.00	1.384	-	-	-0.04	0.128	0.177
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DSI3	656000	3840	1	18.55	20.00	1.396	-	-	-0.01	0.113	0.158
FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	656000	3840	1	21.72	23.00	1.343	50	1.000	0	0.502	0.674
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 2	DSI3	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.11	0.159	0.223
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 2	DSI3	633332	3499.98	1	18.52	20.00	1.406	-	-	-0.06	0.122	0.172
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.06	0.520	0.728
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	633332	3499.98	1	18.52	20.00	1.406	-	-	-0.15	0.479	0.673
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DSI3	633332	3499.98	1	18.54	20.00	1.400	-	-	0.03	0.064	0.090
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 2	DSI3	633332	3499.98	1	18.52	20.00	1.406	-	-	-0.13	0.040	0.056
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	633332	3499.98	1	18.54	20.00	1.400	-	-	0.16	0.324	0.453
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 2	DSI3	633332	3499.98	1	18.52	20.00	1.406	-	-	-0.15	0.275	0.387
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DSI3	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.02	0.194	0.272
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 2	DSI3	633332	3499.98	1	18.52	20.00	1.406	-	-	-0.09	0.133	0.187
FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	633332	3499.98	1	21.79	23.00	1.321	50	1.000	0.14	0.496	0.655
FR1 n77 Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 2	DSI3	641666	3624.99	1	18.47	20.00	1.422	-	-	0.03	0.483	0.687
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 5	DSI3	656000	3840	1	19.37	20.00	1.156	-	-	-0.06	0.050	0.058
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 5	DSI3	656000	3840	1	19.34	20.00	1.164	-	-	-0.17	0.058	0.068
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	656000	3840	1	19.37	20.00	1.156	-	-	-0.01	0.118	0.136
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	656000	3840	1	19.34	20.00	1.164	-	-	-0.11	0.135	0.157
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DSI3	656000	3840	1	19.37	20.00	1.156	-	-	0.14	0.041	0.047
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DSI3	656000	3840	1	19.34	20.00	1.164	-	-	0.03	0.040	0.047
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	656000	3840	1	19.37	20.00	1.156	-	-	-0.02	0.247	0.286
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	656000	3840	1	19.34	20.00	1.164	-	-	0.1	0.225	0.262
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DSI3	656000	3840	1	19.37	20.00	1.156	-	-	0.16	0.051	0.059
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DSI3	656000	3840	1	19.34	20.00	1.164	-	-	-0.06	0.048	0.056
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DSI3	656000	3840	1	19.37	20.00	1.156	-	-	0.02	0.050	0.058
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DSI3	656000	3840	1	19.34	20.00	1.164	-	-	-0.16	0.054	0.063
FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	656000	3840	1	22.17	23.00	1.211	50	1.000	0.05	0.233	0.282
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 5	DSI3	633332	3499.98	1	18.34	19.00	1.164	-	-	0.08	0.051	0.059
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 5	DSI3	633332	3499.98	1	18.31	19.00	1.172	-	-	0.01	0.063	0.074
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	633332	3499.98	1	18.34	19.00	1.164	-	-	0.03	0.140	0.163
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 5	DSI3	633332	3499.98	1	18.31	19.00	1.172	-	-	-0.08	0.147	0.172
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.34	19.00	1.164	-	-	-0.08	0.070	0.081
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.31	19.00	1.172	-	-	0.1	0.057	0.067
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.34	19.00	1.164	-	-	-0.18	0.264	0.307
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.31	19.00	1.172	-	-	0.05	0.272	0.319
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.34	19.00	1.164	-	-	0.1	0.000	0.000
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Top Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.31	19.00	1.172	-	-	0.12	0.000	0.000
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.34	19.00	1.164	-	-	0.08	0.040	0.047
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 5	DSI3	633332	3499.98	1	18.31	19.00	1.172	-	-	-0.17	0.000	0.000
FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	633332	3499.98	1	21.16	22.00	1.213	50	1.000	-0.03	0.261	0.317
FR1 n77 Part96	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 5	DSI3	641666	3624.99	1	19.08	20.00	1.236	-	-	0.01	0.247	0.305
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 7	DSI3	656000	3840	1	20.23	21.50	1.340	-	-	0.08	0.037	0.050
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 7	DSI3	656000	3840	1	20.21	21.50	1.346	-	-	0.01	0.000	0.000
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	656000	3840	1	20.23	21.50	1.340	-	-	0.03	0.288	0.386
FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	656000	3840	1	20.21	21.50	1.346	-	-	-0.09	0.311	0.419
FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DSI3	656000	3840	1	20.23	21.50	1.340	-	-	-0.08	0.184	0.247



FCC SAR Test Report

Report No. : FA462605

	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	556000	3840	1	20.21	21.50	1.346	-	-	-0.08	0.164	0.221
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	556000	3840	1	20.23	21.50	1.340	-	-	0.1	0.037	0.050
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	556000	3840	1	20.21	21.50	1.346	-	-	-0.18	0.030	0.040
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	556000	3840	1	20.23	21.50	1.340	-	-	0.1	0.098	0.131
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	556000	3840	1	20.21	21.50	1.346	-	-	0.12	0.106	0.143
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	556000	3840	1	23.21	24.50	1.346	50	1.000	0.05	0.293	0.394
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	533332	3499.98	1	20.47	21.50	1.268	-	-	0.08	0.072	0.091
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	10mm	Ant 7	DS13	533332	3499.98	1	20.45	21.50	1.274	-	-	-0.17	0.092	0.117
52	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	533332	3499.98	1	20.47	21.50	1.268	-	-	0.12	0.971	1.231
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	533332	3499.98	2	20.47	21.50	1.268	-	-	0.02	0.962	1.219
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	533332	3499.98	1	20.45	21.50	1.274	-	-	-0.03	0.949	1.209
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	533332	3499.98	1	20.38	21.50	1.294	-	-	0.14	0.897	1.161
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	533332	3499.98	1	20.47	21.50	1.268	-	-	0.11	0.278	0.352
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	10mm	Ant 7	DS13	533332	3499.98	1	20.45	21.50	1.274	-	-	-0.05	0.346	0.441
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	533332	3499.98	1	20.47	21.50	1.268	-	-	0.18	0.141	0.179
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Right Side	10mm	Ant 7	DS13	533332	3499.98	1	20.45	21.50	1.274	-	-	0.14	0.144	0.183
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	533332	3499.98	1	20.47	21.50	1.268	-	-	-0.17	0.079	0.100
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Bottom Side	10mm	Ant 7	DS13	533332	3499.98	1	20.45	21.50	1.274	-	-	0.17	0.126	0.160
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	533332	3499.98	1	23.49	24.50	1.262	50	1.000	0.06	0.936	1.181
	FR1 n77 Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DS13	541666	3624.99	1	20.41	21.50	1.285	-	-	0.03	0.932	1.198

Plot No.	Band	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
2450MHz																	
	WLAN2.4GHz	802.11b 1Mbps	Front	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	-0.18	0.000	0.000
	WLAN2.4GHz	802.11b 1Mbps	Back	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	-0.13	0.099	0.146
	WLAN2.4GHz	802.11b 1Mbps	Left Side	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	-0.13	0.053	0.078
	WLAN2.4GHz	802.11b 1Mbps	Right Side	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	0	0.000	0.000
53	WLAN2.4GHz	802.11b 1Mbps	Top Side	10mm	Ant 3	Simultaneous	1	2412	1	15.87	17.50	1.455	98.75	1.013	0.04	0.263	0.388
	WLAN2.4GHz	802.11b 1Mbps	Top Side	10mm	Ant 3	Simultaneous	1	2412	2	15.87	17.50	1.455	98.75	1.013	0.02	0.245	0.361
	Bluetooth	1Mbps	Front	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.07	0.008	0.010
	Bluetooth	1Mbps	Back	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	-0.08	0.053	0.067
	Bluetooth	1Mbps	Left Side	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	-0.12	0.006	0.008
	Bluetooth	1Mbps	Right Side	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	-0.03	0.004	0.005
54	Bluetooth	1Mbps	Top Side	10mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.05	0.093	0.117
5000MHz																	
	WLAN5.2GHz	802.11n-HT40 MCS0	Front	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	-0.15	0.137	0.207
	WLAN5.2GHz	802.11n-HT40 MCS0	Back	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	-0.09	0.167	0.252
	WLAN5.2GHz	802.11n-HT40 MCS0	Left Side	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	0.05	0.183	0.276
	WLAN5.2GHz	802.11n-HT40 MCS0	Right Side	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	0.13	0.000	0.000
55	WLAN5.2GHz	802.11n-HT40 MCS0	Top Side	10mm	Ant 3	Simultaneous	46	5230	1	12.88	14.50	1.452	96.18	1.040	0.01	0.213	0.322
	WLAN5.2GHz	802.11n-HT40 MCS0	Top Side	10mm	Ant 3	Simultaneous	46	5230	2	12.88	14.50	1.452	96.18	1.040	0.06	0.201	0.304
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Front	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	-0.12	0.130	0.200
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Back	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	0.15	0.172	0.264
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Left Side	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	-0.05	0.090	0.138
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Right Side	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	-0.07	0.089	0.137
	WLAN5.8GHz	802.11ac-VHT80 MCS0	Top Side	10mm	Ant 3	Simultaneous	155	5775	1	15.47	17.00	1.422	92.49	1.081	0.1	0.193	0.297



14.3 Body-Worn SAR

<Flip Close >

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
750MHz																					
	LTE Band 12	10M	QPSK	1	0	-	Front	15mm	Ant 1	DS11	095	707.5	1	24.10	25.00	1.230	-	-	0.14	0.325	0.400
	LTE Band 12	10M	QPSK	25	0	-	Front	15mm	Ant 1	DS11	23095	707.5	1	23.18	24.00	1.208	-	-	-0.17	0.256	0.309
56	LTE Band 12	10M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	23095	707.5	1	24.10	25.00	1.230	-	-	-0.09	0.407	0.501
	LTE Band 12	10M	QPSK	25	0	-	Back	15mm	Ant 1	DS11	23095	707.5	1	23.18	24.00	1.208	-	-	0.17	0.331	0.400
	LTE Band 13	10M	QPSK	1	0	-	Front	15mm	Ant 1	DS11	23230	782	1	24.11	25.00	1.227	-	-	0.01	0.409	0.502
	LTE Band 13	10M	QPSK	25	0	-	Front	15mm	Ant 1	DS11	23230	782	1	23.15	24.00	1.216	-	-	0.1	0.349	0.424
57	LTE Band 13 SA Standalone For ENDC Standalone	10M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	23230	782	1	24.11	25.00	1.227	-	-	-0.02	0.618	0.759
	LTE Band 13	10M	QPSK	25	0	-	Back	15mm	Ant 1	DS11	23230	782	1	23.15	24.00	1.216	-	-	-0.17	0.519	0.631
	LTE Band 13 For ENDC Simultaneous	10M	QPSK	1	0	-	Back	15mm	Ant 1	DS12	23230	782	1	22.01	23.00	1.256	-	-	-0.02	0.401	0.504
	LTE Band 14	10M	QPSK	1	0	-	Front	15mm	Ant 1	DS11	23330	793	1	24.13	25.00	1.222	-	-	-0.01	0.305	0.373
	LTE Band 14	10M	QPSK	25	0	-	Front	15mm	Ant 1	DS11	23330	793	1	23.12	24.00	1.225	-	-	-0.08	0.237	0.290
58	LTE Band 14 SA Standalone For ENDC Standalone	10M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	23330	793	1	24.13	25.00	1.222	-	-	-0.03	0.661	0.808
	LTE Band 14	10M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	23330	793	2	24.13	25.00	1.222	-	-	0.02	0.642	0.784
	LTE Band 14	10M	QPSK	25	0	-	Back	15mm	Ant 1	DS11	23330	793	1	23.12	24.00	1.225	-	-	0.05	0.548	0.671
	LTE Band 14	10M	QPSK	50	0	-	Back	15mm	Ant 1	DS11	23330	793	1	23.02	24.00	1.253	-	-	0.06	0.548	0.687
	LTE Band 14 For ENDC Simultaneous	10M	QPSK	1	0	-	Back	15mm	Ant 1	DS12	23330	793	1	22.27	23.00	1.183	-	-	-0.1	0.427	0.505
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	158600	793	1	24.10	25.00	1.230	-	-	-0.08	0.303	0.373
	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	158600	793	1	24.06	25.00	1.242	-	-	0.13	0.271	0.336
	FR1 n14	10M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	158600	793	1	24.10	25.00	1.230	-	-	0.12	0.633	0.779
59	FR1 n14	10M	QPSK	25	14	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	158600	793	1	24.06	25.00	1.242	-	-	-0.07	0.636	0.790
	LTE Band 71	20M	QPSK	1	0	-	Front	15mm	Ant 1	DS11	133297	680.5	1	23.71	25.00	1.346	-	-	0.16	0.235	0.316
	LTE Band 71	20M	QPSK	50	0	-	Front	15mm	Ant 1	DS11	133297	680.5	1	22.81	24.00	1.315	-	-	-0.1	0.197	0.259
60	LTE Band 71 SA Standalone For ENDC Standalone	20M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	133297	680.5	1	23.71	25.00	1.346	-	-	-0.07	0.470	0.633
	LTE Band 71	20M	QPSK	50	0	-	Back	15mm	Ant 1	DS11	133297	680.5	1	22.81	24.00	1.315	-	-	0.07	0.369	0.485
	LTE Band 71 For ENDC Simultaneous	20M	QPSK	1	0	-	Back	15mm	Ant 1	DS12	133297	680.5	1	22.81	24.00	1.315	-	-	-0.01	0.382	0.502
	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	136100	680.5	1	24.23	25.00	1.194	-	-	-0.1	0.265	0.316
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	136100	680.5	1	24.18	25.00	1.208	-	-	0.01	0.266	0.321
61	FR1 n71	20M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	136100	680.5	1	24.23	25.00	1.194	-	-	0.02	0.499	0.596
	FR1 n71	20M	QPSK	50	28	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	136100	680.5	1	24.18	25.00	1.208	-	-	-0.15	0.456	0.551
850MHz																					
	WCDMA V	-	-	-	-	RMC 12.2Kbps	Front	15mm	Ant 1	DS11	4182	836.4	1	23.40	24.00	1.148	-	-	0.07	0.194	0.223
62	WCDMA V	-	-	-	-	RMC 12.2Kbps	Back	15mm	Ant 1	DS11	4182	836.4	1	23.40	24.00	1.148	-	-	0.04	0.437	0.502
	LTE Band 26	15M	QPSK	1	0	-	Front	15mm	Ant 1	DS11	26865	831.5	1	23.95	25.00	1.274	-	-	0.03	0.211	0.269
	LTE Band 26	15M	QPSK	36	0	-	Front	15mm	Ant 1	DS11	26865	831.5	1	23.05	24.00	1.245	-	-	-0.15	0.179	0.223
63	LTE Band 26 SA Standalone For ENDC Standalone	15M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	26865	831.5	1	23.95	25.00	1.274	-	-	-0.04	0.651	0.829
	LTE Band 26	15M	QPSK	36	0	-	Back	15mm	Ant 1	DS11	26865	831.5	1	23.05	24.00	1.245	-	-	-0.15	0.520	0.647
	LTE Band 26	15M	QPSK	75	0	-	Back	15mm	Ant 1	DS11	26865	831.5	1	23.02	24.00	1.253	-	-	0.06	0.547	0.685
	LTE Band 26 For ENDC Simultaneous	15M	QPSK	1	0	-	Back	15mm	Ant 1	DS12	26865	831.5	1	22.01	23.00	1.256	-	-	0.11	0.414	0.520
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	167300	836.5	1	24.39	25.00	1.151	-	-	-0.08	0.253	0.291
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	167300	836.5	1	24.31	25.00	1.172	-	-	-0.17	0.309	0.362
64	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	167300	836.5	1	24.39	25.00	1.151	-	-	0.07	0.779	0.896
	FR1 n5	20M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	167300	836.5	2	24.39	25.00	1.151	-	-	0.05	0.758	0.872
	FR1 n5	20M	QPSK	50	28	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	167300	836.5	1	24.31	25.00	1.172	-	-	-0.08	0.762	0.893
	FR1 n5	20M	QPSK	100	0	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	167300	836.5	1	23.69	24.00	1.074	-	-	0.03	0.743	0.798



FCC SAR Test Report

Report No. : FA462605

	FR1 n5 For ENDC Standalone	20M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	167300	836.5	1	23.81	24.50	1.172	-	-	-0.09	0.657	0.770
	FR1 n5 For ENDC Simultaneous	20M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS12	167300	836.5	1	21.88	22.50	1.153	-	-	0.17	0.427	0.493
1750MHz																					
	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Front	15mm	Ant 1	DS11	1413	1732.6	1	23.38	24.00	1.153	-	-	-0.08	0.224	0.258
65	WCDMA IV	-	-	-	-	RMC 12.2Kbps	Back	15mm	Ant 1	DS11	1413	1732.6	1	23.38	24.00	1.153	-	-	0.06	0.569	0.656
	LTE Band 66	20M	QPSK	1	0	-	Front	15mm	Ant 1	DS11	132322	1745	1	23.35	24.50	1.303	-	-	0.18	0.191	0.249
	LTE Band 66	20M	QPSK	50	0	-	Front	15mm	Ant 1	DS11	132322	1745	1	22.38	23.50	1.294	-	-	-0.04	0.153	0.198
	LTE Band 66 SA Standalone For ENDC Standalone	20M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	132322	1745	1	23.35	24.50	1.303	-	-	-0.02	0.524	0.683
	LTE Band 66	20M	QPSK	50	0	-	Back	15mm	Ant 1	DS11	132322	1745	1	22.38	23.50	1.294	-	-	-0.08	0.429	0.555
	LTE Band 66 For ENDC Simultaneous	20M	QPSK	1	0	-	Back	15mm	Ant 1	DS12	132322	1745	1	22.48	23.50	1.265	-	-	-0.04	0.407	0.515
	LTE Band 66 For ENDC Standalone	20M	QPSK	1	0	-	Front	15mm	Ant 4	DS11	132322	1745	1	18.04	19.00	1.247	-	-	0.01	0.067	0.084
	LTE Band 66 For ENDC Standalone	20M	QPSK	50	0	-	Front	15mm	Ant 4	DS11	132322	1745	1	17.97	19.00	1.268	-	-	0.1	0.062	0.079
66	LTE Band 66 For ENDC Standalone	20M	QPSK	1	0	-	Back	15mm	Ant 4	DS11	132322	1745	1	18.04	19.00	1.247	-	-	-0.17	0.577	0.720
	LTE Band 66 For ENDC Standalone	20M	QPSK	1	0	-	Back	15mm	Ant 4	DS11	132322	1745	2	18.04	19.00	1.247	-	-	0.02	0.559	0.697
	LTE Band 66 For ENDC Standalone	20M	QPSK	50	0	-	Back	15mm	Ant 4	DS11	132322	1745	1	17.97	19.00	1.268	-	-	0.04	0.548	0.695
	LTE Band 66 For ENDC Simultane	20M	QPSK	1	0	-	Front	15mm	Ant 4	DS12	132322	1745	1	16.54	17.50	1.247	-	-	-0.15	0.049	0.061
	LTE Band 66 For ENDC Simultaneous	20M	QPSK	1	0	-	Back	15mm	Ant 4	DS12	132322	1745	1	16.54	17.50	1.247	-	-	-0.01	0.412	0.514
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	349000	1745	1	23.88	24.50	1.153	-	-	-0.16	0.203	0.234
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	349000	1745	1	23.86	24.50	1.159	-	-	-0.02	0.201	0.233
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	349000	1745	1	23.88	24.50	1.153	-	-	0.15	0.500	0.577
	FR1 n66 SA Standalone For ENDC Standalone	40M	QPSK	108	54	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	349000	1745	1	23.86	24.50	1.159	-	-	-0.08	0.531	0.615
	FR1 n66 For ENDC Simultaneous	40M	QPSK	108	54	DFT-SCS-15KHz	Back	15mm	Ant 1	DS12	349000	1745	1	22.92	23.50	1.143	-	-	-0.07	0.437	0.499
	FR1 n66 For ENDC Standalone	40M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 4	DS11	349000	1745	1	18.12	18.50	1.091	-	-	-0.08	0.071	0.077
	FR1 n66 For ENDC Standalone	40M	QPSK	108	54	DFT-SCS-15KHz	Front	15mm	Ant 4	DS11	349000	1745	1	18.07	18.50	1.104	-	-	-0.17	0.062	0.068
67	FR1 n66 For ENDC Standalone	40M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 4	DS11	349000	1745	1	18.12	18.50	1.091	-	-	-0.02	0.642	0.701
	FR1 n66 For ENDC Standalone	40M	QPSK	108	54	DFT-SCS-15KHz	Back	15mm	Ant 4	DS11	349000	1745	1	18.07	18.50	1.104	-	-	-0.08	0.612	0.676
	FR1 n66 For ENDC Simultaneous	40M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 4	DS12	349000	1745	1	16.51	17.00	1.119	-	-	-0.08	0.054	0.060
	FR1 n66 For ENDC Simultaneous	40M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 4	DS12	349000	1745	1	16.51	17.00	1.119	-	-	-0.02	0.451	0.505
1900MHz																					
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Front	15mm	Ant 1	DS11	9400	1880	1	21.43	22.00	1.140	-	-	0.05	0.097	0.111
68	WCDMA II	-	-	-	-	RMC 12.2Kbps	Back	15mm	Ant 1	DS11	9400	1880	1	21.43	22.00	1.140	-	-	0.13	0.475	0.542
	LTE Band 25	20M	QPSK	1	0	-	Front	15mm	Ant 1	DS11	26340	1880	1	21.53	22.50	1.250	-	-	0.16	0.101	0.126
	LTE Band 25	20M	QPSK	50	0	-	Front	15mm	Ant 1	DS11	26340	1880	1	21.51	22.50	1.256	-	-	0.13	0.081	0.102
	LTE Band 25 SA Standalone For ENDC Standalone	20M	QPSK	1	0	-	Back	15mm	Ant 1	DS11	26340	1880	1	21.53	22.50	1.250	-	-	0.09	0.497	0.621
	LTE Band 25	20M	QPSK	50	0	-	Back	15mm	Ant 1	DS11	26340	1880	1	21.51	22.50	1.256	-	-	-0.03	0.433	0.544
	LTE Band 25 For ENDC Simultaneous	20M	QPSK	1	0	-	Back	15mm	Ant 1	DS12	26340	1880	1	20.48	21.50	1.265	-	-	-0.13	0.401	0.507
	LTE Band 25 For ENDC Standalone	20M	QPSK	1	0	-	Front	15mm	Ant 4	DS11	26340	1880	1	19.55	20.50	1.245	-	-	-0.04	0.062	0.077
	LTE Band 25 For ENDC Standalone	20M	QPSK	50	0	-	Front	15mm	Ant 4	DS11	26340	1880	1	19.47	20.50	1.268	-	-	-0.08	0.071	0.090
69	LTE Band 25 For ENDC Standalone	20M	QPSK	1	0	-	Back	15mm	Ant 4	DS11	26340	1880	1	19.55	20.50	1.245	-	-	-0.04	0.584	0.727
	LTE Band 25 For ENDC Standalone	20M	QPSK	1	0	-	Back	15mm	Ant 4	DS11	26340	1880	2	19.55	20.50	1.245	-	-	0.01	0.566	0.704
	LTE Band 25 For ENDC Standalone	20M	QPSK	50	0	-	Back	15mm	Ant 4	DS11	26340	1880	1	19.47	20.50	1.268	-	-	0.17	0.571	0.724
	LTE Band 25 For ENDC Simultaneous	20M	QPSK	50	0	-	Front	15mm	Ant 4	DS12	26340	1880	1	18.05	19.00	1.245	-	-	-0.08	0.051	0.063
	LTE Band 25 For ENDC Simultaneous	20M	QPSK	1	0	-	Back	15mm	Ant 4	DS12	26340	1880	1	18.12	19.00	1.225	-	-	-0.04	0.417	0.511
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	376500	1882.5	1	21.92	22.50	1.143	-	-	-0.04	0.118	0.135
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Front	15mm	Ant 1	DS11	376500	1882.5	1	21.81	22.50	1.172	-	-	-0.05	0.127	0.149



FCC SAR Test Report

Report No. : FA462605

	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	376500	1882.5	1	21.92	22.50	1.143	-	-	0	0.584	0.667
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Back	15mm	Ant 1	DS11	376500	1882.5	1	21.81	22.50	1.172	-	-	0.13	0.600	0.703
	FR1 n25 For ENDC Standalone	40M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 4	DS11	376500	1882.5	1	19.47	20.00	1.130	-	-	-0.01	0.052	0.059
	FR1 n25 For ENDC Standalone	40M	QPSK	108	54	DFT-SCS-15KHz	Front	15mm	Ant 4	DS11	376500	1882.5	1	19.42	20.00	1.143	-	-	-0.08	0.071	0.081
	FR1 n25 For ENDC Standalone	40M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 4	DS11	376500	1882.5	1	19.47	20.00	1.130	-	-	0.05	0.588	0.664
70	FR1 n25 For ENDC Standalone	40M	QPSK	108	54	DFT-SCS-15KHz	Back	15mm	Ant 4	DS11	376500	1882.5	1	19.42	20.00	1.143	-	-	0.06	0.621	0.710
	FR1 n25 For ENDC Simultaneous	40M	QPSK	108	54	DFT-SCS-15KHz	Front	15mm	Ant 4	DS12	376500	1882.5	1	17.87	18.50	1.156	-	-	-0.04	0.047	0.054
	FR1 n25 For ENDC Simultaneous	40M	QPSK	108	54	DFT-SCS-15KHz	Back	15mm	Ant 4	DS12	376500	1882.5	1	17.87	18.50	1.156	-	-	-0.07	0.437	0.505
2600MHz																					
	LTE Band 7	20M	QPSK	1	0	-	Front	15mm	Ant 2	DS11	21100	2535	1	22.21	23.50	1.346	-	-	0	0.110	0.148
	LTE Band 7	20M	QPSK	50	0	-	Front	15mm	Ant 2	DS11	21100	2535	1	21.53	22.50	1.250	-	-	-0.04	0.087	0.109
71	LTE Band 7	20M	QPSK	1	0	-	Back	15mm	Ant 2	DS11	21100	2535	1	22.21	23.50	1.346	-	-	0.07	0.363	0.489
	LTE Band 7	20M	QPSK	50	0	-	Back	15mm	Ant 2	DS11	21100	2535	1	21.53	22.50	1.250	-	-	-0.15	0.300	0.375
	LTE Band 41	20M	QPSK	1	0	-	Front	15mm	Ant 2	DS11	40620	2593	1	23.14	24.00	1.219	62.9	1.006	-0.02	0.064	0.078
	LTE Band 41	20M	QPSK	50	0	-	Front	15mm	Ant 2	DS11	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.1	0.067	0.080
	LTE Band 41	20M	QPSK	1	0	-	Back	15mm	Ant 2	DS11	40620	2593	1	23.14	24.00	1.219	62.9	1.006	0.07	0.294	0.361
	LTE Band 41	20M	QPSK	50	0	-	Back	15mm	Ant 2	DS11	40620	2593	1	22.26	23.00	1.186	62.9	1.006	0.04	0.236	0.282
72	LTE Band 41 HPUE	20M	QPSK	1	0	-	Back	15mm	Ant 2	DS11	40620	2593		26.15	27.00	1.216	42.9	1.009	0.09	0.395	0.485
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Front	15mm	Ant 2	DS11	507000	2535	1	22.86	23.50	1.159	-	-	-0.18	0.110	0.127
	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Front	15mm	Ant 2	DS11	507000	2535	1	22.81	23.50	1.172	-	-	-0.11	0.116	0.136
	FR1 n7	40M	QPSK	1	1	DFT-SCS-15KHz	Back	15mm	Ant 2	DS11	507000	2535	1	22.86	23.50	1.159	-	-	-0.16	0.395	0.458
73	FR1 n7	40M	QPSK	108	54	DFT-SCS-15KHz	Back	15mm	Ant 2	DS11	507000	2535	1	22.81	23.50	1.172	-	-	0.09	0.421	0.493
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 2	DS11	518598	2592.99	1	22.94	23.50	1.138	-	-	-0.06	0.122	0.139
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 2	DS11	518598	2592.99	1	22.91	23.50	1.146	-	-	-0.14	0.118	0.135
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	518598	2592.99	1	22.94	23.50	1.138	-	-	-0.19	0.433	0.493
74	FR1 n41 SA Standalone For ENDC Standalone	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	518598	2592.99	1	22.91	23.50	1.146	-	-	0.01	0.585	0.670
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	518598	2592.99	2	22.91	23.50	1.146	-	-	0.03	0.569	0.652
	FR1 n41_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	518598	2592.99	1	25.88	26.50	1.153	50	1.000	0.01	0.566	0.653
	FR1 n41 For ENDC Simultaneous	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS12	518598	2592.99	1	21.31	22.00	1.172	-	-	0.08	0.437	0.512
	FR1 n41_HPUE For ENDC Simultaneous	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS12	518598	2592.99	1	24.35	25.00	1.161	50	1.000	-0.07	0.422	0.490
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 4	DS11	518598	2592.99	1	21.55	22.00	1.109	-	-	0.02	0.000	0.000
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 4	DS11	518598	2592.99	1	21.53	22.00	1.114	-	-	0.12	0.040	0.045
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 4	DS11	518598	2592.99	1	21.55	22.00	1.109	-	-	0.05	0.263	0.292
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 4	DS11	518598	2592.99	1	21.53	22.00	1.114	-	-	-0.16	0.176	0.196
	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 4	DS11	518598	2592.99	1	24.59	25.00	1.099	50	1.000	-0.12	0.248	0.273
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 5	DS11	518598	2592.99	1	22.93	24.00	1.279	-	-	-0.02	0.072	0.092
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 5	DS11	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.05	0.056	0.072
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	518598	2592.99	1	22.93	24.00	1.279	-	-	0.01	0.388	0.496
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	518598	2592.99	1	22.89	24.00	1.291	-	-	-0.13	0.289	0.373
	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	518598	2592.99	1	25.81	27.00	1.315	50	1.000	0.08	0.368	0.484
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 7	DS11	518598	2592.99	1	20.39	21.50	1.291	-	-	0.01	0.054	0.070
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 7	DS11	518598	2592.99	1	20.37	21.50	1.297	-	-	-0.16	0.039	0.051
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	518598	2592.99	1	20.39	21.50	1.291	-	-	-0.07	0.476	0.615
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	518598	2592.99	1	20.37	21.50	1.297	-	-	0.1	0.393	0.510
	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	518598	2592.99	1	23.34	24.50	1.306	50	1.000	-0.01	0.459	0.600
3500MHz																					
	LTE Band 42	20M	QPSK	1	0	-	Front	15mm	Ant 6	DS11	42190	3460	1	22.98	24.00	1.265	62.9	1.006	-0.11	0.076	0.097
	LTE Band 42	20M	QPSK	50	0	-	Front	15mm	Ant 6	DS11	42190	3460	1	21.97	23.00	1.268	62.9	1.006	-0.06	0.063	0.080
75	LTE Band 42	20M	QPSK	1	0	-	Back	15mm	Ant 6	DS11	42190	3460	1	22.98	24.00	1.265	62.9	1.006	0.01	0.246	0.313
	LTE Band 42	20M	QPSK	50	0	-	Back	15mm	Ant 6	DS11	42190	3460	1	21.97	23.00	1.268	62.9	1.006	0.03	0.204	0.260
	LTE Band 48	20M	QPSK	1	0	-	Front	15mm	Ant 6	DS11	55830	3609	1	22.72	24.00	1.343	62.9	1.006	0.16	0.138	0.186
	LTE Band 48	20M	QPSK	50	0	-	Front	15mm	Ant 6	DS11	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.15	0.120	0.155



FCC SAR Test Report

Report No. : FA462605

76	LTE Band 48	20M	QPSK	1	0	-	Back	15mm	Ant 6	DS11	55830	3609	1	22.72	24.00	1.343	62.9	1.006	-0.03	0.355	0.480
	LTE Band 48	20M	QPSK	50	0	-	Back	15mm	Ant 6	DS11	55830	3609	1	21.92	23.00	1.282	62.9	1.006	-0.09	0.299	0.386
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 6	DS11	641666	3624.99	1	23.23	24.00	1.194	-	-	0.1	0.201	0.240
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Front	15mm	Ant 6	DS11	641666	3624.99	1	23.21	24.00	1.199	-	-	-0.09	0.224	0.269
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	641666	3624.99	1	23.23	24.00	1.194	-	-	0.07	0.539	0.644
77	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	641666	3624.99	1	23.21	24.00	1.199	-	-	-0.07	0.565	0.678
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	641666	3624.99	2	23.21	24.00	1.199	-	-	0.02	0.548	0.657
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 6	DS11	656000	3840	1	23.36	24.00	1.159	-	-	-0.16	0.248	0.287
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 6	DS11	656000	3840	1	23.28	24.00	1.180	-	-	-0.18	0.223	0.263
	FR1 n77 SA Standalone For ENDC Standalone	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	656000	3840	1	23.36	24.00	1.159	-	-	-0.04	0.537	0.622
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	656000	3840	1	23.28	24.00	1.180	-	-	-0.07	0.503	0.594
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	656000	3840	1	26.36	27.00	1.159	50	1.000	0.11	0.498	0.577
	FR1 n77_Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	641666	3624.99	1	22.52	23.50	1.253	-	-	0.03	0.406	0.509
	FR1 n77 For ENDC Simultaneous	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 6	DS12	656000	3840	1	22.42	23.00	1.143	-	-	0.04	0.412	0.471
	FR1 n77_HPUE For ENDC Simultaneous	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 6	DS12	656000	3840	1	25.42	26.00	1.143	50	1.000	0.17	0.401	0.458
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 6	DS11	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.1	0.105	0.124
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 6	DS11	633332	3499.98	1	23.23	24.00	1.194	-	-	-0.01	0.131	0.156
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	633332	3499.98	1	23.27	24.00	1.183	-	-	-0.09	0.317	0.375
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	633332	3499.98	1	23.23	24.00	1.194	-	-	-0.02	0.351	0.419
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 6	DS11	633332	3499.98	1	26.20	27.00	1.202	50	1.000	-0.06	0.341	0.410
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 2	DS11	656000	3840	1	18.59	20.00	1.384	-	-	-0.01	0.123	0.170
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 2	DS11	656000	3840	1	18.55	20.00	1.396	-	-	-0.11	0.098	0.137
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	656000	3840	1	18.59	20.00	1.384	-	-	0.14	0.239	0.331
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	656000	3840	1	18.55	20.00	1.396	-	-	0.03	0.245	0.342
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	656000	3840	1	21.72	23.00	1.343	50	1.000	0.1	0.243	0.326
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 2	DS11	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.06	0.093	0.130
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 2	DS11	633332	3499.98	1	18.52	20.00	1.406	-	-	0.02	0.102	0.143
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	633332	3499.98	1	18.54	20.00	1.400	-	-	-0.16	0.251	0.351
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	633332	3499.98	1	18.52	20.00	1.406	-	-	0.05	0.188	0.264
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	633332	3499.98	1	21.79	23.00	1.321	50	1.000	-0.03	0.244	0.322
	FR1 n77_Part96	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 2	DS11	641666	3624.99	1	18.47	20.00	1.422	-	-	0.09	0.217	0.309
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 5	DS11	656000	3840	1	19.37	20.00	1.156	-	-	-0.15	0.043	0.050
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 5	DS11	656000	3840	1	19.34	20.00	1.164	-	-	0.16	0.047	0.055
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	656000	3840	1	19.37	20.00	1.156	-	-	0.05	0.070	0.081
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	656000	3840	1	19.34	20.00	1.164	-	-	-0.06	0.081	0.094
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	656000	3840	1	22.08	23.00	1.236	50	1.000	-0.13	0.074	0.091
	FR1 n77_Part96	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	641666	3624.99	1	19.08	20.00	1.236	-	-	-0.06	0.073	0.090
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 5	DS11	633332	3499.98	1	18.34	19.00	1.164	-	-	-0.11	0.038	0.044
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 5	DS11	633332	3499.98	1	18.31	19.00	1.172	-	-	0.19	0.038	0.045
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	633332	3499.98	1	18.34	19.00	1.164	-	-	-0.14	0.047	0.055
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	633332	3499.98	1	18.31	19.00	1.172	-	-	-0.18	0.079	0.093
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 5	DS11	633332	3499.98	1	21.16	22.00	1.213	50	1.000	-0.06	0.069	0.084
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 7	DS11	656000	3840	1	20.76	22.00	1.330	-	-	0.16	0.063	0.084
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 7	DS11	656000	3840	1	20.75	22.00	1.334	-	-	0.01	0.022	0.029
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	656000	3840	1	20.76	22.00	1.330	-	-	-0.06	0.189	0.251
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	656000	3840	1	20.75	22.00	1.334	-	-	0.13	0.168	0.224
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	656000	3840	1	23.77	25.00	1.327	50	1.000	0.12	0.177	0.235
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Front	15mm	Ant 7	DS11	633332	3499.98	1	20.94	22.00	1.276	-	-	0.08	0.045	0.057
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Front	15mm	Ant 7	DS11	633332	3499.98	1	20.93	22.00	1.279	-	-	0.19	0.054	0.069
	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	633332	3499.98	1	20.94	22.00	1.276	-	-	-0.06	0.469	0.599
78	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	633332	3499.98	1	20.93	22.00	1.279	-	-	-0.12	0.496	0.635
	FR1 n77_HPUE	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	633332	3499.98	1	23.91	25.00	1.285	50	1.000	-0.03	0.479	0.616
	FR1 n77_Part96	100M	QPSK	135	69	DFT-SCS-30KHz	Back	15mm	Ant 7	DS11	641666	3624.99	1	20.86	22.00	1.300	-	-	0.03	0.468	0.608



FCC SAR Test Report

Report No. : FA462605

Plot No.	Band	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Reported 1g SAR (W/kg)
2450MHz																	
	WLAN2.4GHz	802.11b 1Mbps	Front	15mm	Ant 3	Full Power	1	2412	1	19.90	20.00	1.023	98.75	1.013	0.08	0.039	0.040
79	WLAN2.4GHz	802.11b 1Mbps	Back	15mm	Ant 3	Full Power	1	2412	1	19.90	20.00	1.023	98.75	1.013	-0.07	0.160	0.166
	WLAN2.4GHz	802.11b 1Mbps	Back	15mm	Ant 3	Full Power	1	2412	2	19.90	20.00	1.023	98.75	1.013	0.02	0.148	0.153
	Bluetooth	1Mbps	Front	15mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.08	0.008	0.010
80	Bluetooth	1Mbps	Back	15mm	Ant 3	Full Power	39	2441	1	10.30	11.00	1.175	77.61	1.073	0.17	0.029	0.037
5000MHz																	
	WLAN 5.3GHz	802.11a 6Mbps	Front	15mm	Ant 3	Full Power	60	5300	1	18.87	20.00	1.297	98.62	1.014	-0.08	0.302	0.397
81	WLAN 5.3GHz	802.11a 6Mbps	Back	15mm	Ant 3	Full Power	60	5300	1	18.87	20.00	1.297	98.62	1.014	-0.01	0.363	0.477
	WLAN 5.3GHz	802.11a 6Mbps	Back	15mm	Ant 3	Full Power	60	5300	2	18.87	20.00	1.297	98.62	1.014	0.02	0.355	0.467
	WLAN 5.5GHz	802.11n-HT40 MCS0	Front	15mm	Ant 3	Full Power	110	5550	1	19.57	20.00	1.104	96.18	1.040	0.03	0.253	0.291
82	WLAN 5.5GHz	802.11n-HT40 MCS0	Back	15mm	Ant 3	Full Power	110	5550	1	19.57	20.00	1.104	96.18	1.040	-0.04	0.322	0.370
	WLAN 5.5GHz	802.11n-HT40 MCS0	Back	15mm	Ant 3	Full Power	110	5550	2	19.57	20.00	1.104	96.18	1.040	0.02	0.318	0.365
	WLAN 5.8GHz	802.11n-HT40 MCS0	Front	15mm	Ant 3	Full Power	151	5755	1	19.92	20.00	1.019	96.18	1.040	0.01	0.233	0.247
83	WLAN 5.8GHz	802.11n-HT40 MCS0	Back	15mm	Ant 3	Full Power	151	5755	1	19.92	20.00	1.019	96.18	1.040	-0.08	0.347	0.368
	WLAN 5.8GHz	802.11n-HT40 MCS0	Back	15mm	Ant 3	Full Power	151	5755	2	19.92	20.00	1.019	96.18	1.040	0.02	0.332	0.352



14.4 Product specific 10g SAR

<Flip Open>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 10g SAR (W/kg)	Reported 10g SAR (W/kg)
1750MHz																					
	LTE Band 66	20M	QPSK	1	0	-	Front	0mm	Ant 1	DS11	132322	1745	1	23.35	24.50	1.303	-	-	-0.08	2.010	2.619
	LTE Band 66	20M	QPSK	1	0	-	Front	0mm	Ant 1	DS11	132072	1720	1	23.30	24.50	1.318	-	-	0.17	1.970	2.597
	LTE Band 66	20M	QPSK	1	0	-	Front	0mm	Ant 1	DS11	132572	1770	1	23.21	24.50	1.346	-	-	0.18	1.910	2.571
	LTE Band 66	20M	QPSK	50	0	-	Front	0mm	Ant 1	DS11	132322	1745	1	22.38	23.50	1.294	-	-	-0.04	1.800	2.330
	LTE Band 66	20M	QPSK	50	0	-	Front	0mm	Ant 1	DS11	132072	1720	1	22.34	23.50	1.306	-	-	-0.08	1.780	2.325
	LTE Band 66	20M	QPSK	50	0	-	Front	0mm	Ant 1	DS11	132572	1770	1	22.11	23.50	1.377	-	-	-0.13	1.710	2.355
	LTE Band 66	20M	QPSK	100	0	-	Front	0mm	Ant 1	DS11	132322	1745	1	22.36	23.50	1.300	-	-	-0.13	1.660	2.158
	LTE Band 66	20M	QPSK	1	0	-	Back	0mm	Ant 1	DS11	132322	1745	1	23.35	24.50	1.303	-	-	0.06	2.360	3.075
	LTE Band 66	20M	QPSK	1	0	-	Back	0mm	Ant 1	DS11	132072	1720	1	23.30	24.50	1.318	-	-	-0.03	2.190	2.887
	LTE Band 66	20M	QPSK	1	0	-	Back	0mm	Ant 1	DS11	132572	1770	1	23.21	24.50	1.346	-	-	-0.03	2.490	3.351
	LTE Band 66	20M	QPSK	50	0	-	Back	0mm	Ant 1	DS11	132322	1745	1	22.38	23.50	1.294	-	-	0.08	1.970	2.550
	LTE Band 66	20M	QPSK	50	0	-	Back	0mm	Ant 1	DS11	132072	1720	1	22.34	23.50	1.306	-	-	-0.07	1.760	2.299
	LTE Band 66	20M	QPSK	50	0	-	Back	0mm	Ant 1	DS11	132572	1770	1	22.11	23.50	1.377	-	-	0.05	2.040	2.810
	LTE Band 66	20M	QPSK	100	0	-	Back	0mm	Ant 1	DS11	132322	1745	1	22.36	23.50	1.300	-	-	-0.11	2.070	2.691
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	132322	1745	1	23.35	24.50	1.303	-	-	-0.12	2.310	3.010
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	132072	1720	1	23.30	24.50	1.318	-	-	0.03	2.040	2.689
84	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	132572	1770	1	23.21	24.50	1.346	-	-	0.08	2.520	3.392
	LTE Band 66	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	132572	1770	2	23.21	24.50	1.346	-	-	0.02	2.490	3.351
	LTE Band 66 For ENDC	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	132572	1770	1	22.47	23.50	1.268	-	-	-0.03	1.87	2.371
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	0mm	Ant 1	DS11	132322	1745	1	22.38	23.50	1.294	-	-	-0.16	2.020	2.614
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	0mm	Ant 1	DS11	132072	1720	1	22.34	23.50	1.306	-	-	-0.02	1.940	2.534
	LTE Band 66	20M	QPSK	50	0	-	Bottom Side	0mm	Ant 1	DS11	132572	1770	1	22.11	23.50	1.377	-	-	0.15	2.050	2.823
	LTE Band 66	20M	QPSK	100	0	-	Bottom Side	0mm	Ant 1	DS11	132322	1745	1	22.36	23.50	1.300	-	-	-0.09	2.130	2.769
1900MHz																					
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Front	0mm	Ant 1	DS11	349000	1745	1	23.88	24.50	1.153	-	-	-0.02	2.130	2.457
	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Front	0mm	Ant 1	DS11	349000	1745	1	23.86	24.50	1.159	-	-	0.1	2.320	2.688
	FR1 n66	40M	QPSK	216	0	DFT-SCS-15KHz	Front	0mm	Ant 1	DS11	349000	1745	1	23.12	23.50	1.091	-	-	0.04	1.770	1.932
	FR1 n66	40M	QPSK	1	1	DFT-SCS-15KHz	Back	0mm	Ant 1	DS11	349000	1745	1	23.88	24.50	1.153	-	-	0.13	2.290	2.641
85	FR1 n66	40M	QPSK	108	54	DFT-SCS-15KHz	Back	0mm	Ant 1	DS11	349000	1745	1	23.86	24.50	1.159	-	-	-0.16	2.350	2.723
	FR1 n66 For ENDC	40M	QPSK	108	54	DFT-SCS-15KHz	Back	0mm	Ant 1	DS11	349000	1745	1	22.92	23.50	1.143	-	-	-0.07	2.17	2.480
	FR1 n66	40M	QPSK	216	0	DFT-SCS-15KHz	Back	0mm	Ant 1	DS11	349000	1745	1	23.12	23.50	1.091	-	-	-0.18	1.870	2.041
1900MHz																					
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	0mm	Ant 1	DS11	9400	1880	1	21.43	22.00	1.140	-	-	0.06	2.500	2.851
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	0mm	Ant 1	DS11	9262	1852.4	1	21.41	22.00	1.146	-	-	0	2.440	2.795
86	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	0mm	Ant 1	DS11	9538	1907.6	1	21.39	22.00	1.151	-	-	-0.04	2.630	3.027
	WCDMA II	-	-	-	-	RMC 12.2Kbps	Bottom Side	0mm	Ant 1	DS11	9538	1907.6	2	21.39	22.00	1.151	-	-	0.02	2.590	2.981
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	26340	1880	1	21.53	22.50	1.250	-	-	0.12	2.290	2.863
	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	26140	1860	1	21.49	22.50	1.262	-	-	-0.16	2.210	2.789
87	LTE Band 25	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	26590	1905	1	21.44	22.50	1.276	-	-	0.06	2.350	3.000
	LTE Band 25 For ENDC	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DS11	26590	1905	1	20.41	21.50	1.285	-	-	-0.05	1.82	2.339
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	0mm	Ant 1	DS11	26340	1880	1	21.51	22.50	1.256	-	-	-0.12	1.890	2.374
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	0mm	Ant 1	DS11	26140	1860	1	21.47	22.50	1.268	-	-	0.07	1.800	2.282
	LTE Band 25	20M	QPSK	50	0	-	Bottom Side	0mm	Ant 1	DS11	26590	1905	1	21.38	22.50	1.294	-	-	-0.02	1.930	2.498
	LTE Band 25	20M	QPSK	100	0	-	Bottom Side	0mm	Ant 1	DS11	26340	1880	1	21.33	22.50	1.309	-	-	-0.05	1.860	2.435
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Front	0mm	Ant 1	DS11	376500	1882.5	1	21.92	22.50	1.143	-	-	-0.17	1.570	1.794
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Front	0mm	Ant 1	DS11	376500	1882.5	1	21.81	22.50	1.172	-	-	-0.08	1.690	1.981
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Back	0mm	Ant 1	DS11	376500	1882.5	1	21.92	22.50	1.143	-	-	-0.08	2.070	2.366
	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Back	0mm	Ant 1	DS11	376500	1882.5	1	21.81	22.50	1.172	-	-	0.17	2.130	2.497
	FR1 n25	40M	QPSK	216	0	DFT-SCS-15KHz	Back	0mm	Ant 1	DS11	376500	1882.5	1	21.86	22.50	1.159	-	-	0.18	1.810	2.097
	FR1 n25	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	0mm	Ant 1	DS11	376500	1882.5	1	21.92	22.50	1.143	-	-	-0.04	2.220	2.537



FCC SAR Test Report

Report No. : FA462605

88	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	0mm	Ant 1	DS11	376500	1882.5	1	21.81	22.50	1.172	-	-	0.03	2.310	2.708
	FR1 n25	40M	QPSK	216	0	DFT-SCS-15KHz	Bottom Side	0mm	Ant 1	DS11	376500	1882.5	1	21.86	22.50	1.159	-	-	-0.08	1.830	2.121
2600MHz																					
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	518598	2592.99	1	20.39	21.50	1.291	-	-	0.14	2.330	3.009
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	518598	2592.99	1	20.37	21.50	1.297	-	-	0.11	1.780	2.309
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	518598	2592.99	1	20.31	21.50	1.315	-	-	-0.05	1.800	2.367
89	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 7	DS11	518598	2592.99	1	20.39	21.50	1.291	-	-	0.18	2.430	3.138
	FR1 n41	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 7	DS11	518598	2592.99	2	20.39	21.50	1.291	-	-	0.02	2.380	3.073
	FR1 n41	100M	QPSK	135	69	DFT-SCS-30KHz	Left Side	0mm	Ant 7	DS11	518598	2592.99	1	20.37	21.50	1.297	-	-	0.14	2.340	3.035
	FR1 n41	100M	QPSK	270	0	DFT-SCS-30KHz	Left Side	0mm	Ant 7	DS11	518598	2592.99	1	20.31	21.50	1.315	-	-	-0.17	2.290	3.012
	FR1 n41_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 7	DS11	518598	2592.99	1	23.34	24.50	1.306	50	1.000	0.03	2.380	3.109
3500MHz																					
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 6	DS11	641666	3624.99	1	23.23	24.00	1.194	-	-	0.07	1.870	2.233
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 6	DS11	638000	3570	1	23.01	24.00	1.256	-	-	-0.09	1.690	2.123
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 6	DS11	645332	3679.98	1	23.12	24.00	1.225	-	-	0.11	1.820	2.229
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	0mm	Ant 6	DS11	641666	3624.99	1	23.21	24.00	1.199	-	-	0.03	1.930	2.315
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	0mm	Ant 6	DS11	638000	3570	1	22.98	24.00	1.265	-	-	-0.05	1.580	1.998
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Left Side	0mm	Ant 6	DS11	645332	3679.98	1	23.02	24.00	1.253	-	-	-0.08	1.660	2.080
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Left Side	0mm	Ant 6	DS11	641666	3624.99	1	22.13	23.00	1.222	-	-	0.18	1.580	1.930
90	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	641666	3624.99	1	23.23	24.00	1.194	-	-	0.16	2.920	3.486
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	641666	3624.99	2	23.23	24.00	1.194	-	-	0.02	2.890	3.451
	FR1 n48 WIFI Simultaneous	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS12	641666	3624.99	1	19.76	20.50	1.186	-	-	-0.04	1.350	1.601
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	638000	3570	1	23.01	24.00	1.256	-	-	0.16	2.420	3.040
	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	645332	3679.98	1	23.12	24.00	1.225	-	-	0.05	2.480	3.037
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	641666	3624.99	1	23.21	24.00	1.199	-	-	-0.1	2.620	3.143
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	638000	3570	1	22.98	24.00	1.265	-	-	0.05	2.400	3.035
	FR1 n48	40M	QPSK	50	28	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	645332	3679.98	1	23.02	24.00	1.253	-	-	-0.03	2.170	2.719
	FR1 n48	40M	QPSK	100	0	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DS11	641666	3624.99	1	22.13	23.00	1.222	-	-	0.07	2.050	2.505
91	FR1 n77	100M	QPSK	1	1	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	633332	3499.98	1	20.94	22.00	1.276	-	-	-0.08	2.270	2.898
	FR1 n77	100M	QPSK	135	69	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	633332	3499.98	1	20.93	22.00	1.279	-	-	0.16	2.110	2.699
	FR1 n77	100M	QPSK	270	0	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	633332	3499.98	1	20.87	22.00	1.297	-	-	-0.03	2.100	2.724
	FR1 n77_HPUE	100M	QPSK	1	1	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	633332	3499.98	1	23.93	25.00	1.279	50	1.000	0.03	2.180	2.789
	FR1 n77 Part 96	100M	QPSK	1	1	DFT-SCS-30KHz	Back	0mm	Ant 7	DS11	641666	3624.99	1	20.89	22.00	1.291	-	-	0.03	2.060	2.660

Plot No.	Band	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Sample	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 10g SAR (W/kg)	Reported 10g SAR (W/kg)
5000MHz																	
	WLAN5.3GHz	802.11a 6Mbps	Front	0mm	Ant 3	Full Power	60	5300	1	18.87	20.00	1.297	98.62	1.014	-0.06	0.286	0.376
	WLAN5.3GHz	802.11a 6Mbps	Back	0mm	Ant 3	Full Power	60	5300	1	18.87	20.00	1.297	98.62	1.014	0.02	0.627	0.825
	WLAN5.3GHz	802.11a 6Mbps	Left Side	0mm	Ant 3	Full Power	60	5300	1	18.87	20.00	1.297	98.62	1.014	-0.16	0.523	0.688
	WLAN5.3GHz	802.11a 6Mbps	Right Side	0mm	Ant 3	Full Power	60	5300	1	18.87	20.00	1.297	98.62	1.014	0.05	0.069	0.091
92	WLAN5.3GHz	802.11a 6Mbps	Top Side	0mm	Ant 3	Full Power	60	5300	1	18.87	20.00	1.297	98.62	1.014	-0.03	0.893	1.175
	WLAN5.3GHz	802.11a 6Mbps	Top Side	0mm	Ant 3	Full Power	60	5300	2	18.87	20.00	1.297	98.62	1.014	0.02	0.869	1.143
	WLAN5.5GHz	802.11n-HT40 MCS0	Front	0mm	Ant 3	Full Power	110	5550	1	19.57	20.00	1.104	96.18	1.040	0.17	0.357	0.410
	WLAN5.5GHz	802.11n-HT40 MCS0	Back	0mm	Ant 3	Full Power	110	5550	1	19.57	20.00	1.104	96.18	1.040	-0.15	0.936	1.075
	WLAN5.5GHz	802.11n-HT40 MCS0	Left Side	0mm	Ant 3	Full Power	110	5550	1	19.57	20.00	1.104	96.18	1.040	0.16	0.442	0.508
	WLAN5.5GHz	802.11n-HT40 MCS0	Right Side	0mm	Ant 3	Full Power	110	5550	1	19.57	20.00	1.104	96.18	1.040	0.05	0.139	0.160
93	WLAN5.5GHz	802.11n-HT40 MCS0	Top Side	0mm	Ant 3	Full Power	110	5550	1	19.57	20.00	1.104	96.18	1.040	-0.03	1.530	1.757
	WLAN5.5GHz	802.11n-HT40 MCS0	Top Side	0mm	Ant 3	Full Power	110	5550	2	19.57	20.00	1.104	96.18	1.040	0.01	1.480	1.699
	WLAN5.5GHz	802.11n-HT40 MCS0	Top Side	0mm	Ant 3	Full Power	134	5670	1	19.57	20.00	1.104	96.18	1.040	0.03	1.380	1.585
94	WLAN5.8GHz	802.11a 6Mbps	Top Side	0mm	Ant 3	Full Power	149	5745	1	20.91	22.50	1.442	98.62	1.014	0.03	1.020	1.492
	WLAN5.8GHz	802.11a 6Mbps	Top Side	0mm	Ant 3	Full Power	149	5745	2	20.91	22.50	1.442	98.62	1.014	0.02	0.995	1.455



14.5 Repeated SAR Measurement

<1g>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Duty Cycle %	Duty Cycle Scaling Factor	Power Drift (dB)	Measured 1g SAR (W/kg)	Ratio	Reported 1g SAR (W/kg)
1st	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	641666	3624.99	23.23	24.00	1.194	-	-	0.08	1.020	1	1.218
2nd	FR1 n48	40M	QPSK	1	1	DFT-SCS-30KHz	Left Cheek	0mm	Ant 6	DSI 4	641666	3624.99	23.23	24.00	1.194	-	-	0.01	0.998	1.022	1.192
1st	WLAN5.5GHz	20M	QPSK	1	0	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	110	5550	18.21	19.50	1.346	96.18	1.040	0.03	0.814	1	1.139
2nd	WLAN5.5GHz	20M	QPSK	1	0	802.11n-HT40 MCS0	Left Cheek	0mm	Ant 3	Standalone	110	5550	18.21	19.50	1.346	96.18	1.040	0.08	0.806	1.010	1.128
1st	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	20.88	21.50	1.153	-	-	0.06	1.040	1	1.200
2nd	FR1 n25	40M	QPSK	108	54	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	376500	1882.5	20.88	21.50	1.153	-	-	0.01	0.996	1.044	1.149
1st	FR1 n41 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DSI3	518598	2592.99	21.55	22.00	1.109	-	-	0.03	0.969	1	1.075
2nd	FR1 n41 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Right Side	10mm	Ant 4	DSI3	518598	2592.99	21.55	22.00	1.109	-	-	0.08	0.957	1.013	1.061
1st	FR1 n77 flip Close	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	633332	3499.98	20.47	21.50	1.268	-	-	0.12	0.971	1	1.231
2nd	FR1 n77 flip Close	100M	QPSK	1	1	DFT-SCS-30KHz	Back	10mm	Ant 7	DSI3	633332	3499.98	20.47	21.50	1.268	-	-	0.05	0.965	1.010	1.223
1st	FR1 n77 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	23.36	24.00	1.159	-	-	-0.18	0.963	1	1.116
2nd	FR1 n77 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	10mm	Ant 6	DSI3	656000	3840	23.36	24.00	1.159	-	-	0.02	0.957	1.006	1.109
1st	FR1 n14 flip Close	10M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	24.10	25.00	1.230	-	-	-0.01	0.871	1	1.072
2nd	FR1 n14 flip Close	10M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	158600	793	24.10	25.00	1.230	-	-	0.03	0.856	1.018	1.053
1st	FR1 n5 flip Close	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	24.39	25.00	1.151	-	-	-0.04	1.040	1	1.197
2nd	FR1 n5 flip Close	20M	QPSK	1	1	DFT-SCS-15KHz	Back	10mm	Ant 1	DSI3	167300	836.5	24.39	25.00	1.151	-	-	0.03	0.996	1.044	1.146
1st	FR1 n66 flip Close	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	22.92	23.50	1.143	-	-	0.02	0.991	1	1.133
2nd	FR1 n66 flip Close	40M	QPSK	1	1	DFT-SCS-15KHz	Bottom Side	10mm	Ant 1	DSI3	349000	1745	22.92	23.50	1.143	-	-	0.09	0.974	1.017	1.113

<10g>

Plot No.	Band	BW (MHz)	Modulation	RB Size	RB offset	Mode	Test Position	Gap (mm)	Antenna	Power State	Ch.	Freq. (MHz)	Average Power (dBm)	Tune-Up Limit (dBm)	Tune-up Scaling Factor	Power Drift (dB)	Measured 10g SAR (W/kg)	Ratio	Reported 10g SAR (W/kg)
1st	LTE Band 66 flip Open	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DSI1	132572	1770	23.21	24.50	1.346	0.08	2.520	1	3.392
2nd	LTE Band 66 flip Open	20M	QPSK	1	0	-	Bottom Side	0mm	Ant 1	DSI1	132572	1770	23.21	24.50	1.346	0.01	2.440	1.033	3.284
1st	WCDMA II flip Open	-	-	-	-	RMC 12.2Kbps	Bottom Side	0mm	Ant 1	DSI1	9538	1907.6	21.39	22.00	1.151	-0.04	2.630	1	3.027
2nd	WCDMA II flip Open	-	-	-	-	RMC 12.2Kbps	Bottom Side	0mm	Ant 1	DSI1	9538	1907.6	21.39	22.00	1.151	0.08	2.510	1.048	2.889
1st	FR1 n41 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 7	DSI1	518598	2592.99	20.39	21.50	1.291	0.18	2.430	1	3.138
2nd	FR1 n41 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Left Side	0mm	Ant 7	DSI1	518598	2592.99	20.39	21.50	1.291	0.01	2.340	1.038	3.021
1st	FR1 n48 flip Open	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DSI1	641666	3624.99	23.23	24.00	1.194	0.16	2.920	1	3.486
2nd	FR1 n48 flip Open	40M	QPSK	1	1	DFT-SCS-30KHz	Top Side	0mm	Ant 6	DSI1	641666	3624.99	23.23	24.00	1.194	0.09	2.840	1.028	3.391
1st	FR1 n77 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Back	0mm	Ant 7	DSI1	633332	3499.98	20.94	22.00	1.276	-0.08	2.270	1	2.898
2nd	FR1 n77 flip Open	100M	QPSK	1	1	DFT-SCS-30KHz	Back	0mm	Ant 7	DSI1	633332	3499.98	20.94	22.00	1.276	0.06	2.150	1.056	2.744

General Note:

- Per KDB 865664 D01v01r04, for each frequency band, repeated SAR measurement is required only when the measured SAR is ≥ 0.8 W/kg.
- Per KDB 865664 D01v01r04, if the ratio among the repeated measurement is ≤ 1.2 and the measured SAR < 1.45 W/kg, only one repeated measurement is required.
- Per KDB 865664 D01v01r04, if the extremity repeated SAR is necessary, the same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds.
- The ratio is the difference in percentage between original and repeated *measured* SAR.
- All measurement SAR result is scaled-up to account for tune-up tolerance and is compliant.

14.6 TDD LTE and NR Linearity Data Analysis

General Note:

This device support Power Class 2 and Power Class 3 operations for LTE Band 41/5G NR n41/n77. The highest available duty cycle for Power Class 2 operation is 43.3% using UL-DL configuration 1. Per FCC Guidance based on the device behavior, all SAR tests were performed using Power Class 3. Power Class 2 is tested using the highest SAR test configuration in Power Class 3 for each LTE configuration and exposure condition combination, according to the highest time averaged power for all applicable uplink-downlink configurations in Power Class 2. When the reported SAR vs. output power is linearly scaled with < 10% discrepancy between power classes and all reported SAR are < 1.4 W/kg for 1g and < 3.5 W/kg for 10g, Separate SAR testing for Power Class 2 is not required.

<Flip Open>

LTE B41-Linearity Data for Hotspot Ant 2			FR1 n77 Part27O-Linearity Data for Hotspot Ant 6 For ENDC		
	LTE B41 (Power Class 3)	LTE B41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	24.00	27.00	Maximum Tune up Power (dBm)	21.00	24.00
Reported 1g SAR (W/kg)	0.689	0.879	Reported 1g SAR (W/kg)	0.590	0.574
Duty Cycle	63.30%	43.30%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	159.00	217.01	Frame Averaged (mW)	125.89	125.59
Linearity SAR (W/kg)	0.940		Linearity SAR (W/kg)	0.589	
% deviation from expected linearity		-6.53%	% deviation from expected linearity		-2.48%
FR1 n41-Linearity Data for Hotspot Ant 2			FR1 n41-Linearity Data for Hotspot Ant 2 For ENDC		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)
Maximum Tune up Power (dBm)	23.50	26.50	Maximum Tune up Power (dBm)	20.50	23.50
Reported 1g SAR (W/kg)	1.046	1.025	Reported 1g SAR (W/kg)	0.561	0.548
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	223.87	223.34	Frame Averaged (mW)	112.20	111.94
Linearity SAR (W/kg)	1.044		Linearity SAR (W/kg)	0.560	
% deviation from expected linearity		-1.77%	% deviation from expected linearity		-2.09%
FR1 n41-Linearity Data for Hotspot Ant 4			FR1 n77 Part27Q-Linearity Data for Hotspot Ant 6 For ENDC		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	22.00	25.00	Maximum Tune up Power (dBm)	21.00	24.00
Reported 1g SAR (W/kg)	1.075	1.035	Reported 1g SAR (W/kg)	0.449	0.427
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	158.49	158.11	Frame Averaged (mW)	125.89	125.59
Linearity SAR (W/kg)	1.072		Linearity SAR (W/kg)	0.448	
% deviation from expected linearity		-3.49%	% deviation from expected linearity		-4.67%
FR1 n41-Linearity Data for Hotspot Ant 5			FR1 n77 Part27Q-Linearity Data for Extremity Ant 7		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	24.00	27.00	Maximum Tune up Power (dBm)	22.00	25.00
Reported 1g SAR (W/kg)	0.931	0.920	Reported 10g SAR (W/kg)	2.898	2.789
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59	Frame Averaged (mW)	158.49	158.11
Linearity SAR (W/kg)	0.929		Linearity SAR (W/kg)	2.891	
% deviation from expected linearity		-0.95%	% deviation from expected linearity		-3.53%
FR1 n41-Linearity Data for Hotspot Ant 7			FR1 n41-Linearity Data for Extremity Ant 7		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)
Maximum Tune up Power (dBm)	21.50	24.50	Maximum Tune up Power (dBm)	21.50	24.50
Reported 1g SAR (W/kg)	1.223	1.200	Reported 10g SAR (W/kg)	3.138	3.109
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	141.25	140.92	Frame Averaged (mW)	141.25	140.92
Linearity SAR (W/kg)	1.220		Linearity SAR (W/kg)	3.131	
% deviation from expected linearity		-1.65%	% deviation from expected linearity		-0.69%



FR1 n77 Part27O-Linearity Data for Hotspot Ant 6			FR1 n77 Part27Q-Linearity Data for Hotspot Ant 6		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	24.00	27.00	Maximum Tune up Power (dBm)	24.00	27.00
Reported 1g SAR (W/kg)	1.116	1.096	Reported 1g SAR (W/kg)	1.033	1.026
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59	Frame Averaged (mW)	251.19	250.59
Linearity SAR (W/kg)	1.113		Linearity SAR (W/kg)	1.031	
% deviation from expected linearity		-1.56%	% deviation from expected linearity		-0.44%
FR1 n77 Part27O-Linearity Data for Hotspot Ant 2			FR1 n77 Part27Q-Linearity Data for Hotspot Ant 2		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	20.00	23.00	Maximum Tune up Power (dBm)	20.00	23.00
Reported 1g SAR (W/kg)	0.883	0.841	Reported 1g SAR (W/kg)	0.715	0.663
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	100.00	99.76	Frame Averaged (mW)	100.00	99.76
Linearity SAR (W/kg)	0.881		Linearity SAR (W/kg)	0.713	
% deviation from expected linearity		-4.53%	% deviation from expected linearity		-7.05%
FR1 n77 Part27O-Linearity Data for Hotspot Ant 5			FR1 n77 Part27Q-Linearity Data for Hotspot Ant 5		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	20.00	23.00	Maximum Tune up Power (dBm)	19.00	22.00
Reported 1g SAR (W/kg)	0.297	0.282	Reported 1g SAR (W/kg)	0.377	0.363
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	100.00	99.76	Frame Averaged (mW)	79.43	79.24
Linearity SAR (W/kg)	0.296		Linearity SAR (W/kg)	0.376	
% deviation from expected linearity		-4.83%	% deviation from expected linearity		-3.48%
FR1 n77 Part27O-Linearity Data for Hotspot Ant 7			FR1 n77 Part27Q-Linearity Data for Hotspot Ant 7		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	21.50	24.50	Maximum Tune up Power (dBm)	21.50	24.50
Reported 1g SAR (W/kg)	0.336	0.319	Reported 1g SAR (W/kg)	1.150	1.131
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	141.25	140.92	Frame Averaged (mW)	141.25	140.92
Linearity SAR (W/kg)	0.335		Linearity SAR (W/kg)	1.147	
% deviation from expected linearity		-4.83%	% deviation from expected linearity		-1.42%



<Flip Close>

LTE B41-Linearity Data for Hotspot Ant 2			FR1 n77 Part270-Linearity Data for Hotspot Ant 6		
	LTE B41 (Power Class 3)	LTE B41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	24.00	27.00	Maximum Tune up Power (dBm)	24.00	27.00
Reported 1g SAR (W/kg)	0.597	0.768	Reported 1g SAR (W/kg)	1.070	1.006
Duty Cycle	63.30%	43.30%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	159.00	217.01	Frame Averaged (mW)	251.19	250.59
Linearity SAR (W/kg)	0.815		Linearity SAR (W/kg)	1.067	
% deviation from expected linearity		-5.75%	% deviation from expected linearity		-5.76%
FR1 n41-Linearity Data for Hotspot Ant 2			FR1 n77 Part270-Linearity Data for Hotspot Ant 6 For ENDC		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	23.50	26.50	Maximum Tune up Power (dBm)	21.00	24.00
Reported 1g SAR (W/kg)	1.022	1.010	Reported 1g SAR (W/kg)	0.572	0.554
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	223.87	223.34	Frame Averaged (mW)	125.89	125.59
Linearity SAR (W/kg)	1.020		Linearity SAR (W/kg)	0.571	
% deviation from expected linearity		-0.94%	% deviation from expected linearity		-2.92%
FR1 n41-Linearity Data for Hotspot Ant 2 For ENDC			FR1 n77 Part270-Linearity Data for Hotspot Ant 2		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	20.50	23.50	Maximum Tune up Power (dBm)	20.00	23.00
Reported 1g SAR (W/kg)	0.537	0.525	Reported 1g SAR (W/kg)	0.715	0.674
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	112.20	111.94	Frame Averaged (mW)	100.00	99.76
Linearity SAR (W/kg)	0.536		Linearity SAR (W/kg)	0.713	
% deviation from expected linearity		-2.00%	% deviation from expected linearity		-5.51%
FR1 n41-Linearity Data for Hotspot Ant 4			FR1 n77 Part270-Linearity Data for Hotspot Ant 5		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	22.00	25.00	Maximum Tune up Power (dBm)	20.00	23.00
Reported 1g SAR (W/kg)	0.857	0.828	Reported 1g SAR (W/kg)	0.286	0.282
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	158.49	158.11	Frame Averaged (mW)	100.00	99.76
Linearity SAR (W/kg)	0.855		Linearity SAR (W/kg)	0.285	
% deviation from expected linearity		-3.15%	% deviation from expected linearity		-1.16%
FR1 n41-Linearity Data for Hotspot Ant 5			FR1 n77 Part270-Linearity Data for Hotspot Ant 7		
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	24.00	27.00	Maximum Tune up Power (dBm)	21.50	24.50
Reported 1g SAR (W/kg)	0.925	0.939	Reported 1g SAR (W/kg)	0.419	0.394
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59	Frame Averaged (mW)	141.25	140.92
Linearity SAR (W/kg)	0.923		Linearity SAR (W/kg)	0.418	
% deviation from expected linearity		1.75%	% deviation from expected linearity		-5.74%
FR1 n41-Linearity Data for Hotspot Ant 7					
	FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)			
Maximum Tune up Power (dBm)	21.50	24.50			
Reported 1g SAR (W/kg)	1.185	1.173			
Duty Cycle	100.00%	50.00%			
Frame Averaged (mW)	141.25	140.92			
Linearity SAR (W/kg)	1.182				
% deviation from expected linearity		-0.78%			



FR1 n77 Part27Q-Linearity Data for Hotspot Ant 6			LTE B41-Linearity Data for Body worn Ant 2		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		LTE B41 (Power Class 3)	LTE B41 (Power Class 2)
Maximum Tune up Power (dBm)	24.00	27.00	Maximum Tune up Power (dBm)	24.00	27.00
Reported 1g SAR (W/kg)	1.060	1.021	Reported 1g SAR (W/kg)	0.361	0.485
Duty Cycle	100.00%	50.00%	Duty Cycle	63.30%	43.30%
Frame Averaged (mW)	251.19	250.59	Frame Averaged (mW)	159.00	217.01
Linearity SAR (W/kg)	1.057		Linearity SAR (W/kg)	0.493	
% deviation from expected linearity		-3.45%	% deviation from expected linearity		-1.56%
FR1 n77 Part27Q-Linearity Data for Hotspot Ant 6 For ENDC			FR1 n41-Linearity Data for Body worn Ant 2		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)
Maximum Tune up Power (dBm)	21.00	24.00	Maximum Tune up Power (dBm)	23.50	26.50
Reported 1g SAR (W/kg)	0.492	0.467	Reported 1g SAR (W/kg)	0.670	0.653
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	125.89	125.59	Frame Averaged (mW)	223.87	223.34
Linearity SAR (W/kg)	0.491		Linearity SAR (W/kg)	0.668	
% deviation from expected linearity		-4.86%	% deviation from expected linearity		-2.31%
FR1 n77 Part27Q-Linearity Data for Hotspot Ant 2			FR1 n41-Linearity Data for Body worn Ant 2 For ENDC		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)
Maximum Tune up Power (dBm)	20.00	23.00	Maximum Tune up Power (dBm)	22.00	25.00
Reported 1g SAR (W/kg)	0.728	0.655	Reported 1g SAR (W/kg)	0.512	0.490
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	100.00	99.76	Frame Averaged (mW)	158.49	158.11
Linearity SAR (W/kg)	0.726		Linearity SAR (W/kg)	0.511	
% deviation from expected linearity		-9.81%	% deviation from expected linearity		-4.07%
FR1 n77 Part27Q-Linearity Data for Hotspot Ant 5			FR1 n41-Linearity Data for Body worn Ant 4		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)
Maximum Tune up Power (dBm)	19.00	22.00	Maximum Tune up Power (dBm)	22.00	25.00
Reported 1g SAR (W/kg)	0.319	0.317	Reported 1g SAR (W/kg)	0.292	0.273
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	79.43	79.24	Frame Averaged (mW)	158.49	158.11
Linearity SAR (W/kg)	0.318		Linearity SAR (W/kg)	0.291	
% deviation from expected linearity		-0.39%	% deviation from expected linearity		-6.28%
FR1 n77 Part27Q-Linearity Data for Hotspot Ant 7			FR1 n41-Linearity Data for Body worn Ant 5		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)
Maximum Tune up Power (dBm)	21.50	24.50	Maximum Tune up Power (dBm)	24.00	27.00
Reported 1g SAR (W/kg)	1.231	1.181	Reported 1g SAR (W/kg)	0.496	0.484
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	141.25	140.92	Frame Averaged (mW)	251.19	250.59
Linearity SAR (W/kg)	1.228		Linearity SAR (W/kg)	0.495	
% deviation from expected linearity		-3.83%	% deviation from expected linearity		-2.19%
			FR1 n41-Linearity Data for Body worn Ant 7		
				FR1 n41 (Power Class 3)	FR1 n41 (Power Class 2)
Maximum Tune up Power (dBm)			Maximum Tune up Power (dBm)	21.50	24.50
Reported 1g SAR (W/kg)			Reported 1g SAR (W/kg)	0.615	0.600
Duty Cycle			Duty Cycle	100.00%	50.00%
Frame Averaged (mW)			Frame Averaged (mW)	141.25	140.92
Linearity SAR (W/kg)			Linearity SAR (W/kg)	0.614	
% deviation from expected linearity			% deviation from expected linearity		-2.21%



FR1 n77 Part270-Linearity Data for Body worn Ant 6			FR1 n77 Part27Q-Linearity Data for Body worn Ant 6		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	24.00	27.00	Maximum Tune up Power (dBm)	24.00	27.00
Reported 1g SAR (W/kg)	0.622	0.577	Reported 1g SAR (W/kg)	0.419	0.410
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	251.19	250.59	Frame Averaged (mW)	251.19	250.59
Linearity SAR (W/kg)	0.621		Linearity SAR (W/kg)	0.418	
% deviation from expected linearity		-7.01%	% deviation from expected linearity		-1.92%
FR1 n77 Part270-Linearity Data for Body worn Ant 6 For ENDC			FR1 n77 Part27Q-Linearity Data for Body worn Ant 2		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	23.00	26.00	Maximum Tune up Power (dBm)	20.00	23.00
Reported 1g SAR (W/kg)	0.471	0.458	Reported 1g SAR (W/kg)	0.351	0.322
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	199.53	199.05	Frame Averaged (mW)	100.00	99.76
Linearity SAR (W/kg)	0.470		Linearity SAR (W/kg)	0.350	
% deviation from expected linearity		-2.53%	% deviation from expected linearity		-8.04%
FR1 n77 Part270-Linearity Data for Body worn Ant 2			FR1 n77 Part27Q-Linearity Data for Body worn Ant 5		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	20.00	23.00	Maximum Tune up Power (dBm)	19.00	22.00
Reported 1g SAR (W/kg)	0.342	0.326	Reported 1g SAR (W/kg)	0.093	0.084
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	100.00	99.76	Frame Averaged (mW)	79.43	79.24
Linearity SAR (W/kg)	0.341		Linearity SAR (W/kg)	0.093	
% deviation from expected linearity		-4.45%	% deviation from expected linearity		-9.46%
FR1 n77 Part270-Linearity Data for Body worn Ant 5			FR1 n77 Part27Q-Linearity Data for Body worn Ant 7		
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)		FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)
Maximum Tune up Power (dBm)	20.00	23.00	Maximum Tune up Power (dBm)	22.00	25.00
Reported 1g SAR (W/kg)	0.094	0.091	Reported 1g SAR (W/kg)	0.635	0.616
Duty Cycle	100.00%	50.00%	Duty Cycle	100.00%	50.00%
Frame Averaged (mW)	100.00	99.76	Frame Averaged (mW)	158.49	158.11
Linearity SAR (W/kg)	0.094		Linearity SAR (W/kg)	0.633	
% deviation from expected linearity		-2.96%	% deviation from expected linearity		-2.76%
FR1 n77 Part270-Linearity Data for Body worn Ant 7					
	FR1 n77 (Power Class 3)	FR1 n77 (Power Class 2)			
Maximum Tune up Power (dBm)	22.00	25.00			
Reported 1g SAR (W/kg)	0.251	0.235			
Duty Cycle	100.00%	50.00%			
Frame Averaged (mW)	158.49	158.11			
Linearity SAR (W/kg)	0.250				
% deviation from expected linearity		-6.15%			

15. Simultaneous Transmission Analysis

No.	Simultaneous Transmission Configurations	5G Feature Phone			
		Head	Body-worn	Hotspot	Product specific 10g SAR
1.	WWAN + WLAN2.4GHz	Yes	Yes	Yes	Yes
2.	WWAN + WLAN5GHz	Yes	Yes	Yes	Yes
3.	WWAN + Bluetooth	Yes	Yes	Yes	Yes

General Note:

- WWAN above includes 5G NR bands and EN-DC combination.
- EUT will choose each WCDMA, LTE and 5GNR according to the network signal condition; therefore, they will not operate simultaneously at any moment.
- For 5GNR EN-DC mode, standalone SAR performed for 5GNR NSA band with the maximum power, EN-DC SAR summed EN-DC mode 5GNR standalone SAR and LTE standalone SAR, the result of EN-DC SAR is more conservatively.
- This device 2.4GHz WLAN support hotspot operation and Bluetooth support tethering applications.
- This device 5.2GHz WLAN/5.8GHz WLAN support hotspot operation, and 5.2GHz WLAN/5.8GHz WLAN supports WLAN Direct (GC/GO), and 5.3GHz / 5.5GHz supports WLAN Direct (GC only).
- The worst case 5 GHz WLAN SAR for each configuration was used for SAR summation.
- According to the EUT characteristic, WLAN 5GHz and Bluetooth can't transmit simultaneously.
- According to the EUT characteristic, WLAN 5GHz and WLAN 2.4GHz can't transmit simultaneously.
- According to the EUT characteristic, WLAN 2.4GHz and Bluetooth can't transmit simultaneously.
- For standalone WWAN, always choose the highest SAR among the selected WWAN band within the selected antenna to perform simultaneous transmission analysis with WLAN/BT. This is the worst co-located analysis and can represent each band.
- For EN-DC SAR co-located with WLAN/Bluetooth, chose the worst SAR among the selected LTE bands within the selected antenna per each test position and also the worst SAR of the selected 5GNR Bands within the selected antenna to do co-located with WLAN/Bluetooth. This is the worst co-located analysis and can represent each LTE bands and each 5GNR band.
- The maximum SAR summation is calculated based on the same configuration and test position.
- Per KDB 447498 D01v06, simultaneous transmission SAR is compliant if,
 - 1g Scalar SAR summation < 1.6W/kg and 10g Scalar SAR summation < 4.0W/kg.
 - $SPLSR = (SAR1 + SAR2)^{1.5} / (\min. \text{ separation distance, mm})$, and the peak separation distance is determined from the square root of $[(x1-x2)^2 + (y1-y2)^2 + (z1-z2)^2]$, where (x1, y1, z1) and (x2, y2, z2) are the coordinates of the extrapolated peak SAR locations in the zoom scan.
 - If $SPLSR \leq 0.04$ for 1g SAR and $SPLSR \leq 0.10$ for 10g SAR, simultaneously transmission SAR measurement is not necessary.
 - Simultaneously transmission SAR measurement, and the reported multi-band 1g SAR < 1.6W/kg and 10g SAR < 4.0W/kg.
 - The SPLSR calculated results please refer to section 15.5.



15.1 Head Exposure Conditions

<Flip Open>

WWAN Band	Exposure Position	1	2	3	4	1+2	1+3	1+4
		WWAN	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
WWAN All Bands Ant1	Right Cheek	0.562	0.225	0.473	0.037	0.79	1.04	0.60
	Right Tilted	0.317	0.141	0.155	0.026	0.46	0.47	0.34
	Left Cheek	0.563	0.296	0.676	0.052	0.86	1.24	0.62
	Left Tilted	0.314	0.126	0.178	0.030	0.44	0.49	0.34
WWAN All Bands Ant2	Right Cheek	0.273	0.225	0.473	0.037	0.50	0.75	0.31
	Right Tilted	0.083	0.141	0.155	0.026	0.22	0.24	0.11
	Left Cheek	0.182	0.296	0.676	0.052	0.48	0.86	0.23
	Left Tilted	0.090	0.126	0.178	0.030	0.22	0.27	0.12
WWAN All Bands Ant4	Right Cheek	0.546	0.225	0.473	0.037	0.77	1.02	0.58
	Right Tilted	0.488	0.141	0.155	0.026	0.63	0.64	0.51
	Left Cheek	0.395	0.296	0.676	0.052	0.69	1.07	0.45
	Left Tilted	0.444	0.126	0.178	0.030	0.57	0.62	0.47
WWAN All Bands Ant5	Right Cheek	0.063	0.225	0.473	0.037	0.29	0.54	0.10
	Right Tilted	0.023	0.141	0.155	0.026	0.16	0.18	0.05
	Left Cheek	0.022	0.296	0.676	0.052	0.32	0.70	0.07
	Left Tilted	0.031	0.126	0.178	0.030	0.16	0.21	0.06
WWAN All Bands Ant6	Right Cheek	0.545	0.225	0.473	0.037	0.77	1.02	0.58
	Right Tilted	0.318	0.141	0.155	0.026	0.46	0.47	0.34
	Left Cheek	0.795	0.296	0.676	0.052	1.09	1.47	0.85
	Left Tilted	0.217	0.126	0.178	0.030	0.34	0.40	0.25
WWAN All Bands Ant7	Right Cheek	0.114	0.225	0.473	0.037	0.339	0.59	0.15
	Right Tilted	0.053	0.141	0.155	0.026	0.194	0.21	0.08
	Left Cheek	0.165	0.296	0.676	0.052	0.461	0.84	0.22
	Left Tilted	0.116	0.126	0.178	0.030	0.242	0.29	0.15

For ENDC Standalone

WWAN Band	FR1 Band	Exposure Position	1	2	1+2
			WWAN	FR1	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE band7 Ant2	FR1 n66 Ant1	Right Cheek	0.273	0.195	0.47
		Right Tilted	0.081	0.219	0.30
		Left Cheek	0.176	0.214	0.39
		Left Tilted	0.090	0.217	0.31
LTE All Bands(2,4,5,12,25,26,66,71) Ant1	FR1 All Bands(n38,41) Ant2	Right Cheek	0.562	0.261	0.82
		Right Tilted	0.317	0.063	0.38
		Left Cheek	0.507	0.177	0.68
		Left Tilted	0.295	0.080	0.38
LTE band12 Ant1	FR1 n66 Ant4	Right Cheek	0.278	0.546	0.82
		Right Tilted	0.156	0.488	0.64
		Left Cheek	0.333	0.395	0.73
		Left Tilted	0.149	0.430	0.58
LTE band12 Ant1	FR1 n77 Ant6	Right Cheek	0.278	0.545	0.82
		Right Tilted	0.156	0.210	0.37
		Left Cheek	0.333	0.721	1.05
		Left Tilted	0.149	0.207	0.36
LTE band14 Ant1	FR1 n2 Ant4	Right Cheek	0.398	0.480	0.88
		Right Tilted	0.246	0.425	0.67
		Left Cheek	0.367	0.333	0.70
		Left Tilted	0.261	0.444	0.71



FCC SAR Test Report

Report No. : FA462605

LTE band14 Ant1	FR1 n66 Ant4	Right Cheek	0.398	0.546	0.94
		Right Tilted	0.246	0.488	0.73
		Left Cheek	0.367	0.395	0.76
		Left Tilted	0.261	0.430	0.69
LTE band14 Ant1	FR1 n77 Ant6	Right Cheek	0.398	0.545	0.94
		Right Tilted	0.246	0.210	0.46
		Left Cheek	0.367	0.721	1.09
		Left Tilted	0.261	0.207	0.47
LTE band2 Ant4	FR1 n5 Ant1	Right Cheek	0.437	0.543	0.98
		Right Tilted	0.456	0.291	0.75
		Left Cheek	0.288	0.478	0.77
		Left Tilted	0.443	0.308	0.75
LTE band2 Ant4	FR1 n66 Ant1	Right Cheek	0.437	0.195	0.63
		Right Tilted	0.456	0.219	0.68
		Left Cheek	0.288	0.214	0.50
		Left Tilted	0.443	0.217	0.66
LTE band5 Ant1	FR1 n66 Ant4	Right Cheek	0.562	0.546	1.11
		Right Tilted	0.317	0.488	0.81
		Left Cheek	0.507	0.395	0.90
		Left Tilted	0.295	0.430	0.73
LTE band5 Ant1	FR1 n77 Ant6	Right Cheek	0.562	0.545	1.11
		Right Tilted	0.317	0.210	0.53
		Left Cheek	0.507	0.721	1.23
		Left Tilted	0.295	0.207	0.50
LTE band66 Ant4	FR1 n5 Ant1	Right Cheek	0.501	0.543	1.04
		Right Tilted	0.406	0.291	0.70
		Left Cheek	0.338	0.478	0.82
		Left Tilted	0.348	0.308	0.66
LTE band66 Ant1	FR1 n77 Ant6	Right Cheek	0.211	0.545	0.76
		Right Tilted	0.231	0.210	0.44
		Left Cheek	0.198	0.721	0.92
		Left Tilted	0.212	0.207	0.42
LTE band66 Ant4	FR1 n7 Ant2	Right Cheek	0.501	0.238	0.74
		Right Tilted	0.406	0.083	0.49
		Left Cheek	0.338	0.182	0.52
		Left Tilted	0.348	0.085	0.43
LTE band7 Ant2	FR1 n2 Ant4	Right Cheek	0.273	0.480	0.75
		Right Tilted	0.081	0.425	0.51
		Left Cheek	0.176	0.333	0.51
		Left Tilted	0.090	0.444	0.53
LTE band2 Ant4	FR1 n7 Ant2	Right Cheek	0.437	0.238	0.68
		Right Tilted	0.456	0.083	0.54
		Left Cheek	0.288	0.182	0.47
		Left Tilted	0.443	0.085	0.53
LTE band66 Ant4	FR1 n71 Ant1	Right Cheek	0.501	0.281	0.78
		Right Tilted	0.406	0.066	0.47
		Left Cheek	0.338	0.201	0.54
		Left Tilted	0.348	0.092	0.44
LTE band2 Ant4	FR1 n71 Ant1	Right Cheek	0.437	0.281	0.72
		Right Tilted	0.456	0.066	0.52
		Left Cheek	0.288	0.201	0.49
		Left Tilted	0.443	0.092	0.54
LTE band66 Ant1	FR1 n25 Ant4	Right Cheek	0.211	0.480	0.69
		Right Tilted	0.231	0.425	0.66
		Left Cheek	0.198	0.333	0.53
		Left Tilted	0.212	0.444	0.66



FCC SAR Test Report

Report No. : FA462605

LTE band13 Ant1	FR1 n77 Ant6	Right Cheek	0.330	0.545	0.88
		Right Tilted	0.211	0.210	0.42
		Left Cheek	0.302	0.721	1.02
		Left Tilted	0.212	0.207	0.42
LTE band13 Ant1	FR1 n66 Ant4	Right Cheek	0.330	0.546	0.88
		Right Tilted	0.211	0.488	0.70
		Left Cheek	0.302	0.395	0.70
		Left Tilted	0.212	0.430	0.64
LTE band48 Ant6	FR1 n5 Ant1	Right Cheek	0.305	0.543	0.85
		Right Tilted	0.211	0.291	0.50
		Left Cheek	0.561	0.478	1.04
		Left Tilted	0.200	0.308	0.51
LTE band71 Ant1	FR1 n2 Ant4	Right Cheek	0.281	0.480	0.76
		Right Tilted	0.066	0.425	0.49
		Left Cheek	0.201	0.333	0.53
		Left Tilted	0.092	0.444	0.54
LTE band71 Ant1	FR1 n66 Ant4	Right Cheek	0.281	0.546	0.83
		Right Tilted	0.066	0.488	0.55
		Left Cheek	0.201	0.395	0.60
		Left Tilted	0.092	0.430	0.52
LTE band71 Ant1	FR1 n77 Ant6	Right Cheek	0.281	0.545	0.83
		Right Tilted	0.066	0.210	0.28
		Left Cheek	0.201	0.721	0.92
		Left Tilted	0.092	0.207	0.30
LTE band12 Ant1	FR1 n25 Ant4	Right Cheek	0.278	0.480	0.76
		Right Tilted	0.156	0.425	0.58
		Left Cheek	0.333	0.333	0.67
		Left Tilted	0.149	0.444	0.59
LTE band25 Ant1	FR1 n77 Ant6	Right Cheek	0.092	0.545	0.64
		Right Tilted	0.082	0.210	0.29
		Left Cheek	0.100	0.721	0.82
		Left Tilted	0.089	0.207	0.30
LTE band26 Ant1	FR1 n25 Ant4	Right Cheek	0.562	0.480	1.04
		Right Tilted	0.317	0.425	0.74
		Left Cheek	0.507	0.333	0.84
		Left Tilted	0.295	0.444	0.74
LTE band48 Ant6	FR1 n66 Ant1	Right Cheek	0.305	0.195	0.50
		Right Tilted	0.211	0.219	0.43
		Left Cheek	0.561	0.214	0.78
		Left Tilted	0.200	0.217	0.42
LTE band7 Ant2	FR1 n77 Ant6	Right Cheek	0.273	0.545	0.82
		Right Tilted	0.081	0.210	0.29
		Left Cheek	0.176	0.721	0.90
		Left Tilted	0.090	0.207	0.30
LTE band13 Ant1	FR1 n25 Ant4	Right Cheek	0.330	0.480	0.81
		Right Tilted	0.211	0.425	0.64
		Left Cheek	0.302	0.333	0.64
		Left Tilted	0.212	0.444	0.66



For ENDC simultaneous

WWAN Band	FR1 Band	Exposure Position	1	2	3	4	5	1+2+3 Summed 1g SAR (W/kg)	1+2+4 Summed 1g SAR (W/kg)	1+2+5 Summed 1g SAR (W/kg)
			WWAN 1g SAR (W/kg)	FR1 1g SAR (W/kg)	WLAN2.4GHz Ant 3 1g SAR (W/kg)	WLAN5GHz Ant 3 1g SAR (W/kg)	Bluetooth Ant 3 1g SAR (W/kg)			
LTE band7 Ant2	FR1 n66 Ant1	Right Cheek	0.273	0.195	0.225	0.473	0.037	0.69	0.94	0.51
		Right Tilted	0.081	0.219	0.141	0.155	0.026	0.44	0.46	0.33
		Left Cheek	0.176	0.214	0.296	0.676	0.052	0.69	1.07	0.44
		Left Tilted	0.090	0.217	0.126	0.178	0.030	0.43	0.49	0.34
LTE All Bands(2,4,5,12,25,26,66,71) Ant1	FR1 All Bands(n38,41) Ant2	Right Cheek	0.430	0.261	0.225	0.473	0.037	0.92	1.16	0.73
		Right Tilted	0.317	0.063	0.141	0.155	0.026	0.52	0.54	0.41
		Left Cheek	0.384	0.177	0.296	0.676	0.052	0.86	1.24	0.61
		Left Tilted	0.295	0.080	0.126	0.178	0.030	0.50	0.55	0.41
LTE band12 Ant1	FR1 n66 Ant4	Right Cheek	0.278	0.546	0.225	0.473	0.037	1.05	1.30	0.86
		Right Tilted	0.156	0.488	0.141	0.155	0.026	0.79	0.80	0.67
		Left Cheek	0.333	0.395	0.296	0.676	0.052	1.02	1.40	0.78
		Left Tilted	0.149	0.430	0.126	0.178	0.030	0.71	0.76	0.61
LTE band12 Ant1	FR1 n77 Ant6	Right Cheek	0.278	0.545	0.225	0.473	0.037	1.05	1.30	0.86
		Right Tilted	0.156	0.210	0.141	0.155	0.026	0.51	0.52	0.39
		Left Cheek	0.333	0.470	0.296	0.676	0.052	1.10	1.48	0.86
		Left Tilted	0.149	0.207	0.126	0.178	0.030	0.48	0.53	0.39
LTE band14 Ant1	FR1 n2 Ant4	Right Cheek	0.398	0.480	0.225	0.473	0.037	1.10	1.35	0.92
		Right Tilted	0.246	0.425	0.141	0.155	0.026	0.81	0.83	0.70
		Left Cheek	0.367	0.333	0.296	0.676	0.052	1.00	1.38	0.75
		Left Tilted	0.261	0.444	0.126	0.178	0.030	0.83	0.88	0.74
LTE band14 Ant1	FR1 n66 Ant4	Right Cheek	0.398	0.546	0.225	0.473	0.037	1.17	1.42	0.98
		Right Tilted	0.246	0.488	0.141	0.155	0.026	0.88	0.89	0.76
		Left Cheek	0.367	0.395	0.296	0.676	0.052	1.06	1.44	0.81
		Left Tilted	0.261	0.430	0.126	0.178	0.030	0.82	0.87	0.72
LTE band14 Ant1	FR1 n77 Ant6	Right Cheek	0.398	0.545	0.225	0.473	0.037	1.17	1.42	0.98
		Right Tilted	0.246	0.210	0.141	0.155	0.026	0.60	0.61	0.48
		Left Cheek	0.367	0.470	0.296	0.676	0.052	1.13	1.51	0.89
		Left Tilted	0.261	0.207	0.126	0.178	0.030	0.59	0.65	0.50
LTE band2 Ant4	FR1 n5 Ant1	Right Cheek	0.437	0.543	0.225	0.473	0.037	1.21	1.45	1.02
		Right Tilted	0.456	0.291	0.141	0.155	0.026	0.89	0.90	0.77
		Left Cheek	0.288	0.478	0.296	0.676	0.052	1.06	1.44	0.82
		Left Tilted	0.443	0.308	0.126	0.178	0.030	0.88	0.93	0.78
LTE band2 Ant4	FR1 n66 Ant1	Right Cheek	0.437	0.195	0.225	0.473	0.037	0.86	1.11	0.67
		Right Tilted	0.456	0.219	0.141	0.155	0.026	0.82	0.83	0.70
		Left Cheek	0.288	0.214	0.296	0.676	0.052	0.80	1.18	0.55
		Left Tilted	0.443	0.217	0.126	0.178	0.030	0.79	0.84	0.69
LTE band5 Ant1	FR1 n66 Ant4	Right Cheek	0.430	0.546	0.225	0.473	0.037	1.20	1.45	1.01
		Right Tilted	0.317	0.488	0.141	0.155	0.026	0.95	0.96	0.83
		Left Cheek	0.384	0.395	0.296	0.676	0.052	1.08	1.46	0.83
		Left Tilted	0.295	0.430	0.126	0.178	0.030	0.85	0.90	0.76
LTE band5 Ant1	FR1 n77 Ant6	Right Cheek	0.430	0.545	0.225	0.473	0.037	1.20	1.45	1.01
		Right Tilted	0.317	0.210	0.141	0.155	0.026	0.67	0.68	0.55
		Left Cheek	0.384	0.470	0.296	0.676	0.052	1.15	1.53	0.91
		Left Tilted	0.295	0.207	0.126	0.178	0.030	0.63	0.68	0.53
LTE band66 Ant4	FR1 n5 Ant1	Right Cheek	0.501	0.543	0.225	0.473	0.037	1.27	1.52	1.08
		Right Tilted	0.406	0.291	0.141	0.155	0.026	0.84	0.85	0.72
		Left Cheek	0.338	0.478	0.296	0.676	0.052	1.11	1.49	0.87
		Left Tilted	0.348	0.308	0.126	0.178	0.030	0.78	0.83	0.69
LTE band66 Ant1	FR1 n77 Ant6	Right Cheek	0.211	0.545	0.225	0.473	0.037	0.98	1.23	0.79
		Right Tilted	0.231	0.210	0.141	0.155	0.026	0.58	0.60	0.47
		Left Cheek	0.198	0.470	0.296	0.676	0.052	0.96	1.34	0.72



FCC SAR Test Report

Report No. : FA462605

		Left Tilted	0.212	0.207	0.126	0.178	0.030	0.55	0.60	0.45
LTE band66 Ant4	FR1 n7 Ant2	Right Cheek	0.501	0.238	0.225	0.473	0.037	0.96	1.21	0.78
		Right Tilted	0.406	0.083	0.141	0.155	0.026	0.63	0.64	0.52
		Left Cheek	0.338	0.182	0.296	0.676	0.052	0.82	1.20	0.57
		Left Tilted	0.348	0.085	0.126	0.178	0.030	0.56	0.61	0.46
LTE band7 Ant2	FR1 n2 Ant4	Right Cheek	0.273	0.480	0.225	0.473	0.037	0.98	1.23	0.79
		Right Tilted	0.081	0.425	0.141	0.155	0.026	0.65	0.66	0.53
		Left Cheek	0.176	0.333	0.296	0.676	0.052	0.81	1.19	0.56
		Left Tilted	0.090	0.444	0.126	0.178	0.030	0.66	0.71	0.56
LTE band2 Ant4	FR1 n7 Ant2	Right Cheek	0.437	0.238	0.225	0.473	0.037	0.90	1.15	0.71
		Right Tilted	0.456	0.083	0.141	0.155	0.026	0.68	0.69	0.57
		Left Cheek	0.288	0.182	0.296	0.676	0.052	0.77	1.15	0.52
		Left Tilted	0.443	0.085	0.126	0.178	0.030	0.65	0.71	0.56
LTE band66 Ant4	FR1 n71 Ant1	Right Cheek	0.501	0.281	0.225	0.473	0.037	1.01	1.26	0.82
		Right Tilted	0.406	0.066	0.141	0.155	0.026	0.61	0.63	0.50
		Left Cheek	0.338	0.201	0.296	0.676	0.052	0.84	1.22	0.59
		Left Tilted	0.348	0.092	0.126	0.178	0.030	0.57	0.62	0.47
LTE band2 Ant4	FR1 n71 Ant1	Right Cheek	0.437	0.281	0.225	0.473	0.037	0.94	1.19	0.76
		Right Tilted	0.456	0.066	0.141	0.155	0.026	0.66	0.68	0.55
		Left Cheek	0.288	0.201	0.296	0.676	0.052	0.79	1.17	0.54
		Left Tilted	0.443	0.092	0.126	0.178	0.030	0.66	0.71	0.57
LTE band66 Ant1	FR1 n25 Ant4	Right Cheek	0.211	0.480	0.225	0.473	0.037	0.92	1.16	0.73
		Right Tilted	0.231	0.425	0.141	0.155	0.026	0.80	0.81	0.68
		Left Cheek	0.198	0.333	0.296	0.676	0.052	0.83	1.21	0.58
		Left Tilted	0.212	0.444	0.126	0.178	0.030	0.78	0.83	0.69
LTE band13 Ant1	FR1 n77 Ant6	Right Cheek	0.330	0.545	0.225	0.473	0.037	1.10	1.35	0.91
		Right Tilted	0.211	0.210	0.141	0.155	0.026	0.56	0.58	0.45
		Left Cheek	0.302	0.470	0.296	0.676	0.052	1.07	1.45	0.82
		Left Tilted	0.212	0.207	0.126	0.178	0.030	0.55	0.60	0.45
LTE band13 Ant1	FR1 n66 Ant4	Right Cheek	0.330	0.546	0.225	0.473	0.037	1.10	1.35	0.91
		Right Tilted	0.211	0.488	0.141	0.155	0.026	0.84	0.85	0.73
		Left Cheek	0.302	0.395	0.296	0.676	0.052	0.99	1.37	0.75
		Left Tilted	0.212	0.430	0.126	0.178	0.030	0.77	0.82	0.67
LTE band48 Ant6	FR1 n5 Ant1	Right Cheek	0.305	0.543	0.225	0.473	0.037	1.07	1.32	0.89
		Right Tilted	0.211	0.291	0.141	0.155	0.026	0.64	0.66	0.53
		Left Cheek	0.354	0.478	0.296	0.676	0.052	1.13	1.51	0.88
		Left Tilted	0.200	0.308	0.126	0.178	0.030	0.63	0.69	0.54
LTE band71 Ant1	FR1 n2 Ant4	Right Cheek	0.281	0.480	0.225	0.473	0.037	0.99	1.23	0.80
		Right Tilted	0.066	0.425	0.141	0.155	0.026	0.63	0.65	0.52
		Left Cheek	0.201	0.333	0.296	0.676	0.052	0.83	1.21	0.59
		Left Tilted	0.092	0.444	0.126	0.178	0.030	0.66	0.71	0.57
LTE band71 Ant1	FR1 n66 Ant4	Right Cheek	0.281	0.546	0.225	0.473	0.037	1.05	1.30	0.86
		Right Tilted	0.066	0.488	0.141	0.155	0.026	0.70	0.71	0.58
		Left Cheek	0.201	0.395	0.296	0.676	0.052	0.89	1.27	0.65
		Left Tilted	0.092	0.430	0.126	0.178	0.030	0.65	0.70	0.55
LTE band71 Ant1	FR1 n77 Ant6	Right Cheek	0.281	0.545	0.225	0.473	0.037	1.05	1.30	0.86
		Right Tilted	0.066	0.210	0.141	0.155	0.026	0.42	0.43	0.30
		Left Cheek	0.201	0.470	0.296	0.676	0.052	0.97	1.35	0.72
		Left Tilted	0.092	0.207	0.126	0.178	0.030	0.43	0.48	0.33
LTE band12 Ant1	FR1 n25 Ant4	Right Cheek	0.278	0.480	0.225	0.473	0.037	0.98	1.23	0.80
		Right Tilted	0.156	0.425	0.141	0.155	0.026	0.72	0.74	0.61
		Left Cheek	0.333	0.333	0.296	0.676	0.052	0.96	1.34	0.72
		Left Tilted	0.149	0.444	0.126	0.178	0.030	0.72	0.77	0.62
LTE band25 Ant1	FR1 n77 Ant6	Right Cheek	0.092	0.545	0.225	0.473	0.037	0.86	1.11	0.67
		Right Tilted	0.082	0.210	0.141	0.155	0.026	0.43	0.45	0.32
		Left Cheek	0.100	0.470	0.296	0.676	0.052	0.87	1.25	0.62



FCC SAR Test Report

Report No. : FA462605

		Left Tilted	0.089	0.207	0.126	0.178	0.030	0.42	0.47	0.33
LTE band26 Ant1	FR1 n25 Ant4	Right Cheek	0.430	0.480	0.225	0.473	0.037	1.14	1.38	0.95
		Right Tilted	0.317	0.425	0.141	0.155	0.026	0.88	0.90	0.77
		Left Cheek	0.384	0.333	0.296	0.676	0.052	1.01	1.39	0.77
		Left Tilted	0.295	0.444	0.126	0.178	0.030	0.87	0.92	0.77
LTE band48 Ant6	FR1 n66 Ant1	Right Cheek	0.305	0.195	0.225	0.473	0.037	0.73	0.97	0.54
		Right Tilted	0.211	0.219	0.141	0.155	0.026	0.57	0.59	0.46
		Left Cheek	0.354	0.214	0.296	0.676	0.052	0.86	1.24	0.62
		Left Tilted	0.200	0.217	0.126	0.178	0.030	0.54	0.60	0.45
LTE band7 Ant2	FR1 n77 Ant6	Right Cheek	0.273	0.545	0.225	0.473	0.037	1.04	1.29	0.86
		Right Tilted	0.081	0.210	0.141	0.155	0.026	0.43	0.45	0.32
		Left Cheek	0.176	0.470	0.296	0.676	0.052	0.94	1.32	0.70
		Left Tilted	0.090	0.207	0.126	0.178	0.030	0.42	0.48	0.33
LTE band13 Ant1	FR1 n25 Ant4	Right Cheek	0.330	0.480	0.225	0.473	0.037	1.04	1.28	0.85
		Right Tilted	0.211	0.425	0.141	0.155	0.026	0.78	0.79	0.66
		Left Cheek	0.302	0.333	0.296	0.676	0.052	0.93	1.31	0.69
		Left Tilted	0.212	0.444	0.126	0.178	0.030	0.78	0.83	0.69



15.2 Hotspot Exposure Conditions

<Flip Open>

WWAN Band	Exposure Position	1	2	3	4	1+2	1+3	1+4
		WWAN	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
WWAN All Bands Ant1	Front	1.111	0.040	0.148	0.024	1.15	1.26	1.14
	Back	1.080	0.130	0.240	0.050	1.21	1.32	1.13
	Left side	0.751	0.090	0.152	0.036	0.84	0.90	0.79
	Right side	0.417		0.054	0.017	0.42	0.47	0.43
	Top side		0.307	0.335	0.091	0.31	0.34	0.09
	Bottom side	1.202				1.20	1.20	1.20
WWAN All Bands Ant2	Front	0.573	0.040	0.148	0.024	0.61	0.72	0.60
	Back	1.046	0.130	0.240	0.050	1.18	1.29	1.10
	Left side	0.107	0.090	0.152	0.036	0.20	0.26	0.14
	Right side	0.989		0.054	0.017	0.99	1.04	1.01
	Top side		0.307	0.335	0.091	0.31	0.34	0.09
	Bottom side	0.287				0.29	0.29	0.29
WWAN All Bands Ant4	Front	0.195	0.040	0.148	0.024	0.24	0.34	0.22
	Back	1.072	0.130	0.240	0.050	1.20	1.31	1.12
	Left side	0.061	0.090	0.152	0.036	0.15	0.21	0.10
	Right side	1.075		0.054	0.017	1.08	1.13	1.09
	Top side	0.452	0.307	0.335	0.091	0.76	0.79	0.54
	Bottom side					0.00	0.00	0.00
WWAN All Bands Ant5	Front	0.178	0.040	0.148	0.024	0.22	0.33	0.20
	Back	0.931	0.130	0.240	0.050	1.06	1.17	0.98
	Left side	0.218	0.090	0.152	0.036	0.31	0.37	0.25
	Right side	0.715		0.054	0.017	0.72	0.77	0.73
	Top side	0.294	0.307	0.335	0.091	0.60	0.63	0.39
	Bottom side	0.192				0.19	0.19	0.19
WWAN All Bands Ant6	Front	0.322	0.040	0.148	0.024	0.36	0.47	0.35
	Back	0.845	0.130	0.240	0.050	0.98	1.09	0.90
	Left side	1.116	0.090	0.152	0.036	1.21	1.27	1.15
	Right side	0.117		0.054	0.017	0.12	0.17	0.13
	Top side	1.067	0.307	0.335	0.091	1.37	1.40	1.16
	Bottom side					0.00	0.00	0.00
WWAN All Bands Ant7	Front	0.220	0.040	0.148	0.024	0.26	0.37	0.24
	Back	1.223	0.130	0.240	0.050	1.35	1.46	1.27
	Left side	1.219	0.090	0.152	0.036	1.31	1.37	1.26
	Right side	0.152		0.054	0.017	0.15	0.21	0.17
	Top side		0.307	0.335	0.091	0.31	0.34	0.09
	Bottom side	0.155				0.16	0.16	0.16

For ENDC

WWAN Band	FR1 Band	Exposure Position	1	2	3	4	5	1+2+3	1+2+4	1+2+5	Case No
			WWAN	FR1	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed	
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	
LTE band7 Ant2	FR1 n66 Ant1	Front	0.462	0.697	0.040	0.148	0.024	1.20	1.31	1.18	
		Back	0.656	0.619	0.130	0.240	0.050	1.41	1.52	1.33	
		Left side	0.069	0.307	0.090	0.152	0.036	0.47	0.53	0.41	
		Right side	0.613	0.098		0.054	0.017	0.71	0.77	0.73	
		Top side			0.307	0.335	0.091	0.31	0.34	0.09	
		Bottom side	0.140	0.927				1.07	1.07	1.07	
LTE All	FR1 All	Front	0.788	0.521	0.040	0.148	0.024	1.35	1.46	1.33	



FCC SAR Test Report

Report No. : FA462605

Bands(2,4,5,12,25,26,66,71) Ant1	Bands(n38,41) Ant2	Back	0.743	0.561	0.130	0.240	0.050	1.43	1.54	1.35	
		Left side	0.738	0.058	0.090	0.152	0.036	0.89	0.95	0.83	
		Right side	0.417	0.894		0.054	0.017	1.31	1.37	1.33	
		Top side			0.307	0.335	0.091	0.31	0.34	0.09	
		Bottom side	1.202	0.223				1.43	1.43	1.43	
LTE band12 Ant1	FR1 n66 Ant4	Front	0.663	0.110	0.040	0.148	0.024	0.81	0.92	0.80	
		Back	0.743	0.523	0.130	0.240	0.050	1.40	1.51	1.32	
		Left side	0.738		0.090	0.152	0.036	0.83	0.89	0.77	
		Right side	0.417	0.314		0.054	0.017	0.73	0.79	0.75	
		Top side		0.446	0.307	0.335	0.091	0.75	0.78	0.54	
LTE band12 Ant1	FR1 n77 Ant6	Bottom side	0.069					0.07	0.07	0.07	
		Front	0.663	0.322	0.040	0.148	0.024	1.03	1.13	1.01	
		Back	0.743	0.407	0.130	0.240	0.050	1.28	1.39	1.20	
		Left side	0.738	0.590	0.090	0.152	0.036	1.42	1.48	1.36	
		Right side	0.417	0.117		0.054	0.017	0.53	0.59	0.55	
LTE band14 Ant1	FR1 n2 Ant4	Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12	
		Bottom side	0.069					0.07	0.07	0.07	
		Front	0.490		0.040	0.148	0.024	0.53	0.64	0.51	
		Back	0.475	0.527	0.130	0.240	0.050	1.13	1.24	1.05	
		Left side	0.239		0.090	0.152	0.036	0.33	0.39	0.28	
LTE band14 Ant1	FR1 n66 Ant4	Right side	0.226	0.287		0.054	0.017	0.51	0.57	0.53	
		Top side		0.376	0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side	0.120					0.12	0.12	0.12	
		Front	0.490	0.110	0.040	0.148	0.024	0.64	0.75	0.62	
		Back	0.475	0.523	0.130	0.240	0.050	1.13	1.24	1.05	
LTE band14 Ant1	FR1 n77 Ant6	Left side	0.239		0.090	0.152	0.036	0.33	0.39	0.28	
		Right side	0.226	0.314		0.054	0.017	0.54	0.59	0.56	
		Top side		0.446	0.307	0.335	0.091	0.75	0.78	0.54	
		Bottom side	0.120					0.12	0.12	0.12	
		Front	0.490	0.322	0.040	0.148	0.024	0.85	0.96	0.84	
LTE band2 Ant4	FR1 n5 Ant1	Back	0.475	0.407	0.130	0.240	0.050	1.01	1.12	0.93	
		Left side	0.239	0.590	0.090	0.152	0.036	0.92	0.98	0.87	
		Right side	0.226	0.117		0.054	0.017	0.34	0.40	0.36	
		Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12	
		Bottom side	0.120					0.12	0.12	0.12	
LTE band2 Ant4	FR1 n6 Ant1	Front		0.762	0.040	0.148	0.024	0.80	0.91	0.79	
		Back	0.554	0.400	0.130	0.240	0.050	1.08	1.19	1.00	
		Left side		0.279	0.090	0.152	0.036	0.37	0.43	0.32	
		Right side	0.298	0.228		0.054	0.017	0.53	0.58	0.54	
		Top side	0.377		0.307	0.335	0.091	0.68	0.71	0.47	
LTE band5 Ant1	FR1 n66 Ant4	Bottom side		0.192				0.19	0.19	0.19	
		Front		0.697	0.040	0.148	0.024	0.74	0.85	0.72	
		Back	0.554	0.619	0.130	0.240	0.050	1.30	1.41	1.22	
		Left side		0.307	0.090	0.152	0.036	0.40	0.46	0.34	
		Right side	0.298	0.098		0.054	0.017	0.40	0.45	0.41	
LTE band5 Ant1	FR1 n77 Ant6	Top side	0.377		0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side		0.927				0.93	0.93	0.93	
		Front	0.681	0.110	0.040	0.148	0.024	0.83	0.94	0.82	
		Back	0.520	0.523	0.130	0.240	0.050	1.17	1.28	1.09	
		Left side	0.309		0.090	0.152	0.036	0.40	0.46	0.35	
LTE band5 Ant1	FR1 n66 Ant4	Right side	0.287	0.314		0.054	0.017	0.60	0.66	0.62	
		Top side		0.446	0.307	0.335	0.091	0.75	0.78	0.54	
		Bottom side	0.208					0.21	0.21	0.21	
LTE band5 Ant1	FR1 n77 Ant6	Front	0.681	0.322	0.040	0.148	0.024	1.04	1.15	1.03	
		Back	0.520	0.407	0.130	0.240	0.050	1.06	1.17	0.98	
		Left side	0.309	0.590	0.090	0.152	0.036	0.99	1.05	0.94	



FCC SAR Test Report

Report No. : FA462605

		Right side	0.287	0.117		0.054	0.017	0.40	0.46	0.42	
		Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12	
		Bottom side	0.208					0.21	0.21	0.21	
LTE band66 Ant4	FR1 n5 Ant1	Front	0.111	0.762	0.040	0.148	0.024	0.91	1.02	0.90	
		Back	0.557	0.400	0.130	0.240	0.050	1.09	1.20	1.01	
		Left side		0.279	0.090	0.152	0.036	0.37	0.43	0.32	
		Right side	0.287	0.228		0.054	0.017	0.52	0.57	0.53	
		Top side	0.452		0.307	0.335	0.091	0.76	0.79	0.54	
		Bottom side		0.192				0.19	0.19	0.19	
LTE band66 Ant1	FR1 n77 Ant6	Front	0.741	0.322	0.040	0.148	0.024	1.10	1.21	1.09	
		Back	0.743	0.407	0.130	0.240	0.050	1.28	1.39	1.20	
		Left side	0.283	0.590	0.090	0.152	0.036	0.96	1.03	0.91	
		Right side	0.083	0.117		0.054	0.017	0.20	0.25	0.22	
		Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12	
		Bottom side	1.195					1.20	1.20	1.20	
LTE band66 Ant4	FR1 n7 Ant2	Front	0.111	0.573	0.040	0.148	0.024	0.72	0.83	0.71	
		Back	0.557	0.865	0.130	0.240	0.050	1.55	1.66	1.47	5
		Left side		0.107	0.090	0.152	0.036	0.20	0.26	0.14	
		Right side	0.287	0.964		0.054	0.017	1.25	1.31	1.27	
		Top side	0.452		0.307	0.335	0.091	0.76	0.79	0.54	
		Bottom side		0.188				0.19	0.19	0.19	
LTE band7 Ant2	FR1 n2 Ant4	Front	0.462		0.040	0.148	0.024	0.50	0.61	0.49	
		Back	0.653	0.527	0.130	0.240	0.050	1.31	1.42	1.23	
		Left side	0.069		0.090	0.152	0.036	0.16	0.22	0.11	
		Right side	0.610	0.287		0.054	0.017	0.90	0.95	0.91	
		Top side		0.376	0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side	0.140					0.14	0.14	0.14	
LTE band2 Ant4	FR1 n7 Ant2	Front		0.573	0.040	0.148	0.024	0.61	0.72	0.60	
		Back	0.554	0.865	0.130	0.240	0.050	1.55	1.66	1.47	6
		Left side		0.107	0.090	0.152	0.036	0.20	0.26	0.14	
		Right side	0.298	0.964		0.054	0.017	1.26	1.32	1.28	
		Top side	0.377		0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side		0.188				0.19	0.19	0.19	
LTE band7 Ant2	FR1 n77 Ant6	Front	0.462	0.322	0.040	0.148	0.024	0.82	0.93	0.81	
		Back	0.653	0.407	0.130	0.240	0.050	1.19	1.30	1.11	
		Left side	0.069	0.590	0.090	0.152	0.036	0.75	0.81	0.70	
		Right side	0.610	0.117		0.054	0.017	0.73	0.78	0.74	
		Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12	
		Bottom side	0.140					0.14	0.14	0.14	
LTE band66 Ant4	FR1 n71 Ant1	Front	0.111	0.716	0.040	0.148	0.024	0.87	0.98	0.85	
		Back	0.557	0.875	0.130	0.240	0.050	1.56	1.67	1.48	7
		Left side		0.751	0.090	0.152	0.036	0.84	0.90	0.79	
		Right side	0.287	0.282		0.054	0.017	0.57	0.62	0.59	
		Top side	0.452		0.307	0.335	0.091	0.76	0.79	0.54	
		Bottom side		0.088				0.09	0.09	0.09	
LTE band2 Ant4	FR1 n71 Ant1	Front		0.716	0.040	0.148	0.024	0.76	0.86	0.74	
		Back	n66 ba	0.875	0.130	0.240	0.050	1.56	1.67	1.48	8
		Left side		0.751	0.090	0.152	0.036	0.84	0.90	0.79	
		Right side	0.298	0.282		0.054	0.017	0.58	0.63	0.60	
		Top side	0.377		0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side		0.088				0.09	0.09	0.09	
LTE band66 Ant1	FR1 n25 Ant4	Front	0.741		0.040	0.148	0.024	0.78	0.89	0.77	
		Back	0.743	0.527	0.130	0.240	0.050	1.40	1.51	1.32	
		Left side	0.283		0.090	0.152	0.036	0.37	0.44	0.32	
		Right side	0.083	0.287		0.054	0.017	0.37	0.42	0.39	
		Top side		0.376	0.307	0.335	0.091	0.68	0.71	0.47	



FCC SAR Test Report

Report No. : FA462605

		Bottom side	1.195					1.20	1.20	1.20	
LTE band13 Ant1	FR1 n77 Ant6	Front	0.491	0.322	0.040	0.148	0.024	0.85	0.96	0.84	
		Back	0.517	0.407	0.130	0.240	0.050	1.05	1.16	0.97	
		Left side	0.344	0.590	0.090	0.152	0.036	1.02	1.09	0.97	
		Right side	0.361	0.117		0.054	0.017	0.48	0.53	0.50	
		Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12	
		Bottom side	0.190					0.19	0.19	0.19	
LTE band13 Ant1	FR1 n66 Ant4	Front	0.491	0.110	0.040	0.148	0.024	0.64	0.75	0.63	
		Back	0.517	0.523	0.130	0.240	0.050	1.17	1.28	1.09	
		Left side	0.344		0.090	0.152	0.036	0.43	0.50	0.38	
		Right side	0.361	0.314		0.054	0.017	0.68	0.73	0.69	
		Top side		0.446	0.307	0.335	0.091	0.75	0.78	0.54	
		Bottom side	0.190					0.19	0.19	0.19	
LTE band48 Ant6	FR1 n5 Ant1	Front	0.273	0.762	0.040	0.148	0.024	1.08	1.18	1.06	
		Back	0.739	0.400	0.130	0.240	0.050	1.27	1.38	1.19	
		Left side	0.865	0.279	0.090	0.152	0.036	1.23	1.30	1.18	
		Right side	0.077	0.228		0.054	0.017	0.31	0.36	0.32	
		Top side	0.908		0.307	0.335	0.091	1.22	1.24	1.00	
		Bottom side		0.192				0.19	0.19	0.19	
LTE band71 Ant1	FR1 n2 Ant4	Front	0.684		0.040	0.148	0.024	0.72	0.83	0.71	
		Back	0.660	0.527	0.130	0.240	0.050	1.32	1.43	1.24	
		Left side	0.694		0.090	0.152	0.036	0.78	0.85	0.73	
		Right side	0.256	0.287		0.054	0.017	0.54	0.60	0.56	
		Top side		0.376	0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side	0.077					0.08	0.08	0.08	
LTE band71 Ant1	FR1 n66 Ant4	Front	0.684	0.110	0.040	0.148	0.024	0.83	0.94	0.82	
		Back	0.660	0.523	0.130	0.240	0.050	1.31	1.42	1.23	
		Left side	0.694		0.090	0.152	0.036	0.78	0.85	0.73	
		Right side	0.256	0.314		0.054	0.017	0.57	0.62	0.59	
		Top side		0.446	0.307	0.335	0.091	0.75	0.78	0.54	
		Bottom side	0.077					0.08	0.08	0.08	
LTE band71 Ant1	FR1 n77 Ant6	Front	0.684	0.322	0.040	0.148	0.024	1.05	1.15	1.03	
		Back	0.660	0.407	0.130	0.240	0.050	1.20	1.31	1.12	
		Left side	0.694	0.590	0.090	0.152	0.036	1.37	1.44	1.32	
		Right side	0.256	0.117		0.054	0.017	0.37	0.43	0.39	
		Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12	
		Bottom side	0.077					0.08	0.08	0.08	

WWAN Band	FR1 Band	Exposure Position	1	2	3	4	5	1+2+3	1+2+4	1+2+5	Case No
			WWAN	FR1	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed	
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	
LTE band12 Ant1	FR1 n25 Ant4	Front	0.663		0.040	0.148	0.024	0.70	0.81	0.69	
		Back	0.743	0.527	0.130	0.240	0.050	1.40	1.51	1.32	
		Left side	0.738		0.090	0.152	0.036	0.83	0.89	0.77	
		Right side	0.417	0.287		0.054	0.017	0.70	0.76	0.72	
		Top side		0.376	0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side	0.069					0.07	0.07	0.07	
LTE band13 Ant1	FR1 n25 Ant4	Front	0.491		0.040	0.148	0.024	0.53	0.64	0.52	
		Back	0.517	0.527	0.130	0.240	0.050	1.17	1.28	1.09	
		Left side	0.344		0.090	0.152	0.036	0.43	0.50	0.38	
		Right side	0.361	0.287		0.054	0.017	0.65	0.70	0.67	
		Top side		0.376	0.307	0.335	0.091	0.68	0.71	0.47	
		Bottom side	0.190					0.19	0.19	0.19	
LTE band25	FR1 n77	Front	0.788	0.322	0.040	0.148	0.024	1.15	1.26	1.13	
		Back	0.726	0.407	0.130	0.240	0.050	1.26	1.37	1.18	



FCC SAR Test Report

Report No. : FA462605

Ant1	Ant6	Left side	0.151	0.590	0.090	0.152	0.036	0.83	0.78	
		Right side	0.063	0.117		0.054	0.017	0.18	0.23	0.20
		Top side		1.033	0.307	0.335	0.091	1.34	1.37	1.12
		Bottom side	1.202					1.20	1.20	1.20
LTE band26 Ant1	FR1 n25 Ant4	Front	0.681		0.040	0.148	0.024	0.72	0.83	0.71
		Back	0.520	0.527	0.130	0.240	0.050	1.18	1.29	1.10
		Left side	0.309		0.090	0.152	0.036	0.40	0.46	0.35
		Right side	0.287	0.287		0.054	0.017	0.57	0.63	0.59
		Top side		0.376	0.307	0.335	0.091	0.68	0.71	0.47
		Bottom side	0.208					0.21	0.21	0.21
LTE band48 Ant6	FR1 n66 Ant1	Front	0.273	0.697	0.040	0.148	0.024	1.01	1.12	0.99
		Back	0.739	0.619	0.130	0.240	0.050	1.49	1.60	1.41
		Left side	0.865	0.307	0.090	0.152	0.036	1.26	1.32	1.21
		Right side	0.077	0.098		0.054	0.017	0.18	0.23	0.19
		Top side	0.908		0.307	0.335	0.091	1.22	1.24	1.00
		Bottom side		0.927				0.93	0.93	0.93

<Flip Close >

WWAN Band	Exposure Position	1	2	3	4	1+2	1+3	1+4
		WWAN	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
WWAN All Bands Ant1	Front	0.611		0.207	0.010	0.61	0.82	0.62
	Back	1.197	0.146	0.264	0.067	1.34	1.46	1.26
	Left side	0.953	0.078	0.276	0.008	1.03	1.23	0.96
	Right side	0.522		0.137	0.005	0.52	0.66	0.53
	Top side		0.388	0.322	0.117	0.39	0.32	0.12
	Bottom side	1.205				1.21	1.21	1.21
WWAN All Bands Ant2	Front	0.258		0.207	0.010	0.26	0.47	0.27
	Back	1.022	0.146	0.264	0.067	1.17	1.29	1.09
	Left side	0.160	0.078	0.276	0.008	0.24	0.44	0.17
	Right side	1.030		0.137	0.005	1.03	1.17	1.04
	Top side		0.388	0.322	0.117	0.39	0.32	0.12
	Bottom side	0.287				0.29	0.29	0.29
WWAN All Bands Ant4	Front	0.082		0.207	0.010	0.08	0.29	0.09
	Back	0.812	0.146	0.264	0.067	0.96	1.08	0.88
	Left side	0.001	0.078	0.276	0.008	0.08	0.28	0.01
	Right side	0.857		0.137	0.005	0.86	0.99	0.86
	Top side	0.193	0.388	0.322	0.117	0.58	0.52	0.31
	Bottom side					0.00	0.00	0.00
WWAN All Bands Ant5	Front	0.173		0.207	0.010	0.17	0.38	0.18
	Back	0.939	0.146	0.264	0.067	1.09	1.20	1.01
	Left side	0.260	0.078	0.276	0.008	0.34	0.54	0.27
	Right side	0.777		0.137	0.005	0.78	0.91	0.78
	Top side	0.059	0.388	0.322	0.117	0.45	0.38	0.18
	Bottom side	0.145				0.15	0.15	0.15
WWAN All Bands Ant6	Front	0.404		0.207	0.010	0.40	0.61	0.41
	Back	0.962	0.146	0.264	0.067	1.11	1.23	1.03
	Left side	1.070	0.078	0.276	0.008	1.15	1.35	1.08
	Right side	0.157		0.137	0.005	0.16	0.29	0.16
	Top side	1.060	0.388	0.322	0.117	1.45	1.38	1.18
	Bottom side					0.00	0.00	0.00
WWAN All Bands Ant7	Front	0.128		0.207	0.010	0.13	0.34	0.14
	Back	1.231	0.146	0.264	0.067	1.38	1.50	1.30
	Left side	0.441	0.078	0.276	0.008	0.52	0.72	0.45
	Right side	0.183		0.137	0.005	0.18	0.32	0.19



FCC SAR Test Report

Report No. : FA462605

	Top side		0.388	0.322	0.117	0.39	0.32	0.12
	Bottom side	0.160				0.16	0.16	0.16

For ENDC

WWAN Band	FR1 Band	Exposure Position	1	2	3	4	5	1+2+3	1+2+4	1+2+5	Case No
			WWAN 1g SAR (W/kg)	FR1 1g SAR (W/kg)	WLAN2.4GHz Ant 3 1g SAR (W/kg)	WLAN5GHz Ant 3 1g SAR (W/kg)	Bluetooth Ant 3 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Summed 1g SAR (W/kg)	
LTE band7 Ant2	FR1 n66 Ant1	Front	0.258	0.312		0.207	0.010	0.57	0.78	0.58	
		Back	0.607	0.564	0.146	0.264	0.067	1.32	1.44	1.24	
		Left side	0.160	0.267	0.078	0.276	0.008	0.51	0.70	0.44	
		Right side	0.671	0.049		0.137	0.005	0.72	0.86	0.73	
		Top side			0.388	0.322	0.117	0.39	0.32	0.12	
		Bottom side	0.287	1.133				1.42	1.42	1.42	
LTE All Bands(2,4,5,12,25,26,66,71) Ant1	FR1 All Bands(n38,41) Ant2	Front	0.479	0.184		0.207	0.010	0.66	0.87	0.67	
		Back	0.702	0.537	0.146	0.264	0.067	1.39	1.50	1.31	
		Left side	0.657	0.040	0.078	0.276	0.008	0.78	0.97	0.71	
		Right side	0.522	0.513		0.137	0.005	1.04	1.17	1.04	
		Top side			0.388	0.322	0.117	0.39	0.32	0.12	
		Bottom side	1.205	0.268				1.47	1.47	1.47	
LTE band12 Ant1	FR1 n66 Ant4	Front	0.479	0.059		0.207	0.010	0.54	0.75	0.55	
		Back	0.661	0.547	0.146	0.264	0.067	1.35	1.47	1.28	
		Left side	0.646		0.078	0.276	0.008	0.72	0.92	0.65	
		Right side	0.310	0.272		0.137	0.005	0.58	0.72	0.59	
		Top side		0.176	0.388	0.322	0.117	0.56	0.50	0.29	
		Bottom side	0.085					0.09	0.09	0.09	
LTE band12 Ant1	FR1 n77 Ant6	Front	0.479	0.404		0.207	0.010	0.88	1.09	0.89	
		Back	0.661	0.492	0.146	0.264	0.067	1.30	1.42	1.22	
		Left side	0.646	0.572	0.078	0.276	0.008	1.30	1.49	1.23	
		Right side	0.310	0.157		0.137	0.005	0.47	0.60	0.47	
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18	
		Bottom side	0.085					0.09	0.09	0.09	
LTE band14 Ant1	FR1 n2 Ant4	Front	0.550			0.207	0.010	0.55	0.76	0.56	
		Back	0.647	0.552	0.146	0.264	0.067	1.35	1.46	1.27	
		Left side	0.612		0.078	0.276	0.008	0.69	0.89	0.62	
		Right side	0.519	0.380		0.137	0.005	0.90	1.04	0.90	
		Top side		0.149	0.388	0.322	0.117	0.54	0.47	0.27	
		Bottom side	0.083					0.08	0.08	0.08	
LTE band14 Ant1	FR1 n66 Ant4	Front	0.550	0.059		0.207	0.010	0.61	0.82	0.62	
		Back	0.647	0.547	0.146	0.264	0.067	1.34	1.46	1.26	
		Left side	0.612		0.078	0.276	0.008	0.69	0.89	0.62	
		Right side	0.519	0.272		0.137	0.005	0.79	0.93	0.80	
		Top side		0.176	0.388	0.322	0.117	0.56	0.50	0.29	
		Bottom side	0.083					0.08	0.08	0.08	
LTE band14 Ant1	FR1 n77 Ant6	Front	0.550	0.404		0.207	0.010	0.95	1.16	0.96	
		Back	0.647	0.492	0.146	0.264	0.067	1.29	1.40	1.21	
		Left side	0.612	0.572	0.078	0.276	0.008	1.26	1.46	1.19	
		Right side	0.519	0.157		0.137	0.005	0.68	0.81	0.68	
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18	
		Bottom side	0.083					0.08	0.08	0.08	
LTE band2 Ant4	FR1 n5 Ant1	Front		0.452		0.207	0.010	0.45	0.66	0.46	
		Back	0.567	0.610	0.146	0.264	0.067	1.32	1.44	1.24	
		Left side		0.400	0.078	0.276	0.008	0.48	0.68	0.41	
		Right side	0.393	0.243		0.137	0.005	0.64	0.77	0.64	
		Top side	0.164		0.388	0.322	0.117	0.55	0.49	0.28	
		Bottom side		0.210				0.21	0.21	0.21	



FCC SAR Test Report

Report No. : FA462605

LTE band2 Ant4	FR1 n66 Ant1	Front		0.312		0.207	0.010	0.31	0.52	0.32	
		Back	0.567	0.564	0.146	0.264	0.067	1.28	1.40	1.20	
		Left side		0.267	0.078	0.276	0.008	0.35	0.54	0.28	
		Right side	0.393	0.049		0.137	0.005	0.44	0.58	0.45	
		Top side	0.164		0.388	0.322	0.117	0.55	0.49	0.28	
		Bottom side		1.133				1.13	1.13	1.13	
LTE band5 Ant1	FR1 n66 Ant4	Front	0.346	0.059		0.207	0.010	0.41	0.61	0.42	
		Back	0.702	0.547	0.146	0.264	0.067	1.40	1.51	1.32	
		Left side	0.605		0.078	0.276	0.008	0.68	0.88	0.61	
		Right side	0.522	0.272		0.137	0.005	0.79	0.93	0.80	
		Top side		0.176	0.388	0.322	0.117	0.56	0.50	0.29	
		Bottom side	0.169					0.17	0.17	0.17	
LTE band5 Ant1	FR1 n77 Ant6	Front	0.346	0.404		0.207	0.010	0.75	0.96	0.76	
		Back	0.702	0.492	0.146	0.264	0.067	1.34	1.46	1.26	
		Left side	0.605	0.572	0.078	0.276	0.008	1.26	1.45	1.19	
		Right side	0.522	0.157		0.137	0.005	0.68	0.82	0.68	
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18	
		Bottom side	0.169					0.17	0.17	0.17	
LTE band66 Ant4	FR1 n5 Ant1	Front	0.058	0.452		0.207	0.010	0.51	0.72	0.52	
		Back	0.579	0.610	0.146	0.264	0.067	1.34	1.45	1.26	
		Left side		0.400	0.078	0.276	0.008	0.48	0.68	0.41	
		Right side	0.318	0.243		0.137	0.005	0.56	0.70	0.57	
		Top side	0.193		0.388	0.322	0.117	0.58	0.52	0.31	
		Bottom side		0.210				0.21	0.21	0.21	
LTE band66 Ant1	FR1 n77 Ant6	Front	0.265	0.404		0.207	0.010	0.67	0.88	0.68	
		Back	0.664	0.492	0.146	0.264	0.067	1.30	1.42	1.22	
		Left side	0.194	0.572	0.078	0.276	0.008	0.84	1.04	0.77	
		Right side	0.081	0.157		0.137	0.005	0.24	0.38	0.24	
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18	
		Bottom side	1.205					1.21	1.21	1.21	
LTE band66 Ant4	FR1 n7 Ant2	Front	0.058	0.200		0.207	0.010	0.26	0.47	0.27	
		Back	0.579	0.728	0.146	0.264	0.067	1.45	1.57	1.37	
		Left side		0.107	0.078	0.276	0.008	0.19	0.38	0.12	
		Right side	0.318	1.030		0.137	0.005	1.35	1.49	1.35	
		Top side	0.193		0.388	0.322	0.117	0.58	0.52	0.31	
		Bottom side		0.243				0.24	0.24	0.24	
LTE band7 Ant2	FR1 n2 Ant4	Front	0.258			0.207	0.010	0.26	0.47	0.27	
		Back	0.607	0.552	0.146	0.264	0.067	1.31	1.42	1.23	
		Left side	0.160		0.078	0.276	0.008	0.24	0.44	0.17	
		Right side	0.671	0.380		0.137	0.005	1.05	1.19	1.06	
		Top side		0.149	0.388	0.322	0.117	0.54	0.47	0.27	
		Bottom side	0.287					0.29	0.29	0.29	
LTE band2 Ant4	FR1 n7 Ant2	Front		0.200		0.207	0.010	0.20	0.41	0.21	
		Back	0.567	0.728	0.146	0.264	0.067	1.44	1.56	1.36	
		Left side		0.107	0.078	0.276	0.008	0.19	0.38	0.12	
		Right side	0.393	1.030		0.137	0.005	1.42	1.56	1.43	
		Top side	0.164		0.388	0.322	0.117	0.55	0.49	0.28	
		Bottom side		0.243				0.24	0.24	0.24	
LTE band7 Ant2	FR1 n77 Ant6	Front	0.258	0.404		0.207	0.010	0.66	0.87	0.67	
		Back	0.607	0.492	0.146	0.264	0.067	1.25	1.36	1.17	
		Left side	0.160	0.572	0.078	0.276	0.008	0.81	1.01	0.74	
		Right side	0.671	0.157		0.137	0.005	0.83	0.97	0.83	
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18	
		Bottom side	0.287					0.29	0.29	0.29	
LTE band66 Ant4	FR1 n71 Ant1	Front	0.058	0.422		0.207	0.010	0.48	0.69	0.49	
		Back	0.579	0.818	0.146	0.264	0.067	1.54	1.66	1.46	1



FCC SAR Test Report

Report No. : FA462605

		Left side		0.614	0.078	0.276	0.008	0.69	0.89	0.62	
		Right side	0.318	0.303		0.137	0.005	0.62	0.76	0.63	
		Top side	0.193		0.388	0.322	0.117	0.58	0.52	0.31	
		Bottom side		0.101				0.10	0.10	0.10	
LTE band2 Ant4	FR1 n71 Ant1	Front		0.422		0.207	0.010	0.42	0.63	0.43	
		Back	0.567	0.818	0.146	0.264	0.067	1.53	1.65	1.45	2
		Left side		0.614	0.078	0.276	0.008	0.69	0.89	0.62	
		Right side	0.393	0.303		0.137	0.005	0.70	0.83	0.70	
		Top side	0.164		0.388	0.322	0.117	0.55	0.49	0.28	
		Bottom side		0.101				0.10	0.10	0.10	
LTE band66 Ant1	FR1 n25 Ant4	Front	0.265			0.207	0.010	0.27	0.47	0.28	
		Back	0.664	0.552	0.146	0.264	0.067	1.36	1.48	1.28	
		Left side	0.194		0.078	0.276	0.008	0.27	0.47	0.20	
		Right side	0.081	0.380		0.137	0.005	0.46	0.60	0.47	
		Top side		0.149	0.388	0.322	0.117	0.54	0.47	0.27	
		Bottom side	1.205					1.21	1.21	1.21	
LTE band13 Ant1	FR1 n77 Ant6	Front	0.410	0.404		0.207	0.010	0.81	1.02	0.82	
		Back	0.574	0.492	0.146	0.264	0.067	1.21	1.33	1.13	
		Left side	0.709	0.572	0.078	0.276	0.008	1.36	1.56	1.29	
		Right side	0.387	0.157		0.137	0.005	0.54	0.68	0.55	
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18	
		Bottom side	0.061					0.06	0.06	0.06	
LTE band13 Ant1	FR1 n66 Ant4	Front	0.410	0.059		0.207	0.010	0.47	0.68	0.48	
		Back	0.574	0.547	0.146	0.264	0.067	1.27	1.39	1.19	
		Left side	0.709		0.078	0.276	0.008	0.79	0.99	0.72	
		Right side	0.387	0.272		0.137	0.005	0.66	0.80	0.66	
		Top side		0.176	0.388	0.322	0.117	0.56	0.50	0.29	
		Bottom side	0.061					0.06	0.06	0.06	
LTE band48 Ant6	FR1 n5 Ant1	Front	0.211	0.452		0.207	0.010	0.66	0.87	0.67	
		Back	0.592	0.610	0.146	0.264	0.067	1.35	1.47	1.27	
		Left side	0.759	0.400	0.078	0.276	0.008	1.24	1.44	1.17	
		Right side	0.089	0.243		0.137	0.005	0.33	0.47	0.34	
		Top side	0.582		0.388	0.322	0.117	0.97	0.90	0.70	
		Bottom side		0.210				0.21	0.21	0.21	
LTE band71 Ant1	FR1 n2 Ant4	Front	0.459			0.207	0.010	0.46	0.67	0.47	
		Back	0.685	0.552	0.146	0.264	0.067	1.38	1.50	1.30	
		Left side	0.657		0.078	0.276	0.008	0.74	0.93	0.67	
		Right side	0.320	0.380		0.137	0.005	0.70	0.84	0.71	
		Top side		0.149	0.388	0.322	0.117	0.54	0.47	0.27	
		Bottom side	0.118					0.12	0.12	0.12	
LTE band71 Ant1	FR1 n66 Ant4	Front	0.459	0.059		0.207	0.010	0.52	0.73	0.53	
		Back	0.685	0.547	0.146	0.264	0.067	1.38	1.50	1.30	
		Left side	0.657		0.078	0.276	0.008	0.74	0.93	0.67	
		Right side	0.320	0.272		0.137	0.005	0.59	0.73	0.60	
		Top side		0.176	0.388	0.322	0.117	0.56	0.50	0.29	
		Bottom side	0.118					0.12	0.12	0.12	
LTE band71 Ant1	FR1 n77 Ant6	Front	0.459	0.404		0.207	0.010	0.86	1.07	0.87	
		Back	0.685	0.492	0.146	0.264	0.067	1.32	1.44	1.24	
		Left side	0.657	0.572	0.078	0.276	0.008	1.31	1.51	1.24	
		Right side	0.320	0.157		0.137	0.005	0.48	0.61	0.48	
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18	
		Bottom side	0.118					0.12	0.12	0.12	



FCC SAR Test Report

Report No. : FA462605

WWAN Band	FR1 Band	Exposure Position	1	2	3	4	5	1+2+3 Summed 1g SAR (W/kg)	1+2+4 Summed 1g SAR (W/kg)	1+2+5 Summed 1g SAR (W/kg)
			WWAN	FR1	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3			
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)			
LTE band12 Ant1	FR1 n25 Ant4	Front	0.479			0.207	0.010	0.48	0.69	0.49
		Back	0.661	0.552	0.146	0.264	0.067	1.36	1.48	1.28
		Left side	0.646		0.078	0.276	0.008	0.72	0.92	0.65
		Right side	0.310	0.380		0.137	0.005	0.69	0.83	0.70
		Top side		0.149	0.388	0.322	0.117	0.54	0.47	0.27
		Bottom side	0.085					0.09	0.09	0.09
LTE band13 Ant1	FR1 n25 Ant4	Front	0.410			0.207	0.010	0.41	0.62	0.42
		Back	0.574	0.552	0.146	0.264	0.067	1.27	1.39	1.19
		Left side	0.709		0.078	0.276	0.008	0.79	0.99	0.72
		Right side	0.387	0.380		0.137	0.005	0.77	0.90	0.77
		Top side		0.149	0.388	0.322	0.117	0.54	0.47	0.27
		Bottom side	0.061					0.06	0.06	0.06
LTE band25 Ant1	FR1 n77 Ant6	Front	0.164	0.404		0.207	0.010	0.57	0.78	0.58
		Back	0.700	0.492	0.146	0.264	0.067	1.34	1.46	1.26
		Left side	0.114	0.572	0.078	0.276	0.008	0.76	0.96	0.69
		Right side	0.066	0.157		0.137	0.005	0.22	0.36	0.23
		Top side		1.060	0.388	0.322	0.117	1.45	1.38	1.18
		Bottom side	1.190					1.19	1.19	1.19
LTE band26 Ant1	FR1 n25 Ant4	Front	0.346			0.207	0.010	0.35	0.55	0.36
		Back	0.702	0.552	0.146	0.264	0.067	1.40	1.52	1.32
		Left side	0.605		0.078	0.276	0.008	0.68	0.88	0.61
		Right side	0.522	0.380		0.137	0.005	0.90	1.04	0.91
		Top side		0.149	0.388	0.322	0.117	0.54	0.47	0.27
		Bottom side	0.169					0.17	0.17	0.17
LTE band48 Ant6	FR1 n66 Ant1	Front	0.211	0.312		0.207	0.010	0.52	0.73	0.53
		Back	0.592	0.564	0.146	0.264	0.067	1.30	1.42	1.22
		Left side	0.759	0.267	0.078	0.276	0.008	1.10	1.30	1.03
		Right side	0.089	0.049		0.137	0.005	0.14	0.28	0.14
		Top side	0.582		0.388	0.322	0.117	0.97	0.90	0.70
		Bottom side		1.133				1.13	1.13	1.13

**15.3 Body-Worn Accessory Exposure Conditions**

<Flip Close >

WWAN Band	Exposure Position	1	2	3	4	1+2	1+3	1+4
		WWAN	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
WWAN All Bands	Front	0.502	0.040	0.397	0.010	0.54	0.90	0.51
	Back	0.896	0.166	0.477	0.037	1.06	1.37	0.93

For ENDC Standalone

WWAN Band	FR1 Band	Exposure Position	1	2	1+2
			WWAN	FR1	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE band7 Ant2	FR1 n66 Ant1	Front	0.148	0.234	0.38
		Back	0.489	0.615	1.10
LTE All Bands(2,4,5,12,25,26,66,71) Ant1	FR1 All Bands(n38,41) Ant2	Front	0.400	0.139	0.54
		Back	0.829	0.670	1.50
LTE band12 Ant1	FR1 n66 Ant4	Front	0.400	0.077	0.48
		Back	0.501	0.701	1.20
LTE band12 Ant1	FR1 n77 Ant6	Front	0.400	0.287	0.69
		Back	0.501	0.622	1.12
LTE band14 Ant1	FR1 n2 Ant4	Front	0.373	0.081	0.45
		Back	0.808	0.710	1.52
LTE band14 Ant1	FR1 n66 Ant4	Front	0.373	0.077	0.45
		Back	0.808	0.701	1.51
LTE band14 Ant1	FR1 n77 Ant6	Front	0.373	0.287	0.66
		Back	0.808	0.622	1.43
LTE band2 Ant4	FR1 n5 Ant1	Front	0.090	0.362	0.45
		Back	0.727	0.770	1.50
LTE band2 Ant4	FR1 n66 Ant1	Front	0.090	0.234	0.32
		Back	0.727	0.615	1.34
LTE band5 Ant1	FR1 n66 Ant4	Front	0.269	0.077	0.35
		Back	0.829	0.701	1.53
LTE band5 Ant1	FR1 n77 Ant6	Front	0.269	0.287	0.56
		Back	0.829	0.622	1.45
LTE band66 Ant4	FR1 n5 Ant1	Front	0.084	0.362	0.45
		Back	0.720	0.770	1.49
LTE band66 Ant1	FR1 n77 Ant6	Front	0.249	0.287	0.54
		Back	0.683	0.622	1.31
LTE band66 Ant4	FR1 n7 Ant2	Front	0.084	0.136	0.22
		Back	0.720	0.493	1.21
LTE band7 Ant2	FR1 n2 Ant4	Front	0.148	0.081	0.23
		Back	0.489	0.710	1.20
LTE band2 Ant4	FR1 n7 Ant2	Front	0.090	0.136	0.23
		Back	0.727	0.493	1.22
LTE band7 Ant2	FR1 n77 Ant6	Front	0.148	0.287	0.44
		Back	0.489	0.622	1.11
LTE band66 Ant4	FR1 n71 Ant1	Front	0.084	0.321	0.41
		Back	0.720	0.596	1.32
LTE band2 Ant4	FR1 n71 Ant1	Front	0.090	0.321	0.41
		Back	0.727	0.596	1.32
LTE band66 Ant1	FR1 n25 Ant4	Front	0.249	0.081	0.33
		Back	0.683	0.710	1.39
LTE band13 Ant1	FR1 n77 Ant6	Front	0.502	0.287	0.79
		Back	0.759	0.622	1.38



FCC SAR Test Report

Report No. : FA462605

LTE band13 Ant1	FR1 n66 Ant4	Front	0.502	0.077	0.58
		Back	0.759	0.701	1.46
LTE band48 Ant6	FR1 n5 Ant1	Front	0.186	0.362	0.55
		Back	0.480	0.770	1.25
LTE band71 Ant1	FR1 n2 Ant4	Front	0.316	0.081	0.40
		Back	0.633	0.710	1.34
LTE band71 Ant1	FR1 n66 Ant4	Front	0.316	0.077	0.39
		Back	0.633	0.701	1.33
LTE band71 Ant1	FR1 n77 Ant6	Front	0.316	0.287	0.60
		Back	0.633	0.622	1.26

WWAN Band	FR1 Band	Exposure Position	1	2	1+2
			WWAN	FR1	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE band12 Ant1	FR1 n25 Ant4	Front	0.400	0.081	0.48
		Back	0.501	0.710	1.21
LTE band13 Ant1	FR1 n25 Ant4	Front	0.502	0.081	0.58
		Back	0.759	0.710	1.47
LTE band25 Ant1	FR1 n77 Ant6	Front	0.126	0.287	0.41
		Back	0.621	0.622	1.24
LTE band26 Ant1	FR1 n25 Ant4	Front	0.269	0.081	0.35
		Back	0.829	0.710	1.54
LTE band48 Ant6	FR1 n66 Ant1	Front	0.186	0.234	0.42
		Back	0.480	0.615	1.10

For ENDC simultaneous

WWAN Band	FR1 Band	Exposure Position	1	2	3	4	5	1+2+3	1+2+4	1+2+5
			WWAN	FR1	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE band7 Ant2	FR1 n66 Ant1	Front	0.148	0.234	0.040	0.397	0.010	0.42	0.78	0.39
		Back	0.489	0.499	0.166	0.477	0.037	1.15	1.47	1.03
LTE All band(2,4,5,12,25,26,66,71) Ant1	FR1 All band(n38,41) Ant2	Front	0.400	0.139	0.040	0.397	0.010	0.58	0.94	0.55
		Back	0.520	0.512	0.166	0.477	0.037	1.20	1.51	1.07
LTE band12 Ant1	FR1 n66 Ant4	Front	0.400	0.060	0.040	0.397	0.010	0.50	0.86	0.47
		Back	0.501	0.505	0.166	0.477	0.037	1.17	1.48	1.04
LTE band12 Ant1	FR1 n77 Ant6	Front	0.400	0.287	0.040	0.397	0.010	0.73	1.08	0.70
		Back	0.501	0.494	0.166	0.477	0.037	1.16	1.47	1.03
LTE band14 Ant1	FR1 n2 Ant4	Front	0.373	0.054	0.040	0.397	0.010	0.47	0.82	0.44
		Back	0.505	0.505	0.166	0.477	0.037	1.18	1.49	1.05
LTE band14 Ant1	FR1 n66 Ant4	Front	0.373	0.060	0.040	0.397	0.010	0.47	0.83	0.44
		Back	0.505	0.505	0.166	0.477	0.037	1.18	1.49	1.05
LTE band14 Ant1	FR1 n77 Ant6	Front	0.373	0.287	0.040	0.397	0.010	0.70	1.06	0.67
		Back	0.505	0.494	0.166	0.477	0.037	1.17	1.48	1.04
LTE band2 Ant4	FR1 n5 Ant1	Front	0.063	0.362	0.040	0.397	0.010	0.47	0.82	0.44
		Back	0.511	0.493	0.166	0.477	0.037	1.17	1.48	1.04
LTE band2 Ant4	FR1 n66 Ant1	Front	0.063	0.234	0.040	0.397	0.010	0.34	0.69	0.31
		Back	0.511	0.499	0.166	0.477	0.037	1.18	1.49	1.05
LTE band5 Ant1	FR1 n66 Ant4	Front	0.269	0.060	0.040	0.397	0.010	0.37	0.73	0.34
		Back	0.520	0.505	0.166	0.477	0.037	1.19	1.50	1.06
LTE band5 Ant1	FR1 n77 Ant6	Front	0.269	0.287	0.040	0.397	0.010	0.60	0.95	0.57
		Back	0.520	0.494	0.166	0.477	0.037	1.18	1.49	1.05
LTE band66 Ant4	FR1 n5 Ant1	Front	0.061	0.362	0.040	0.397	0.010	0.46	0.82	0.43
		Back	0.514	0.493	0.166	0.477	0.037	1.17	1.48	1.04
LTE band66 Ant1	FR1 n77	Front	0.249	0.287	0.040	0.397	0.010	0.58	0.93	0.55



FCC SAR Test Report

Report No. : FA462605

	Ant6	Back	0.515	0.494	0.166	0.477	0.037	1.18	1.49	1.05
LTE band66 Ant4	FR1 n7 Ant2	Front	0.061	0.136	0.040	0.397	0.010	0.24	0.59	0.21
		Back	0.514	0.493	0.166	0.477	0.037	1.17	1.48	1.04
LTE band7 Ant2	FR1 n2 Ant4	Front	0.148	0.054	0.040	0.397	0.010	0.24	0.60	0.21
		Back	0.489	0.505	0.166	0.477	0.037	1.16	1.47	1.03
LTE band2 Ant4	FR1 n7 Ant2	Front	0.063	0.136	0.040	0.397	0.010	0.24	0.60	0.21
		Back	0.511	0.493	0.166	0.477	0.037	1.17	1.48	1.04
LTE band7 Ant2	FR1 n77 Ant6	Front	0.148	0.287	0.040	0.397	0.010	0.48	0.83	0.45
		Back	0.489	0.494	0.166	0.477	0.037	1.15	1.46	1.02
LTE band66 Ant4	FR1 n71 Ant1	Front	0.061	0.321	0.040	0.397	0.010	0.42	0.78	0.39
		Back	0.514	0.596	0.166	0.477	0.037	1.28	1.59	1.15
LTE band2 Ant4	FR1 n71 Ant1	Front	0.063	0.321	0.040	0.397	0.010	0.42	0.78	0.39
		Back	0.511	0.596	0.166	0.477	0.037	1.27	1.58	1.14
LTE band66 Ant1	FR1 n25 Ant4	Front	0.249	0.054	0.040	0.397	0.010	0.34	0.70	0.31
		Back	0.516	0.505	0.166	0.477	0.037	1.19	1.50	1.06
LTE band13 Ant1	FR1 n77 Ant6	Front	0.502	0.287	0.040	0.397	0.010	0.83	1.19	0.80
		Back	0.504	0.494	0.166	0.477	0.037	1.16	1.48	1.04
LTE band13 Ant1	FR1 n66 Ant4	Front	0.502	0.060	0.040	0.397	0.010	0.60	0.96	0.57
		Back	0.504	0.505	0.166	0.477	0.037	1.18	1.49	1.05
LTE band48 Ant6	FR1 n5 Ant1	Front	0.186	0.362	0.040	0.397	0.010	0.59	0.95	0.56
		Back	0.480	0.493	0.166	0.477	0.037	1.14	1.45	1.01
LTE band71 Ant1	FR1 n2 Ant4	Front	0.316	0.054	0.040	0.397	0.010	0.41	0.77	0.38
		Back	0.502	0.505	0.166	0.477	0.037	1.17	1.48	1.04
LTE band71 Ant1	FR1 n66 Ant4	Front	0.316	0.060	0.040	0.397	0.010	0.42	0.77	0.39
		Back	0.502	0.505	0.166	0.477	0.037	1.17	1.48	1.04
LTE band71 Ant1	FR1 n77 Ant6	Front	0.316	0.287	0.040	0.397	0.010	0.64	1.00	0.61
		Back	0.502	0.471	0.166	0.477	0.037	1.14	1.45	1.01

WWAN Band	FR1 Band	Exposure Position	1	2	3	4	5	1+2+3	1+2+4	1+2+5
			WWAN	FR1	WLAN2.4GHz Ant 3	WLAN5GHz Ant 3	Bluetooth Ant 3	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
LTE band12 Ant1	FR1 n25 Ant4	Front	0.400	0.054	0.040	0.397	0.010	0.49	0.85	0.46
		Back	0.501	0.505	0.166	0.477	0.037	1.17	1.48	1.04
LTE band13 Ant1	FR1 n25 Ant4	Front	0.502	0.054	0.040	0.397	0.010	0.60	0.95	0.57
		Back	0.504	0.505	0.166	0.477	0.037	1.18	1.49	1.05
LTE band25 Ant1	FR1 n77 Ant6	Front	0.126	0.287	0.040	0.397	0.010	0.45	0.81	0.42
		Back	0.507	0.471	0.166	0.477	0.037	1.14	1.46	1.02
LTE band26 Ant1	FR1 n25 Ant4	Front	0.269	0.054	0.040	0.397	0.010	0.36	0.72	0.33
		Back	0.520	0.505	0.166	0.477	0.037	1.19	1.50	1.06
LTE band48 Ant6	FR1 n66 Ant1	Front	0.186	0.234	0.040	0.397	0.010	0.46	0.82	0.43
		Back	0.480	0.499	0.166	0.477	0.037	1.15	1.46	1.02



15.4 Product specific 10g SAR Exposure Conditions

Remark:


1. For WLAN2.4GHz/Bluetooth Product specific 10g stand-alone SAR is not required for a transmitter or antenna, due to 1g hotspot SAR is <1.2W/kg.

WWAN Band	Exposure Position	1	2	1+2	Case No
		WWAN 10g SAR (W/kg)	WLAN5GHz Ant 3 10g SAR (W/kg)	Summed 10g SAR (W/kg)	
LTE band66 Ant1	Front	2.619	0.410	3.03	
	Back	3.351	1.075	4.43	10
	Left side		0.688	0.69	
	Right side		0.160	0.16	
	Top side		1.757	1.76	
	Bottom side	3.392		3.39	
FR1 n66 Ant1	Front	2.688	0.410	3.10	
	Back	2.723	1.075	3.80	
	Left side		0.688	0.69	
	Right side		0.160	0.16	
	Top side		1.757	1.76	
	Bottom side			0.00	
WCDMA II Ant1	Front		0.410	0.41	
	Back		1.075	1.08	
	Left side		0.688	0.69	
	Right side		0.160	0.16	
	Top side		1.757	1.76	
	Bottom side	3.027		3.03	
LTE Band 25 Ant1	Front		0.410	0.41	
	Back		1.075	1.08	
	Left side		0.688	0.69	
	Right side		0.160	0.16	
	Top side		1.757	1.76	
	Bottom side	3.000		3.00	
FR1 n25 Ant1	Front	1.981	0.410	2.39	
	Back	2.497	1.075	3.57	
	Left side		0.688	0.69	
	Right side		0.160	0.16	
	Top side		1.757	1.76	
	Bottom side	2.708		2.71	
FR1 n41 Ant7	Front		0.410	0.41	
	Back	3.009	1.075	4.08	12
	Left side	3.138	0.688	3.83	
	Right side		0.160	0.16	
	Top side		1.757	1.76	
	Bottom side			0.00	
FR1 n48 Ant6	Front		0.410	0.41	
	Back		1.075	1.08	
	Left side	2.316	0.688	3.00	
	Right side		0.160	0.16	
	Top side	1.601	1.757	3.36	
	Bottom side			0.00	
FR1 n77 Ant7	Front		0.410	0.41	
	Back	2.898	1.075	3.97	
	Left side		0.688	0.69	
	Right side		0.160	0.16	
	Top side		1.757	1.76	
	Bottom side			0.00	


15.5 SPLSR Evaluation and Analysis

General Note:


1. When standalone SAR is measured for both antennas in the pair, the peak location separation distance is computed by the square root of $[(x_1 - x_2)^2 + (y_1 - y_2)^2 + (z_1 - z_2)^2]$, where (x_1, y_1, z_1) and (x_2, y_2, z_2) are the coordinates in the area scans or extrapolated peak SAR locations in the zoom scans, as appropriate.
2. $SPLSR = (SAR_1 + SAR_2)1.5 / (\text{min. separation distance, mm})$. If $SPLSR \leq 0.04$ for 1g SAR and $SPLSR \leq 0.10$ for 10g SAR, simultaneously transmission SAR measurement is not necessary.
3. Per April 2022 TCB Workshop Notes, WWAN ant4 was summed algebraically with the WIFI Antenna 3 for the purposes of hybrid SPLSR combination and they are located at the top of the device.
4. Per April 2022 TCB Workshop, instead of doing a small volume scan over a co-located antenna pair, used summing the SAR values of the co-located pair and using that value in SPLSR calculation. In the calculation used the minimum distance between the spatially separated antenna and the closest antenna of the co-located antenna pair to be conservative.



Hotspot Open WWAN+FR1+ WIFI 5GHz Back 10mm



Hotspot Close WWAN+FR1+ WIFI 5GHz Back 10mm


Extremity Open WWAN+FR1+ WIFI 5GHz Back 0mm
<For Hotspot Flip Open >

Case No	Band	Position	SAR 1g SAR (W/kg)	Summed	Gap	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
				1g SAR (W/kg)	(mm)	X	Y	Z				
Case 5	FR1 n7 Ant2	Back	0.865	0.865	10mm	-20.8	-28	-1.57	75.3	1.66	0.03	Not required
	LTE band66 Ant4		0.557	0.80	10mm	-26.9	47.1	-1.59				
	WLAN5GHz Ant 3		0.24		10mm							
	FR1 n7 Ant2	Back	0.865	0.865	10mm	-20.8	-28	-1.57	88.2	1.66	0.02	Not required
	LTE band66 Ant4		0.557	0.80	10mm							
	WLAN5GHz Ant 3		0.24		10mm	-1	57.9	-1.83				
Case No	Band	Position	SAR 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Gap (mm)	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
						X	Y	Z				
Case 6	FR1 n7 Ant2	Back	0.865	0.865	10mm	-20.8	-28	-1.57	64.9	1.66	0.03	Not required
	LTE band2 Ant4		0.554	0.79	10mm	-23.8	36.8	-1.64				
	WLAN5GHz Ant 3		0.24		10mm							
	FR1 n7 Ant2	Back	0.865	0.865	10mm	-20.8	-28	-1.57	88.2	1.66	0.02	Not required
	LTE band2 Ant4		0.554	0.79	10mm							
	WLAN5GHz Ant 3		0.24		10mm	-1	57.9	-1.83				
Case No	Band	Position	SAR 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Gap (mm)	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
						X	Y	Z				
Case 7	FR1 n71 Ant1	Back	0.875	0.875	10mm	13.5	-13.1	-1.69	72.5	1.67	0.03	Not required
	LTE band66 Ant4		0.557	0.80	10mm	-26.9	47.1	-1.59				
	WLAN5GHz Ant 3		0.24		10mm							
	FR1 n71 Ant1	Back	0.875	0.875	10mm	13.5	-13.1	-1.69	72.5	1.67	0.03	Not required
	LTE band66 Ant4		0.557	0.80	10mm							
	WLAN5GHz Ant 3		0.24		10mm	-1	57.9	-1.83				
Case No	Band	Position	SAR 1g SAR (W/kg)	Summed 1g SAR (W/kg)	Gap (mm)	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
						X	Y	Z				
Case 8	FR1 n71 Ant1	Back	0.875	0.875	10mm	13.5	-13.1	-1.69	62.3	1.67	0.03	Not required
	LTE band2 Ant4		0.554	0.79	10mm	-23.8	36.8	-1.64				
	WLAN5GHz Ant 3		0.24		10mm							
	FR1 n71 Ant1	Back	0.875	0.875	10mm	13.5	-13.1	-1.69	72.5	1.67	0.03	Not required
	LTE band2 Ant4		0.554	0.79	10mm							
	WLAN5GHz Ant 3		0.24		10mm	-1	57.9	-1.83				



FCC SAR Test Report

Report No. : FA462605

Case No	Band	Position	SAR 1g SAR (W/kg)	Summed	Gap	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
				1g SAR (W/kg)	(mm)	X	Y	Z				
Case 9	FR1 n66 Ant1	Back	0.619	0.619	10mm	-3	-49	-1.49	98.0	1.60	0.02	Not required
	LTE band48 Ant6		0.739	0.98	10mm	14.8	47.4	-1.59				
	WLAN5GHz Ant 3		0.24		10mm							
	FR1 n66 Ant1	Back	0.619	0.619	10mm	-3	-49	-1.49	106.9	1.60	0.02	Not required
	LTE band48 Ant6		0.739	0.98	10mm							
	WLAN5GHz Ant 3		0.24		10mm	-1	57.9	-1.83				

<For Hotspot Flip Close >

Case No	Band	Position	SAR 1g SAR (W/kg)	Summed	Gap	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
				1g SAR (W/kg)	(mm)	X	Y	Z				
Case 1	FR1 n71 Ant1	Back	0.818	0.818	10mm	9	-21	-1.65	71.7	1.66	0.03	Not required
	LTE band66 Ant4		0.579	0.84	10mm	-25.5	41.9	-1.73				
	WLAN5GHz Ant 3		0.264		10mm							
	FR1 n71 Ant1	Back	0.818	0.818	10mm	9	-21	-1.65	75.9	1.66	0.03	Not required
	LTE band66 Ant4		0.579	0.84	10mm							
	WLAN5GHz Ant 3		0.264		10mm	-2.2	54.1	-1.65				
Case 2	FR1 n71 Ant1	Back	0.818	0.818	10mm	9	-21	-1.65	72.9	1.65	0.03	Not required
	LTE band2 Ant4		0.567	0.83	10mm	-29.9	40.7	-1.59				
	WLAN5GHz Ant 3		0.264		10mm							
	FR1 n71 Ant1	Back	0.818	0.818	10mm	9	-21	-1.65	75.9	1.65	0.03	Not required
	LTE band2 Ant4		0.567	0.83	10mm							
	WLAN5GHz Ant 3		0.264		10mm	-2.2	54.1	-1.65				

<For Extremity Open >

Case No	Band	Position	SAR (W/kg)	Gap	SAR peak location (mm)			3D distance (mm)	Summed SAR (W/kg)	SPLSR Results	Simultaneous SAR
				(mm)	X	Y	Z				
Case 10	LTE band66 Ant1	Back	3.351	0	21.2	-50.5	-1.39	114.6	4.43	0.08	Not required
	WLAN5GHz Ant 3		1.075	0	6.5	63.2	-1.71				
Case 12	FR1 n41 Ant7	Back	3.009	0	21.6	-23.8	-1.41	88.3	4.08	0.09	Not required
	WLAN5GHz Ant 3		1.075	0	6.5	63.2	-1.71				

Test Engineer : Martin Li, Varus Wang, Light Wang, Ricky Gu

16. Uncertainty Assessment

Per KDB 865664 D01 SAR measurement 100MHz to 6GHz, when the highest measured 1-g SAR within a frequency band is < 1.5 W/kg and the measured 10-g SAR within a frequency band is < 3.75 W/kg. The expanded SAR measurement uncertainty must be $\leq 30\%$, for a confidence interval of $k = 2$. If these conditions are met, extensive SAR measurement uncertainty analysis described in IEEE Std 1528-2013 is not required in SAR reports submitted for equipment approval. For this device, the highest measured 1-g SAR is less 1.5W/kg and highest measured 10-g SAR is less 3.75W/kg. Therefore, the measurement uncertainty table is not required in this report.

17. References

- [1] FCC 47 CFR Part 2 "Frequency Allocations and Radio Treaty Matters; General Rules and Regulations"
- [2] ANSI/IEEE Std. C95.1-1992, "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz", September 1992
- [3] IEEE Std. 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", Sep 2013
- [4] SPEAG DASY System Handbook
- [5] FCC KDB 865664 D01 v01r04, "SAR Measurement Requirements for 100 MHz to 6 GHz", Aug 2015.
- [6] FCC KDB 865664 D02 v01r02, "RF Exposure Compliance Reporting and Documentation Considerations" Oct 2015.
- [7] FCC KDB 648474 D04 v01r03, "SAR Evaluation Considerations for Wireless Handsets", Oct 2015.
- [8] FCC KDB 248227 D01 v02r02, "SAR Guidance for IEEE 802.11 (WiFi) Transmitters", Oct 2015.
- [9] FCC KDB 941225 D01 v03r01, "3G SAR MEAUREMENT PROCEDURES", Oct 2015
- [10] FCC KDB 941225 D05 v02r05, "SAR Evaluation Considerations for LTE Devices", Dec 2015
- [11] FCC KDB 941225 D05A v01r02, "Rel. 10 LTE SAR Test Guidance and KDB Inquiries", Oct 2015
- [12] FCC KDB 941225 D06 v02r01, "SAR Evaluation Procedures for Portable Devices with Wireless Router Capabilities", Oct 2015.
- [13] FCC KDB 447498 D01 v06, "Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies", Oct 2015

-----THE END-----