

Annex D. Maximum Target Conducted Power

The maximum conducted average power (Unit: dBm) including tune-up tolerance is shown as below.

WCDMA Max. Tune-up	
Mode	HSDPA DC-HSDPA HSUPA
	Maximum Target Power
WCDMA Band II	22.0
WCDMA Band V	21.5

LTE Max. Tune-up Power (Full)			
Mode	QPSK	16QAM	64QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 5	24.3	23.3	22.3
LTE 17	24.3	23.3	22.3

WLAN Tune-up Power (Full)							
WLAN2.4GHz							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11b	1	2412	14.0	14.0	14.0	14.0	17.0
	6	2437	14.0	14.0	14.0	14.0	17.0
	11	2462	14.0	14.0	14.0	14.0	17.0
802.11g	1	2412	13.0	13.0	13.0	13.0	16.0
	6	2437	13.0	13.0	13.0	13.0	16.0
	11	2462	13.0	13.0	13.0	13.0	16.0
802.11n HT20	1	2412	13.0	13.0	13.0	13.0	16.0
	6	2437	13.0	13.0	13.0	13.0	16.0
	11	2462	13.0	13.0	13.0	13.0	16.0
802.11n HT40	3	2422	13.0	13.0	13.0	13.0	16.0
	6	2437	13.0	13.0	13.0	13.0	16.0
	9	2452	13.0	13.0	13.0	13.0	16.0
802.11ax HE20	1	2412	10.0	10.0	10.0	10.0	13.0
	6	2437	10.0	10.0	10.0	10.0	13.0
	11	2462	10.0	10.0	10.0	10.0	13.0
802.11ax HE40	3	2422	10.0	10.0	10.0	10.0	13.0
	6	2437	10.0	10.0	10.0	10.0	13.0
	9	2452	10.0	10.0	10.0	10.0	13.0

WLAN Tune-up Power (Full)				
Bluetooth				
Mode	Channel	Frequency	Ant 0 Max Tune-up	
EDR	0	2402	0.0	
	39	2441	0.0	
	78	2480	0.0	
LE	0	2402	1.0	
	19	2440	1.0	
	39	2480	1.0	