


802.11ax (HE20) CH64



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.00	44.76	---	68.20	23.44	500.00	200.0	V	182.00	-4
1408.63	---	33.95	54.00	20.05	500.00	200.0	V	346.00	-3
1709.63	---	34.10	54.00	19.90	500.00	200.0	V	10.00	-2
1954.63	46.66	---	68.20	21.54	500.00	200.0	V	173.00	0
2627.50	48.98	---	68.20	19.22	500.00	200.0	V	0.00	2
2771.88	---	38.29	54.00	15.71	500.00	200.0	V	130.00	3
3553.25	51.15	---	68.20	17.05	500.00	200.0	V	227.00	4
3982.88	---	42.43	54.00	11.57	500.00	200.0	V	68.00	6
4433.50	53.02	---	68.20	15.18	500.00	200.0	V	25.00	7
4624.25	---	42.59	54.00	11.41	500.00	200.0	V	112.00	8
6973.63	63.96	---	68.20	4.24	500.00	200.0	V	103.00	14
7731.38	---	50.56	54.00	3.44	500.00	200.0	V	156.00	17



EMI Final Results

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,293.750	50.69	74.00	23.31	38.85	54.00	15.15	8.86	V	0	2.00	1.000
1	8,511.250	51.12	68.20	17.08	41.52			6.16	H	215.5	2.00	1.000
1	9,050.000	48.15	74.00	25.85	35.63	54.00	18.37	5.43	H	345.4	2.00	1.000
1	9,921.250	47.83	68.20	20.37	35.97			5.46	H	321.6	2.00	1.000
1	10,642.500				51.57	54.00	2.43	5.88	V	144.5	2.00	1.000
1	11,367.500	48.94	74.00	25.06	36.75	54.00	17.25	7.46	H	353.7	2.00	1.000
1	12,905.000	47.21	68.20	20.99	34.82			5.68	H	48.3	2.00	1.000
1	13,355.000	46.96	74.00	27.04	34.44	54.00	19.56	5.46	H	72.1	2.00	1.000
1	14,247.500	48.90	68.20	19.30	35.73			6.12	V	0.2	2.00	1.000
1	14,893.750	48.10	68.20	20.10	36.04			6.61	H	321.6	2.00	1.000
1	15,956.250	48.97	74.00	25.03	35.63	54.00	18.37	4.47	H	135.2	2.00	1.000
1	17,531.250	50.57	68.20	17.63	38.76			10.91	H	183.7	2.00	1.000

802.11ax (HE20) CH100



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1284.38	44.32	---	68.20	23.88	500.00	200.0	H	180.00	-4
1396.38	---	34.15	54.00	19.85	500.00	200.0	V	150.00	-3
1703.50	---	34.08	54.00	19.92	500.00	200.0	V	0.00	-2
1923.13	47.07	---	68.20	21.13	500.00	200.0	V	325.00	-1
2557.50	49.24	---	68.20	18.96	500.00	200.0	V	4.00	3
2777.13	---	38.27	54.00	15.73	500.00	200.0	V	182.00	3
3433.38	51.35	---	68.20	16.85	500.00	200.0	V	4.00	4
3967.13	---	42.66	54.00	11.34	500.00	200.0	V	6.00	7
5451.13	---	49.92	54.00	4.08	500.00	200.0	V	1.00	10
5468.63	65.42	---	68.20	2.78	500.00	200.0	V	2.00	10
6899.25	63.72	---	68.20	4.48	500.00	200.0	V	281.00	14
7740.13	---	50.65	54.00	3.35	500.00	200.0	V	64.00	17

Spectrum Overview H/V



Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,277.500	50.70	74.00	23.30	38.76	54.00	15.24	8.70	V	143.4	2.00	1.000
1	8,798.750	49.04	68.20	19.16	37.12			5.42	H	218	2.00	1.000
1	9,030.000	47.72	74.00	26.28	35.48	54.00	18.52	5.39	H	201.9	2.00	1.000
1	9,338.750	47.29	74.00	26.71	35.44	54.00	18.56	5.38	V	15.9	2.00	1.000
1	9,778.750	47.54	68.20	20.66	35.87			5.61	H	290.9	2.00	1.000
1	10,997.500				46.67	54.00	7.33	6.55	V	318.9	2.00	1.000
1	11,663.750	47.15	74.00	26.85	35.25	54.00	18.75	6.63	V	39.5	2.00	1.000
1	12,837.500	46.32	68.20	21.88	34.64			5.56	H	97.5	2.00	1.000
1	14,150.000	47.05	68.20	21.15	34.96			5.67	H	146	2.00	1.000
1	14,876.250	47.79	68.20	20.41	35.93			6.43	V	127.1	2.00	1.000
1	15,502.500	47.38	74.00	26.62	35.29	54.00	18.71	5.95	V	183.7	2.00	1.000
1	17,528.750	51.09	68.20	17.11	39.16			10.90	H	331.5	2.00	1.000

802.11ax (HE20) CH116



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1246.75	44.32	---	68.20	23.88	500.00	200.0	V	235.00	-4
1399.00	---	33.75	54.00	20.25	500.00	200.0	V	21.00	-3
1697.38	---	34.43	54.00	19.57	500.00	200.0	V	36.00	-2
1958.13	46.91	---	68.20	21.29	500.00	200.0	V	1.00	0
2561.88	49.21	---	68.20	18.99	500.00	200.0	V	1.00	3
2785.00	---	38.38	54.00	15.62	500.00	200.0	V	152.00	3
3450.88	51.93	---	68.20	16.27	500.00	200.0	V	28.00	4
3975.00	---	42.55	54.00	11.45	500.00	200.0	V	183.00	7
5438.88	---	49.10	54.00	4.90	500.00	200.0	V	1.00	10
5460.75	58.68	---	68.20	9.52	500.00	200.0	V	67.00	10
6809.13	63.04	---	68.20	5.16	500.00	200.0	V	4.00	15
7749.75	---	50.67	54.00	3.33	500.00	200.0	V	78.00	17

Spectrum Overview H/V



Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,248.750	49.78	74.00	24.22	38.24	54.00	15.76	8.42	V	0.9	2.00	1.000
1	8,927.500	52.22	68.20	15.98	46.09			5.25	H	213.3	2.00	1.000
1	9,180.000	47.56	74.00	26.44	35.48	54.00	18.52	5.49	H	310.1	2.00	1.000
1	10,295.000	47.28	68.20	20.92	35.46			5.67	H	360	2.00	1.000
1	11,162.500	56.34	74.00	17.66	45.68	54.00	8.32	7.05	V	334.8	2.00	1.000
1	11,448.750	48.94	74.00	25.06	36.81	54.00	17.19	7.18	H	205.1	2.00	1.000
1	12,356.250	46.84	74.00	27.16	34.86	54.00	19.14	5.98	H	205.1	2.00	1.000
1	12,865.000	47.70	68.20	20.50	35.13			5.61	H	359.4	2.00	1.000
1	13,591.250	47.91	68.20	20.29	35.86			6.20	H	310.1	2.00	1.000
1	14,826.250	47.27	68.20	20.93	35.71			5.93	H	0	2.00	1.000
1	15,467.500	47.54	74.00	26.46	35.25	54.00	18.75	5.67	H	360	2.00	1.000
1	17,573.750	51.09	68.20	17.11	39.16			11.06	H	17.5	2.00	1.000

802.11ax (HE20) CH140



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	PoI	Azimuth (deg)	Corr. (dB/m)
1260.75	43.57	---	68.20	24.63	500.00	200.0	H	357.00	-4
1383.25	---	33.09	54.00	20.91	500.00	200.0	V	220.00	-3
1705.25	---	33.60	54.00	20.40	500.00	200.0	H	101.00	-2
1986.13	45.76	---	68.20	22.44	500.00	200.0	V	0.00	0
2542.63	47.83	---	68.20	20.37	500.00	200.0	H	333.00	2
2789.38	---	37.14	54.00	16.86	500.00	200.0	V	13.00	3
3511.25	49.58	---	68.20	18.62	500.00	200.0	V	13.00	4
3982.88	---	40.55	54.00	13.45	500.00	200.0	V	79.00	6
5341.75	55.68	---	68.20	12.52	500.00	200.0	V	329.00	10
5440.63	---	46.44	54.00	7.56	500.00	200.0	V	68.00	10
5926.25	59.51	---	68.20	8.69	500.00	200.0	V	90.00	12
7726.13	---	47.95	54.00	6.05	500.00	200.0	V	9.00	17

Spectrum Overview H/V



Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,271.250	50.08	74.00	23.92	38.61	54.00	15.39	8.64	H	186.8	2.00	1.000
1	8,770.000	49.19	68.20	19.01	36.68			5.36	H	339.6	2.00	1.000
1	9,120.000	53.34	74.00	20.66	48.13	54.00	5.87	5.47	V	125.3	2.00	1.000
1	10,363.750	47.23	68.20	20.97	35.17			5.74	V	254.1	2.00	1.000
1	10,943.750	48.85	74.00	25.15	36.83	54.00	17.17	6.53	H	267.4	2.00	1.000
1	11,397.500	55.65	74.00	18.35	43.44	54.00	10.56	7.49	H	292	2.00	1.000
1	12,892.500	47.05	68.20	21.15	34.90			5.66	V	35	2.00	1.000
1	13,340.000	46.22	74.00	27.78	34.76	54.00	19.24	5.47	V	116.8	2.00	1.000
1	13,638.750	47.30	68.20	20.90	35.54			6.25	V	51.7	2.00	1.000
1	14,812.500	47.52	68.20	20.68	35.78			5.79	H	360	2.00	1.000
1	15,448.750	47.26	74.00	26.74	35.21	54.00	18.79	5.53	H	219.3	2.00	1.000
1	17,426.250	49.75	68.20	18.45	38.21			10.15	H	251.9	2.00	1.000

802.11ax (HE20) CH149



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.25	43.97	---	68.20	24.23	500.00	200.0	V	29.00	-4
1399.88	---	34.04	54.00	19.96	500.00	200.0	V	99.00	-3
1539.88	---	36.40	54.00	17.60	500.00	200.0	V	77.00	-3
1966.00	47.49	---	68.20	20.71	500.00	200.0	V	183.00	0
2488.38	---	38.75	54.00	15.25	500.00	200.0	V	151.00	2
2544.38	49.67	---	68.20	18.53	500.00	200.0	V	2.00	2
3547.13	51.19	---	68.20	17.01	500.00	200.0	V	0.00	4
3960.13	---	42.69	54.00	11.31	500.00	200.0	V	45.00	6
5444.13	---	46.72	54.00	7.28	500.00	200.0	V	88.00	10
5642.75	64.84	---	68.20	3.36	500.00	200.0	V	99.00	11
6998.13	62.93	---	68.20	5.27	500.00	200.0	V	140.00	15
7391.88	---	50.88	54.00	3.12	500.00	200.0	V	55.00	16



EMI Final Results


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,276.250	50.13	74.00	23.87	38.27	54.00	15.73	8.69	V	11.1	2.00	1.000
1	8,576.250	49.02	68.20	19.18	36.92			5.77	V	113.2	2.00	1.000
1	9,191.250	50.14	74.00	23.86	41.00	54.00	13.00	5.50	H	224.4	2.00	1.000
1	10,076.250	48.00	68.20	20.20	35.96			5.43	H	240.4	2.00	1.000
1	11,083.750	48.15	74.00	25.85	36.16	54.00	17.84	6.55	H	319.9	2.00	1.000
1	11,735.000	47.60	74.00	26.40	35.19	54.00	18.81	6.30	H	319.9	2.00	1.000
1	12,832.500	46.72	68.20	21.48	35.11			5.56	H	360	2.00	1.000
1	13,315.000	45.54	74.00	28.46	34.26	54.00	19.74	5.48	H	272.3	2.00	1.000
1	14,013.750	45.85	68.20	22.35	34.02			5.38	V	27.1	2.00	1.000
1	14,890.000	47.60	68.20	20.60	35.71			6.57	H	303.7	2.00	1.000
1	15,458.750	46.87	74.00	27.13	34.95	54.00	19.05	5.60	H	351	2.00	1.000
1	17,437.500	49.81	68.20	18.39	38.10			10.28	H	184.8	2.00	1.000

802.11ax (HE20) CH157



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.88	44.03	---	68.20	24.17	500.00	200.0	V	67.00	-4
1392.88	---	34.01	54.00	19.99	500.00	200.0	V	280.00	-3
1578.38	---	36.78	54.00	17.22	500.00	200.0	V	89.00	-2
1911.75	46.06	---	68.20	22.14	500.00	200.0	V	22.00	-1
2419.25	49.37	---	68.20	18.83	500.00	200.0	V	206.00	2
2488.38	---	38.97	54.00	15.03	500.00	200.0	V	153.00	2
3456.13	51.21	---	68.20	16.99	500.00	200.0	V	6.00	4
3994.25	---	42.54	54.00	11.46	500.00	200.0	V	185.00	6
5449.38	---	49.87	54.00	4.13	500.00	200.0	V	78.00	10
5629.63	63.76	---	68.20	4.44	500.00	200.0	V	313.00	11
6820.50	61.04	---	68.20	7.16	500.00	200.0	V	100.00	15
7623.75	---	49.39	54.00	4.61	500.00	200.0	V	206.00	16



EMI Final Results


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,297.500	50.19	74.00	23.81	38.49	54.00	15.51	8.83	H	256	2.00	1.000
1	8,632.500	48.22	68.20	19.98	36.55			5.54	H	127.5	2.00	1.000
1	9,255.000	48.53	68.20	19.67	37.12			5.55	H	231.8	2.00	1.000
1	9,746.250	48.19	68.20	20.01	36.41			5.64	H	288	2.00	1.000
1	10,881.250	47.92	74.00	26.08	35.91	54.00	18.09	5.89	V	193.3	2.00	1.000
1	11,620.000	47.92	74.00	26.08	36.00	54.00	18.00	6.80	H	280	2.00	1.000
1	12,973.750	46.52	68.20	21.68	34.75			5.80	H	119.5	2.00	1.000
1	13,305.000	46.19	74.00	27.81	34.20	54.00	19.80	5.49	H	24.3	2.00	1.000
1	14,218.750	47.03	68.20	21.17	35.15			5.97	H	135.5	2.00	1.000
1	14,917.500	47.90	68.20	20.30	35.76			6.65	V	36.1	2.00	1.000
1	15,427.500	46.52	74.00	27.48	34.81	54.00	19.19	5.36	V	4.6	2.00	1.000
1	17,528.750	50.60	68.20	17.60	39.06			10.90	H	240.1	2.00	1.000

802.11ax (HE20) CH165



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.13	44.06	---	68.20	24.14	500.00	200.0	H	354.00	-4
1394.63	---	33.69	54.00	20.31	500.00	200.0	V	40.00	-3
1620.38	---	36.65	54.00	17.35	500.00	200.0	V	104.00	-2
1952.00	45.85	---	68.20	22.35	500.00	200.0	V	7.00	0
2680.88	49.07	---	68.20	19.13	500.00	200.0	V	40.00	2
2772.75	---	38.45	54.00	15.55	500.00	200.0	V	0.00	3
3424.63	51.52	---	68.20	16.68	500.00	200.0	V	9.00	4
3983.75	---	42.40	54.00	11.60	500.00	200.0	V	5.00	6
4436.13	51.93	---	68.20	16.27	500.00	200.0	V	13.00	7
5433.63	---	47.22	54.00	6.78	500.00	200.0	V	18.00	10
6229.88	61.35	---	68.20	6.85	500.00	200.0	V	62.00	13
7505.63	---	48.94	54.00	5.06	500.00	200.0	V	9.00	16



EMI Final Results


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,262.500	50.31	74.00	23.69	38.10	54.00	15.90	8.55	V	0	2.00	1.000
1	8,692.500	48.53	68.20	19.67	36.55			5.34	V	219.1	2.00	1.000
1	9,320.000	53.16	74.00	20.84	48.10	54.00	5.90	5.42	H	130	2.00	1.000
1	9,963.750	47.34	68.20	20.86	35.81			5.39	V	41.8	2.00	1.000
1	10,785.000	46.81	74.00	27.19	34.96	54.00	19.04	5.58	H	2.8	2.00	1.000
1	11,648.750	60.71	74.00	13.29	48.33	54.00	5.67	6.70	H	238.4	2.00	1.000
1	13,027.500	47.06	68.20	21.14	34.78			5.83	V	275.2	2.00	1.000
1	14,218.750	46.55	68.20	21.65	35.20			5.97	V	41.8	2.00	1.000
1	14,911.250	47.97	68.20	20.23	35.52			6.68	H	332.1	2.00	1.000
1	15,462.500	47.17	74.00	26.83	34.79	54.00	19.21	5.63	H	202.6	2.00	1.000
1	16,185.000	45.54	74.00	28.46	34.16	54.00	19.84	4.67	H	86.5	2.00	1.000
1	17,476.250	56.82	68.20	11.38	42.61			10.72	V	155.1	2.00	1.000

802.11ax (HE40) CH38



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1263.38	43.61	---	68.20	24.59	500.00	200.0	H	56.00	-4
1374.50	---	33.08	54.00	20.92	500.00	200.0	V	180.00	-3
1690.38	---	33.34	54.00	20.66	500.00	200.0	V	126.00	-2
1968.63	45.70	---	68.20	22.50	500.00	200.0	H	286.00	0
2488.38	---	37.49	54.00	16.51	500.00	200.0	V	144.00	2
2664.25	48.41	---	68.20	19.79	500.00	200.0	V	206.00	2
3324.00	49.89	---	68.20	18.31	500.00	200.0	H	206.00	4
3967.13	---	40.42	54.00	13.58	500.00	200.0	V	2.00	7
5148.38	---	51.05	54.00	2.95	500.00	200.0	V	1.00	10
5603.38	57.15	---	68.20	11.05	500.00	200.0	V	57.00	11
7735.75	---	48.13	54.00	5.87	500.00	200.0	H	127.00	17
7798.75	58.42	---	68.20	9.78	500.00	200.0	H	92.00	16



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Pol	Azimuth (deg)
8367.50	---	49.19	54.00	4.81	500.00	1000.000	H	348.00
8860.00	50.70	---	68.20	17.50	500.00	1000.000	V	357.00
9405.00	---	39.09	54.00	14.91	500.00	1000.000	H	0.00
10380.00	65.33	---	68.20	2.87	500.00	1000.000	V	320.00
10587.50	51.75	---	68.20	16.45	500.00	1000.000	V	286.00
11627.50	---	41.62	54.00	12.38	500.00	1000.000	H	222.00
13381.25	---	41.45	54.00	12.55	500.00	1000.000	H	21.00
13706.25	53.34	---	68.20	14.86	500.00	1000.000	H	11.00
14035.00	54.93	---	68.20	13.27	500.00	1000.000	V	356.00
14488.75	---	42.62	54.00	11.38	500.00	1000.000	V	22.00
17687.50	58.33	---	68.20	9.87	500.00	1000.000	V	222.00
17911.25	---	51.20	54.00	2.80	500.00	1000.000	H	209.00

802.11ax (HE40) CH46



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.50	43.89	---	68.20	24.31	500.00	200.0	H	358.00	-4
1388.50	---	33.92	54.00	20.08	500.00	200.0	V	281.00	-3
1687.75	---	34.14	54.00	19.86	500.00	200.0	V	176.00	-2
1998.38	46.95	---	68.20	21.25	500.00	200.0	H	58.00	0
2572.38	49.44	---	68.20	18.76	500.00	200.0	V	37.00	3
2778.88	---	38.49	54.00	15.51	500.00	200.0	V	0.00	3
3579.50	51.38	---	68.20	16.82	500.00	200.0	V	0.00	4
3966.25	---	42.42	54.00	11.58	500.00	200.0	V	16.00	7
5356.63	---	48.01	54.00	5.99	500.00	200.0	V	300.00	10
5641.88	58.65	---	68.20	9.55	500.00	200.0	V	0.00	11
6850.25	63.04	---	68.20	5.16	500.00	200.0	V	141.00	14
7510.00	---	49.33	54.00	4.67	500.00	200.0	V	29.00	16



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Pol	Azimuth (deg)
8367.50	---	47.68	54.00	6.32	500.00	1000.000	V	325.00
8660.00	49.84	---	68.20	18.36	500.00	1000.000	H	140.00
9418.75	---	39.17	54.00	14.83	500.00	1000.000	H	27.00
10460.00	65.51	---	68.20	2.69	500.00	1000.000	V	215.00
10485.00	57.53	---	68.20	10.67	500.00	1000.000	V	215.00
11667.50	---	41.37	54.00	12.63	500.00	1000.000	V	359.00
13337.50	---	41.30	54.00	12.70	500.00	1000.000	V	348.00
13736.25	54.00	---	68.20	14.20	500.00	1000.000	V	0.00
14376.25	55.56	---	68.20	12.64	500.00	1000.000	V	228.00
14485.00	---	42.86	54.00	11.14	500.00	1000.000	V	358.00
17673.75	58.20	---	68.20	10.00	500.00	1000.000	H	0.00
17911.25	---	51.46	54.00	2.54	500.00	1000.000	V	352.00

802.11ax (HE40) CH54



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.38	44.51	---	68.20	23.69	500.00	200.0	V	65.00	-4
1390.25	---	33.79	54.00	20.21	500.00	200.0	V	12.00	-3
1707.88	---	34.23	54.00	19.77	500.00	200.0	V	30.00	-2
1936.25	46.27	---	68.20	21.93	500.00	200.0	V	17.00	0
2488.38	---	38.53	54.00	15.47	500.00	200.0	V	57.00	2
2545.25	49.49	---	68.20	18.71	500.00	200.0	V	23.00	2
3451.75	51.89	---	68.20	16.31	500.00	200.0	V	12.00	4
3982.88	---	42.65	54.00	11.35	500.00	200.0	V	74.00	6
4474.63	54.43	---	68.20	13.77	500.00	200.0	V	151.00	7
5053.88	---	46.60	54.00	7.40	500.00	200.0	V	57.00	10
6967.50	63.68	---	68.20	4.52	500.00	200.0	V	151.00	14
7731.38	---	50.66	54.00	3.34	500.00	200.0	V	4.00	17

Spectrum Overview H/V




Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,242.500	50.30	74.00	23.70	38.44	54.00	15.56	8.36	H	267.6	2.00	1.000
1	8,431.250				44.02	54.00	9.98	6.88	H	162	2.00	1.000
1	8,788.750	48.82	68.20	19.38	36.51			5.40	V	165.3	2.00	1.000
1	9,110.000	47.22	74.00	26.78	35.56	54.00	18.44	5.47	H	307.3	2.00	1.000
1	9,713.750	47.83	68.20	20.37	35.87			5.62	H	259.1	2.00	1.000
1	10,536.250	66.42	68.20	1.78				5.60	V	141.4	2.00	1.000
1	10,920.000	48.77	74.00	25.23	36.31	54.00	17.69	6.28	H	299.6	2.00	1.000
1	11,565.000	47.92	74.00	26.08	36.15	54.00	17.85	6.79	H	339.9	2.00	1.000
1	13,002.500	46.94	68.20	21.26	35.22			5.82	H	112.4	2.00	1.000
1	14,172.500	47.31	68.20	20.89	34.91			5.74	H	56.4	2.00	1.000
1	15,821.250	49.89	74.00	24.11	35.99	54.00	18.01	4.91	H	137	2.00	1.000
1	17,477.500	51.49	68.20	16.71	38.94			10.73	H	243.2	2.00	1.000

802.11ax (HE40) CH62



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.88	43.72	---	68.20	24.48	500.00	200.0	V	31.00	-4
1377.13	---	33.04	54.00	20.96	500.00	200.0	H	358.00	-3
1698.25	---	33.59	54.00	20.41	500.00	200.0	V	126.00	-2
1888.13	45.18	---	68.20	23.02	500.00	200.0	H	350.00	-1
2488.38	---	37.79	54.00	16.21	500.00	200.0	V	143.00	2
2687.88	48.39	---	68.20	19.81	500.00	200.0	V	0.00	2
3532.25	50.24	---	68.20	17.96	500.00	200.0	H	0.00	4
3967.13	---	40.91	54.00	13.09	500.00	200.0	H	327.00	7
5351.38	---	48.58	54.00	5.42	500.00	200.0	V	39.00	10
5509.75	58.00	---	68.20	10.20	500.00	200.0	V	0.00	10
7728.75	---	47.85	54.00	6.15	500.00	200.0	V	0.00	17
7751.50	58.89	---	68.20	9.31	500.00	200.0	V	18.00	17



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Pol	Azimuth (deg)
8495.00	---	45.97	54.00	8.03	500.00	1000.000	H	49.00
8817.50	50.81	---	68.20	17.39	500.00	1000.000	V	98.00
9365.00	---	38.99	54.00	15.01	500.00	1000.000	V	280.00
10311.25	52.00	---	68.20	16.20	500.00	1000.000	V	333.00
10598.75	53.52	---	68.20	14.68	500.00	1000.000	V	216.00
10615.00	---	44.70	54.00	9.30	500.00	1000.000	V	124.00
13363.75	---	41.41	54.00	12.59	500.00	1000.000	H	301.00
13731.25	54.53	---	68.20	13.67	500.00	1000.000	V	333.00
14095.00	55.59	---	68.20	12.61	500.00	1000.000	V	0.00
14495.00	---	42.54	54.00	11.46	500.00	1000.000	V	359.00
17700.00	58.56	---	68.20	9.64	500.00	1000.000	V	316.00
17912.50	---	51.32	54.00	2.68	500.00	1000.000	H	9.00

802.11ax (HE40) CH102



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.88	43.74	---	68.20	24.46	500.00	200.0	V	174.00	-4
1410.38	---	33.86	54.00	20.14	500.00	200.0	V	37.00	-3
1623.88	---	34.16	54.00	19.84	500.00	200.0	V	1.00	-2
1968.63	47.46	---	68.20	20.74	500.00	200.0	V	28.00	0
2488.38	---	38.57	54.00	15.43	500.00	200.0	V	152.00	2
2669.50	48.70	---	68.20	19.50	500.00	200.0	V	3.00	2
3488.50	51.96	---	68.20	16.24	500.00	200.0	V	3.00	4
3968.88	---	42.43	54.00	11.57	500.00	200.0	V	4.00	7
5459.88	---	50.73	54.00	3.27	500.00	200.0	V	16.00	10
5469.50	67.10	---	68.20	1.10	500.00	200.0	V	56.00	10
6784.63	64.03	---	68.20	4.17	500.00	200.0	V	238.00	15
7322.75	---	50.81	54.00	3.19	500.00	200.0	V	45.00	16

Spectrum Overview H/V



Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,230.000	50.34	74.00	23.66	38.42	54.00	15.58	8.23	H	230.3	2.00	1.000
1	8,815.000	49.70	68.20	18.50	38.60			5.40	V	131.1	2.00	1.000
1	9,181.250	47.18	74.00	26.82	35.34	54.00	18.66	5.49	H	286	2.00	1.000
1	10,010.000	47.59	68.20	20.61	35.58			5.32	H	360	2.00	1.000
1	11,017.500	58.68	74.00	15.32	47.20	54.00	6.80	6.51	V	317.6	2.00	1.000
1	11,627.500	47.22	74.00	26.78	35.67	54.00	18.33	6.80	H	349.3	2.00	1.000
1	12,377.500	46.52	74.00	27.48	34.84	54.00	19.16	5.92	H	355.9	2.00	1.000
1	12,952.500	47.24	68.20	20.96	35.22			5.76	H	262.4	2.00	1.000
1	13,590.000	47.26	68.20	20.94	35.72			6.20	H	309.3	2.00	1.000
1	14,815.000	47.98	68.20	20.22	35.78			5.82	H	301.6	2.00	1.000
1	15,486.250	47.56	74.00	26.44	35.30	54.00	18.70	5.82	H	301.6	2.00	1.000
1	16,526.250	50.76	68.20	17.44	38.45			5.84	H	132.1	2.00	1.000


802.11ax (HE40) CH118



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.88	44.06	---	68.20	24.14	500.00	200.0	V	225.00	-4
1384.13	---	34.43	54.00	19.57	500.00	200.0	V	4.00	-3
1721.00	---	34.19	54.00	19.81	500.00	200.0	V	46.00	-2
1979.13	46.61	---	68.20	21.59	500.00	200.0	V	258.00	0
2466.50	49.36	---	68.20	18.84	500.00	200.0	V	247.00	2
2707.13	---	38.27	54.00	15.73	500.00	200.0	V	225.00	3
3483.25	51.61	---	68.20	16.59	500.00	200.0	V	0.00	4
3966.25	---	42.40	54.00	11.60	500.00	200.0	V	184.00	7
5440.63	---	50.08	54.00	3.92	500.00	200.0	V	314.00	10
5462.50	59.56	---	68.20	8.64	500.00	200.0	V	303.00	10
6991.13	63.01	---	68.20	5.19	500.00	200.0	V	215.00	15
7400.63	---	50.74	54.00	3.27	500.00	200.0	V	0.00	16

Spectrum Overview H/V



Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,281.250	50.88	74.00	23.12	38.62	54.00	15.38	8.74	H	328.2	2.00	1.000
1	8,943.750	53.65	68.20	14.55	48.51			5.26	H	213.9	2.00	1.000
1	9,451.250	47.59	74.00	26.41	35.55	54.00	18.45	5.43	H	344.6	2.00	1.000
1	10,002.500	47.86	68.20	20.34	36.04			5.33	V	74.3	2.00	1.000
1	11,176.250	57.30	74.00	16.70	45.61	54.00	8.39	7.13	H	320.2	2.00	1.000
1	11,616.250	48.42	74.00	25.58	35.85	54.00	18.15	6.80	H	157.1	2.00	1.000
1	12,282.500	47.36	74.00	26.64	35.17	54.00	18.83	5.96	H	173.3	2.00	1.000
1	12,936.250	47.11	68.20	21.09	35.18			5.74	H	131.9	2.00	1.000
1	14,850.000	48.27	68.20	19.93	35.75			6.17	H	360	2.00	1.000
1	15,435.000	47.29	74.00	26.71	35.07	54.00	18.93	5.42	H	140.4	2.00	1.000
1	16,760.000	52.00	68.20	16.20	37.90			5.27	H	131.9	2.00	1.000
1	17,555.000	51.64	68.20	16.56	39.17			11.00	V	42.8	2.00	1.000


802.11ax (HE40) CH134



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1261.63	44.82	---	68.20	23.38	500.00	200.0	H	359.00	-4
1413.88	---	33.11	54.00	20.89	500.00	200.0	H	358.00	-3
1708.75	---	33.44	54.00	20.56	500.00	200.0	H	258.00	-2
1936.25	45.72	---	68.20	22.48	500.00	200.0	H	359.00	0
2488.38	---	37.95	54.00	16.05	500.00	200.0	V	154.00	2
2569.75	48.20	---	68.20	20.00	500.00	200.0	H	346.00	3
3342.38	49.66	---	68.20	18.54	500.00	200.0	V	122.00	4
3970.63	---	40.35	54.00	13.65	500.00	200.0	H	150.00	7
5421.38	---	46.05	54.00	7.95	500.00	200.0	V	316.00	10
5466.00	55.98	---	68.20	12.22	500.00	200.0	V	58.00	10
7729.63	---	47.95	54.00	6.05	500.00	200.0	V	39.00	17
7782.13	58.76	---	68.20	9.44	500.00	200.0	H	346.00	16

Spectrum Overview H/V



Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,271.250	50.31	74.00	23.69	38.62	54.00	15.38	8.64	V	150	2.00	1.000
1	8,676.250	48.33	68.20	19.87	36.84			5.39	H	352.3	2.00	1.000
1	9,071.250	50.27	74.00	23.73	41.79	54.00	12.21	5.46	H	214	2.00	1.000
1	9,855.000	48.51	68.20	19.69	36.01			5.53	V	150	2.00	1.000
1	10,971.250	48.60	74.00	25.40	36.55	54.00	17.45	6.60	H	263.1	2.00	1.000
1	11,340.000	59.99	74.00	14.01	45.86	54.00	8.14	7.43	H	312.1	2.00	1.000
1	12,342.500	46.61	74.00	27.39	34.85	54.00	19.15	6.02	H	155.8	2.00	1.000
1	13,006.250	46.85	68.20	21.35	35.19			5.82	H	3.4	2.00	1.000
1	13,602.500	47.56	68.20	20.64	35.60			6.22	H	254.6	2.00	1.000
1	14,826.250	47.63	68.20	20.57	35.80			5.93	H	172.3	2.00	1.000
1	15,428.750	47.41	74.00	26.59	34.92	54.00	19.08	5.37	V	188.7	2.00	1.000
1	17,510.000	50.98	68.20	17.22	39.22			10.84	V	257.9	2.00	1.000


802.11ax (HE40) CH151



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1247.63	44.47	---	68.20	23.73	500.00	200.0	H	256.00	-4
1391.13	---	33.67	54.00	20.33	500.00	200.0	V	0.00	-3
1548.63	---	35.37	54.00	18.63	500.00	200.0	V	75.00	-3
1985.25	46.93	---	68.20	21.27	500.00	200.0	V	3.00	0
2488.38	---	38.63	54.00	15.37	500.00	200.0	V	149.00	2
2687.00	49.42	---	68.20	18.78	500.00	200.0	V	15.00	2
3460.50	51.70	---	68.20	16.50	500.00	200.0	V	20.00	4
3969.75	---	42.41	54.00	11.59	500.00	200.0	V	182.00	7
5441.50	---	47.71	54.00	6.29	500.00	200.0	V	53.00	10
5649.75	65.70	---	68.20	2.50	500.00	200.0	V	96.00	11
6263.13	62.09	---	68.20	6.11	500.00	200.0	V	5.00	13
7728.75	---	50.67	54.00	3.33	500.00	200.0	V	7.00	17

Spectrum Overview H/V



Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,306.250	51.10	74.00	22.90	38.58	54.00	15.42	8.68	H	193.3	2.00	1.000
1	8,631.250	48.61	68.20	19.59	36.63			5.55	V	294.7	2.00	1.000
1	9,062.500	47.48	74.00	26.52	35.44	54.00	18.56	5.45	V	286.2	2.00	1.000
1	9,207.500	51.57	68.20	16.63	43.40			5.52	H	129.7	2.00	1.000
1	10,320.000	47.76	68.20	20.44	35.63			5.81	H	224.6	2.00	1.000
1	10,951.250	48.30	74.00	25.70	36.50	54.00	17.50	6.60	H	281.2	2.00	1.000
1	11,512.500				52.11	54.00	1.89	6.79	H	360	2.00	1.000
1	12,278.750	46.70	74.00	27.30	34.79	54.00	19.21	5.95	H	3.2	2.00	1.000
1	12,972.500	47.78	68.20	20.42	35.16			5.80	V	103.1	2.00	1.000
1	14,883.750	47.93	68.20	20.27	35.82			6.51	H	338.2	2.00	1.000
1	15,483.750	47.58	74.00	26.42	35.18	54.00	18.82	5.80	H	306.2	2.00	1.000
1	17,242.500	51.09	68.20	17.11	38.29			7.95	H	121.2	2.00	1.000

802.11ax (HE40) CH159



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.38	43.65	---	68.20	24.55	500.00	200.0	V	26.00	-4
1392.00	---	33.65	54.00	20.35	500.00	200.0	V	2.00	-3
1587.13	---	34.68	54.00	19.32	500.00	200.0	V	241.00	-2
1994.00	46.02	---	68.20	22.18	500.00	200.0	V	3.00	0
2654.63	49.41	---	68.20	18.79	500.00	200.0	V	2.00	2
2792.88	---	38.06	54.00	15.94	500.00	200.0	V	34.00	3
3597.00	51.79	---	68.20	16.41	500.00	200.0	V	10.00	4
3971.50	---	42.31	54.00	11.69	500.00	200.0	V	3.00	7
4444.88	51.71	---	68.20	16.49	500.00	200.0	V	0.00	7
5451.13	---	47.75	54.00	6.25	500.00	200.0	V	2.00	10
6854.63	62.64	---	68.20	5.56	500.00	200.0	V	55.00	14
7364.75	---	50.50	54.00	3.50	500.00	200.0	V	3.00	15

Spectrum Overview H/V




Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]	Meas. Time [s]
1	8,260.000	50.55	74.00	23.45	38.39	54.00	15.61	8.53	H	317.5	2.00	1.000
1	8,681.250	48.39	68.20	19.81	36.57			5.38	H	25.2	2.00	1.000
1	9,038.750	47.54	74.00	26.46	35.67	54.00	18.33	5.41	H	235.9	2.00	1.000
1	9,272.500	52.50	68.20	15.70	45.86			5.51	H	130.4	2.00	1.000
1	10,073.750	47.91	68.20	20.29	35.50			5.43	H	360	2.00	1.000
1	10,931.250	48.30	74.00	25.70	36.61	54.00	17.39	6.40	V	233.5	2.00	1.000
1	11,593.750				52.12	54.00	1.88	6.80	H	25.2	2.00	1.000
1	12,347.500	46.59	74.00	27.41	34.81	54.00	19.19	6.01	H	360	2.00	1.000
1	13,637.500	47.86	68.20	20.34	35.41			6.25	V	0	2.00	1.000
1	15,001.250	47.18	68.20	21.02	35.34			6.19	H	57.2	2.00	1.000
1	15,512.500	46.53	74.00	27.47	35.32	54.00	18.68	5.97	V	217.6	2.00	1.000
1	17,396.250	56.14	68.20	12.06	44.19			9.77	H	25.2	2.00	1.000

802.11ax (HE80) CH42



Final Result


Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.75	43.90	---	68.20	24.30	500.00	200.0	V	0.00	-4
1389.38	---	33.21	54.00	20.79	500.00	200.0	V	163.00	-3
1457.63	---	33.40	54.00	20.60	500.00	200.0	V	33.00	-3
1971.25	45.81	---	68.20	22.39	500.00	200.0	H	346.00	0
2488.38	---	38.56	54.00	15.44	500.00	200.0	V	154.00	2
2682.63	49.10	---	68.20	19.10	500.00	200.0	V	154.00	2
3535.75	50.23	---	68.20	17.97	500.00	200.0	V	163.00	4
3969.75	---	40.36	54.00	13.64	500.00	200.0	H	357.00	7
4433.50	51.26	---	68.20	16.94	500.00	200.0	V	268.00	7
5143.13	---	51.79	54.00	2.21	500.00	200.0	V	0.00	10
7734.00	---	48.00	54.00	6.00	500.00	200.0	V	86.00	17
7818.88	58.47	---	68.20	9.73	500.00	200.0	V	207.00	16



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Pol	Azimuth (deg)
8335.00	---	47.80	54.00	6.20	500.00	1000.000	H	347.00
8765.00	51.08	---	68.20	17.13	500.00	1000.000	H	54.00
9402.50	---	39.06	54.00	14.94	500.00	1000.000	V	0.00
10431.25	57.76	---	68.20	10.44	500.00	1000.000	H	144.00
10595.00	52.09	---	68.20	16.11	500.00	1000.000	H	54.00
11625.00	---	41.38	54.00	12.62	500.00	1000.000	V	357.00
13381.25	---	41.43	54.00	12.57	500.00	1000.000	H	234.00
13687.50	53.26	---	68.20	14.94	500.00	1000.000	H	2.00
14093.75	54.92	---	68.20	13.28	500.00	1000.000	V	94.00
14483.75	---	42.70	54.00	11.30	500.00	1000.000	H	359.00
17696.25	58.10	---	68.20	10.10	500.00	1000.000	H	5.00
17828.75	---	51.22	54.00	2.78	500.00	1000.000	V	204.00

802.11ax (HE80) CH58



Final Result

Frequency (MHz)	MaxPeak (dBV/m)	Average (dBV/m)	Limit (dBV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.50	43.88	---	68.20	24.32	500.00	200.0	H	291.00	-4
1374.50	---	33.10	54.00	20.90	500.00	200.0	H	326.00	-3
1687.75	---	33.38	54.00	20.62	500.00	200.0	H	333.00	-2
1988.75	46.01	---	68.20	22.19	500.00	200.0	V	101.00	0
2488.38	---	37.57	54.00	16.43	500.00	200.0	V	153.00	2
2597.75	48.07	---	68.20	20.13	500.00	200.0	H	90.00	2
3529.63	51.00	---	68.20	17.20	500.00	200.0	H	159.00	4
3966.25	---	40.34	54.00	13.66	500.00	200.0	V	17.00	7
5353.13	---	50.28	54.00	3.72	500.00	200.0	V	23.00	10
5497.50	57.21	---	68.20	10.99	500.00	200.0	V	304.00	10
7728.75	---	47.86	54.00	6.14	500.00	200.0	H	185.00	17
7777.75	58.85	---	68.20	9.35	500.00	200.0	V	110.00	16