











Mode	65																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																																		
ANT	3																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7055.00</td><td>49.11</td><td>68.20</td><td>-19.09</td><td>62.05</td><td>35.61</td><td>11.53</td><td>60.08</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>46.10</td><td>68.20</td><td>-22.10</td><td>54.85</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10850.00</td><td>47.10</td><td>---</td><td>---</td><td>55.62</td><td>37.90</td><td>14.46</td><td>60.88</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7055.00	49.11	68.20	-19.09	62.05	35.61	11.53	60.08	0.00	---	Peak	2	10580.00	46.10	68.20	-22.10	54.85	37.86	14.28	60.89	0.00	---	PEAK	3	10850.00	47.10	---	---	55.62	37.90	14.46	60.88	0.00	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7055.00</td><td>47.64</td><td>68.20</td><td>-20.56</td><td>60.58</td><td>35.61</td><td>11.53</td><td>60.08</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.28</td><td>68.20</td><td>-22.92</td><td>54.03</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10850.00</td><td>52.50</td><td>---</td><td>---</td><td>61.02</td><td>37.90</td><td>14.46</td><td>60.88</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7055.00	47.64	68.20	-20.56	60.58	35.61	11.53	60.08	0.00	---	Peak	2	10580.00	45.28	68.20	-22.92	54.03	37.86	14.28	60.89	0.00	---	PEAK	3	10850.00	52.50	---	---	61.02	37.90	14.46	60.88	0.00	---
	Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7055.00	49.11	68.20	-19.09	62.05	35.61	11.53	60.08	0.00	---	Peak																																																																																																																								
2	10580.00	46.10	68.20	-22.10	54.85	37.86	14.28	60.89	0.00	---	PEAK																																																																																																																								
3	10850.00	47.10	---	---	55.62	37.90	14.46	60.88	0.00	---	Peak																																																																																																																								
	Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7055.00	47.64	68.20	-20.56	60.58	35.61	11.53	60.08	0.00	---	Peak																																																																																																																								
2	10580.00	45.28	68.20	-22.92	54.03	37.86	14.28	60.89	0.00	---	PEAK																																																																																																																								
3	10850.00	52.50	---	---	61.02	37.90	14.46	60.88	0.00	---	Peak																																																																																																																								




Mode	65																																																																																																													
	Band Edge - L																																																																																																													
	2400-2483.5 Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2374.61</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>43.69</td><td>31.84</td><td>6.58</td><td>32.89</td><td>6.00</td><td>100</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2374.61	55.22	74.00	-18.78	43.69	31.84	6.58	32.89	6.00	100	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>99.29</td><td>-----</td><td>87.30</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>2452.00</td><td>95.33</td><td>-----</td><td>82.83</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>100</td><td>111</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	99.29	-----	87.30	32.21	6.62	32.84	6.00	100	111	PEAK	2	2452.00	95.33	-----	82.83	32.52	6.69	32.71	6.00	100	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2374.61	55.22	74.00	-18.78	43.69	31.84	6.58	32.89	6.00	100	111	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2402.00	99.29	-----	87.30	32.21	6.62	32.84	6.00	100	111	PEAK																																																																																																			
2	2452.00	95.33	-----	82.83	32.52	6.69	32.71	6.00	100	111	Peak																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.14</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>33.32</td><td>31.99</td><td>6.60</td><td>32.87</td><td>6.00</td><td>100</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2385.14	45.04	54.00	-8.96	33.32	31.99	6.60	32.87	6.00	100	111	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>97.05</td><td>-----</td><td>85.06</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>111</td><td>AVERAGE</td></tr><tr><td>2</td><td>2452.00</td><td>84.74</td><td>-----</td><td>72.24</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>100</td><td>111</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	97.05	-----	85.06	32.21	6.62	32.84	6.00	100	111	AVERAGE	2	2452.00	84.74	-----	72.24	32.52	6.69	32.71	6.00	100	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2385.14	45.04	54.00	-8.96	33.32	31.99	6.60	32.87	6.00	100	111	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2402.00	97.05	-----	85.06	32.21	6.62	32.84	6.00	100	111	AVERAGE																																																																																																			
2	2452.00	84.74	-----	72.24	32.52	6.69	32.71	6.00	100	111	Average																																																																																																			







Mode	65																																																																																																													
	Band Edge - L																																																																																																													
	2400-2483.5 Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2372.27</td><td>55.13</td><td>74.00</td><td>-18.87</td><td>43.63</td><td>31.81</td><td>6.58</td><td>32.89</td><td>6.00</td><td>393</td><td>130</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.27	55.13	74.00	-18.87	43.63	31.81	6.58	32.89	6.00	393	130	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>98.58</td><td>-----</td><td>86.59</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>393</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>2452.00</td><td>97.13</td><td>-----</td><td>84.63</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>393</td><td>130</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.58	-----	86.59	32.21	6.62	32.84	6.00	393	130	PEAK	2	2452.00	97.13	-----	84.63	32.52	6.69	32.71	6.00	393	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2372.27	55.13	74.00	-18.87	43.63	31.81	6.58	32.89	6.00	393	130	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2402.00	98.58	-----	86.59	32.21	6.62	32.84	6.00	393	130	PEAK																																																																																																			
2	2452.00	97.13	-----	84.63	32.52	6.69	32.71	6.00	393	130	Peak																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2379.68</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>33.05</td><td>31.92</td><td>6.59</td><td>32.88</td><td>6.00</td><td>393</td><td>130</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.68	44.68	54.00	-9.32	33.05	31.92	6.59	32.88	6.00	393	130	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>96.31</td><td>-----</td><td>84.32</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>393</td><td>130</td><td>AVERAGE</td></tr><tr><td>2</td><td>2452.00</td><td>87.10</td><td>-----</td><td>74.60</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>393</td><td>130</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.31	-----	84.32	32.21	6.62	32.84	6.00	393	130	AVERAGE	2	2452.00	87.10	-----	74.60	32.52	6.69	32.71	6.00	393	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2379.68	44.68	54.00	-9.32	33.05	31.92	6.59	32.88	6.00	393	130	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2402.00	96.31	-----	84.32	32.21	6.62	32.84	6.00	393	130	AVERAGE																																																																																																			
2	2452.00	87.10	-----	74.60	32.52	6.69	32.71	6.00	393	130	Average																																																																																																			





Mode	65																																																																
	Harmonic																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																
ANT	2																																																																
Pol.	Horizontal																																																																
Peak Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>39.56</td><td>74.00</td><td>-34.44</td><td>57.63</td><td>34.20</td><td>9.44</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	39.56	74.00	-34.44	57.63	34.20	9.44	61.71						0.00		---	---									Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	4804.00	39.56	74.00	-34.44	57.63	34.20	9.44	61.71																																																									
					0.00		---	---																																																									
								Peak																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4804.00</td><td>39.49</td><td>74.00</td><td>-34.51</td><td>57.56</td><td>34.20</td><td>9.44</td><td>61.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4804.00	39.49	74.00	-34.51	57.56	34.20	9.44	61.71						0.00		---	---									Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	4804.00	39.49	74.00	-34.51	57.56	34.20	9.44	61.71																																																									
					0.00		---	---																																																									
								Peak																																																									



Mode	65																																																																																																													
	Band Edge - L																																																																																																													
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																													
ANT	4																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2368.79</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>43.46</td><td>31.76</td><td>6.57</td><td>32.89</td><td>6.00</td><td>129</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2368.79	54.90	74.00	-19.10	43.46	31.76	6.57	32.89	6.00	129	265	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>88.82</td><td>-----</td><td>76.83</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>129</td><td>265</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>101.28</td><td>-----</td><td>88.78</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>129</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	88.82	-----	76.83	32.21	6.62	32.84	6.00	129	265	Peak	2	2452.00	101.28	-----	88.78	32.52	6.69	32.71	6.00	129	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2368.79	54.90	74.00	-19.10	43.46	31.76	6.57	32.89	6.00	129	265	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2402.00	88.82	-----	76.83	32.21	6.62	32.84	6.00	129	265	Peak																																																																																																			
2	2452.00	101.28	-----	88.78	32.52	6.69	32.71	6.00	129	265	PEAK																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2309.24</td><td>42.15</td><td>54.00</td><td>-11.85</td><td>30.36</td><td>32.05</td><td>6.60</td><td>32.86</td><td>6.00</td><td>129</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2309.24	42.15	54.00	-11.85	30.36	32.05	6.60	32.86	6.00	129	265	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>84.53</td><td>-----</td><td>72.54</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>129</td><td>265</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>88.84</td><td>-----</td><td>76.36</td><td>32.50</td><td>6.69</td><td>32.71</td><td>6.00</td><td>129</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	84.53	-----	72.54	32.21	6.62	32.84	6.00	129	265	Average	2	2452.00	88.84	-----	76.36	32.50	6.69	32.71	6.00	129	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2309.24	42.15	54.00	-11.85	30.36	32.05	6.60	32.86	6.00	129	265	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2402.00	84.53	-----	72.54	32.21	6.62	32.84	6.00	129	265	Average																																																																																																			
2	2452.00	88.84	-----	76.36	32.50	6.69	32.71	6.00	129	265	AVERAGE																																																																																																			





Mode	65																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																						
ANT	4																																																						
Pol.	Horizontal						Fundamental																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.60</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>43.74</td><td>32.78</td><td>6.74</td><td>32.62</td><td>6.00</td><td>129</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.60	56.64	74.00	-17.36	43.74	32.78	6.74	32.62	6.00	129	265	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2485.60	56.64	74.00	-17.36	43.74	32.78	6.74	32.62	6.00	129	265	PEAK																																											
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>31.77</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>129</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	44.64	54.00	-9.36	31.77	32.77	6.73	32.63	6.00	129	265	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.58	44.64	54.00	-9.36	31.77	32.77	6.73	32.63	6.00	129	265	AVERAGE																																											





Mode	65																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2360.98</td><td>55.48</td><td>74.00</td><td>-18.52</td><td>44.18</td><td>31.65</td><td>6.56</td><td>32.91</td><td>6.00</td><td>346</td><td>144</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.98	55.48	74.00	-18.52	44.18	31.65	6.56	32.91	6.00	346	144	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>94.83</td><td>-----</td><td>-----</td><td>82.84</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>346</td><td>144</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>96.72</td><td>-----</td><td>-----</td><td>84.35</td><td>32.44</td><td>6.67</td><td>32.74</td><td>6.00</td><td>346</td><td>144</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.83	-----	-----	82.84	32.21	6.62	32.84	6.00	346	144	Peak	2	2452.00	96.72	-----	-----	84.35	32.44	6.67	32.74	6.00	346	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2360.98	55.48	74.00	-18.52	44.18	31.65	6.56	32.91	6.00	346	144	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	94.83	-----	-----	82.84	32.21	6.62	32.84	6.00	346	144	Peak																																																																																																				
2	2452.00	96.72	-----	-----	84.35	32.44	6.67	32.74	6.00	346	144	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2309.95</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>30.40</td><td>32.06</td><td>6.60</td><td>32.06</td><td>6.00</td><td>346</td><td>144</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2309.95	42.20	54.00	-11.80	30.40	32.06	6.60	32.06	6.00	346	144	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>90.53</td><td>-----</td><td>-----</td><td>78.54</td><td>32.21</td><td>6.62</td><td>32.84</td><td>6.00</td><td>346</td><td>144</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>86.40</td><td>-----</td><td>-----</td><td>73.90</td><td>32.52</td><td>6.69</td><td>32.71</td><td>6.00</td><td>346</td><td>144</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	90.53	-----	-----	78.54	32.21	6.62	32.84	6.00	346	144	Average	2	2452.00	86.40	-----	-----	73.90	32.52	6.69	32.71	6.00	346	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2309.95	42.20	54.00	-11.80	30.40	32.06	6.60	32.06	6.00	346	144	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	90.53	-----	-----	78.54	32.21	6.62	32.84	6.00	346	144	Average																																																																																																				
2	2452.00	86.40	-----	-----	73.90	32.52	6.69	32.71	6.00	346	144	Average																																																																																																				







Mode	65																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																					
ANT	4																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.22</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>42.93</td><td>32.83</td><td>6.74</td><td>32.61</td><td>6.00</td><td>346</td><td>144</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.22	55.89	74.00	-18.11	42.93	32.83	6.74	32.61	6.00	346	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2491.22	55.89	74.00	-18.11	42.93	32.83	6.74	32.61	6.00	346	144	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.88</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>30.86</td><td>32.78</td><td>6.73</td><td>32.62</td><td>6.00</td><td>346</td><td>144</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.88	43.75	54.00	-10.25	30.86	32.78	6.73	32.62	6.00	346	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.88	43.75	54.00	-10.25	30.86	32.78	6.73	32.62	6.00	346	144	AVERAGE																																										





Mode	65																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																																											
ANT	4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>61.09</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>58.02</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	dB	cm	deg		1	4904.00	43.23	74.00	-30.77	61.09	34.20	9.55	61.61	0.00	---	---	PEAK	2	7356.00	44.99	74.00	-29.01	58.02	35.79	11.71	60.53	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>60.15</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>57.51</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	dB	cm	deg		1	4904.00	42.29	74.00	-31.71	60.15	34.20	9.55	61.61	0.00	---	---	PEAK	2	7356.00	44.48	74.00	-29.52	57.51	35.79	11.71	60.53	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4904.00	43.23	74.00	-30.77	61.09	34.20	9.55	61.61	0.00	---	---	PEAK																																																																																																																																
2	7356.00	44.99	74.00	-29.01	58.02	35.79	11.71	60.53	0.00	---	---	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4904.00	42.29	74.00	-31.71	60.15	34.20	9.55	61.61	0.00	---	---	PEAK																																																																																																																																
2	7356.00	44.48	74.00	-29.52	57.51	35.79	11.71	60.53	0.00	---	---	PEAK																																																																																																																																



Mode	66																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																			
ANT	3																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5107.01</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>41.82</td><td>34.20</td><td>9.75</td><td>31.78</td><td>0.00</td><td>299</td><td>18</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5107.01	53.99	74.00	-20.01	41.82	34.20	9.75	31.78	0.00	299	18	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>101.61</td><td>-----</td><td>-----</td><td>95.11</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>299</td><td>18</td><td>Peak</td></tr><tr><td>2</td><td>3616.00</td><td>110.90</td><td>-----</td><td>-----</td><td>101.43</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>299</td><td>18</td><td>Peak</td></tr><tr><td>3</td><td>5290.00</td><td>99.12</td><td>-----</td><td>-----</td><td>86.57</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>299</td><td>18</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	101.61	-----	-----	95.11	32.52	6.69	32.71	0.00	299	18	Peak	2	3616.00	110.90	-----	-----	101.43	33.23	8.26	32.02	0.00	299	18	Peak	3	5290.00	99.12	-----	-----	86.57	34.56	9.88	31.89	0.00	299	18	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5107.01	53.99	74.00	-20.01	41.82	34.20	9.75	31.78	0.00	299	18	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2452.00	101.61	-----	-----	95.11	32.52	6.69	32.71	0.00	299	18	Peak																																																																																																								
2	3616.00	110.90	-----	-----	101.43	33.23	8.26	32.02	0.00	299	18	Peak																																																																																																								
3	5290.00	99.12	-----	-----	86.57	34.56	9.88	31.89	0.00	299	18	Peak																																																																																																								
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.97</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>30.25</td><td>34.20</td><td>9.78</td><td>31.80</td><td>0.00</td><td>299</td><td>18</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.97	42.43	54.00	-11.57	30.25	34.20	9.78	31.80	0.00	299	18	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>92.32</td><td>-----</td><td>-----</td><td>85.82</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>299</td><td>18</td><td>Average</td></tr><tr><td>2</td><td>3616.00</td><td>90.24</td><td>-----</td><td>-----</td><td>80.77</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>299</td><td>18</td><td>Average</td></tr><tr><td>3</td><td>5290.00</td><td>89.52</td><td>-----</td><td>-----</td><td>76.97</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>299</td><td>18</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	92.32	-----	-----	85.82	32.52	6.69	32.71	0.00	299	18	Average	2	3616.00	90.24	-----	-----	80.77	33.23	8.26	32.02	0.00	299	18	Average	3	5290.00	89.52	-----	-----	76.97	34.56	9.88	31.89	0.00	299	18	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5142.97	42.43	54.00	-11.57	30.25	34.20	9.78	31.80	0.00	299	18	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2452.00	92.32	-----	-----	85.82	32.52	6.69	32.71	0.00	299	18	Average																																																																																																								
2	3616.00	90.24	-----	-----	80.77	33.23	8.26	32.02	0.00	299	18	Average																																																																																																								
3	5290.00	89.52	-----	-----	76.97	34.56	9.88	31.89	0.00	299	18	Average																																																																																																								



Mode	66																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																			
ANT	3																																																			
Pol.	Horizontal										Fundamental																																									
Peak											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.69</td><td>58.76</td><td>74.00</td><td>-15.24</td><td>46.20</td><td>34.57</td><td>9.92</td><td>31.93</td><td>0.00</td><td>299</td><td>18 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.69	58.76	74.00	-15.24	46.20	34.57	9.92	31.93	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5367.69	58.76	74.00	-15.24	46.20	34.57	9.92	31.93	0.00	299	18 PEAK																																									
Avg											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>46.25</td><td>54.00</td><td>-7.75</td><td>33.76</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>299</td><td>18 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	46.25	54.00	-7.75	33.76	34.50	9.91	31.92	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5350.35	46.25	54.00	-7.75	33.76	34.50	9.91	31.92	0.00	299	18 AVERAGE																																									

Mode

66

Band Edge - L

U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz

ANT

3

Pol.

Vertical

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5000

5058.

5116.

5174.

5232.

5290

1

U-NII-1-U-NII-2A-U-NII-2C

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 5010.15	56.02	74.00	-17.98	43.97	34.12	9.66	31.73	0.00	305	297	PEAK

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200.

3400.

4600.

5800.

7000

1

2

3

U-NII-1-U-NII-2A-U-NII-2C

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 2452.00	101.37	-----	-----	94.87	32.52	6.69	32.71	0.00	305	297	Peak
2 3616.00	118.56	-----	-----	109.09	33.23	8.26	32.02	0.00	305	297	Peak
3 5290.00	102.38	-----	-----	89.83	34.56	9.88	31.89	0.00	305	297	Peak
4 6076.00	62.45	-----	-----	48.52	35.40	10.64	32.11	0.00	305	297	Peak

Pol.

Vertical

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5000

5058.

5116.

5174.

5232.

5290

1

U-NII-1-U-NII-2A-U-NII-2C(AVG)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 5141.23	42.80	54.00	-11.20	30.62	34.20	9.78	31.80	0.00	305	297	AVERAGE

Fundamental

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200.

3400.

4600.

5800.

7000

1



2

3



U-NII-1-U-NII-2A-U-NII-2C(AVG)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 2452.00	91.76	-----	-----	85.26	32.52	6.69	32.71	0.00	305	297	Average
2 3616.00	110.09	-----	-----	100.62	33.23	8.26	32.02	0.00	305	297	Average
3 5290.00	93.25	-----	-----	80.70	34.56	9.88	31.89	0.00	305	297	Average







Mode	66																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																						
ANT	3																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.62</td><td>62.87</td><td>74.00</td><td>-11.13</td><td>50.37</td><td>34.52</td><td>9.91</td><td>31.93</td><td>0.00</td><td>305</td><td>297</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.62	62.87	74.00	-11.13	50.37	34.52	9.91	31.93	0.00	305	297	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5355.62	62.87	74.00	-11.13	50.37	34.52	9.91	31.93	0.00	305	297	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>37.92</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>305</td><td>297</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	50.41	54.00	-3.59	37.92	34.50	9.91	31.92	0.00	305	297	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.01	50.41	54.00	-3.59	37.92	34.50	9.91	31.92	0.00	305	297	AVERAGE																																											



Mode	66																																																																												
	Harmonic																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																												
ANT	3																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7055.00</td><td>48.97</td><td>68.20</td><td>-19.23</td><td>61.91</td><td>35.61</td><td>11.53</td><td>60.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.97</td><td>68.20</td><td>-22.23</td><td>54.72</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>3</td><td>10850.00</td><td>47.50</td><td>---</td><td>---</td><td>56.02</td><td>37.90</td><td>14.46</td><td>60.88</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7055.00	48.97	68.20	-19.23	61.91	35.61	11.53	60.08	0.00	--- Peak	2	10580.00	45.97	68.20	-22.23	54.72	37.86	14.28	60.89	0.00	--- PEAK	3	10850.00	47.50	---	---	56.02	37.90	14.46	60.88	0.00	--- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	7055.00	48.97	68.20	-19.23	61.91	35.61	11.53	60.08	0.00	--- Peak																																																																			
2	10580.00	45.97	68.20	-22.23	54.72	37.86	14.28	60.89	0.00	--- PEAK																																																																			
3	10850.00	47.50	---	---	56.02	37.90	14.46	60.88	0.00	--- Peak																																																																			
Vertical																																																																													
																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7055.00</td><td>46.73</td><td>68.20</td><td>-21.47</td><td>59.67</td><td>35.61</td><td>11.53</td><td>60.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.58</td><td>68.20</td><td>-22.62</td><td>54.33</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>3</td><td>10850.00</td><td>49.32</td><td>---</td><td>---</td><td>57.84</td><td>37.90</td><td>14.46</td><td>60.88</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7055.00	46.73	68.20	-21.47	59.67	35.61	11.53	60.08	0.00	--- Peak	2	10580.00	45.58	68.20	-22.62	54.33	37.86	14.28	60.89	0.00	--- PEAK	3	10850.00	49.32	---	---	57.84	37.90	14.46	60.88	0.00	--- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	7055.00	46.73	68.20	-21.47	59.67	35.61	11.53	60.08	0.00	--- Peak																																																																			
2	10580.00	45.58	68.20	-22.62	54.33	37.86	14.28	60.89	0.00	--- PEAK																																																																			
3	10850.00	49.32	---	---	57.84	37.90	14.46	60.88	0.00	--- Peak																																																																			







Mode	66																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																						
ANT	2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.67</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>42.62</td><td>32.03</td><td>6.60</td><td>32.86</td><td>6.00</td><td>100</td><td>218</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.67	54.39	74.00	-19.61	42.62	32.03	6.60	32.86	6.00	100	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.67	54.39	74.00	-19.61	42.62	32.03	6.60	32.86	6.00	100	218	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>106.59</td><td>-----</td><td>-----</td><td>94.20</td><td>32.45</td><td>6.68</td><td>32.74</td><td>6.00</td><td>100</td><td>218</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.59	-----	-----	94.20	32.45	6.68	32.74	6.00	100	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	106.59	-----	-----	94.20	32.45	6.68	32.74	6.00	100	218	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>30.71</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>100</td><td>218</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.00	42.51	54.00	-11.49	30.71	32.06	6.60	32.86	6.00	100	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.00	42.51	54.00	-11.49	30.71	32.06	6.60	32.86	6.00	100	218	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>95.41</td><td>-----</td><td>-----</td><td>83.02</td><td>32.45</td><td>6.68</td><td>32.74</td><td>6.00</td><td>100</td><td>218</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	95.41	-----	-----	83.02	32.45	6.68	32.74	6.00	100	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	95.41	-----	-----	83.02	32.45	6.68	32.74	6.00	100	218	AVERAGE																																											





Mode	66																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																					
ANT	2																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.70</td><td>62.13</td><td>74.00</td><td>-11.87</td><td>49.22</td><td>32.79</td><td>6.74</td><td>32.62</td><td>6.00</td><td>100</td><td>218 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.70	62.13	74.00	-11.87	49.22	32.79	6.74	32.62	6.00	100	218 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.70	62.13	74.00	-11.87	49.22	32.79	6.74	32.62	6.00	100	218 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>48.75</td><td>54.00</td><td>-5.25</td><td>35.88</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>218 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	48.75	54.00	-5.25	35.88	32.77	6.73	32.63	6.00	100	218 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.54	48.75	54.00	-5.25	35.88	32.77	6.73	32.63	6.00	100	218 AVERAGE																																											





Mode	66																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.96</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>42.28</td><td>32.03</td><td>6.60</td><td>32.86</td><td>6.00</td><td>390</td><td>129</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.96	54.05	74.00	-19.95	42.28	32.03	6.60	32.86	6.00	390	129	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>106.54</td><td>-----</td><td>-----</td><td>94.19</td><td>32.43</td><td>6.67</td><td>32.75</td><td>6.00</td><td>390</td><td>129</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.54	-----	-----	94.19	32.43	6.67	32.75	6.00	390	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2387.96	54.05	74.00	-19.95	42.28	32.03	6.60	32.86	6.00	390	129	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	106.54	-----	-----	94.19	32.43	6.67	32.75	6.00	390	129	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.52</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>30.80</td><td>32.05</td><td>6.60</td><td>32.86</td><td>6.00</td><td>390</td><td>129</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.52	42.59	54.00	-11.41	30.80	32.05	6.60	32.86	6.00	390	129	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>95.34</td><td>-----</td><td>-----</td><td>82.97</td><td>32.44</td><td>6.67</td><td>32.74</td><td>6.00</td><td>390</td><td>129</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	95.34	-----	-----	82.97	32.44	6.67	32.74	6.00	390	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.52	42.59	54.00	-11.41	30.80	32.05	6.60	32.86	6.00	390	129	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	95.34	-----	-----	82.97	32.44	6.67	32.74	6.00	390	129	AVERAGE																																																																																																			







Mode	66																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																							
ANT	2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>59.30</td><td>74.00</td><td>-14.70</td><td>46.43</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>390</td><td>129</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	59.30	74.00	-14.70	46.43	32.77	6.73	32.63	6.00	390	129	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.58	59.30	74.00	-14.70	46.43	32.77	6.73	32.63	6.00	390	129	PEAK																																												
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>32.00</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>390</td><td>129</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	45.67	54.00	-8.33	32.00	32.77	6.73	32.63	6.00	390	129	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.54	45.67	54.00	-8.33	32.00	32.77	6.73	32.63	6.00	390	129	AVERAGE																																												





Mode	66																																																																																																																																				
	Harmonic																																																																																																																																				
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																																				
ANT	2																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.36</td><td>74.00</td><td>-31.64</td><td>60.22</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>57.03</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	42.36	74.00	-31.64	60.22	34.20	9.55	61.61	0.00	---	---	PEAK	2	7356.00	44.00	74.00	-30.00	57.03	35.79	11.71	60.53	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.42</td><td>74.00</td><td>-31.58</td><td>60.28</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>57.56</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	42.42	74.00	-31.58	60.28	34.20	9.55	61.61	0.00	---	---	PEAK	2	7356.00	44.53	74.00	-29.47	57.56	35.79	11.71	60.53	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	4904.00	42.36	74.00	-31.64	60.22	34.20	9.55	61.61	0.00	---	---	PEAK																																																																																																																									
2	7356.00	44.00	74.00	-30.00	57.03	35.79	11.71	60.53	0.00	---	---	PEAK																																																																																																																									
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	4904.00	42.42	74.00	-31.58	60.28	34.20	9.55	61.61	0.00	---	---	PEAK																																																																																																																									
2	7356.00	44.53	74.00	-29.47	57.56	35.79	11.71	60.53	0.00	---	---	PEAK																																																																																																																									







		67																																																																																																																			
Mode	Band Edge - L																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																				
ANT	4																																																																																																																				
Pol.	Horizontal					Fundamental																																																																																																															
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5069.31</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>41.72</td><td>34.20</td><td>9.72</td><td>31.75</td><td>0.00</td><td>105</td><td>2 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5069.31	53.89	74.00	-20.11	41.72	34.20	9.72	31.75	0.00	105	2 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>99.47</td><td>-----</td><td>92.97</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>105</td><td>2 Peak</td></tr><tr><td>2</td><td>3616.00</td><td>109.02</td><td>-----</td><td>99.55</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>105</td><td>2 Peak</td></tr><tr><td>3</td><td>5290.00</td><td>91.44</td><td>-----</td><td>78.89</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>105</td><td>2 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	99.47	-----	92.97	32.52	6.69	32.71	0.00	105	2 Peak	2	3616.00	109.02	-----	99.55	33.23	8.26	32.02	0.00	105	2 Peak	3	5290.00	91.44	-----	78.89	34.56	9.88	31.89	0.00	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	5069.31	53.89	74.00	-20.11	41.72	34.20	9.72	31.75	0.00	105	2 PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	2452.00	99.47	-----	92.97	32.52	6.69	32.71	0.00	105	2 Peak																																																																																																											
2	3616.00	109.02	-----	99.55	33.23	8.26	32.02	0.00	105	2 Peak																																																																																																											
3	5290.00	91.44	-----	78.89	34.56	9.88	31.89	0.00	105	2 Peak																																																																																																											
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.87</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>30.28</td><td>34.20</td><td>9.78</td><td>31.80</td><td>0.00</td><td>105</td><td>2 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.87	42.46	54.00	-11.54	30.28	34.20	9.78	31.80	0.00	105	2 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>90.54</td><td>-----</td><td>84.04</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>105</td><td>2 Average</td></tr><tr><td>2</td><td>3616.00</td><td>106.11</td><td>-----</td><td>96.64</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>105</td><td>2 Average</td></tr><tr><td>3</td><td>5290.00</td><td>82.46</td><td>-----</td><td>69.91</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>105</td><td>2 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	90.54	-----	84.04	32.52	6.69	32.71	0.00	105	2 Average	2	3616.00	106.11	-----	96.64	33.23	8.26	32.02	0.00	105	2 Average	3	5290.00	82.46	-----	69.91	34.56	9.88	31.89	0.00	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	5145.87	42.46	54.00	-11.54	30.28	34.20	9.78	31.80	0.00	105	2 AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	2452.00	90.54	-----	84.04	32.52	6.69	32.71	0.00	105	2 Average																																																																																																											
2	3616.00	106.11	-----	96.64	33.23	8.26	32.02	0.00	105	2 Average																																																																																																											
3	5290.00	82.46	-----	69.91	34.56	9.88	31.89	0.00	105	2 Average																																																																																																											





Mode	67																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																				
ANT	4																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>44.76</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>105</td><td>2 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	57.25	74.00	-16.75	44.76	34.50	9.91	31.92	0.00	105	2 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.35	57.25	74.00	-16.75	44.76	34.50	9.91	31.92	0.00	105	2 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>32.00</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>105</td><td>2 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	45.29	54.00	-8.71	32.00	34.50	9.91	31.92	0.00	105	2 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.01	45.29	54.00	-8.71	32.00	34.50	9.91	31.92	0.00	105	2 AVERAGE																																										





Mode	67																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																			
ANT	4																																																																																																																			
Pol.	Vertical					Fundamental																																																																																																														
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5099.47</td><td>54.62</td><td>74.00</td><td>-19.38</td><td>42.45</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>382</td><td>8 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5099.47	54.62	74.00	-19.38	42.45	34.20	9.74	31.77	0.00	382	8 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>86.53</td><td>-----</td><td>80.03</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>382</td><td>8 Peak</td></tr><tr><td>2</td><td>3616.00</td><td>115.12</td><td>-----</td><td>105.65</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>382</td><td>8 Peak</td></tr><tr><td>3</td><td>5290.00</td><td>95.50</td><td>-----</td><td>82.95</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>382</td><td>8 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	86.53	-----	80.03	32.52	6.69	32.71	0.00	382	8 Peak	2	3616.00	115.12	-----	105.65	33.23	8.26	32.02	0.00	382	8 Peak	3	5290.00	95.50	-----	82.95	34.56	9.88	31.89	0.00	382
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5099.47	54.62	74.00	-19.38	42.45	34.20	9.74	31.77	0.00	382	8 PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2452.00	86.53	-----	80.03	32.52	6.69	32.71	0.00	382	8 Peak																																																																																																										
2	3616.00	115.12	-----	105.65	33.23	8.26	32.02	0.00	382	8 Peak																																																																																																										
3	5290.00	95.50	-----	82.95	34.56	9.88	31.89	0.00	382	8 Peak																																																																																																										
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.94</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>30.23</td><td>34.20</td><td>9.78</td><td>31.00</td><td>0.00</td><td>382</td><td>8 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5140.94	42.41	54.00	-11.59	30.23	34.20	9.78	31.00	0.00	382	8 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>78.03</td><td>-----</td><td>71.53</td><td>32.52</td><td>6.69</td><td>32.71</td><td>0.00</td><td>382</td><td>8 Average</td></tr><tr><td>2</td><td>3616.00</td><td>108.07</td><td>-----</td><td>98.60</td><td>33.23</td><td>8.26</td><td>32.02</td><td>0.00</td><td>382</td><td>8 Average</td></tr><tr><td>3</td><td>5290.00</td><td>86.77</td><td>-----</td><td>74.22</td><td>34.56</td><td>9.88</td><td>31.89</td><td>0.00</td><td>382</td><td>8 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	78.03	-----	71.53	32.52	6.69	32.71	0.00	382	8 Average	2	3616.00	108.07	-----	98.60	33.23	8.26	32.02	0.00	382	8 Average	3	5290.00	86.77	-----	74.22	34.56	9.88	31.89	0.00	382
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5140.94	42.41	54.00	-11.59	30.23	34.20	9.78	31.00	0.00	382	8 AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2452.00	78.03	-----	71.53	32.52	6.69	32.71	0.00	382	8 Average																																																																																																										
2	3616.00	108.07	-----	98.60	33.23	8.26	32.02	0.00	382	8 Average																																																																																																										
3	5290.00	86.77	-----	74.22	34.56	9.88	31.89	0.00	382	8 Average																																																																																																										







Mode	67																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																				
ANT	4																																																				
Pol.	Vertical						Fundamental																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5371.43</td><td>64.73</td><td>74.00</td><td>-9.27</td><td>52.16</td><td>34.59</td><td>9.92</td><td>31.94</td><td>0.00</td><td>382</td><td>8 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.43	64.73	74.00	-9.27	52.16	34.59	9.92	31.94	0.00	382	8 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5371.43	64.73	74.00	-9.27	52.16	34.59	9.92	31.94	0.00	382	8 PEAK																																										
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.52</td><td>50.29</td><td>54.00</td><td>-3.71</td><td>37.00</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>382</td><td>8 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.52	50.29	54.00	-3.71	37.00	34.50	9.91	31.92	0.00	382	8 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.52	50.29	54.00	-3.71	37.00	34.50	9.91	31.92	0.00	382	8 AVERAGE																																										



Mode	67																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																												
ANT	4																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.88</td><td>68.20</td><td>-22.32</td><td>54.63</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10850.00</td><td>49.39</td><td>---</td><td>---</td><td>57.91</td><td>37.90</td><td>14.46</td><td>60.88</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.88	68.20	-22.32	54.63	37.86	14.28	60.89	0.00	---	PEAK	2	10850.00	49.39	---	---	57.91	37.90	14.46	60.88	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.31</td><td>68.20</td><td>-22.89</td><td>54.06</td><td>37.86</td><td>14.28</td><td>60.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.31	68.20	-22.89	54.06	37.86	14.28	60.89	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	10580.00	45.88	68.20	-22.32	54.63	37.86	14.28	60.89	0.00	---	PEAK																																																																																																		
2	10850.00	49.39	---	---	57.91	37.90	14.46	60.88	0.00	---	Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	10580.00	45.31	68.20	-22.89	54.06	37.86	14.28	60.89	0.00	---	PEAK																																																																																																		







Mode	67																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2382.99</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>42.90</td><td>31.96</td><td>6.59</td><td>32.87</td><td>6.00</td><td>105</td><td>222</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.99	54.58	74.00	-19.42	42.90	31.96	6.59	32.87	6.00	105	222	PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>106.60</td><td>-----</td><td>-----</td><td>94.12</td><td>32.50</td><td>6.69</td><td>32.71</td><td>6.00</td><td>105</td><td>222</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.60	-----	-----	94.12	32.50	6.69	32.71	6.00	105	222	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2382.99	54.58	74.00	-19.42	42.90	31.96	6.59	32.87	6.00	105	222	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2452.00	106.60	-----	-----	94.12	32.50	6.69	32.71	6.00	105	222	PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.66</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>31.13</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>105</td><td>222</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.66	42.93	54.00	-11.07	31.13	32.06	6.60	32.86	6.00	105	222	AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>96.00</td><td>-----</td><td>-----</td><td>83.64</td><td>32.48</td><td>6.68</td><td>32.72</td><td>6.00</td><td>105</td><td>222</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	96.00	-----	-----	83.64	32.48	6.68	32.72	6.00	105	222	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.66	42.93	54.00	-11.07	31.13	32.06	6.60	32.86	6.00	105	222	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2452.00	96.00	-----	-----	83.64	32.48	6.68	32.72	6.00	105	222	AVERAGE																																																																																								



Mode	67																																																																	
	Band Edge - R																																																																	
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>64.36</td><td>74.00</td><td>-9.64</td><td>51.49</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>105</td><td>222</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	64.36	74.00	-9.64	51.49	32.77	6.73	32.63	6.00	105	222	PEAK	Blank										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2483.68	64.36	74.00	-9.64	51.49	32.77	6.73	32.63	6.00	105	222	PEAK																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>48.94</td><td>54.00</td><td>-5.06</td><td>36.07</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>105</td><td>222</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	48.94	54.00	-5.06	36.07	32.77	6.73	32.63	6.00	105	222	AVERAGE	Blank										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2483.54	48.94	54.00	-5.06	36.07	32.77	6.73	32.63	6.00	105	222	AVERAGE																																																						





Mode	67																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2376.03</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>43.10</td><td>31.06</td><td>6.58</td><td>32.88</td><td>6.00</td><td>381</td><td>132</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.03	54.66	74.00	-19.34	43.10	31.06	6.58	32.88	6.00	381	132	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>104.92</td><td>-----</td><td>-----</td><td>92.58</td><td>32.42</td><td>6.67</td><td>32.75</td><td>6.00</td><td>381</td><td>132</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.92	-----	-----	92.58	32.42	6.67	32.75	6.00	381	132
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2376.03	54.66	74.00	-19.34	43.10	31.06	6.58	32.88	6.00	381	132	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	104.92	-----	-----	92.58	32.42	6.67	32.75	6.00	381	132	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.53</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>30.49</td><td>32.04</td><td>6.60</td><td>32.86</td><td>6.00</td><td>381</td><td>132</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.53	42.27	54.00	-11.73	30.49	32.04	6.60	32.86	6.00	381	132	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>94.03</td><td>-----</td><td>-----</td><td>81.66</td><td>32.44</td><td>6.67</td><td>32.74</td><td>6.00</td><td>381</td><td>132</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	94.03	-----	-----	81.66	32.44	6.67	32.74	6.00	381	132
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.53	42.27	54.00	-11.73	30.49	32.04	6.60	32.86	6.00	381	132	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	94.03	-----	-----	81.66	32.44	6.67	32.74	6.00	381	132	AVERAGE																																																																																							



Mode	67																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																							
ANT	2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.02</td><td>61.59</td><td>74.00</td><td>-12.41</td><td>48.71</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>381</td><td>132</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.02	61.59	74.00	-12.41	48.71	32.77	6.73	32.62	6.00	381	132	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.02	61.59	74.00	-12.41	48.71	32.77	6.73	32.62	6.00	381	132	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>32.97</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>381</td><td>132</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	45.84	54.00	-8.16	32.97	32.77	6.73	32.63	6.00	381	132	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.54	45.84	54.00	-8.16	32.97	32.77	6.73	32.63	6.00	381	132	AVERAGE																																												



Mode	67																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>42.77</td><td>74.00</td><td>-31.23</td><td>60.63</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>58.12</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4904.00	42.77	74.00	-31.23	60.63	34.20	9.55	61.61	0.00	---	---	PEAK	2	7356.00	45.09	74.00	-28.91	58.12	35.79	11.71	60.53	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4904.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>60.38</td><td>34.20</td><td>9.55</td><td>61.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>57.64</td><td>35.79</td><td>11.71</td><td>60.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4904.00	42.52	74.00	-31.48	60.38	34.20	9.55	61.61	0.00	---	---	PEAK	2	7356.00	44.61	74.00	-29.39	57.64	35.79	11.71	60.53	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4904.00	42.77	74.00	-31.23	60.63	34.20	9.55	61.61	0.00	---	---	PEAK																																																																																																																																
2	7356.00	45.09	74.00	-28.91	58.12	35.79	11.71	60.53	0.00	---	---	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4904.00	42.52	74.00	-31.48	60.38	34.20	9.55	61.61	0.00	---	---	PEAK																																																																																																																																
2	7356.00	44.61	74.00	-29.39	57.64	35.79	11.71	60.53	0.00	---	---	PEAK																																																																																																																																


Note: for co-location mode, the highest signals over limit are Bluetooth/WIFI/LTE fundamental signals.



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	100%	-	-	10Hz
802.11ax HE40	100%	-	-	10Hz
802.11ax HE80	100%	-	-	10Hz
802.11ax HE160	100%	-	-	10Hz
802.11ax HE20 RU26	100%	-	-	10Hz
802.11ax HE20 RU52	100%	-	-	10Hz
802.11ax HE20 RU106	100%	-	-	10Hz


802.11a



Date: 22.NOV.2023 23:59:16




802.11ax HE20



Date: 23.NOV.2023 00:02:13


802.11ax HE40



Date: 23.NOV.2023 00:07:12




802.11ax HE80



Date: 23.NOV.2023 00:09:11


802.11ax HE160



Date: 23.NOV.2023 00:10:51




802.11ax HE20 RU 26



Date: 12.DEC.2023 20:19:14


802.11ax HE20 RU 52



Date: 12.DEC.2023 20:18:29



802.11ax HE20 RU 106



Date: 12.DEC.2023 20:18:02